A brand by Flokk

Price List

All prices: EUR



Content

General sales and delivery terms	3
RH Quick-ship	5
RH Logic 200 /220 Silver	7
RH Logic 200/220 Black	10
RH Logic 300	13
RH Logic 400	16
RH Mereo Silver	19
RH Mereo Black	21
RH Mereo Silver Grey	24
RH Axia	26
RH Axia Netweave	30
RH Axia Exclusive	33
RH Extend	35
RH Activ	37
RH Activ 300	40
RH Support	41
RH Secur24	43
RH Focus	47
RH Logic 400/300 ESD	49
RH Extend ESD	50
RH Activ ESD	51
RH Activ ESD Cleanroom	53
RH Activ Cleanroom	55
Footform	57
Spare parts	58
Standard Fabric & Colour Collection	64
Extended Fabric & Colour Collection	74
Fabrics 24/7	76
Physical measurements - Work chairs	79
Tests and Certificates	86

General sales and delivery terms

This document applies for contracted distributors of RH.

STANDARD DISPATCH TIME FROM FACTORY

RH Quick-ship (after the order has been registered)	5 Working days
Standard Fabric & Colour Collection	10 - 15 Working days
Extended Fabric & Colour Collection	>25* Working days
On request	On request

STANDARD DELIVERY TIMES FOR RH SECUR24

Quick-ship	10 Working days
Standard	23-28 Working days
Extended	30-35 Working days*
On request	On request

* Provided that the supplier has the fabric in stock.
Transport days must be added. Longer delivery times may occur periodically, during holidays and for large orders.

PRICES

All prices are recommended retail prices in Euro exclusive of VAT. Valid from 01.01.2026. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

CONDITIONS OF DELIVERY

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk until payment is made in full. A 3% energy & transportation surcharge on the net order value will be applied to all orders from October, 1st 2022.
Ex Works (Incoterms 2020) including packaging. All products must be inspected upon receipt/arrival.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk AS within 7 days after receipt. Invisible damage (means no damaged packaging) must also be reported in writing to Customer Service, Flokk AS within 7 days after receipt.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Photo of Flokk product label (including order no.)
- Photo of damaged goods
- Photo of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations. If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

DAMAGE IN TRANSIT

Should it be apparent that goods have been damaged in transit, the recipient/customer must inform the supplier within 48 hours of receipt.

CHANGE/CANCELLATION OF ORDERS

Change/cancellation of orders on chairs or upholstery are possible up until production has begun. Changes made 2 days after receiving the order confirmation, each amended or cancelled order will incur a charge of minimum EURO 50 per order. Once production has started orders cannot be changed. Change of orders within the Quick Ship collection are not possible. For further information regarding change/cancellation of orders, please feel free to contact our Customer Service department.

GENERAL TERMS AND CONDITIONS

Flokk´s warranty covers all chairs against material and manufacturing faults and defects from the chair's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Wear and tear must be expected from normal use and are not covered by the warranty. Unless otherwise specified, the maximum weight for users is 150 kg/23.5 stones. The warranty is conditional on the chair and fabrics/leather undergoing normal cleaning.

10 YEAR WARRANTY FOR RH PRODUCTS

Flokk provides a 10 year warranty for all RH chairs that are used under normal conditions for up to 9 hours per day. For normal usage that exceeds 9 hours a day RH provides a 5 year warranty on all RH Chairs (covers chairs delivered after 01.02.2010).

>9 HOURS/DAY - 5 YEAR WARRANTY

Flokk provides a 5 year warranty for all RH chairs that are in normal use for more than 9 hours per day. Please also see the general warranty terms and conditions.

24/7 - 5 YEAR WARRANTY

Flokk provides a 5 year warranty for RH chairs that are approved for control room or 24/7 use. Upholstery is not covered under these terms unless its an RH approved 24/7 fabric.

ESD/ESD CLEANROOM/CLEANROOM

Flokk provides a 5 year warranty for ESD, ESD Cleanroom and Cleanroom finished chairs, conditional on castors and treads being cleaned regularly with a suitable cleaning agent.

SPARE PARTS GUARANTEE

Flokk guarantees the deliver of spare parts for minimum of 10 years after the chairs´s production date. The guarantee covers the parts needed to maintain the chairs´s original functionally.

END OF LIFE – RECYCLING

We encourage you to ensure proper recycling of your chair and its various components. Please dispose of your chair/components using your local recycling partners/stations - and follow your local regulations. If you have questions on how to dispose or return your chair after use, please inform your contact person within Flokk.

STANDARD FABRIC & COLOUR COLLECTION

Flokk provides a 10 year warranty for fabrics/leather from the Standard Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day.
Flokk provides a 5 year warranty for fabrics/leather from the Standard Fabric & Colour Collection when the chair is in normal use for more than 9 hours per day.
Except for Illusion 3.0 and Puxx1 where a 5 year warranty is provided.

EXTENDED FABRIC & COLOUR COLLECTION

Flokk provides a 5 year warranty for fabrics/leather from the Extended Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the Extended Fabric & Colour Collection are available with a 5 year warranty for 24 hour use (for use of more than 9 hours per day).

SPECIAL OR CUSTOMERS OWN MATERIAL

If the fabrics in the Standard or Extended Collections are not what you are looking for, please contact Customer Service at Flokk, email: info-international@flokk.com. The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery. Fabrics and leathers that are not tested on our products, need to have a test-upholstery before we can approve it and the order can be registered. Cost (EUR 210) for testing will be charged.

UPHOLSTERY

- Open and unpack the chair upon receipt to avoid long-lasting dents on upholstered parts of the chair.
- The dents will most likely disappear shortly after receipt, if unpacked
- If you need to store the chair, you still must unpack it immediately to ensure that upholstered parts are completely free of any load.

When seated, the foam in the seat pad is compressed, which may cause small wrinkles to occur. This is normal for this type of product. Wrinkles will partially disappear when the chair is not in use.

NOTE! For environmental reasons we don´t use any glue or fasteners in the upholstery process for some of our products. Therefore some fabric are not suitable for certain products, see information on the pages for Fabric Collections or contact our Customer Service for more information.

MAINTENANCE GUIDE

Care of Fabric upholstery: Regular vacuum cleaning is recommended. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery: Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat source.

For additional maintenance advice please contact our customer service team or or web site flokk.com.

QUALITY

Flokk is ISO 9001 certified. Most chair models are tested and approved in accordance with the most stringent European regulations including: Möbelfakta, EN 1335-1 (dimentions), BS/EN 1335-2 (safety, strength and durability). All measurements given in the price list are based on EN1335-1, hence measurements cannot be replicated without correct settings, methods and equipment.The seat height will vary in accordance with the weight of the user. Please contact us for further information or test reports.

DISCLAIMER

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations. That is, as a result of component purchases, special orders or the like.

ENVIRONMENTAL RESPONSIBILITY

Environmental considerations on our products and the manufacturing of our products are at the heart of our business. Most of the materials used in RH chairs can be recycled if handled properly. A complete material composition for each RH product and our environmental brochure are available on request. Flokk is certified in accordance with ISO 14001:2015 environment and ISO 50001:2018 energy management systems. The environmental life cycle impact of RH Logic 200/220, RH Logic 400/300, RH Mereo, RH Extend, RH Axia, RH Activ and RH Support is documented in the ISO 14025 Environmental Product Declarations (EPD). RH Logic 200/220, RH Logic 300/400, RH Mereo, RH Extend, RH Axia, RH Activ and RH Support are also GREENGUARD Gold certified.

FIRE CLASSIFICATION

Foams and standard fabrics are tested to EN 1021–1&2 (cigarette & match). Foam and fabric according to BS-5852 ignition source 5 (crib 5) can be delivered on request at a surcharge of and must be specified at the time of order. Order of CMHR adds approximately two to five weeks to delivery lead times. CMHR foam must be specified on chairs intended for domestic use. Please contact Customer Services for further information.

CUSTOMER SERVICE

Phone: +47 72 40 72 40
E-mail: info-international@flokk.com

Flokk reserves the right to make small corrections alterations without notice.

RH Quick-ship

Our most popular chairs are available through RH Quick-Ship. Orders ship from the factory within five business days, plus standard transport time. To ensure fast delivery, the maximum order is 10 chairs. For larger quantities, please contact us. For RH Secure Quick-Ship options, see the product page.

You can supplement the chair with the following accessories:

- Neckrest
- Armrests
- Gas lift in varying seat heights.
- Castors for soft floors and hard floors.

Model	Item no	Gaja Black 60999	Paloma Black 56100	Puxx 1 Black 215816	24/7 Black IFC012	Select Black 60999	Select Grey 60134	Tale Mesh Black 60999	Tale Mesh Grey 60123
RH Logic 200 Black	9112		x			x	x		
RH Logic 220 Black	9212		x			x	x		
RH Logic 200 Silver	9111		x			x	x		
RH Logic 220 Silver	9211		x			x	x		
RH Logic 300	3340	x	x			x	x		
RH Logic 400	3550	x	x			x	x		
RH Logic 400 Elite	3559		x		x				
RH Mereo 200 Silver	8111		x			x	x		
RH Mereo 220 Silver	8211		x			x	x		
RH Mereo 300 Silver	8311		x			x	x		
RH Mereo Mesh Silver	8411		x			x	x	x	x
RH Mereo 200 Black	8112		x			x	x		
RH Mereo 220 Black	8212		x			x	x		
RH Mereo 300 Black	8312		x			x	x		
RH Mereo Black Mesh	8412		x			x	x	x	x
RH Mereo 200 Silver Grey	8113		x			x	x		
RH Mereo 220 Silver Grey	8213		x			x	x		
RH Mereo 300 Silver Grey	8313		x			x	x		
RH Mereo Mesh Silver Grey	8413		x			x	x	x	x
RH Extend 100	6212					x	x		
RH Extend 120	6112					x	x		
RH Extend 200	6211					x	x		
RH Extend 220	6111					x	x		
RH Activ 200	2772			x		x	x		
RH Activ 220	2872			x		x	x		

RH Activ 222	2882			x		x	x		
RH Support 4501 (Saddle)	4501			x					








RH Logic 200 /220 Silver

- Seat width: 442 mm, depth 477 mm (seatslide 100 mm)
- Seat height: 397-550 mm (4T NPR)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Lumbar pump is standard
- Certified in accordance to: EN 1335 Type A, GS, ANSIBIFMA X5.1, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
9111	RH Logic 200 Silver • Backrest medium: width 431 mm, height 518 mm • Weight: 19,9 kg			1 658	1 672	1 689	1 748	1 854	2 038	2 384	
9118	RH Logic 200 Silver Elite • Backrest medium: width 431 mm, height 518 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 21 kg • This model is tested and approved for control room use			1 856	1 872	1 892	1 957	2 076	2 282	2 671	
9211	RH Logic 220 Silver • Backrest large: width 433 mm, height 620 mm • Weight: 20,4 kg			1 852	1 867	1 895	1 960	2 072	2 278	2 666	
9218	RH Logic 220 Silver Elite • Backrest large: width 433 mm, height 620 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 22 kg • This model is tested and approved for control room use			1 995	2 092	2 122	2 195	2 320	2 552	2 923	

	Accessories/Options/Surcharges:	
HR220	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth	138
HR221	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth	208
BB200	Upholstered backshell	207
SP242	Uniform upholstery of back and seat	0
DS201	Decorative Stitching	130
AR730	Armrest 8L Silver, pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	229
AR731	Armrest 8L Silver, pair for BS standard. Armrest top in TPU (black). Adjustable in height, width, and angle; limited adjustment in depth	229
AR733	Armrest 8L Silver, pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	365

	Accessories/Options/Surcharges:	
AR738	Armrest 8L XL Silver, pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	402
AR741	Armrest traverse Silver. To be supplemented with an armrest at a later stage	90
AE220	Coat hanger in black plastic	79
SE224	Seat XL, width 490 mm, depth 505 mm	121
SP201	Seat with Coccyx cut out	256
SP202	Seat with memory foam (Only for: 9111, 9211)	302
SP246	Seat with memory foam (for Uniform upholstery) (Only for: 9111, 9211)	302
LI232	Gas stem A Silver	0
LI230	Gas stem B Silver	0
LI222	Gas stem 4T Silver	0
FB221	Base 5T, polished aluminium, Ø680 mm	99
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	48

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR220	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth.		SP242	Uniform upholstery of back & seat. Fewer seams for a cleaner visual look.	
HR221	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth.		DS201	Decorative Stitching	
			SE224	Seat XL Width 490 mm, depth 505 mm	
AR730	Armrest 8L Silver Armrest top in TPU (black) Height of armrest above seat 199-315 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine. Only for model 9111 & 9211	
			SP202	Memory foam seat - Standard Upholstery Contours to the body for enhanced ergonomic seating comfort.	
AR733	Armrest 8L Silver Armrest top in black leather (black) Height of armrest above seat 199-315 mm		SP246	Memory foam seat - Uniform Upholstery Contours to the body for enhanced ergonomic seating comfort.	
			LI232	Gas stem A Silver Seat height 490-635 mm	
			LI230	Gas stem B Silver Seat height 445-595 mm	
AR731	Armrest 8L Silver, for BS standard Armrest top in black leather (black) Height of armrest above seat 199-315 mm Select to accomplish BS5459-2 Limited adjustment in depth		LI222	Gas stem 4T Silver Seat height 385-530 mm	
AR738	Armrest 8L Silver XL Armrest top in black leather (black), width 135 mm, 254 mm Height of armrest above seat 199-315 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
AE220	Coat hanger in black plastic				

User Instruction RH Logic 200/220

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=_3wWOc2GsIg







RH Logic 200/220 Black

- Seat width: 442 mm, depth 477 mm (seatslide 100 mm)
- Seat height: 397-550 mm (4T NPR)
- Base in black lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Lumbar pump is standard
- Certified in accordance to: EN 1335 Type A, GS, ANSIBIFMA X5.1, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
9112	RH Logic 200 Black • Backrest medium: width 431 mm, height 518 mm • Weight: 19,9 kg			1 658	1 672	1 689	1 748	1 854	2 038	2 384	2 624
9119	RH Logic 200 Black Elite • Backrest medium: width 431 mm, height 518 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 21 kg • This model is tested and approved for control room use			1 856	1 872	1 892	1 957	2 076	2 282	2 671	
9212	RH Logic 220 Black • Backrest large: width 433 mm, height 620 mm • Weight: 20,4 kg			1 852	1 867	1 895	1 960	2 072	2 278	2 666	2 930
9219	RH Logic 220 Black Elite • Backrest large: width 433 mm, height 620 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 22 kg • This model is tested and approved for control room use			1 995	2 092	2 122	2 195	2 320	2 552	2 923	

	Accessories/Options/Surcharges:	
HR218	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth	138
HR219	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth	208
BB200	Upholstered backshell	207
SP242	Uniform upholstery of back and seat	0
DS201	Decorative Stitching	130
AR720	Armrest 8L Black, pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	229
AR723	Armrest 8L Black, pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	365
AR721	Armrest 8L Black, pair for BS standard. Armrest top in TPU (black). Adjustable in height, width, and angle; limited adjustment in depth	229

	Accessories/Options/Surcharges:	
AR728	Armrest 8L XL Black, pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	402
AR740	Armrest traverse Black. To be supplemented with an armrest at a later stage	90
AE220	Coat hanger in black plastic	79
SE224	Seat XL, width 490 mm, depth 505 mm	121
SP201	Seat with Coccyx cut out only available for 9112 & 9212	256
SP202	Seat with memory foam (Only for: 9112, 9212)	302
SP246	Seat with memory foam (for Uniform upholstery) (Only for: 9112, 9212)	302
LI233	Gas stem A Black	0
LI231	Gas stem B Black	0
LI223	Gas stem 4T Black	0
FB221	Base 5T, polished aluminium, Ø680 mm	99
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	48





Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR218	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth.		SP242	Uniform upholstery of back & seat. Fewer seams for a cleaner visual look.	
HR219	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth.				
AR720	Armrest 8L Black Armrest top in TPU (black) Height of armrest above seat 199-315 mm		DS201	Decorative Stitching	
AR723	Armrest 8L Black Armrest top in black leather (black) Height of armrest above seat 199-315 mm				
AR721	Armrest 8L Black, for BS standard Armrest top in TPU (black) Height of armrest above seat 199-315 mm Select to accomplish BS5459-2. Limited adjustment in depth		SE224	Seat XL Width 490 mm, depth 505 mm	
AR728	Armrest 8L Black XL Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 199-315 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine. Only for model 9112 & 9212	
			SP202	Memory foam seat - Standard Upholstery Contours to the body for enhanced ergonomic seating comfort	
			SP246	Memory foam seat - Uniform Upholstery Contours to the body for enhanced ergonomic seating comfort	
			LI233	Gas stem A Black Seat height 490-635 mm	
			LI231	Gas stem B Black Seat height 445-595 mm	
			LI223	Gas stem 4T Black Seat height 385-530 mm	
AE220	Coat hanger in black plastic		FB221	Base 5T Polished, Ø680 mm, polished aluminium	

User Instruction RH Logic 200/220

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=_3wWOc2GsIg






RH Logic 300

- Seat width: 462 mm, depth 467 mm (seatslide 80 mm)
- Backrest width: 447 mm, height 510 mm
- Seat height: 420-541 mm (4Q Silver)
- Base in silver aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Lumbar pump is an optional extra on this model
- Neckrest Cassette is required if RH Logic 300 is ordered without neckrest, to allow later neckrest installation.
- Certified in accordance to: EN 1335, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, Nordic Swan

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
3340	RH Logic 300 • Weight: 21 kg			1 648	1 663	1 689	1 748	1 847	2 031	2 375	
3343	RH Logic 300 Comfort • Extra padding with improved ventilation in seat and backpad • Weight: 21 kg			1 860	1 874	1 902	1 971	2 082	2 287	2 675	
3347	RH Logic 300 Elegance • Including upholstered backshell • Weight: 21 kg			1 818	1 833	1 863	1 927	2 034	2 237	2 618	
3349	RH Logic 300 Elite • 20 mm extra foam in seat and back with improved ventilation • Seat height: 440-570 mm (4Q silver) • This model is tested and approved for control room use • Weight: 21 kg			1 894	1 913	1 941	2 009	2 122	2 330	2 726	

	Accessories/Options/Surcharges:	
HR205	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	142
HR204	Neckrest RH Logic 400 in leather. Adjustable in height & depth	212
HC201	Neckrest cassette, must be ordered with the chair to allow a neckrest to be fitted later	9
DS201	Decorative Stitching	139
AR2535	Armrest 8S Black, pair. Adjustable in height, width & rotatable	234
AR2545	Armrest 8S XL Black, pair. Upholstered armrest top in black leather. Adjustable in height, width & rotatable	390
AR2510	Armrest 8E Black, pair. Adjustable in height, depth & width	253
AR2515	Armrest 8E Black, pair. Armrest top in leather (black). Adjustable in height, depth & width	374

	Accessories/Options/Surcharges:	
AE210	Coat hanger in black plastic	84
LP201	Lumbar pump	95
SE214	Seat XL, width 490 mm, depth 505 mm (Only for: 3340, 3347, 3349)	123
SP201	Seat with Coccyx cut out	260
SP202	Seat with memory foam (Only for: 3340, 3343, 3347)	302
LI233	Gas stem A Black	0
LI232	Gas stem A Silver	0
LI231	Gas stem B Black	0
LI230	Gas stem B Silver	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X, black lacquered aluminium, Ø660 mm	0
FB215	Base 5X polished aluminium, Ø660 mm	108
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	50




Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR205	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth		DS201	Decorative Stitching	
HR204	Neckrest RH Logic 400 in leather. Adjustable in height & depth				
AR2535	Armrest 8S pair (black) Height of armrest above seat 198-299 mm RH Logic 300 Elite Height of armrest above seat 228-329 mm		AR2510	Armrest 8E pair (black) Height of armrest above seat 198-299 mm RH Logic 300 Elite Height of armrest above seat 228-329 mm	
AR2545	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Height of armrest above seat 198-299 mm RH Logic 300 Elite Height of armrest above seat 178-279 mm		AR2515	Armrest 8E pair (black). Upholstered armrest top black leather. Height of armrest above seat 198-299 mm RH Logic 300 Elite Height of armrest above seat 178-279 mm	
AE210	Coat hanger in black plastic		LP201	Lumbar pump	
SE214	Seat XL. Width 505 mm, depth 490 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
LI233	Gas stem A Black Seat height 535-675 mm		FB214	Base 5X Black, Ø660 mm, black lacquered aluminium	
LI232	Gas stem A Silver Seat height 535-675 mm				
LI231	Gas stem B Black Seat height 490-635 mm				
LI230	Gas stem B Silver Seat height 490-635 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	
LI210	Gas stem 4Q Black Seat height 420-541 mm				

User Instruction RH Logic 400/300

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=vM7s6RymQFs








RH Logic 400

- Seat: width 462 mm, depth 467 mm (seatslide 80 mm)
- Backrest with lumbar pump: width 447 mm, height 620 mm
- Seat height: 420-541 mm (4Q Silver)
- Base in silver aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Certified in accordance to: EN 1335, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, Nordic Swan

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
3550	RH Logic 400 • Weight: 21,8 kg			1 961	1 980	2 010	2 079	2 199	2 414	2 824	
3553	RH Logic 400 Comfort • Extra padding with improved ventilation in seat and backpad • Weight: 21,8 kg			2 232	2 252	2 284	2 362	2 498	2 746	3 214	
3557	RH Logic 400 Elegance • Including upholstered backshell • Weight: 21,8 kg			2 171	2 193	2 228	2 302	2 435	2 673	3 129	
3559	RH Logic 400 Elite • 20 mm extra foam in seat and back with improved ventilation • Seat height 440-570 mm (4Q silver) • This model is tested and approved for control room use • Weight: 22,8 kg			2 270	2 293	2 326	2 406	2 545	2 795	3 270	

	Accessories/Options/Surcharges:	
HR205	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	142
HR204	Neckrest RH Logic 400 in leather. Adjustable in height & depth	212
DS201	Decorative Stitching	139
AR2535	Armrest 8S Black, pair. Adjustable in height, width & rotatable	234
AR2545	Armrest 8S XL Black, pair. Upholstered armrest top in black leather. Adjustable in height, width & rotatable	390
AR2510	Armrest 8E Black, pair. Adjustable in height, depth & width	253
AR2515	Armrest 8E Black, pair. Armrest top in leather (black). Adjustable in height, depth & width	374
AE210	Coat hanger in black plastic	84
SE214	Seat XL, width 490 mm, depth 505 mm (Only for: 3550, 3557, 3559)	123

	Accessories/Options/Surcharges:	
SP201	Seat with Coccyx cut out	260
SP202	Seat with memory foam	302
LI233	Gas stem A Black	0
LI232	Gas stem A Silver	0
LI231	Gas stem B Black	0
LI230	Gas stem B Silver	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X, black lacquered aluminium, Ø660 mm	0
FB215	Base 5X polished aluminium, Ø660 mm	108
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	50

Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR205	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth		DS201	Decorative Stitching	
HR204	Neckrest RH Logic 400 in leather. Adjustable in height & depth				
AR2535	Armrest 8S pair (black) Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm		AR2510	Armrest 8E pair (black) Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm	
AR2545	Armrest 8S XL pait (black). Upholstered armrest top in black leather. Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm		AR2515	Armrest 8E pair (black). Upholstered armrest top in black leather Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm	
AE210	Coat hanger in black plastic		-	Lumbar pump Standard on all RH Logic 400 models	
SE214	Seat XL. Width 505 mm, depth 490 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
LI233	Gas stem A Black Seat height 535-675 mm		FB214	Base 5X Black, 660 mm, black lacquered aluminium	
LI232	Gas stem A Silver Seat height 535-675 mm				
LI231	Gas stem B Black Seat height 490-635 mm		FB215	Base 5X Polished, 660 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 490-635 mm				
LI210	Gas stem 4Q Black Seat height 420-541 mm				

User Instruction RH Logic 400/300

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=vM7s6RymQFs





RH Mereo Silver

- Seat: width 410mm, depth 465mm (seat depth with slide 403-483 mm)
- Seat height: 410-565 (4T NPR Silver)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
8111	RH Mereo 200 Silver • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg			1 135	1 142	1 163	1 201	1 270	1 395	1 632	
8211	RH Mereo 220 Silver • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg			1 206	1 216	1 237	1 278	1 350	1 484	1 738	
8311	RH Mereo 300 Silver • Backrest large: width 442 mm, height 630 mm • Weight: 18,9 kg			1 216	1 235	1 249	1 293	1 369	1 506	1 760	
8411	RH Mereo Mesh Silver • Black back frame, upholstered in Tale. Lumbar support is predefined in Tonal with a fabric colour matching the selected mesh. • Backrest: width 443 mm, height 630 mm • Weight: 18,8 kg • Available Q1 2026			1 206	1 216	1 237	1 278	1 350	1 484	1 738	

	Accessories/Options/Surcharges:	
HR212	Neckrest RH Mereo Silver in fabric/C.O.M. Adjustable in height, depth & angle (Only for: 8211, 8311)	158
HR213	Neckrest RH Mereo Silver in leather. Adjustable in height, depth & angle (Only for: 8211, 8311)	191
SE274	Seat XL, width 490 mm, depth 520 mm	110
DS201	Decorative Stitching	136
SP233	RH Mereo Duo. Combination of two fabrics	136
AR700	Armrest 8T Silver, pair. Adjustable in height, depth, width & turnable	232
AR705	Armrest 8T XL Silver, pair. Adjustable in height, depth, width & turnable	364
AR710	Armrest traverse Silver. To be supplemented with an armrest at a later stage	92
AE217	Coat hook in silver metal (Only for: 8211, 8311)	23
LI232	Gas stem A Silver	0

	Accessories/Options/Surcharges:	
LI230	Gas stem B Silver	0
LI222	Gas stem 4T Silver	0
FB221	Base 5T, polished aluminium, Ø680 mm	101
CA201	Castors for hard floors, Ø65 mm, black	0
CA220	Castors, soft wheels for hard floors, grey Ø65 mm	0
CA221	Castors manually lockable, Ø65 mm	50

Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR212	Neckrest RH Mereo Silver in fabric/Customer own fabric (only for 8211, 8311) Adjustable in height, depth & angle		DS201	Decorative Stitching RH Mereo Mesh: Available for seat only	
HR213	Neckrest RH Mereo Silver in leather. (only for 8211, 8311) Adjustable in height, depth & angle				
AR700	Armrest 8T Silver pair. Height of armrest above seat 195-310 mm		SP233	RH Mereo Duo. Combination of two fabrics RH Mereo Mesh: Available for seat only	
AR705	Armrest 8T XL Silver pair. Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		AE217	Coat hook in silver metal (only for 8211, 8311, 8213, 8313)	
LI232	Gas stem A Silver Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 460-605 mm				
LI222	Gas stem 4T Silver Seat height 399-543 mm				

User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=rN2R1H-6ZIk

RH Mereo Black





- Seat: width 410mm, depth 465mm (seat depth with slide 403-483 mm)
- Seat height: 410-565 mm (4T NPR Black)
- Base in black lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
8112	RH Mereo 200 Black • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg			1 135	1 142	1 163	1 201	1 270	1 395	1 632	
8212	RH Mereo 220 Black • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg			1 206	1 216	1 237	1 278	1 350	1 484	1 738	
8312	RH Mereo 300 Black • Backrest large: width 400 mm, height 630 mm • Weight: 18,9 kg			1 216	1 235	1 249	1 293	1 369	1 506	1 760	
8412	RH Mereo Mesh Black • Black back frame, upholstered in Tale. Lumbar support is predefined in Tonal with a fabric colour matching the selected mesh. • Backrest: width 443 mm, height 630 mm • Weight: 18,8 kg • Available • Available Q1 2026			1 206	1 216	1 237	1 278	1 350	1 484	1 738	

Accessories/Options/Surcharges:

HR214	Neckrest RH Mereo Black in fabric/C.O.M. Adjustable in height, depth & angle (Only for: 8212, 8312)	158
HR215	Neckrest RH Mereo Black in leather. Adjustable in height, depth & angle (Only for: 8212, 8312)	191
SE274	Seat XL, width 490 mm, depth 520 mm	110
DS201	Decorative Stitching	136
SP233	RH Mereo Duo. Combination of two fabrics	136
AR701	Armrest 8T Black, pair. Adjustable in height, depth, width & turnable	232
AR707	Armrest 8T XL Black, pair. Adjustable in height, depth, width & turnable	364
AR711	Armrest traverse Black. To supplement with armrests at a later stage	92
AE219	Coat hook in black metal (Only for: 8212, 8312)	23
LI233	Gas stem A Black	0

	Accessories/Options/Surcharges:	
LI231	Gas stem B Black	0
LI223	Gas stem 4T Black	0
FB221	Base 5T, polished aluminium, Ø680 mm	101
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	50

Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR214	Neckrest RH Mereo Black in fabric/Customer own fabric (only for 8212, 8312). Adjustable in height, depth & angle		DS201	Decorative Stitching RH Mereo Mesh: Available for seat only	
HR215	Neckrest RH Mereo Black in leather (only for 8212, 8312). Adjustable in height, depth & angle				
AR701	Armrest 8T Black pair. Height of armrest above seat 195-310 mm		SP233	RH Mereo Duo. Combination of two fabrics RH Mereo Mesh: Available for seat only	
AR707	Armrest 8T XL Black pair . Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		AE219	Coat hook in black metal (only for 8212, 8312)	
LI233	Gas stem A Black Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI231	Gas stem B Black Seat height 460-605 mm				
LI223	Gas stem 4T Black Seat height 399-543 mm				

User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=rN2R1H-6ZIk





RH Mereo Silver Grey

- Seat: width 410mm, depth 465mm (seat depth with slide 403-483 mm)
- Seat height: 410-565 mm (4T NPR Silver)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Grey
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
8113	RH Mereo 200 Silver Grey • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg			1 155	1 167	1 185	1 227	1 296	1 416	1 654	
8213	RH Mereo 220 Silver Grey • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg			1 230	1 243	1 261	1 302	1 379	1 508	1 763	
8313	RH Mereo 300 Silver Grey • Backrest large: width 400 mm, height 630 mm • Weight: 18,9 kg			1 249	1 259	1 272	1 317	1 395	1 535	1 795	
8413	RH Mereo Mesh Silver Grey • Light grey back frame, upholstered in Tale. Lumbar support is predefined in Tonal with a fabric colour matching the selected mesh. • Backrest: width 443 mm, height 630 mm • Weight: 18,8 kg • Available Q1 2026			1 230	1 243	1 261	1 302	1 379	1 508	1 763	

	Accessories/Options/Surcharges:	
HR216	Neckrest RH Mereo Silver Grey in fabric/C.O.M. Adjustable in height, depth and angle (Only for: 8213, 8313)	160
HR217	Neckrest RH Mereo Silver Grey in leather. Adjustable in height, depth and angle (Only for: 8213, 8313)	194
SE274	Seat XL, width 490 mm, depth 520 mm	110
DS201	Decorative Stitching	136
SP233	RH Mereo Duo. Combination of two fabrics	136
AR703	Armrest 8T Silver Grey, pair. Adjustable in height, depth, width & turnable	236
AR709	Armrest 8T XL Silver Grey, pair. Adjustable in height, depth, width & turnable	373
AR712	Armrest traverse Silver Grey. To supplement with armrests at a later stage	93
AE217	Coat hook in silver metal (Only for: 8213, 8313)	23
LI232	Gas stem A Silver	0

	Accessories/Options/Surcharges:	
LI230	Gas stem B Silver	0
LI222	Gas stem 4T Silver	0
FB221	Base 5T, polished aluminium, Ø680 mm	101
CA201	Castors for hard floors, Ø65 mm, black	0
CA220	Castors, soft wheels for hard floors, grey Ø65 mm	0
CA221	Castors manually lockable, Ø65 mm	50



Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR216	Neckrest RH Mereo Silver Grey in fabric/Customer own fabric (only for 8213, 8313). Adjustable in height, depth & angle		DS201	Decorative Stitching RH Mereo Mesh: Available for seat only	
HR217	Neckrest RH Mereo Silver Grey in leather (only for 8213, 8313). Adjustable in height, depth & angle				
AR703	Armrest 8T Silver Grey pair. Height of armrest above seat 195-310 mm		SP233	RH Mereo Duo. Combination of two fabrics RH Mereo Mesh: Available for seat only	
AR709	Armrest 8T XL Silver Grey pair. Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		AE217	Coat hook in silver metal (only for 8213, 8313)	
LI232	Gas stem A Silver Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 460-605 mm				
LI222	Gas stem 4T Silver Seat height 399-543 mm				

User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=rN2R1H-6Zlk









RH Axia


- Seat height: 400-554 mm (ON-4UZ)
- Seat slide: 100 mm
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5U in black plastic (Ø670 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335 Type B, GS, BS5459-2, EPD ISO 14025, GREENGUARD GOLD, CRADLE TO CRADLE

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
3121	RH Axia 3121 • Backrest 2.1: width 450 mm, height 390 mm, thickness 70 mm • Seat: depth 470 mm, width 485mm, thickness 60 mm • Weight: 24.5 kg			1 036	1 050	1 064	1 100	1 155	1 264	1 509	
3122	RH Axia 3122 • Backrest 2.2: width 450 mm, height 470 mm, thickness 70 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg			1 162	1 176	1 186	1 235	1 289	1 405	1 672	
3123	RH Axia 3123 • Backrest 2.3: width 450 mm, height 470 mm, thickness 80 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg • With extra comfort layer in seat and back			1 248	1 262	1 274	1 321	1 376	1 501	1 784	
3124	RH Axia 3124 • Backrest 2.4: width 460 mm, height 540 mm, thickness 80 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg			1 302	1 317	1 329	1 383	1 439	1 558	1 857	

	Accessories/Options/Surcharges:	
HR2725	Headrest RH Axia in black lacquered aluminium, only for 3124	195
ME2765	Mechanism A polished (seat height, back angle, seat angle adjustment)	106
ME2755	Mechanism B black (seat height & seat angle adjustment)	-90
ME2770	Mechanism B polished (seat height & seat angle adjustment)	26
ME2760	Mechanism D black, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	201
ME2775	Mechanism D polished, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	88
AR2780	Armrest 8N Multi Black, pair. Adjustable in height, width & turnable	173
AR2760	Armrest 8N Multi Polished, pair. Adjustable in height, width & turnable	173
AR2795	Armrest 8N Multi XL Black, pair. Armrest top in black leather. Adjustable in height, width & turnable	343

	Accessories/Options/Surcharges:	
AR2775	Armrest 8N Multi XL Polished, pair. Armrest top in black leather. Adjustable in height, width & turnable	343
AE2720	Coathanger, black lacquered aluminium. Only for 3124	100
LP201	Lumbar pump	156
SE275	Seat Comfort (80 mm thick)	0
SE272	Seat XL, width 510 mm, depth 510 mm, thickness 85 mm	87
SP201	Seat with Coccyx cut out	143
SP202	Seat with memory foam	302
4DS001	Decorative stitching	134
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
FB2720	Base ON-5U, polished aluminium, Ø670 mm	95
CA2715	Castors ON-7UP, for hard floors, unbraked	0
CA2720	Castors ON-7UE, for soft floors, braked	0
CA2725	Castors ON-7UJ, for hard floors, braked	0
CA2765	Plastic glide, OK-7UK	0

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR2725	RH Axia Headrest in black lacquered aluminium. Only available for RH Axia 3124		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
ME2765	RH Axia Mechanism A, polished (seat height, back angle, seat angle adjustment)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
ME2760	RH Axia Mechanism D,black (seat height, back angle, seat angle adjustment) 4 cm extra seat depth &a weighted mechanism (<170k kg)				
ME2775	RH Axia Mechanism D, polished (seat height, back angle, seat angle adjustment) 4 cm extra seat depth & weighted mechanism (<170k kg)				
AR2780	Armrest 8N Multi (black)		AR2795	Armrest 8N Multi XL (black) Upholstered armrest top in black leather	
AR2760	Armrest 8N Multi (polished)		AR2775	Armrest 8N XL Multi (polished). Upholstered armrest top in black leather	
AE2720	Coathanger. Black lacquered Only for RH Axia 3124		LP201	Lumbar pump	
SE272	XL seat Width 510 mm, depth 510 mm, thickness 85 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
SE275	Comfort seat Width 490 mm, depth 470, thickness 80 mm				

SP202	Seat with memory foam		4DS001	Decorative stitching	
LI255	Gas stem F Black Seat height 385-554 mm				
LI2742	Gas stem ON-4FH Black Seat height 450-600 mm				

User Instruction RH Axia








Check out our user guide, explaining how each of the unique functions are adjusted: https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s

RH Axia Netweave

- Seat height: 400-554 (ON-4UZ)
- Seat: depth, 470 mm, width 485 mm, thickness 60 mm (seat slide 100 mm)
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5U in black plastic (Ø670 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335 Type B, GS, BS5459-2, EPD ISO 14025, GREENGUARD GOLD, CRADLE TO CRADLE







Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
3125	RH Axia Netweave 3125 • Backrest 2.5 Netweave: width 460 mm, height 560 mm • Weight: 24.8 kg			1 218	1 213	1 230	1 250	1 276	1 334	1 590	

	Accessories/Options/Surcharges:	
ME2765	Mechanism A polished (seat height, back angle, seat angle adjustment)	106
ME2755	Mechanism B black (seat height & seat angle adjustment)	-88
ME2770	Mechanism B polished (seat height & seat angle adjustment)	26
ME2775	Mechanism D polished, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	88
ME2760	Mechanism D black, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	201
AR2780	Armrest 8N Multi Black, pair. Adjustable in height, width & turnable	173
AR2770	Armrest 8N Multi (polished). Adjustable in height, width & turnable	343
SE275	Seat Comfort (80 mm thick)	0
SE272	Seat XL, width 510 mm, depth 510 mm, thickness 85 mm	87
SP201	Seat with Coccyx cut out	143
SP202	Seat with memory foam	302
4DS001	Decorative stitching	134
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
FB2720	Base ON-5U, polished aluminium, Ø670 mm	95
CA2715	Castors ON-7UP, for hard floors, unbraked	0
CA2720	Castors ON-7UE, for soft floors, braked	0
CA2725	Castors ON-7UJ, for hard floors, braked	0
CA2765	Plastic glide, OK-7UK	0

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
ME2765	RH Axia Mechanism A, polished (seat height, back angle, seat angle adjustment)		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
ME2760	RH Axia Mechanism D,black (seat height, back angle, seat angle adjustment)				
ME2775	RH Axia Mechanism D, polished (seat height, back angle, seat angle adjustment)				
AR2780	Armrest 8N Multi (black)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
AR2770	Armrest 8N Multi (polished)		4DS001	Decorative stitching	
SE275	Comfort seat				
SE272	XL seat Width 510 mm, depth 510 mm, thickness 85 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
SP202	Seat with memory foam		FB2720	Base polished aluminium Ø670 mm	
LI255	Gas stem F black Seat height 385-530 mm				
LI2742	Gas stem ON-4FH black Seat height 470-630 mm				

User Instruction RH Axia

Check out our user guide, explaining how each of the unique functions are adjusted: https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s

RH Axia Netweave Standard Colours - Shrinx Join					
Fabric: 4921 Colour No: 10 - Black Standard Collection	Fabric: 4921 Colour No: 11 - Grey Standard Collection	Fabric: 4921 Colour No: 14 - Rust Extended Collection	Fabric: 4921 Colour No: 32 - Beige Extended Collection	Fabric: 4921 Colour No: 70 - Blue Extended Collection	Fabric: 4921 Colour No: 75 - Green Extended Collection
					






RH Axia Netweave Standard Collection: 10-15 working days
RH Axia Netweave Extended Collection: 25 working days

RH Axia Exclusive

- Seat height: 410-560 mm (ON-4UZ)
- Seat: depth, 470 mm, width 490 mm, thickness 80 mm (seat slide 100 mm)
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5V black in aluminium (Ø710 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335, EPD ISO 14025

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
3140	RH Axia Exclusive 3140 • Backrest Exclusive: width 480 mm, height 650 mm, thickness 80 mm • Weight: 21.8 kg			1 462	1 474	1 533	1 610	1 706	1 979	2 315	

	Accessories/Options/Surcharges:	
HR2730	Headrest RH Axia Exclusive, black laquerad aluminium. Adjustable in height & depth	237
HR2740	Headrest RH Axia Exclusive Polished aluminium	247
AE2730	Coat hanger in black lacquered aluminium	100
ME2765	Mechanism A polished (seat height, back angle, seat angle adjustment)	106
ME2755	Mechanism B black (seat height & seat angle adjustment)	-90
ME2770	Mechanism B polished (seat height & seat angle adjustment)	26
ME2775	Mechanism D polished, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	88
ME2760	Mechanism D black, with 4 cm extra seat depth (seat height, back angle & seat angle adjustment)	201
LP201	Lumbar pump	156
AR2780	Armrest 8N Multi Black, pair. Adjustable in height, width & turnable	173
AR2795	Armrest 8N Multi XL Black, pair. Armrest top in black leather. Adjustable in height, width & turnable	343
AR2760	Armrest 8N Multi Polished, pair. Adjustable in height, width & turnable	173
AR2775	Armrest 8N Multi XL Polished, pair. Armrest top in black leather. Adjustable in height, width & turnable	343
DS201	Decorative Stitching	134
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
FB2730	Footbase ON-5V polished	95
CA2715	Castors ON-7UP, for hard floors, unbraked	0
CA2720	Castors ON-7UE, for soft floors, braked	0
CA2725	Castors ON-7UJ, for hard floors, braked	0
CA2765	Plastic glide, OK-7UK	0


Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR2730	RH Axia Exclusive Headrest in black lacquered aluminium		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
HR2740	RH Axia Exclusive Headrest in polished aluminium				
ME2765	RH Axia Mechanism A polished (seat height, back angle, seat angle adjustment)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
ME2760	RH Axia Mechanism D black (seat height, back angle, seat angle adjustment)				
ME2775	RH Axia Mechanism D polished (seat height, back angle, seat angle adjustment)				
AR2780	Armrest 8N Multi (black)		AR2795	Armrest 8N XL (black) Upholstered armrest top in black leather	
AR2760	Armrest 8N Multi (polished)		AR2775	Armrest 8N XL (polished) Upholstered armrest top in black leather	
AE2730	Coathanger. Black lacquered		LP201	Lumbar pump	
4DS001	Decorative stitching		FB730	Base polished aluminium Ø710 mm	
LI255	Gas stem F black 394-537 mm				
LI2742	Gas stem ON-4FH black 480-635 mm				

User Instruction RH Axia

Check out our user guide, explaining how each of the unique functions are adjusted: https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s

RH Extend







- Seat: width 461 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 420-534 mm (4Q Silver)
- Base in silver lacquered aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Certified in accordance to: EN 1335, GS, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
6111	RH Extend 100 • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg			1 126	1 138	1 155	1 193	1 262	1 388	1 622	
6211	RH Extend 120 • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg			1 249	1 258	1 276	1 320	1 397	1 533	1 793	
6112	RH Extend 200 • Adjustable back angle • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg			1 312	1 324	1 345	1 392	1 470	1 614	1 888	
6212	RH Extend 220 • Adjustable back angle • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg			1 433	1 443	1 465	1 515	1 603	1 760	2 060	

	Accessories/Options/Surcharges:	
HR206	Neckrest RH Extend, upholstered in Xtreme 009. Adjustable in height & depth	229
HR207	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth	282
HR208	Neckrest RH Extend, in leather. Adjustable in height & depth	300
HC201	Neckrest cassette, must be ordered with the chair to allow a neckrest to be fitted later (Only for: 6111, 6112)	9
AE210	Coat hanger in black plastic	84
SE220	Seat XL, width 490 mm, depth 505 mm	109
DS201	Decorative Stitching	137
	Uniform upholstery, back	117
	Uniform upholstery, seat	117
AR2535	Armrest 8S Black, pair. Adjustable in height, width & rotatable	234

	Accessories/Options/Surcharges:	
AR2545	Armrest 8S XL Black, pair. Upholstered armrest top in black leather. Adjustable in height, width & rotatable	390
AR2510	Armrest 8E Black, pair. Adjustable in height, depth & width	253
AR2515	Armrest 8E Black, pair. Armrest top in leather (black). Adjustable in height, depth & width	374
LI232	Gas stem A Silver	0
LI233	Gas stem A Black	0
LI230	Gas stem B Silver	0
LI231	Gas stem B Black	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X, black lacquered aluminium, Ø660 mm	0
FB215	Base 5X polished aluminium, Ø660 mm	104
CA201	Castors for hard floors, Ø65 mm, black	0

NOTE: To enable a neckrest to be fitted at a later stage, you "must" add a neckrest cassette. Only for RH Extend 100 and 200.

Item no	Description	Accessories/option	Item no	Description	Accessories/option
HR206	Neckrest RH Extend. Upholstered in Xtreme 009. Adjustable in height & depth		DS201	Decorative Stitching	
HR207	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth				
HR208	Neckrest RH Extend in leather. Adjustable in height & depth				
AR2635	Armrest 8S pair (black). Adjustable in height, width & rotatable Height of armrest above seat 220-297 mm		AR2510	Armrest 8E pair (black). Adjustable in height, depth & width Height of armrest above seat 220-297 mm	
AR2545	Armrest 8S XL pair (black). Adjustable in height, width & rotatable. Upholstered armrest top in black leather Height of armrest above seat 220-297 mm				
AE201	Coat hanger in black plastic		AR2515	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width Height of armrest above seat 220-297 mm	
SE220	Seat XL. Width 490 mm, depth 505 mm		-	Uniform upholstery back. Upholstery without contrasted black waist for a cleaner visual look.	
			-	Uniform upholstery seat Upholstery without contrasted black sides for a cleaner visual look.	
LI232	Gas stem A Silver Seat height 535-670 mm		FB214	Base 5X Black, Ø660 mm, black lacquered aluminium	
LI233	Gas stem A Black Seat height 535-670 mm				
LI230	Gas stem B Silver Seat height 490-630 mm				
LI231	Gas stem B Black Seat height 490-630 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	
LI210	Gas stem 4Q Black Seat height 420-534 mm				

User Instruction RH Extend

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=0F0aJG1Jbdl

RH Activ

- Seat height: 395-525 mm (B Black)
- Base in black lacquered aluminium (5F) and castors for carpeted floors (Ø50 mm)
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD







Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
2772	RH Activ 200 • Backrest medium: width 370 mm, height 295 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13 kg			816	822	835	863	913	1 003	1 173	
2872	RH Activ 220 • Backrest large: width 370 mm, height 430 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13,6 kg			870	881	892	921	973	1 069	1 251	
2782	RH Activ 202 • Backrest medium: width 370 mm, height 295 mm • Seat medium: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13 kg			863	873	885	915	967	1 063	1 242	
2882	RH Activ 222 • Backrest large: width 370 mm, height 430 mm • Seat large: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13,6 kg			916	927	940	971	1 027	1 128	1 319	

	Accessories/Options/Surcharges:	
AR2535	Armrest 8S Black, pair. Adjustable in height, width & rotatable	234
AR2510	Armrest 8E Black, pair. Adjustable in height, depth & width	253
AR2515	Armrest 8E Black, pair. Armrest top in leather (black). Adjustable in height, depth & width	374
RB200	Reinforced upper part backpad (black leather)	61
RS200	Reinforced front edge seat (black leather)	61
SE212	Seat cashier medium (30 mm extra padding)	90
FO204	Footring 6F, black, Ø455 mm	138
LI232	Gas stem A Silver	0
LI233	Gas stem A Black	0
LI230	Gas stem B Silver	0
LI235	Gas stem D Black	7

	Accessories/Options/Surcharges:	
LI234	Gas stem D Silver	7
LI237	Gas stem E Black	33
LI236	Gas stem E Silver	33
LI228	Gas stem 4FL Black	0
FB225	Base 5F, silver lacquered aluminium, Ø590 mm	0
FB227	Base 5F, polished aluminium, Ø590 mm	77
FB229	Base 5G, black lacquered aluminium, Ø630 mm	23
FB228	Base 5G, silver lacquered aluminium, Ø630 mm	23
FB230	Base 5G polished aluminium, Ø630 mm	160
FB210	Base 5N, polished steel Ø540 mm. For castors 7HN, 7D or 7G. Increases seat height by 25 mm	49
CA206	Castors for hard floors, black Ø50 mm	0
CA207	Castors 7G, locks automatically when seated, Ø50 mm	48
CA211	Castors 7D, carpeted floors, Ø50 mm. For base 5N	0
CA212	Castors 7HN for hard floors, Ø50 mm. For base 5N	0
CA208	Plastic glide 7K	0

VALID COMBINATIONS

Model: 2772 & 2782	
Base: 5N	Gas stem: 4FL, B
Base: 5F	Gas stem: 4FL,A, B, D, E
Base: 5G	Gas stem: 4FL, A, B, D, E
Model: 2882, 2872	
Base: 5F	Gas stem: 4FL, B
Base: 5G	Gas stem: 4FL, A, B, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2535	Armrest 8S pair (black). Adjustable in height, width & rotatable. Armrest height above seat 190-290 mm		AR2510	Armrest 8E pair (black). Adjustable in height, depth & width. Armrest height above seat 190-290 mm	
SE212	Seat cashier medium (30 mm extra padding)		AR2515	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width. Armrest height above seat 190-290 mm	
RB200	Reinforced upper part backpad (black leather)		RS200	Reinforced front edge seat (black leather)	
FO204	Footring 6F, black, Ø455 mm		CA208	Plastic glide 7K	
LI232	Gas stem A Silver Seat height 440-565 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI233	Gas stem A Black Seat height 440-565 mm				
LI230	Gas stem B Silver Seat height 395-525 mm				
LI234	Gas stem D Silver Seat height 500-675 m		FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	
LI235	Gas stem D Black Seat height 500-675 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI237	Gas stem E Black Seat height 595-840 mm		FB210	Base 5N - Ø540 mm, polished steel	
LI236	Gas stem E Silver Seat height 595-840 mm				
LI228	Gas stem 4FL Black Seat height 365-445 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=hexc6goUiM4






RH Activ 300

- Seat height: 515-700 mm (D Grey)
- Backrest: width 280 mm, height 230 mm
- All metal parts in dark grey lacquer (RAL 7024), all plastic parts in dark grey (MT 11310)
- Base in dark grey lacquered aluminium (5F) and castors that lock automatically when seated (50mm)
- Certified in accordance to: ANSI/BIFMA, GS

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
2668-01	RH Activ 303 • Seat Cashier: width 450 mm, depth 428 mm (extra padding, 30 mm) (seatslide 50 mm) • Seat height: 515-700 mm • Weight: 13 kg			1 015	1 024	1 042	1 073	1 137	1 250	1 463	

	Accessories/Options/Surcharges:	
RB200	Reinforced upper part backpad (black leather)	61
RS200	Reinforced front edge seat (black leather)	61
FO204	Footring 6F, black, Ø455 mm	138
LI254	Gas stem A, grey (RAL 7024)	0
FB227	Base 5F, polished aluminium, Ø590 mm	77
FB229	Base 5G, black lacquered aluminium, Ø630 mm	23
FB230	Base 5G polished aluminium, Ø630 mm	160
CA206	Castors for hard floors, black Ø50 mm	0
CA205	Castors for soft floors, Ø50 mm, black	0
CA208	Plastic glide 7K	0

NOTE!
RH Activ 303 with gas stem E only in combination with base 5G




Item no	Description	Accessories/option	Item no	Description	Accessories/option
RB200	Reinforced upper part backpad (black leather)		RS200	Reinforced front edge seat (black leather)	
FO204	Footring 6F, black, Ø455 mm		CA208	Plastic glide 7K	
LI254	Gas stem A Grey (RAL 7024) Seat height 455-590 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
			FB230	Base 5G Polished, Ø630 mm, polished aluminium	

RH Support

- Base in black lacquered aluminium (5F- Ø590 mm) and glides (7K)
- Certified in accordance to: GREENGUARD GOLD

Item no	Base model +	Price Group (PG)		①	②	③	④	⑤	⑥	⑦	Price
4501	RH Support 4501 • Backrest RH17: width 380 mm, height 230 mm • Seat RH8 Saddle: width 410 mm, depth 380 mm • Mechanism: 3G • Seat height: 565-810 mm (E Black) • Weight: 10,6 kg			769	777	790	816	862	951	1 110	
4511	RH Support 4511 • Backrest RH17: width 380 mm, height 230 mm • Seat RH9 Taburett: Ø350 mm • Mechanism: 3G • Seat height: 595-840 mm (E Black) • Weight: 10,5 kg			751	756	768	796	839	923	1 079	
4521	RH Support 4521 • Backrest RH17: width 380 mm, height 230 mm • Seat RH7 Limpan: width 450 mm, depth 240 mm • Mechanism: 3G • Seat height: 565-810 mm (E Black) • Weight: 10,5 kg			747	754	766	793	837	920	1 075	

	Accessories/Options/Surcharges:	
LI231	Gas stem B Black	-33
LI230	Gas stem B Silver	-33
LI235	Gas stem D Black	-19
LI234	Gas stem D Silver	-19
LI236	Gas stem E Silver	0
LI228	Gas stem 4FL Black	-33
FO204	Footring 6F, black, Ø455 mm	138
FB225	Base 5F, silver lacquered aluminium, Ø590 mm	0
FB227	Base 5F, polished aluminium, Ø590 mm	78
FB229	Base 5G, black lacquered aluminium, Ø630 mm	23
FB228	Base 5G, silver lacquered aluminium, Ø630 mm	23
FB230	Base 5G polished aluminium, Ø630 mm	160
FB210	Base 5N, polished steel Ø540 mm. For castors 7HN, 7D or 7G. Increases seat height by 25 mm	49
CA205	Castors for soft floors, Ø50 mm, black	0
CA206	Castors for hard floors, black Ø50 mm	0
CA207	Castors 7G, locks automatically when seated, Ø50 mm	48
CA211	Castors 7D, carpeted floors, Ø50 mm. For base 5N	0
CA212	Castors 7HN for hard floors, Ø50 mm. For base 5N	0

Item no	Description	Accessories/option	Seat height 4501, 4521	Seat height 4511
LI231	Gas stem B Black		365-495 mm	380-510 mm
LI230	Gas stem B Silver		365-495 mm	380-510 mm
LI235	Gas stem D Black		470-640 mm	515-695 mm
LI234	Gas stem D Silver		470-640 mm	515-695 mm
LI236	Gas stem E Silver		565-810 mm	595-840 mm
LI228	Gas stem 4FL Black		340-415 mm	355-460 mm
FO204	Footring 6F, black, Ø455 mm			
FB225	Base 5F Silver, Ø590 mm, silver lacquered aluminium			
FB227	Base 5F Polished, Ø590 mm, polished aluminium			
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium			
FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium			
FB230	Base 5G Polished, Ø630 mm, polished aluminium			
FB210	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G. Increases seat height 25 mm			

User Instruction RH Support

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=DJDUiSFiy9s


RH Secur24

- Seat: width 410 mm, depth 435 mm
- Seat height: 410-535 mm (ON-4S)
- Double-sided operation: seat height, back angle, seat angle adjustment
- Base (5T in black aluminium 680 mm and castors for hard floors)
- Upholstery: The outside of the RH Secur24 is always finished in black imitation leather in PG3 & PG5. In PG6 & PG7 it is always finished in black natural leather.
- Fabrics to choose from are used for the middle part. See available upholstery option in list below.
- Certified in accordance to: EN-1335, GS, BS5459-2,Blue Angel

Item no	Base model +	Price Group (PG)	3	5	6	7	Price
3130	RH Secur24 • Backrest: width 481 mm, height 829 mm • With 110 mm thick seat cusion & 80 mm thick back cushion • Adjustable lumbar support in depth • Weight: 37,6 kg		2 402	2 450	2 746	3 286	
3131	RH Secur24 Exclusive • Backrest: width 481 mm, height 829 mm • With 110 mm thick seat cushion & 80 mm thick back cushion • Adjustable lumbar support in height & depth • With seat depth adjustment, 120 mm • Weight: 37,6 kg		2 845	2 905	3 354	4 026	

	Accessories/Options/Surcharges:	
HR2710	Headrest RH Secur24, adjustable in height & angle (only for 3130)	214
HR2715	Headrest RH Secur24 Exclusive, adjustable in height, depth & angle	351
HC2710	Headrest cover RH Secur24, in Helanca 8628	55
HC2715	Headrest cover RH Secur24, with customer logo in Helanca 8628	Price on request
HC2720	Headrest cover RH Secur24 Exclusive, in Helanca 8628	55
HC2725	Headrest cover RH Secur24 Exclusive, with customer logo in Helanca 8628	Price on request
002-613-P100	RH Secur24 hygienical disposal covers for headrest, 100 pieces	28
WR2710	Backrest with weapon recess (only for model 3131)	240
CV2710	Protection cover RH Secur24, for back and seat in Steel 099 (only with AR2805, AR2810)	449
CV2715	Protection cover RH Secur24 with seat slide, for back and seat in Steel 099 (only with AR2805, AR2810)	449
CV2720	Protection cover RH Secur24 Exclusive for back & seat in Steel 099 (only with AR2805, AR2810)	449
AE2710	Coat hanger, black laqcuerad aluminium	222
SA2710	Seat slide adjustment (only for RH Secur24)	219
ME2710	Mechanism with extended tension control, for model 3130	124
ME2720	Mechanism with extended tension control, for model 3130 and 3131 (for seat slide)	124

	Accessories/Options/Surcharges:	
AR2805	Armrest 8SC, pair. Adjustable in height & angle	196
AR2810	Armrest 8SC XL, pair. Armrest top in black leather. Adjustable in height & angle	354
AR2710	Armrest 8F, pair. Flippable & adjustable in angle	299
AR2715	Armrest 8F, pair. Armrest top in black leather. Flippable & adjustable in angle	401
AR2720	Armrest 8H, pair. Flippable, adjustable in height & angle	456
AR2725	Armrest 8H, pair. Armrest top in black leather. Adjustable in height, angle & flippable	559
LI231	Gas stem B Black	0
LI255	Gas stem F Black	0
FB219	Base 5T, silver lacquered aluminium, Ø680 mm	0
FB221	Base 5T, polished aluminium, Ø680 mm	101
CA200	Castors for soft floors, Ø65 mm	0
CA208	Plastic glide 7K	0

Item no	Description	Accessories/Options	Item no	Description	Accessories/Options
HR2710	Headrest RH Secur24 Adjustable in height & angle. Upholstery: Follows selected fabric of the chair (outer & inner)		WR2710	Backrest with weapon recess (Only for 3130)	
HR2715	Headrest RH Secur Exclusive Adjustable in height, depth and angle Upholstery: Black imitation leather Trento TRO60, Elmo Soft 99999		SA2710	Seat with seat slide (Only for 3130)	
AR2805	Armrest 8SC Black lacquered Adjustable in height & angle		AE210	Coathanger	
AR2810	Armrest 8SC XL Black lacquered with armrest top XL in black leather Adjustable in height & angle		LI255	Gas stem F black Seat height 465-615 mm	
AR2710	Armrest 8F Adjustable in angle and flippable		LI231	Gas stem B black Seat height 495-645 mm	
AR2715	Armrest 8F Black lacquered with armrest top in black leather Adjustable in angle and flippable		FB219	Base 5T silver laquered aluminium, Ø680 mm	
AR2720	Armrest 8H Black lacquered Adjustable in height, angle and flippable		FB221	Base 5T polished aluminium, Ø680 mm	
AR2725	Armrest 8H Black lacquered with armrest top in black leather Adjustable in height, angle and flippable				

Check out our user guide, explaining how each of the unique functions are adjusted https://www.youtube.com/watch?v=Orf07DH6SXA

DELIVERY TIMES FOR RH SECURE24

RH Secur24 Quick-ship: 10 days delivery time

Model	Outer Upholstery	Inner Upholstery
RH Secur24	Black imitation leather	Steel in Black (SEE099)
RH Secur24 Exclusive	Black imitation leather	Steel in Black (SEE099)

Additional options for RH Secur24 in Quick-ship:

- Seatslide


- Seatslide with weapon recess

RH Secur24 Standard Collection: 23-28 days delivery time
RH Secur24 Extended Collection: 30-35 days delivery time

NOTE! For special requests please contact our Customer Service


UPHOLSTERY GUIDE

HEADREST



Headrest RH Secur24

- Inner section is always upholstered same in same fabric as chosen inner fabric of seat & back
- Outer section is always upholstered in black intimation leather



Headrest RH Secur24 Exclusive:


- Fully upholstered in black imitation leather or black leather

FABRIC CHOICE SEAT & BACK

OUTER & INNER SECTION COMBINATIONS


Outer:
Black imitation leather (standard) or
Black leather - Elmosoft 9999

Inner:
PG3
Dolce, 24/7+, Strong
PG5
Steel



FULLY UPHOLSTERED


Outer & inner sections in upholstered in same fabric
PG3
24/7+, Strong
PG5
Steel
PG6
Trento
PG7
Elmosoft







RH Focus

- Backrest: height 684 mm, width 480 mm, thickness 60 mm
- Seat: width 468 mm, depth 475 mm, thickness 60 mm (seatslide 80 mm)
- Seat height: 400-530 mm (ON-4FR)
- RH Focus F mechanism: double-sided operation: seat height, back angle, seat angle adjustment
- Base (5T) in black aluminium 680 mm and castors for hard floor
- Certified in accordance to: EN 1335, GS, ANSI/BIFMA X5.1, EPD ISO 14025

Please note: The outer part of the backrest and headrest are always upholstered in black leather. The fabrics to choose from are applicable to the inner part of both backrest and headrest.

Item no	Base model +	Price Group (PG)	3	5	6	7	Price
3135	RH Focus • Weight: 23,9 kg		2 076	2 124	2 221	2 625	

	Accessories/Options/Surcharges:	
HR2720	Headrest RH Focus. Adjustable in height & angle	185
HC2730	Headrest cover RH Focus with RH logo	55
002-614-P100	RH Focus Hygienical disposal covers for headrest, 100 pieces	28
HC2735	Headrest cover RH Focus with customer logo	55
HP2710	Holster protect, reinforced upholstery on back (in Black Delinova 200)	97
CV2730	Protection cover RH Focus for back and seat in Steel 099	454
AR2730	Armrest 8K pair. Armrest top in black leather. Adjustable in height & angle	175
AR2745	Armrest 8K XL pair. Armrest top in black leather. Adjustable in height & angle	333
AR2710	Armrest 8F, pair. Flippable & adjustable in angle	299
AR2715	Armrest 8F, pair. Armrest top in black leather. Flippable & adjustable in angle	401
AR2720	Armrest 8H, pair. Flippable, adjustable in height & angle	456
AR2725	Armrest 8H, pair. Armrest top in black leather. Adjustable in height, angle & flippable	559
LI233	Gas stem A Black	0
LI255	Gas stem F Black	0
FB219	Base 5T, silver lacquered aluminium, Ø680 mm	0
FB221	Base 5T, polished aluminium, Ø680 mm	101
CA200	Castors for soft floors, Ø65 mm	0
CA208	Plastic glide 7K	0

Item no	Description	Accessories/Options	Item no	Description	Accessories/Options
HR2720	Headrest RH Focus. Adjustable in height and angle Upholstery: Outerpart in black leather		HP2710	Holster protect, reinforced upholstery on back	
AR2730	Armrest 8K Black lacquered Adjustable in height		LI255	Gas stem F, black, 435-565 mm	
AR2745	Armrest 8K XL Black lacquered with armrest top XL in black leather Adjustable in height and angle		LI2710	Gas stem A, black 505-635 mm	
AR2710	Armrest 8F Adjustable in angle and flip able		FB219	Base 5T, silver lacquered aluminium, Ø680 mm	
AR2715	Armrest 8F Black lacquered. Armrest top in black leather top		FB221	Base 5T, polished aluminium, Ø680 mm	
AR2720	Armrest 8H Black lacquered. Adjustable in height, angle and flipable				
AR2725	Armrest 8H Black lacquered. Armrest top in black leather Adjustable in height, angle and flip able				

User Instruction RH Focus



Check out our user guide, explaining how each of the unique functions are adjusted https://www.youtube.com/watch?v=8TyXdip7kjw

RH Logic 400/300 ESD

- Seat: width 457 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 440-560 mm (4F Logic)
- Base in black aluminium (5X black) and free wheeling ESD castors 7FM (metal)
- Upholstered backshell
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, Nordic Swan, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
3346	RH Logic 300 ESD • Backrest: width 447 mm, height 510 mm • Weight: 21 kg		2 122
3556	RH Logic 400 ESD • Backrest: with lumbar pump: width 447 mm, height 620 mm • Weight: 21,8 kg		2 494

	Accessories/Options/Surcharges:	
AR2520	Armrest 8E ESD Black, pair. Adjustable in height, depth & width	322
LP201	Lumbar pump (Only for: 3346)	95
LI217	Gas stem B (Chrome)	0
FO204	Footring 6F, black, Ø455 mm	138
FB215	Base 5X polished aluminium, Ø660 mm	108
CA219	Castors, antistatic, for hard floors	-49

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2520	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 198-299 mm		LP201	Lumbar pump (only for: 3346)	
FO204	Footring 6F, black, Ø455 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	
LI217	Gas stem B (Chrome) Seat height 480-610 mm				

User Instruction RH Logic 400/300


Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=vM7s6RymQFs

RH Extend ESD

- Seat: width 461 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 440-560 mm (4F Logic)
- Base in black aluminium (5X black) and free wheeling ESD castors 7FM (metal)
- Upholstered backshell
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, GS, BS 5459/2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
6116	RH Extend 200 ESD • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg		1 439
6216	RH Extend 220 ESD • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg		1 608

	Accessories/Options/Surcharges:	
AR2520	Armrest 8E ESD Black, pair. Adjustable in height, depth & width	322
FB215	Base 5X polished aluminium, Ø660 mm	104
CA219	Castors, antistatic, for hard floors	-48

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2520	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 220-297 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	

User Instruction RH Extend

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=0F0aJG1Jbdl

RH Activ ESD





- Seat height: 395-525mm (B Chrome)
- Base in black lacquered aluminium (5F) and free wheeling ESD castors 7FM (metal)
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
2776	RH Activ 200 ESD • Backrest medium ESD: width 370 mm, height 295 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13 kg		1 099
2876	RH Activ 220 ESD • Backrest large ESD: width 370 mm, height 430 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13,6 kg		1 167
2886	RH Activ 222 ESD • Backrest large ESD: width 370 mm, height 430 mm • Seat large: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13,6 kg		1 212

	Accessories/Options/Surcharges:	
AR2520	Armrest 8E ESD Black, pair. Adjustable in height, depth & width	322
LI219	Gas stem D (Chrome)	7
LI220	Gas stem E (Chrome)	33
LI2742	Gas stem ON-4FH Black	0
LI206	Gas stem 4FL (Chrome)	0
FO204	Footring 6F, black, Ø455 mm	138
FB227	Base 5F, polished aluminium, Ø590 mm	77
FB229	Base 5G, black lacquered aluminium, Ø630 mm	23
FB230	Base 5G polished aluminium, Ø630 mm	160
CA219	Castors, antistatic, for hard floors	-48

VALID COMBINATIONS

Model: 2776	
Base: 5F	Gas stem: 4FL, ON-4FH, D, E
Base: 5G	Gas stem: 4FL, ON-4FH, D, E
Model: 2876 & 2686	
Base 5F:	Gas stem: 4FL
Base 5G	Gas stem: 4FL, ON-4FH, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2520	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 190-290 mm		FO204	Footring 6F, black, Ø455 mm	
LI2742	Gas stem ON-4FH Black Seat height 459-607 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
LI219	Gas stem D (Chrome) Seat height 500-675 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI220	Gas stem E (Chrome) Seat height 595-840 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI206	Gas stem 4FL (Chrome) Seat height 365-445 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=hexc6goUiM4

RH Activ ESD Cleanroom





- Work chair for cleanroom environment designed to deflect static electricity, release a minimum of particles and easy to clean
- Seat medium Cleanroom: width 440 mm, depth 430 mm (seatslide 55 mm)
- Seat height: 395-525 mm (B Chrome)
- Base in black lacquered aluminium (5F) and free wheeling ESD castors 7FM (metal)
- Upholstered in black antistatic vinyl
- Approved according to ISO Class 4.
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
2874	RH Activ 220 ESD Cleanroom • Backrest large ESD Cleanroom: width 370 mm, height 430 mm • Weight: 13,6 kg		1 376

	Accessories/Options/Surcharges:	
AR2520	Armrest 8E ESD Black, pair. Adjustable in height, depth & width	322
LI2742	Gas stem ON-4FH Black	0
LI206	Gas stem 4FL (Chrome)	0
LI219	Gas stem D (Chrome)	7
LI220	Gas stem E (Chrome)	33
FO204	Footring 6F, black, Ø455 mm	138
FB227	Base 5F, polished aluminium, Ø590 mm	77
FB229	Base 5G, black lacquered aluminium, Ø630 mm	23
FB230	Base 5G polished aluminium, Ø630 mm	160
CA219	Castors, antistatic, for hard floors	-48

VALID COMBINATIONS

Model: 2874	
Base: 5F	Gas stem: 4FL
Base: 5G	Gas stem: 4FL, ON-4FH, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2520	Armrest 8E ESD pair (black). Adjustable in height, width & rotatable. Height of armrest above seat 190-290 mm		FO204	Footring 6F, black, Ø455 mm	
LI2742	Gas stem ON-4FH Black Seat height 459-607 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
LI219	Gas stem D (Chrome) Seat height 515-690 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI220	Gas stem E (Chrome) Seat height 605-855 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI206	Gas stem 4FL (Chrome) Seat height 375-465 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=hexc6goUiM4






RH Activ Cleanroom

- Work chair for cleanroom environment, designed to release a minimum of particles and easy to clean
- Seat medium Cleanroom: width 440 mm, depth 430 mm (seatslide 55 mm)
- Seat height: 395-525 mm (B Black)
- Base in black lacquered aluminium (5F) and castors for hard floors
- Upholstered in black antistatic vinyl
- Approved according to ISO Class 4 and ISO Class 5.
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, ISO Class 4

Item no	Base model +	Price Group (PG)	Price
2873	RH Activ 220 Cleanroom • Backrest large Cleanroom: width 370 mm, height 430 mm • Weight: 13,6 kg		1 122
	Accessories/Options/Surcharges:		
AR2535	Armrest 8S Black, pair. Adjustable in height, width & rotatable		234
AR2510	Armrest 8E Black, pair. Adjustable in height, depth & width		253
AR2515	Armrest 8E Black, pair. Armrest top in leather (black). Adjustable in height, depth & width		374
LI230	Gas stem B Silver		0
LI235	Gas stem D Black		7
LI237	Gas stem E Black		33
LI236	Gas stem E Silver		33
LI228	Gas stem 4FL Black		0
FO204	Footring 6F, black, Ø455 mm		138
FB225	Base 5F, silver lacquered aluminium, Ø590 mm		0
FB227	Base 5F, polished aluminium, Ø590 mm		77
FB229	Base 5G, black lacquered aluminium, Ø630 mm		23
FB228	Base 5G, silver lacquered aluminium, Ø630 mm		23
FB230	Base 5G polished aluminium, Ø630 mm		160
FB210	Base 5N, polished steel Ø540 mm. For castors 7HN, 7D or 7G. Increases seat height by 25 mm		49
125104	Castors for soft floors, Ø50 mm, black		12
CA205	Castors for soft floors, Ø50 mm, black		0
CA206	Castors for hard floors, black Ø50 mm		0
CA211	Castors 7D, carpeted floors, Ø50 mm. For base 5N		0
CA207	Castors 7G, locks automatically when seated, Ø50 mm		48
CA212	Castors 7HN for hard floors, Ø50 mm. For base 5N		0
CA208	Plastic glide 7K		0

VALID COMBINATIONS

Model: 2873	
Base: 5F	Gas stem: 4FL, B
Base: 5G	Gas stem: 4FL, B, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
AR2535	Armrest 8S pair (black). Adjustable in height, width & rotatable. Height of armrest above seat 190-290 mm		AR2510	Armrest 8E pair (black). Adjustable in height, depth & width. Height of armrest above seat 190-290 mm	
FO204	Footring 6F, black, Ø455 mm		AR2515	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width. Height of armrest above seat 190-290 mm	
LI230	Gas stem B Silver Seat height 395-525 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI235	Gas stem D Black Seat height 500-675 mm		FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	
LI237	Gas stem E Black Seat height 595-840 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI236	Gas stem E Silver Seat height 595-840 mm		FB210	Base 5N - Ø540 mm, polished steel	
LI228	Gas stem 4FL Black Seat height 365-445 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=hexc6goUiM4

Footform

Certified in accordance to: GS

Item no	Base model +	Price Group (PG)	Price
FF-DU-8-34	Dual Footform. Height 4-17 cm (low) / 17-30 cm (high); platform 45x33,5 cm (wxd); max. size 43x45x39 cm (hxwxd)		284
FF-ST-8-21	Standard Footform. Height 4-17 cm; platform 45x33,5 cm (wxd); max. size 43x45x39 cm (hxwxd)		254

Spare parts

Spareparts RH Axia Exclusive (seat and back pads), RH Secur24 & RH Focus. Please contact our Customer Service for information

Item no	Neckrest	Price
740500-1	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth	138
740550-1	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth	204
740500-2	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth	138
740550-2	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth	208
740504	Neckrest pad RH Logic 200 in fabric	125
740554	Neckrest pad RH Logic 200 in leather	151
15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	142
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth	212
100091	Neckrest cover RH Logic 400	13
730006-1	Neckrest RH Mereo in fabric/C.O.M Silver (only for 8211, 8311). Adjustable in height, depth and angle	158
730006-2	Neckrest RH Mereo in fabric/C.O.M Black (only for 8312, 8212). Adjustable in height, depth and angle	158
730006-3	Neckrest RH Mereo Silver Grey in fabric/C.O.M (only for 8213, 8313). Adjustable in height, depth and angle	160
730016-1	Neckrest RH Mereo in leather Silver (only for 8211, 8311). Adjustable in height, depth and angle	191
730016-2	Neckrest RH Mereo in leather Black (only for 8312, 8212). Adjustable in height, depth and angle	191
730016-3	Neckrest RH Mereo Silver Grey in leather(only for 8213, 8313). Adjustable in height, depth and angle	194
272601	Headrest RH Axia 2.0	208
272602	Headrest RH Axia Exclusive	
100023	Neckrest RH Extend. Upholstered in Xtreme 009. Adjustable in height & depth	229
100023-01	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth	282
100023-02	Neckrest RH Extend in leather. Adjustable in height & depth	300
100026	Neckrest pad RH Extend	92
15041	Neckrest Cassette for RH Logic 300 & Extend 100/200	9
272600	Headrest RH Focus	188

Item no	Backrest pads	①	②	③	④	⑤	⑥	⑦	Price
740206	Backrest pad RH Logic 200. From 2019	374	376	380	392	416	459	538	
740273	Backrest pad RH Logic Elite 200. From 2022	448	450	455	471	500	552	646	
740203	Backrest pad RH Logic 220. From 2019	466	470	473	491	519	570	667	
740271	Backrest pad RH Logic Elite 220. From 2022	559	563	568	588	623	684	801	
740204	Backrest RH Logic 200 (complete) From 2019	547	553	557	579	612	674	787	
740272	Backrest RH Logic Elite 200 (complete). From 2022	657	662	668	693	733	805	943	
740200	Backrest RH Logic 220 (complete) From 2019	642	648	652	677	717	790	922	
740270	Backrest RH Logic Elite 220 (complete). From 2022	769	776	783	812	860	947	1 106	
10031	Back pad RH Logic 300. From 2006	208	215	232	266	317	459	538	
10044	Backrest pad RH Logic 300 Elite. From 2016	319	327	343	380	427	568	663	
10032	Backrest pad RH Logic 300 Comfort. From 2006	319	327	343	380	427	568	663	

Item no	Backrest pads	①	②	③	④	⑤	⑥	⑦	Price
10001	Backrest pad RH Logic 400. From 2005	453	469	489	537	602	762	891	
10021	Backrest pad RH Logic 400 Comfort. From 2005	602	614	634	684	747	909	1 062	
10023	Backrest pad RH Logic 400 Elite. From 2016	602	614	634	684	747	909	1 062	
730003	Backrest RH Mereo 200 black plastic (complete) From 2013	226	228	230	236	249	274	320	
730002	Backrest RH Mereo 220 black plastic (complete) From 2013	247	249	252	259	276	303	353	
730004-2	Backrest RH Mereo 300 black plastic (complete) From 2019	325	329	331	345	364	401	470	
730003-3	Backrest RH Mereo 200 grey plastic (complete) From 2019	271	272	274	284	302	330	385	
730002-3	Backrest RH Mereo 220 grey plastic (complete) From 2019	303	305	310	320	343	374	437	
730004-3	Backrest RH Mereo 300 grey plastic (complete) From 2019	311	314	318	327	348	382	446	
270601	Back RH Axia 2.1	141	145	151	173	200		297	
270602	Back RH Axia 2.2	259	265	273	302	328		455	
270603	Back RH Axia 2.3 (complete)	319	324	332	362	373		544	
270604	Back RH Axia 2.4	377	384	392	424	456		618	
270606	Back RH Axia Exclusive complete	504	514	526	538	610	707	827	
270604-10	Back RH Axia 2.4 w/headrest	585	591	604	633	665		827	
270605	Back RH Axia 2.5 Netweave (complete)								299
100036	Backrest pad RH Activ Medium. From 2011	130	139	143	159	173	246	286	
100034	Backrest pad RH Activ Large. From 2011	209	215	225	236	253	323	380	
1850026	Backrest pad RH Extend Medium. From 2008	172	179	185	220	273	357	417	
1860026	Backrest pad RH Extend Large. From 2008	247	254	260	295	346	500	584	
111002	Backrest pad RH17	109	113	122	136	156	220	259	

- For options on pads, see each chair model.
- Complete = Pad + Shell

Item no	Upholst. backshell RH Logic	①	②	③	④	⑤	⑥	⑦
740207	Upholstered backshell RH Logic 200. From 2019	385	389	392	406	431	473	554
740202	Upholstered backshell RH Logic 220. From 2019	385	389	392	406	431	473	554

Item no	Seat pads	①	②	③	④	⑤	⑥	⑦
740101	Seat pad RH Logic 200. From 2019	318	320	322	332	352	389	454
740103	Seat pad XL RH Logic 200. From 2019	436	439	442	460	488	535	625
740125	Seatpad RH Logic Elite 200. From 2022	381	384	387	399	424	466	544
740127	Seatpad RH Logic Elite 200 XL. From 2022	522	525	533	553	584	640	750
20002	Seat pad RH Logic 400. From 2008	306	320	333	376	428	569	665
20022	Seat pad RH Logic 400 Comfort. From 2008	390	404	416	460	510	653	764
20023	Seat pad RH Logic 400 Elite. From 2016	390	404	416	460	510	653	764

Item no	Seat pads	①	②	③	④	⑤	⑥	⑦
20037	Seat pad RH Logic 400 XL. From 2008	537	550	562	607	657	799	934
20038	Seat pad RH Logic 400 XL Comfort. From 2008	619	634	647	689	742	883	1 032
20039	Seat pad RH Logic 400 XL Elite. From 2016	619	634	647	689	742	883	1 032
730110	Seat pad RH Mereo. From 2013	238	239	240	252	265	295	344
730114	Seat pad RH Mereo XL	352	353	355	373	391	435	507
271601	Seat RH Axia 2.0 standard (from 2020)	181	192	199	218	245		355
271607	Seat RH Axia 2.0 std	143	149	156	176	203	262	307
271602	Seat RH Axia 2.0 XL (from 2020)	267	277	281	302	328		452
271603	Seat RH Axia Exclusive	331	340	344	368	371	454	531
2850025	Seat pad RH Extend. From 2008	287	296	301	330	383	470	548
2860025	Seat pad RH Extend XL. From 2012	431	439	444	472	527	612	716
200018	Seat RH Activ Medium (complete) From 2011	215	226	232	240	259	330	385
200019	Seat RH Activ Large (complete) From 2011	286	295	299	312	330	402	471
200020	Seat RH Activ Medium Cashier (complete) From 2011	330	342	345	358	376	446	522
25500	Seat RH7 Limpan (complete)	172	178	184	201	217	285	333
26000	Seat RH8 Sadel (complete)	209	214	225	235	252	319	374
26500	Seat RH9 Taburett (complete)	178	184	190	208	226	288	339

- For options on pads, see each chair model.
- Complete = Pad + Shell

Item no	Gas stem	Price
143201-1A	Gas stem A Black	145
143201-2A	Gas stem A Silver	145
143201-7024	Gas stem A Grey (RAL 7024)	145
143206-3A	Gas stem B Black	124
143206-2A	Gas stem B Silver	124
143202-3A	Gas stem D Black	166
143202-2A	Gas stem D Silver	166
143204-3A	Gas stem E Black	180
143204-2A	Gas stem E Silver	180
42000-1	Gas stem 4FL Black	190
520001-05	Gas stem 4Q Black	226
520001	Gas stem 4Q Silver	226
730403-2	Gas stem 4T Black	226
730403-1	Gas stem 4T Silver	226
730404-2	Gas stem 4T NPR Black	226
730404-1	Gas stem 4T NPR Silver	226

- For seat heights, see section Physical measurements.

Item no	Armrests	Price
740400-1	Armrest 8L Silver pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	229
740480-1	Armrest 8L Silver right. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	114
740482-1	Armrest 8L Silver left. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	114
740401-1	Armrest 8L Silver pair. Armrest top in black leather (black). Adjustable in height, depth, width & turnable.	365
740484-1	Armrest 8L Silver right. Armrest top in black leather (black). Adjustable in height, depth, width & turnable	182
740486-1	Armrest 8L Silver left. Armrest top in black leather (black). Adjustable in height, depth, width & turnable	182
740406-1	Armrest 8L XL Silver pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	402
740481-1	Armrest 8L XL Silver right. Armrest top in leather (black). Adjustable in height, depth, width & turnable	201
740483-1	Armrest 8L XL Silver left. Armrest top in leather (black). Adjustable in height, depth, width & turnable	201
740400-2	Armrest 8L pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	229
740480-2	Armrest 8L right. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	114
740482-2	Armrest 8L left. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	114
740401-2	Armrest 8L Black pair. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	365
740484-2	Armrest 8L right. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	182
740486-2	Armrest 8L left. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	182
740406-2	Armrest 8L XL Black pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	402
740481-2	Armrest 8L XL Black right. Armrest top in leather (black). Adjustable in height, depth, width & turnable	201
740483-2	Armrest 8L XL Black left. Armrest top in leather (black). Adjustable in height, depth, width & turnable	201
740462-2	Armrest traverse Black. To supplement with armrest at a later stage. From 2019	90
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	234
8300135-02	Armrest 8S right (black). Adjustable in height and width. Rotating.	116
8300136-02	Armrest 8S left (black). Adjustable in height, width & rotatable	116
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	390
8300235-02	Armrest 8S XL right (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	195
8300236-02	Armrest 8S XL left (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	195
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	253
8700135-02	Armrest 8E right (black). Adjustable in height, depth & width.	126
8700136-02	Armrest 8E left (black). Adjustable in height, depth & width.	126
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	374
8700285-02	Armrest 8E right (black). Upholstered armrest top black leather. Adjustable in height, depth & width.	187
8700286-02	Armrest 8E left (black). Upholstered armrest top black leather. Adjustable in height, depth & width.	187
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width	322
8700425	Armrest 8E ESD right (black). Adjustable in height, depth & width.	161
8700426	Armrest 8E ESD left (black). Adjustable in height, depth & width.	161
730019-1	Armrest 8T Silver pair. Adjustable in height, depth, width & turnable	232
730011-1	Armrest 8T right Silver. Adjustable in height, depth, width & turnable. From 2019	115
730009-1	Armrest 8T left Silver Adjustable in height, depth, width & turnable. From 2019	115
730031-1	Armrest 8T XL Silver pair. Adjustable in height, depth, width & turnable	364
730032-1	Armrest 8T XL Silver right. Adjustable in height, depth, width & turnable	181

Item no	Armrests	Price
730033-1	Armrest 8T XL Silver left. Adjustable in height, depth, width & turnable	181
730030-1	Armrest traverse Silver. To supplement with armrests at a later stage	92
730019-2	Armrest 8T Black pair. Adjustable in height, depth, width & turnable	232
730011-2	Armrest 8T right Black. Adjustable in height, depth, width & turnable. From 2019	115
730009-2	Armrest 8T left Black. Adjustable in height, depth, width & turnable. From 2019	115
730031-2	Armrest 8T XL Black pair. Adjustable in height, depth, width & turnable	364
730032-2	Armrest 8T XL Black right . Adjustable in height, depth, width & turnable	181
730033-2	Armrest 8T XL Black left. Adjustable in height, depth, width & turnable	181
730030-2	Armrest traverse Black. To supplement with armrests at a later stage	92
730019-3	Armrest 8T Silver Grey pair. Adjustable in height, depth, width & turnable	236
730011-3	Armrest 8T right Silver Grey. Adjustable in height, depth, width & turnable. From 2019	117
730009-3	Armrest 8T left Silver Grey. Adjustable in height, depth, width & turnable. From 2019	117
730031-3	Armrest 8T XL Silver Grey pair. Adjustable in height, depth, width & turnable	373
730032-3	Armrest 8T XL Silver Grey right. Adjustable in height, depth, width & turnable	187
730033-3	Armrest 8T XL Silver Grey left. Adjustable in height, depth, width & turnable	187
730030-3	Armrest traverse Silver Grey. To supplement with armrests at a later stage	93
ON-8N-ZW	Armrest 8N Multi pair (black)	173
ON-8N-ZW-X	Armrest 8N Multi XL pair (black) Upholstered armrest top in black leather.	343
ON-8N-AP	Armrest 8N Multi pair (polished)	173
ON-8K-ZW	ON-8K-ZW 24/7 multi-armrests black coated (standard)	173
ON-8K-ZW-X	ON-8K-ZW-X 24/7 XL-armrests black coated with black leather top	330
ON-8SC-ZW	8SC armrest black coated, pair	194
ON-8SC-ZW-X	8SC XL armrests, black coated with black leather top, pair	351
	NOTE! • Chairs delivered after October 2018 have new armrest locking screw. Please check delivery date of your chair before ordering. • Armrest 8L, pair – includes travers	

Item no	Footbase	Price
510016-02	Base 5F Black, Ø590 mm, black lacquered aluminium	143
510016-01	Base 5F Silver, Ø590 mm, silver lacquered aluminium	143
510016-03	Base 5F Polished, Ø590 mm, polished aluminium	275
510015-02	Base 5G Black, Ø630 mm, black lacquered aluminium	148
510015-01	Base 5G Silver, Ø630 mm, silver lacquered aluminium	148
510015-03	Base 5G Polished, Ø630 mm, polished aluminium	287
56400	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G increases seat height 25 mm	176
740118-2	Base 5T Black, Ø680 mm, black lacquered aluminium	124
740118-1	Base 5T Silver, Ø680 mm, silver lacquered aluminium	124
740118-3	Base 5T Polished, Ø680 mm, polished aluminium	214
510013-02	Base 5X Black, Ø660 mm, black lacquered aluminium	172

Item no	Footbase	Price
510013-01	Base 5X Silver, Ø660 mm, silver lacquered aluminium	172
510013-03	Base 5X Polished, Ø660 mm, polished aluminium	312

Item no	Castors	Price
125108	Castors for hard floors, Ø50 mm, black	12
125104	Castors for soft floors, Ø50 mm, black	12
7110050	Castors 7D for carpeted floors, Ø50 mm. For base 5N	18
72400	Castor Ø50 mm 7FM free wheeling ESD castors (metal)	31
71400	Castor 7G, locks automatically when seated, Ø50 mm	23
7110060	Castors 7HN for hard floors, Ø50 mm. For base 5N (only for 2772, 2782)	21
125115	Castors, Antistatic, for hard floors	22
125178	Castors for soft floors, Ø65 mm, black	13
125177	Castors Ø65 mm, for hard and soft floors, black	13
125177-D	Castors Ø65 mm, for hard and soft floors, grey	12
122181810	Dual wheel castor 65/25 Soft for hard floors. Brake when unloaded	13
122180810	Dual wheel Castor, 65/25 Hard Brake for soft floors	14
71810	Plastic glide 7K	14
ON-7UK	Plastic glide ON-7UK	9

Item no	Miscellaneous	Price
150012-06	Lumbar pump bulb for RH Logic 300 & 400	42
9990000	Gas stem remover	110

Item no	Ungrouped	Price
63100-01	Footring 6F, Black, Ø455 mm	138

Standard Fabric & Colour Collection


10 year guarantee as standard or 5 year guarantee on 24/7 use.
The Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials.
The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leathers in our Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements.
Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.
Delivery time from factory is approx 20 working days from receipt of order confirmation.

NOTE! Some fabrics in our Collections may not be approved for all RH chairs, please contact our Customer Service for more information.

CURA LOOP (GABRIEL) - PRICE GROUP 1

Cura Loop is a two-coloured fabric made from 100% recycled polyester textile waste. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. It´s high durability, stretchability and soft, voluminous touch makes Cura Loop versatile in use for most type of furniture and environments.
Composition: 100% post-consumer/post -industrial recycled polyester
Weight: 420 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, 5852 Crib 5 (on request)*, CA TB 117-2013, DIN EN 13501-1 B-s1,d0, Class Uno UNI9175 Class 1 I EMME, ASTM E 84 Class I (Unadhered)
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



CLP60999 CLP66165 CLP61168 CLP60110 CLP60109

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester
Weight: 310 g/m²
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013
Light fastness: 6 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)




EXR009 EXR081 EXR145


SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide
Weight: 510 g/lm
Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO
Light fastness: 5-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



SC60003 SC60051 SC60134 SC60139 SC60999 SC61184 SC61186 SC62097




SC66071 SC66194 SC67098 SC68209

TONAL (GABRIEL) - PRICE GROUP 2

Tonal is a post-consumer recycled polyester fabric in a two-coloured melange. It has a discreet textured look with a fusion of light and dark tones adding depth to the colours.

Composition: 99% post-consumer recycled polyester, 1% polyester
Weight: 315 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 476 Part 7 class 1, CA TB 117-2013, ASTM E 84 Class I
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




TOL60124 TOL60123 TOL60999 TOL68206 TOL64209 TOL66186


CAPTURE (GABRIEL) - PRICE GROUP 3


Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide
Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 5852 Crib 5 (on request)*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN-ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



CPT4102


CPT4301



CPT4401



CPT4601



CPT5101


CPT5103


CPT5501


CPT6001


CPT6401


CPT6601


GAJA CLASSIC (GABRIEL) - PRICE GROUP 3


A classic crépe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool
Weight: 530 g/lm
Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I
Light fastness: 5-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company
Design: Dorte Bo Bojesen
Produced in: Lithuania
Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)


GA60003


GA60999



GA66004


GA66005

MAINLINE FLAX (CAMIRA) - PRICE GROUP 3

Main Line Flax is made from a 75/25 wool flax blend, then fibre dyed to create a mixture coloured yarn, The yarns are woven into solids and cross-colours giving a tweed like look and a delicate touch.The combination of wool and flax also creates an inherently flame retardant fabric all based on natural sources.

Composition: 75% Virgin Wool, 25% Flax
Abrasion resistance: > 50 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Crib 5, CA TB 117-2013, IMO FTP Code (Part 8), UNI 9175 Classe 1 IM
Light fastness: 5 (EN ISO 105-B02)
Rubbing fastness: 3/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Indoor Advantage™ "Gold", Free of heavy metals, ISO 14001 certified company, Rapidly renewable and compostable
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning: Professional dry cleaning (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


MLF032



MLF002



MLF020


OCEANIC (CAMIRA) - PRICE GROUP 3


Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.


Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn
Weight: 497 g/m² ±5%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013
Light fastness: 5 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


OCI001


OCI008


OCI014


OCI012


OCI011


PARCEL LOOP (GABRIEL) - PRICE GROUP 3

Parcel Loop is made from 100% post-consumer/post-industrial recycled polyester, combining recycled textile waste from customers and from used plastic bottles. It has a matt, multi- directional texture in a subtle colour-shifting colour mix. Its softness combined with high durability makes it suitable for all types of furniture in the works space.


Composition: 100% post-consumer/post -industrial recycled polyester
Weight: 480 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2, BS 5852 Crib 5 (on request)* CA TB 117-2013, ASTM E 84 Class I (Unadhered)
Light fastness: 6-8 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no flame retardant chemicals, ISO 14001 certified company
Design and colours: Cenk Kivrikoglu/ Luisa Allegri
Produced in: Lithuania
Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


PCL1202


PCL1302


PCL2001


PCL2401

PUXX 1 (ONIRO) - PRICE GROUP 3

PUxx 1 is a polyurethane leather with a soft touch that is easy to clean and disinfect. It is 100% waterproof, antibacterial & antifungal and resistant towards blood and urine. Being strong, durable and easy to maintain make it well suited for environments with high cleaning requirements.

Composition: Coating: 100% polyurethane with a cotton/polyester backing
Weight: 520 g/m²
Abrasion resistance: 300 000 Martindale (EN 530-2 (2010))
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, IMO 2010 FTP Code Annex 1 part 8
Light fastness: 6-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)
Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company
Design: Oniro Design team
Produced in: Belgium
Cleaning: Alcohol, hydrogen peroxide & chlorine solutions. Never use solvents. For more info please contact supplier www.oniro.nl


PU215816

PUXX 2 (ONIRO) - PRICE GROUP 3

PUxx 2 is a matte and smooth polyurethane leather with a soft touch that is easy to clean and disinfect. It is 100% waterproof, antibacterial & antifungal and resistant towards blood and urine. Being strong, durable and easy to maintain make it well suited for environmnets with high cleaning requirements.

Composition: Coating: 100% polyurethane with a cotton/polyester backing
Weight: 520 g/m2
Abrasion resistance: 300 000 Martindale (EN 530-2 (2010))
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, IMO 2010 FTP Code Annex 1 part 8
Light fastness: 6-7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)
Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company
Design: Oniro Design team
Produced in: Belgium
Cleaning: Alcohol, hydrogen peroxide & chlorine solutions. Never use solvents. For more info please contact supplier www.oniro.nl


PU223043



PU227001



PU223033

SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

Composition: 95% pure new wool, 5% polyamide
Weight: 400 g/m2 ±10%
Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0
Light fastness: 5 (EN ISO 105 - B02)
Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)
Environmental facts: EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning & disinfection: Professional dry cleaning (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


SGY016


SGY017


SGY008

TECHNICOLOUR (KVADRAT) - PRICE GROUP 3

Technicolour is a worsted wool fabric made from 100% british wool. It is created by using a specially developed colour system which unfolds different ranges of melange colours. Each colourway unites two yarns in a plain weave construction, expressing a sense of subtle variation. Its colourmoods in combination with softness and strength gives it versatility in use across all types of work spaces.

Composition: 100% british wool, worsted
Weight: 430 g/lm
Abrasion resistance: 80 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, BA5852 Crib 5 (on request)*, CA TB 117-2013, BS 5852 part 1, BS 7176 Low Hazard, NF D 60013, UNI 9175 1IM, ASTM E84 Class A Unadhered/Adhered, IMO FTP Code 2010 Part 8,
Light fastness: 7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Peter Saville
Produced in: United Kingdom
Cleaning: Professional dry cleaning (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



TEH0690 TEH0110 TEH0890 TEH0520 TEH0260

ILLUSION 3.0 (NEVOTEX) - PRICE GROUP 4

Illusion 3.0 is a resistant easy cleanable synthetic leather with a polyurethane (PU) coating on a cotton backing. It has a semi matte surface with a softly grained structure and is recommended to use in environments with high cleaning demands.

Composition: Coating: 100% Polyurethane, Backing: 100% Cotton
Weight: 600 g/m²
Abrasion resistance: >500 000 Martindale (EN ISO 5470–2:2003)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, DiN 4102-1B2:1998 (B2), IMO 2010 FTP Code Annex 1 part 8
Light fastness: >7 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)
Surface resistance: 4-5 (EN12720)
Environmental facts: Oeko-Tex® Standard 100, Free of heavy metals and harmful chemicals, ISO 14001 certified company
Design: Nevotex Design team
Produced in: Belgium
Cleaning: Alcohol (75%), hydrogen peroxide & chlorine. For specific recommendations please contact supplier www.nevotex.com

Not approved for RH Logic 200/220 and RH Axia Exclusive



ILU3110

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durabilty, soft touch and colour depth.The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 825 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered
Light fastness: 6 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 3-4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.


STT190



STT682

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4


Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.


Composition: 90% worsted New Zealand wool, 10% polyamide
Weight: 770 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)
Light fastness: 6–7 (EN ISO 105-B02)
Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold
Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)
Produced in: United Kingdom
Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STT133


STT153


STT253


STT213


STT383


STT645



STT796


STT966

PALOMA (WOLLSDORF) - PRICE GROUP 6

Paloma is a high quality chrome free Semi-Aniline leather from cattle in the European Alpine region. All our standard colours from Paloma have a special finish adding a particular softness to the leather. It has excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: 2,0 N/cm ISO 11644
Tear-strength: 20 N/mm DIN 53329- A
Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company, Internal waste water treatment plant.
Produced in: Austria, predominantly using raw hides from red-spotted cattle
Animal Welfare All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal.Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)
Cleaning: Follow the leather care guide from our supplier – www.wollsdorfleather.com



PL55130 PL56100 PL55115 PL55185 PL05429 PL55206

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: ≥ 2 N/cm - ISO 11644
Tear-strength: ≥ 20 N/cm DIN 53329-A
Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO_2 neutral on energy.
Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)
Produced in: Sweden
Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)




EL99999 EL33004 EL93068

TALE (GABRIEL)

Tale is a self-supporting mesh fabric made from 100% post-consumer recycled polyester. Designed specifically to add comfort and a soft feel to the chair´s backrest. Its semi-transparent texture in an irregular melange expression adds a natural touch to the chairs and the work space.

Composition: 100% Post-consumer recycled polyester
Weight: 365 g/lm
Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013
Light fastness: 6-8 (EN ISO 105-B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 5 (EN ISO 12945-2)
Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, No flame retardant chemicals. ISO 14001 certified company
Design: Cenk Kivrikoglu
Produced in: Lithuania
Cleaning: Wash or dry cleaning. (For further info follow Gabriel´s cleaning guidelines_www.gabriel.dk)

Only available for: RH Mereo Mesh



TAL60999 TAL66186 TAL60124 TAL64209 TAL60123 TAL68206

DECORATIVE STITCHES

Decorative stitches can truly add the little extra to your chair.
The 10-colour thread program is available on all textiles for the following RH chairs: RH Logic 200/220, RH Logic 400/300, RH Mereo & RH Extend.



4908 Purple	1226 Yellow	6968 Turquoise	3822 Red	9389 Silver Grey	9582 Grey	8569 Beige	8135 Warm White	1712 Cold White	9700 Black

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all RH chairs, please contact our Customer Service for more information.

SUPPLIER/COLLECTION	PRICE GROUP
Ambla - www.ambla.com	
Exmoor	4
Wild Heather	4
Camira Fabrics - www.camirafabric.com	
24/7 Flax	3
Blazer	3
Era	3
Hi-Tech ESD *	OR
Mainline Flax*	3
Mainline Twist	3
Oceanic *	3
Monochrome Sett	4
Penta	3
Quest	3
RePlay	3
RePlay Zero	3
Rivet	3
Revolution	4
Sumi	4
Synergy*	3
Urban	3
X2	3
Xtreme *	3
Climatex/Jab - www.climatex.jab.de	
Steel*	5
Ultra [2)]	3
Elmo - www.elmoleather.com	
Elmosoft *	OR
Elmosoft Piqué	OR

SUPPLIER/COLLECTION	PRICE GROUP
Gabriel - www.gabriel.dk	
Beyond Loop	3
Breeze Fusion[1)]	4
Capture*	3
Comfort +	5
Crisp[1)]	3
Cura	3
Cura Loop*	3
Fame	3
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic *	3
Go Check (Trevira CS)	3
Lense	3
Mood	3
Morph	3
Nobel	4
Parcel Loop*	3
Passion	4
Renewed Loop	3
Select *	2
Step (Trevira CS)	3
Step Melange (Trevira CS)	3
Tailor	3
Tale* [8)]	OR
Tonal*	2
Twill Wool	4
Umber	3
GU – www.gu.no	
Amdal	4
Bardal	4
Heidal	4
Mandal	4
Hornschuch/Skai – www.skai.com	
skai® Evida (vinyl)[4)]	3
skai® Evida Fiber (vinyl)[4)]	3
Krall & Roth - www.krallroth.com	
Shrinx Join * [3)]	OR
Shrinx Wool [3)]	OR

SUPPLIER/COLLECTION	PRICE GROUP
Kvadrat - www.kvadrat .dk	
Balder	6
Canvas 2 [5)]	4
Divina 3	5
Divina MD	5
Divina Melange 3	5
Fiord 2	4
Haku	5
Hallingdal 65	5
Hero	4
Hero Heather	4
Melange Nap	4
Naveli	4
Remix 3 [5)]	3
Re-wool 2	3
Serpentine [7)]	6
Steelcut 3 *	4
Steelcut Trio 3 *	4
Steelcut Quartet	4
Techicolour*	3
Tonus 4	5
Twill Weave	5
Vidar	4
Nevotex - www.nevotex.se	
Antistatic Synthetic leather	3
Fjord	3
Fjord Vintage	3
Illusion 3.0* [1)]	4
Illusion Full grain 3.0 [1)]	4

SUPPLIER/COLLECTION	PRICE GROUP
Oniro - www.oniro.nl	
Puxx 1 *	3
Puxx 2 *	3
Spralding - www.spradling.eu	
Dolce	3
Valencia [6)]	3
Valencia Biosense [6)]	3
Svensson - www.ludvigsvensson.com	
Ally	3
Khaki (Trevira CS)	3
Poppy	4
Semi	3
Vescom - www.vescom.com	
Acton	3
Rolla	4
Wollsdorf - www.wollsdorf.com	
Paloma - Leather [4)]	OR

* Non-standard colours
OR = Price on request
24/7 Collection → Only colours approved in the 24/7 Standard Collection are available as Extended options for these products.

1) Not approved for: RH Logic 220 / 200
2) Only available for: RH Focus, RH Secur24, RH Axia Exclusive
3) Only available for: RH Axia 2.5
4) Not approved for: RH Focus, RH Secur
5) Only approved for: RH Logic 400 / 300, RH Extend, RH Activ
6) Not approved for: RH Logic 220 neckrest
7) Not approved for: RH Axia
8) Only available for: RH Mereo Mesh

Fabrics 24/7

10 year guarantee as standard or 5 year guarantee on 24/7 use.
The 24/7 Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials.
The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leathers in our 24/7 Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements. These fabrics are tested and approved according to our quality standards.
Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please contact our Customer Service for more information.

24/7+ (CAMIRA) - PRICE GROUP 3

24/7+ is a tightly woven construction with inherent flame retardancy designed to withstand the rigorous 24/7 use. Made from highly resilient fibre types to create a tetile that achieves optimum strength.

Composition: 50% polyamide, 33% wool, 10% Flame Retardant Viscose , 7% viscose
Weight: 435g/m2 ±5%
Abrasion resistance: >400 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Medium Hazard, BS 5852 Section 4 Crib 5, UNI 9175 Class 1 IM
Light fastness: 5 (EN ISO 105-B02)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)
Environmental facts: Manufacturing process - fully compliant with ISO 14001
Design: Camira Design Studio
Produced in: United Kingdom
Cleaning: Professional dry cleaning (For further info follow Camira's cleaning guide – www.camirafabrics.com)


IFC012



IFC017

DOLCE (SPRADLING) - PRICE GROUP 3

Dolce is is a polyurethane based synthetic leather with a leather grain look. It is supple with a soft touch and a comfortable grip. It´s high durability and good surface resistance makes it suitable for high demanding environments.

Composition: 100% Polyurethane (100% Rayon Backing)
Weight: 340.00gr/m2
Abrasion resistance: 300 000 Martindale (EN ISO 12947-2)
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 - Source#0, IMO Res. A.652 (16) 8.2,8.3 , CA TB 117-2013
UV stability: 4 (ASTM D1148)
Crocking resitance: 4(Wet/Dry) (AATCC8)
Environmental facts: ISO 14001 certified company, No heavy metals
Design: Spradling Design Team
Produced in: Germany
Cleaning & disinfection: For info follow cleaning guidelines www.spradling.com

NOTE! Only available for RH Secur 24 (inner seat- and back pad)


DCE6728

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric specially designed with Climatex® Dualcycle TM. It´s unique weave construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It´s honeycomb patterned texture creates depth and a smooth touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™(CVFR)
Weight: 415 g/lm
Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)
Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8
Light fastness: 6-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4 (EN ISO 12945-2)
Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)
Environmental facts: Cradle to Cradle Certified™ gold, Oeko-Tex® Standard 100, recyclable
Design: Climatex Design team
Produced in: Germany



STO099

STEEL (CLIMATEX/JAB) - PRICE GROUP 5


Steel is a highly durable 24/7 fabric, specially designed with Climatex® Dualcycle TM. It´s unique construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It´s honeycomb patterned texture creates depth and a smooth touch.

Composition: 62% Cradura™ (PA), 14% Certified virgin wool (WV), 10% redesigned Lenzing FR™, 11% Polyester, 3% Steel
Weight: 452 g/lfm
Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)
Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8, NFPA260
Light fastness: 6-7 (EN ISO 105 - B02)
Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
Pilling: 4-5 (EN ISO 12945-2)
Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)
Environmental facts: Oeko-Tex® Standard 100
Design: Climatex Design team
Produced in: Germany

NOTE! SEE051 and SEE093 are available but with longer lead time



SEE099



SEE051



SEE093

TRENTO + (VAN LEEUWEN) - PRICE GROUP 6

Trento + is a semi aniline leather with natural grain from European cow hides. It has a semi-matt appearance and a soft waxy feel. Through dyed with chrome tannage and with a pigmented protective coat finish.

Thickness: 0,9-1,1mm
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS5852 1&2, IMO A.652 (16)
Light fastness: >5 (EN ISO 105-B02)
Rubbing: Wet >3/4 250 - Dry>4 500 (EN ISO 11640)
Finish-adhesion: ≥ 2 N/cm (EN ISO 11644)
Tear-strength: ≥ 20 N (EN ISO 3377 1+2)
Environmental facts: Blue Angel, ISO 14001 certified company
Produced in: Italy

Only available for RH Secure24



TR0760

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm
Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175
Light fastness: 6 (EN ISO 105-B02)
Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640
Finish-adhesion: ≥ 2 N/cm - ISO 11644
Tear-strength: ≥ 20 N/cm DIN 53329-A
Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO_2 neutral on energy.
Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)
Produced in: Sweden
Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)

Available for: RH Secur24, RH Focus, RH Logic 200/220 Elite
NOTE! EL33004, EL93068 – to be ordered as Special request for RH Secur24



EL33004



EL93068



EL99999

Physical measurements - Work chairs

PHYSICAL MEASUREMENTS - WORK CHAIRS

Measurements in mm. Given measurements are based on EN 1335-1

Our test reports are continuously updated. Contact our Customer Service for more information and details.

Model	Seat height (standard 4T NPR)	Seat height (B)	Seat height (4T)	Seat height (A)
RH Logic 200	397-550	445-595	385-530	490-635
RH Logic 220	397-550	445-595	385-530	490-635
RH Logic 200 Elite	417-570	465-650	405-550	535-665
RH Logic 220 Elite	417-570	465-650	405-550	535-665
	Seat depth	**Seat width**	**Seat depth with slide**	**Seat angle adjustment**
RH Logic 200	477	442	386-484	-15.5°/+8.6°
RH Logic 220	477	442	400-499	-15.5°/+8.6°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Logic 200	518	431	490-588	19°
RH Logic 220	620	433	581-681	21°
	Height of armrest above seat 8L	**Height of armrest above seat 8L BS**	**Diameter of base**	**Weight (kg)**
RH Logic 200	199-315	199-315	680	19.9
RH Logic 220	199-315	199-315	680	20.4
RH Logic 200 Elite	179-295	179-295	680	21
RH Logic 220 Elite	179-295	179-295	680	22.8

Model	Seat height (standard 4Q)	Seat height (B)	Seat height (A)	-
RH Logic 300	420-540	490-635	535-675	-
RH Logic 300 Elite	440-570	520-650	555-695	-
RH Logic 400	420-540	490-635	535-675	-
RH Logic 400 Elite	440-570	520-650	555-695	-
	Seat depth	**Seat width**	**Seat depth with slide**	**Seat angle adjustment**
RH Logic 300	467	462	384-443	-13.4°/+5.4°
RH Logic 300 Elite	467	462	384-443	-13.4°/+5.4°
RH Logic 400	467	462	384-443	-17.2°/+4.6°
RH Logic 400 Elite	467	462	384-443	- 17.2°/+4.6°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Logic 300	510	447	514-592	15.2°
RH Logic 300 Elite	510	447	514-592	15.2°
RH Logic 400	620	447	624-703	15.2°
RH Logic 400 Elite	620	447	624-703	15.2°
	Height of armrest above seat 8E & 8S	**Height of armrest above seat 8S XL**	**Diameter of base**	**Weight (kg)**
RH Logic 300	198-299	223-325	660	21
RH Logic 300 Elite	178-279	203-305	660	21
RH Logic 400	198-299	223-325	660	21.8
RH Logic 400 Elite	178-279	203-305	660	21.8

Model	Seat height (standard 4T NPR)	Seat height (B)	Seat height (4T)	Seat height (A)
RH Mereo 200	410-565	460-605	399-543	505-645
RH Mereo 220	410-565	460-605	399-543	505-645
RH Mereo 300	410-565	460-605	399-543	505-645
RH Mereo Mesh	410-565	460-605	399-543	505-645
	Seat depth	**Seat width**	**Seat depth with slide**	**Seat angle adjustment**
RH Mereo 200	465	410	403-483	-16°/+7.7°
RH Mereo 220	465	410	403-483	-16°/+7.7°
RH Mereo 300	465	410	403-483	- 16°/+7.7°
RH Mereo Mesh	465	410	403-483	- 16°/+7.7°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Mereo 200	470	365	404-482	23.7°
RH Mereo 220	630	365	564-642	23.7°
RH Mereo 300	630	442	564-642	23.7°
RH Mereo Mesh	630	443	564-642	23.7°
	Height of armrest above seat 8T	**-**	**Diameter of base**	**Weight (kg)**
RH Mereo 200	195-310	-	680	18.4
RH Mereo 220	195-310	-	680	18.9
RH Mereo 300	195-310	-	680	18.9
RH Mereo Mesh	195-310	-	680	18.8

Model	Seat height (standard 4Q)	Seat height (A)	Seat height (B)	-
RH Extend 100	420-534	535-670	490-630	-
RH Extend 200	420-534	535-670	490-630	-
RH Extend 120	420-534	535-670	490-630	-
RH Extend 220	420-534	535-670	490-630	-
	Seat depth	**Seat width**	**Seat depth with slide**	**Seat angle adjustment**
RH Extend 100	465	461	400-480	- 10° +3°
RH Extend 200	465	461	400-480	- 10°/+3°
RH Extend 120	465	461	400-480	- 10°/+3°
RH Extend 220	465	461	400-480	- 10°/+3°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Extend 100	510	440	455-535	-
RH Extend 200	510	440	455-535	24°
RH Extend 120	620	440	640-720	-
RH Extend 220	620	440	640-720	24°
	Height of armrest above seat (8E & 8S)	-	**Diameter of base**	**Weight (kg)**
RH Extend 100	220-297	-	660	19
RH Extend 200	220-297	-	660	19
RH Extend 120	220-297	-	660	19.8
RH Extend 220	220-297	-	660	19.8

Model	Seat height (B)	Seat height (D)	Seat height (4FL)	Seat height (E)
RH Activ 200	395-525 (standard)	500-675	365-445	600-850
RH Activ 202	395-525 (standard)	500-675	365-445	600-850
RH Activ 220	395-525 (standard)	500-675	365-445	600-850
RH Activ 222	395-525 (standard)	500-675	365-445	600-850
RH Activ 303	-	515-700 (standard)	-	-
	Seat depth	**Seat width**	**Seat depth with slide**	**Seat angle adjustment**
RH Activ 200	430	440	390-445	- 7°/+6°
RH Activ 202	460	460	420-475	- 7°/+6°
RH Activ 220	430	440	390-445	- 7°/+6°
RH Activ 222	460	460	420-475	- 7°/+6°
RH Activ 303	428	450	420-475	- 5°/+5°
	Backrest height	**Backrest width**	-	**Backrest angle adjustment**
RH Activ 200	295	370	-	23°
RH Activ 202	295	370	-	23°
RH Activ 220	430	370	-	23°
RH Activ 222	430	370	-	23°
RH Activ 303	230	280	-	23°
	Height of armrest above seat (8E & 8S)	-	**Diameter of base**	**Weight (kg)**
RH Activ 200	190-290	-	590	13
RH Activ 202	190-290	-	590	13
RH Activ 220	190-290	-	590	13.6
RH Activ 222	190-290	-	590	13.6
RH Activ 301	-	-	590	13
RH Activ 303	-	-	590	13.6

Model	Seat height (standard E)	Seat height (B)	Seat height (D)	Seat height (4FL)
RH Support 4501	565-810	365-495	470-640	340-415
RH Support 4511	595-840	380-510	515-695	355-460
RH Support 4521	565-810	365-495	470-640	340-415
	Seat depth	**Seat width**	**Backrest height**	**Backrest width**
RH Support 4501	380	410	230	380
RH Support 4511	-	Ø350	230	380
RH Support 4521	240	450	230	380
	-	-	**Diameter of base**	**Weight (kg)**
RH Support 4501	-	-	590	10.6
RH Support 4511	-	-	590	10.5
RH Support 4521	-	-	590	10.5

Model	Seat height (standard 4F Logic)	Seat height (4B chrome)	-	-
RH Logic 300 ESD	440-560	480-610	-	-
RH Logic 400 ESD	440-560	480-610	-	-
RH Extend 200 ESD	440-560	-	-	-
RH Extend 220 ESD	440-560	-	-	-
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**
RH Logic 300 ESD	465	457	384-443	-17.2°/+4.6°
RH Logic 400 ESD	465	457	384-443	-17.2°/+4.6°
RH Extend 200 ESD	465	461	400-480	-10°/+3°
RH Extend 220 ESD	465	461	400-480	- 10°/+3°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Logic 300 ESD	510	447	514-592	15.2°
RH Logic 400 ESD	620	447	624-703	15.2°
RH Extend 200 ESD	508	444	455-535	24°
RH Extend 220 ESD	623	443	640-720	24°
	Height of armrest above seat (8E ESD)	-	**Diameter of base**	**Weight (kg)**
RH Logic 300 ESD	198-299	-	660	21°
RH Logic 400 ESD	198-299	-	660	21.8°
RH Extend 200 ESD	220-297	-	660	35°
RH Extend 220 ESD	220-297	-	660	37°

Model	Seat height (standard B chrome)	Seat height (E chrome)	Seat height (D chrome)	Seat height (ON-4FH black)	Seat height (4FL chrome)
RH Activ 200 ESD	395-525	595-840	500-675	459-607	365-445
RH Activ 220 ESD	395-525	595-840	500-675	459-607	375-465
RH Activ 222 ESD	395-525	595-840	500-675	459-607	375-465
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**	
RH Activ 200 ESD	430	440	390-445	- 7°/+6°	
RH Activ 220 ESD	430	440	390-445	- 7°/+6°	
RH Activ 222 ESD	460	460	420-475	- 7°/+6°	
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**	
RH Activ 200 ESD	295	370		20°	
RH Activ 220 ESD	430	370		23°	
RH Activ 222 ESD	430	370		23°	
	Height of armrest above seat (8E ESD)	-	**Diameter of base**	**Weight (kg)**	
RH Activ 200 ESD	190-290	-	590	13	
RH Activ 220 ESD	190-290	-	590	13.6	
RH Activ 222 ESD	190-290	-	590	13.6	

Model	Seat height (standard B chrome)	Seat height (E chrome)	Seat height (D chrome)	Seat height (ON-4FH black)	Seat height (4FL chrome)
RH Activ ESD Cleanroom 220	395-525	605-855	515-690	459-607	375-465
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**	
RH Activ ESD Cleanroom 220	430	440	390-445	-7°/+6°	
	Backrest height	**Backrest width**	-	**Backrest angle adjustment**	
RH Activ ESD Cleanroom 220	430	370	-	23°	
	Height of armrest above seat (8E ESD)	-	**Diameter of base**	**Weight (kg)**	
RH Activ ESD Cleanroom 220	190-290	-	590	13.6	

Model	Seat height (standard B black)	Seat height (E chrome)	Seat height (D black)	Seat height (4FL chrome)
RH Activ Cleanroom 220	395-525	595-840	500-675	365-445
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**
RH Activ Cleanroom 220	460	460	390-445	- 7°+6°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Activ Cleanroom 220	430	370		23°
	Height of armrest above seat (8E ESD)	-	**Diameter of base**	**Weight (kg)**
RH Activ Cleanroom 220	190-290	-	590	13.6

Model	Seat height (standard ON-4SR)	Seat height (B)	Seat height (F)	
RH Secure24	410-535	495-645	465-615	
RH Secur24 Exclusive	410-535	495-645	465-615	
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**
RH Secur24	435	488	140 mm	+4,8° / - 13,9°
RH Secur24 Exclusive	435	488	140 mm	+4,8° / - 13,9°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
RH Secur24	829	481	-	18.4°
RH Secur24 Exclusive	829	481	-	18.4°
	Height of armrest above seat 8SC	**Height of armrest above seat 8SC XL**	**Height of armrest above seat 8F**	**Height of armrest above seat 8H**
RH Secur24			247	247
RH Secur24 Exclusive			247	247
			Diameter of base	**Weight (kg)**
RH Secur24			680	37.6
RH Secur24 Exclusive			680	37.6

Model	Seat height (standard ON-4FR)	Seat height (A)	Seat height (F)	
RH Focus	400-530	505-365	435-565	
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**
RH Focus	475	468	425-505	-4.9-(+) 11.2°
	Backrest height	**Backrest width**	**Backrest height adjustment**	**Backrest angle adjustment**
	684	480	-	32.3°
	Height of armrest above seat 8K	**Height of armrest above seat 8K XL**	**Height of armrest above seat 8H**	**Height of armrest above seat 8F**
RH Focus	199-305	199-305		170-325
			Diameter of base	**Weight (kg)**
RH Focus			680	23.9 kg

Model	Seat height (standard ON-4UZ)	Seat height (ON-4FH)	Seat height (F)	
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	400-554	450-600	385-554	
RH Axia Exclusive	410-560	480-635	394-537 mm	
	Seat depth	**Seat width**	**Seat slide**	**Seat angle adjustment**
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	470	490	318-469	+5° / - 14°
RH Axia Exclusive	470	490	383-470	+5° / - 9°

	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Axia 2.1	390	450	170-230	15°
RH Axia 2.2	470	450	170-230	15°
RH Axia 2.3	470	450	170-230	15°
RH Axia 2.4	540	460	170-230	15°
RH Axia 2.5	560	460	170-230	15°
RH Axia Exclusive	650	480	150-270	23°
	Height of armrest above seat 8N	**Height of armrest above seat 8N XL**	**Diameter of base**	**Weight (kg)**
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	215-310	215-310	670	19.7 kg
RH Axia Exclusive	194-298	194-298	710	21.8

Tests and Certificates

An RH chair is built to withstand stress and to last. All chairs are therefore rigorously tested and approved according to known standards for different markets

PRODUCT FAMILY	Technical certificates					Environmental certificates					
	EN 1335	GS	BS 5459	ANSI BIFMA	IEC 61340-ESD	Möbelfakta	EPD ISO 14025	GREEN-GUARD GOLD	Cradle to Cradle	Nordic Swan	Blue Angel
RH Logic 200/220	x	x	x	x		x	x	x			
RH Logic 400/300	x		x		x	x	x	x		x	
RH Mereo	x	x		x		x	x	x			
RH Axia	x	x	x				x	x	x		
RH Axia Exclusive	x						x				
RH Extend	x	x			x	x	x	x			
RH Activ	x	x*	x	x*	x	x	x	x			
RH Support								x			
RH Secur24	x	x									x
RH Focus	x	x	x	x			x				x

* RH Activ 300

NOTE! The list is not a full overview of RH portfolio and its models.
Our certificates are continuously updated. Contact our Customer Service for more information and details.

Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.

From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.

The name Flokk comes from the Norwegian word for "group" or "herd". It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.

We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.

Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person. Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work.**

Flokk A/S
Drammensveien 145
0277 Oslo

Phone: +47 22595900
E-mail: info-international@flokk.com
www.flokk.com

Front page
Chair model: Logic Silver 220
Fabric: Gabriel, Capture 6401 Photo: NY