



PRICE LIST

EURO. VALID FROM 01.03.2025



DESIGNED FOR HUMAN PERFORMANCE

Content

General sales and delivery terms	3
RH Logic 200 /220 Silver	5
RH Logic 200/220 Black	8
RH Logic 300	11
RH Logic 400	14
RH Mereo Silver	17
RH Mereo Black	19
RH Mereo Silver Grey	21
RH Axia	23
RH Axia Netweave	27
RH Axia Exclusive	30
RH Extend	32
RH Activ	34
RH Activ 300	37
RH Support	38
RH Secur24	40
RH Focus	43
RH Logic 400/300 ESD	45
RH Extend ESD	46
RH Activ ESD	47
RH Activ ESD Cleanroom	49
RH Activ Cleanroom	51
Footform	53
Spare parts	54
Standard Fabric & Colour Collection	60
Fabrics 24/7	68
Extended Fabric & Colour Collection	72
Physical measurements - Work chairs	74
Tests and Certificates	81
RH Quick-ship	82

General sales and delivery terms

This document applies for contracted distributors of RH.

STANDARD DISPATCH TIME FROM FACTORY

RH Quick-ship (after the order has been registered)	5 Working days
Standard Fabric & Colour Collection	10 - 15 Working days
Extended Fabric & Colour Collection	> 25 Working days
On request	On request

STANDARD DELIVERY TIMES FOR RH SECUR24

Quick-ship	10 Working days
Standard	23-28 Working days
Extended	30-35 Working days*
On request	On request

* Provided that the supplier has the fabric in stock.

Transport days must be added. Longer delivery times may occur periodically, during holidays and for large orders.

PRICES

All prices are recommended retail prices in Euro exclusive of VAT. Valid from 01.03.2025. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

CONDITIONS OF DELIVERY

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk until payment is made in full. A 3% energy & transportation surcharge on the net order value will be applied to all orders from October, 1st 2022.

Ex Works (Incoterms 2020) including packaging. All products must be inspected upon receipt/arrival.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk AS within 7 days after receipt. Invisible damage (means no damaged packaging) must also be reported in writing to Customer Service, Flokk AS within 7 days after receipt.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Photo of Flokk product label (including order no.)
- Photo of damaged goods
- Photo of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations. If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

DAMAGE IN TRANSIT

Should it be apparent that goods have been damaged in transit, the recipient/customer must inform the supplier within 48 hours of receipt.

CHANGE/CANCELLATION OF ORDERS

Change/cancellation of orders on chairs or upholstery are possible up until production has begun. Changes made 2 days after receiving the order confirmation, each amended or cancelled order will incur a charge of minimum EURO 50 per order. Once production has started orders cannot be changed. Change of orders within the Quick Ship collection are not possible. For further information regarding change/cancellation of orders, please feel free to contact our Customer Service department.

GENERAL TERMS AND CONDITIONS

Flokk's warranty covers all chairs against material and manufacturing faults and defects from the chair's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Wear and tear must be expected from normal use and are not covered by the warranty. Unless otherwise specified, the maximum weight for users is 150 kg/23.5 stones. The warranty is conditional on the chair and fabrics/leather undergoing normal cleaning.

10 YEAR WARRANTY FOR RH PRODUCTS

Flokk provides a 10 year warranty for all RH chairs that are used under normal conditions for up to 9 hours per day. For normal usage that exceeds 9 hours a day RH provides a 5 year warranty on all RH Chairs (covers chairs delivered after 01.02.2010).

>9 HOURS/DAY - 5 YEAR WARRANTY

Flokk provides a 5 year warranty for all RH chairs that are in normal use for more than 9 hours per day. Please also see the general warranty terms and conditions.

24/7 - 5 YEAR WARRANTY

Flokk provides a 5 year warranty for RH chairs that are approved for control room or 24/7 use. Upholstery is not covered under these terms unless its an RH approved 24/7 fabric.

ESD/ESD CLEANROOM/CLEANROOM

Flokk provides a 5 year warranty for ESD, ESD Cleanroom and Cleanroom finished chairs, conditional on castors and treads being cleaned regularly with a suitable cleaning agent.

SPARE PARTS GUARANTEE

Flokk guarantees the deliver of spare parts for minimum of 10 years after the chairs's production date. The guarantee covers the parts needed to maintain the chairs's original functionally.

END OF LIFE – RECYCLING

We encourage you to ensure proper recycling of your chair and its various components. Please dispose of your chair/components using your local recycling partners/stations - and follow your local regulations. If you have questions on how to dispose or return your chair after use, please inform your contact person within Flokk.

STANDARD FABRIC & COLOUR COLLECTION

Flokk provides a 10 year warranty for fabrics/leather from the Standard Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 5 year warranty for fabrics/leather from the Standard Fabric & Colour Collection when the chair is in normal use for more than 9 hours per day.

Except for Illusion 3.0 and Puxx1 where a 5 year warranty is provided.

EXTENDED FABRIC & COLOUR COLLECTION

Flokk provides a 5 year warranty for fabrics/leather from the Extended Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the Extended Fabric & Colour Collection are available with a 5 year warranty for 24 hour use (for use of more than 9 hours per day).

SPECIAL OR CUSTOMERS OWN MATERIAL

If the fabrics in the Standard or Extended Collections are not what you are looking for, please contact Customer Service at Flokk, email: info-international@flokk.com. The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery. Fabrics and leathers that are not tested on our products, need to have a test-upholstery before we can approve it and the order can be registered. Cost (EUR 210) for testing will be charged.

UPHOLSTERY

- Open and unpack the chair upon receipt to avoid long-lasting dents on upholstered parts of the chair.
- The dents will most likely disappear shortly after receipt, if unpacked
- If you need to store the chair, you still must unpack it immediately to ensure that upholstered parts are completely free of any load.

When seated, the foam in the seat pad is compressed, which may cause small wrinkles to occur. This is normal for this type of product. Wrinkles will partially disappear when the chair is not in use.

NOTE! For environmental reasons we don't use any glue or fasteners in the upholstery process for some of our products. Therefore some fabric are not suitable for certain products, see information on the pages for Fabric Collections or contact our Customer Service for more information.

MAINTENANCE GUIDE

Care of Fabric upholstery: Regular vacuum cleaning is recommended. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery: Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat source.

For additional maintenance advice please contact our customer service team or our web site flokk.com.

QUALITY

Flokk is ISO 9001 certified. Most chair models are tested and approved in accordance with the most stringent European regulations including: Möbelfakta, EN 1335-1 (dimensions), BS/EN 1335-2 (safety, strength and durability). All measurements given in the price list are based on EN1335-1, hence measurements cannot be replicated without correct settings, methods and equipment. The seat height will vary in accordance with the weight of the user. Please contact us for further information or test reports.

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations. That is, as a result of component purchases, special orders or the like.

DISCLAIM

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations. That is, as a result of component purchases, special orders or the like.

ENVIRONMENTAL RESPONSIBILITY

Environmental considerations on our products and the manufacturing of our products are at the heart of our business. Most of the materials used in RH chairs can be recycled if handled properly. A complete material composition for each RH product and our environmental brochure are available on request. Flokk is certified in accordance with ISO 14001:2015 environment and ISO 50001:2018 energy management systems. The environmental life cycle impact of RH Logic 200/220, RH Logic 400/300, RH Mereu, RH Extend, RH Axia, RH Activ and RH Support is documented in the ISO 14025 Environmental Product Declarations (EPD). RH Logic 200/220, RH Logic 300/400, RH Mereu, RH Extend, RH Axia, RH Activ and RH Support are also GREENGUARD Gold certified.

FIRE CLASSIFICATION

Foams and standard fabrics are tested to EN 1021-1&2 (cigarette & match). Foam and fabric according to BS-5852 ignition source 5 (crib 5) can be delivered on request at a surcharge of and must be specified at the time of order. Order of CMHR adds approximately two to five weeks to delivery lead times. CMHR foam must be specified on chairs intended for domestic use. Please contact Customer Services for further information.

CUSTOMER SERVICE

Phone: +47 72 40 72 40

E-mail: info-international@flokk.com

Flokk reserves the right to make small corrections alterations without notice.

RH Logic 200 /220 Silver

- Seat width: 442 mm, depth 477 mm (seatslide 100 mm)
- Seat height: 397-550 mm (4T NPR)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Lumbar pump is standard
- Certified in accordance to: EN 1335 Type A, GS, ANSIBIFMA X5.1, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD






Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
9111	RH Logic 200 Silver • Backrest medium: width 431 mm, height 518 mm • Weight: 19,9 kg		1610	1623	1640	1697	1800	1979	2315	
9118	RH Logic 200 Silver Elite • Backrest medium: width 431 mm, height 518 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 21 kg • This model is tested and approved for control room use		1802	1817	1837	1900	2016	2216	2593	
9211	RH Logic 220 Silver • Backrest large: width 433 mm, height 620 mm • Weight: 20,4 kg		1798	1813	1840	1903	2012	2212	2588	
9218	RH Logic 220 Silver Elite • Backrest large: width 433 mm, height 620 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 22 kg • This model is tested and approved for control room use		1937	2031	2060	2131	2252	2478	2838	

Accessories/Options/Surcharges:

HR220	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth	134
HR221	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth	202
BB200	Upholstered backshell	201
SP242	Uniform upholstery of back and seat	0
DS201	Decorative Stitching	126
AR730	Armrest 8L Silver pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	222
AR731	Armrest 8L Silver pair for BS standard. Armrest top in TPU (black) . Adjustable in height, depth, width & turnable	222
AR733	Armrest 8L Silver pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	354
AR738	Armrest 8L XL Silver pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	390

Accessories/Options/Surcharges:

AR741	Armrest traverse Silver. To supplement with armrest at a later stage	87
AE220	Coat hanger Logic 200	77
SE224	Seat XL, width 490 mm, depth 505 mm	117
SP201	Coccyx seat	249
SP202	Seat with memory foam (Only for: 9111, 9211)	293
SP246	Seat with memory foam (for Uniform Upholstery) (Only for: 9111, 9211)	293
LI232	Gas stem A Silver	0
LI230	Gas stem B Silver	0
LI222	Gas stem 4T Silver	0
FB221	Footbase 5T polished	96
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	47

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR220	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth.		SP242	Uniform upholstery of back & seat. Fewer seams for a cleaner visual look.	
HR221	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth.		DS201	Decorative Stitching	
AR730	Armrest 8L Silver Armrest top in TPU (black) Height of armrest above seat 199-315 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine. Only for model 9111 & 9211	
AR733	Armrest 8L Silver Armrest top in black leather (black) Height of armrest above seat 199-315 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
AR731	Armrest 8L Silver BS pair Armrest top in TPU (black) Height of armrest above seat 199-315 mm Select to accomplish BS5459-2				
AR738	Armrest 8L Silver XL Armrest top in black leather (black) width 135 mm, length 254 mm. Height of armrest above seat 199-315 mm				
SE224	Seat XL Width 490 mm, depth 505 mm				
AE220	Coat hanger in black plastic				
LI232	Gas stem A Silver Seat height 490-635 mm				
LI230	Gas stem B Silver Seat height 445-595 mm				
LI222	Gas stem 4T Silver Seat height 385-530 mm				

User Instruction RH Logic 200/220

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=_3wWOc2Gslg

RH Logic 200/220 Black

- Seat width: 442 mm, depth 477 mm (seatslide 100 mm)
- Seat height: 397-550 mm (4T NPR)
- Base in black lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Lumbar pump is standard
- Certified in accordance to: EN 1335 Type A, GS, ANSIBIFMA X5.1, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD



Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
9112	RH Logic 200 Black • Backrest medium: width 431 mm, height 518 mm • Weight: 19,9 kg		1 610	1 623	1 640	1 697	1 800	1 979	2 315	
9119	RH Logic 200 Black Elite • Backrest medium: width 431 mm, height 518 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 21 kg • This model is tested and approved for control room use		1 802	1 817	1 837	1 900	2 016	2 216	2 593	
9212	RH Logic 220 Black • Backrest large: width 433 mm, height 620 mm • Weight: 20,4 kg		1 798	1 813	1 840	1 903	2 012	2 212	2 588	
9219	RH Logic 220 Black Elite • Backrest large: width 433 mm, height 620 mm • 20 mm extra foam in seat and back • Seat height: 417-570 mm (4T NPR) • Weight: 22 kg • This model is tested and approved for control room use		1 937	2 031	2 060	2 131	2 252	2 478	2 838	

Accessories/Options/Surcharges:

HR218	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth	134
HR219	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth	202
BB200	Upholstered backshell	201
SP242	Uniform upholstery of back and seat	0
DS201	Decorative Stitching	126
AR720	Armrest 8L Black pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable.	222
AR723	Armrest 8L Black pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable.	354
AR721	Armrest 8L Black pair for BS standard . Armrest top in TPU (black) . Adjustable in height, depth, width & turnable.	222
AR728	Armrest 8L Black XL pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable.	390

Accessories/Options/Surcharges:

AR740	Armrest traverse Black. To supplement with armrest at a later stage.	87
AE220	Coat hanger in black plastic	77
SE224	Seat XL, width 490 mm, depth 505 mm	117
SP201	Coccyx seat only available for 9112 & 9212	249
SP202	Seat with memory foam (Only for: 9112, 9212)	293
SP246	Seat with memory foam (for Uniform Upholstery) (Only for: 9112, 9212)	293
LI233	Gas stem A Black	0
LI231	Gas stem B Black	0
LI223	Gas stem 4T Black	0
FB221	Footbase 5T polished	96
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	47




Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR218	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth.		SP242	Uniform upholstery of back & seat. Fewer seams for a cleaner visual look.	
HR219	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth.				
AR720	Armrest 8L Black Armrest top in TPU (black) Height of armrest above seat 199-315 mm		DS201	Decorative Stitching	
AR723	Armrest 8L Black Armrest top in black leather (black) Height of armrest above seat 199-315 mm				
AR721	Armrest 8L Black BS pair Armrest top in TPU (black) Height of armrest above seat 199-315 mm Select to accomplish BS5459-2				
AR728	Armrest 8L Black XL Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 199-315 mm				
SE224	Seat XL Width 490 mm, depth 505 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine. Only for model 9112 & 9212	
AE220	Coat hanger in black plastic		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI233	Gas stem A Black Seat height 490-635 mm				
LI231	Gas stem B Black Seat height 445-595 mm				
LI223	Gas stem 4T Black Seat height 385-530 mm				

User Instruction RH Logic 200/220

Check out our user guide, explaining how each of the unique functions are adjusted. https://www.youtube.com/watch?v=_3wWOc2Gslg

RH Logic 300

- Seat width: 462 mm, depth 467 mm (seatslide 80 mm)
- Backrest width: 447 mm, height 510 mm
- Seat height: 420-541 mm (4Q Silver)
- Base in silver aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Lumbar pump is an optional extra on this model
- Neckrest Cassette - If ordering a RH Logic 300 without neckrest you must add a neckrest cassette in order to equip the chair with a neckrest at a later stage
- Certified in accordance to: EN 1335, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, Nordic Swan

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
3340	RH Logic 300 • Weight: 21 kg		1 600	1 615	1 640	1 697	1 793	1 972	2 306	
3343	RH Logic 300 Comfort • Extra padding with improved ventilation in seat and backpad • Weight: 21 kg		1 806	1 819	1 847	1 914	2 021	2 220	2 597	
3347	RH Logic 300 Elegance • Including upholstered backshell • Weight: 21 kg		1 765	1 780	1 809	1 871	1 975	2 172	2 542	
3349	RH Logic 300 Elite • 20 mm extra foam in seat and back with improved ventilation • Seat height: 440-570 mm (4Q silver) • This model is tested and approved for control room use • Weight: 21 kg		1 839	1 857	1 884	1 950	2 060	2 262	2 647	






Accessories/Options/Surcharges:

15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	138
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth	206
15041	Neckrest Cassette for RH Logic 300 & Extend 100/200	9
DS201	Decorative Stitching	135
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	227
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	379
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	246
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	363

Accessories/Options/Surcharges:

111050-01	Coat hanger in black plastic	82
LP201	Lumbar pump	92
SE224	Seat XL, width 490 mm, depth 505 mm	113
SP201	Coccyx seat	252
SP202	Seat with memory foam (Only for: 3340, 3343, 3347)	293
LI233	Gas stem A Black	0
LI232	Gas stem A Silver	0
LI231	Gas stem B Black	0
LI230	Gas stem B Silver	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X Black, Ø660 mm, black lacquered aluminium	0
FB215	Base 5X Polished, Ø660 mm, polished aluminium	105
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	49

NOTE! To enable a neckrest to be fitted at a later stage, neckrest cassette must be added.





Item no	Description	Accessories/option	Item no	Description	Accessories/option	
15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth		905005	Decorative Stitching		
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth					
8300130-02	Armrest 8S pair (black) Height of armrest above seat 198-299 mm		8700130-02	Armrest 8E pair (black) Height of armrest above seat 198-299 mm		
	RH Logic 300 Elite Height of armrest above seat 228-329 mm			RH Logic 300 Elite Height of armrest above seat 228-329 mm		
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Height of armrest above seat 198-299 mm		8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Height of armrest above seat 198-299 mm		
	RH Logic 300 Elite Height of armrest above seat 178-279 mm			RH Logic 300 Elite Height of armrest above seat 178-279 mm		
111050-01	Coat hanger in black plastic		LP201	Lumbar pump		
750235	Seat XL. Width 505 mm, depth 490 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.		
L1233	Gas stem A Black Seat height 535-675 mm		FB214	Base 5X Black, Ø660 mm, black lacquered aluminium		
L1232	Gas stem A Silver Seat height 535-675 mm					
L1231	Gas stem B Black Seat height 490-635 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium		
L1230	Gas stem B Silver Seat height 490-635 mm					
L1210	Gas stem 4Q Black Seat height 420-541 mm					

User Instruction RH Logic 400/300

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=vM7s6RymQFs>

RH Logic 400

- Seat: width 462 mm, depth 467 mm (seatslide 80 mm)
- Backrest with lumbar pump: width 447 mm, height 620 mm
- Seat height: 420-541 mm (4Q Silver)
- Base in silver aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Certified in accordance to: EN 1335, BS5459-2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, Nordic Swan






Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
3550	RH Logic 400 • Weight: 21,8 kg		1 904	1 922	1 951	2 018	2 135	2 344	2 742	
3553	RH Logic 400 Comfort • Extra padding with improved ventilation in seat and backpad • Weight: 21,8 kg		2 167	2 186	2 217	2 293	2 425	2 666	3 120	
3557	RH Logic 400 Elegance • Including upholstered backshell • Weight: 21,8 kg		2 108	2 129	2 163	2 235	2 364	2 595	3 038	
3559	RH Logic 400 Elite • 20 mm extra foam in seat and back with improved ventilation • Seat height 440-570 mm (4Q silver) • This model is tested and approved for control room use • Weight: 22,8 kg		2 204	2 226	2 258	2 336	2 471	2 714	3 175	

Accessories/Options/Surcharges:

15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	138
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth	206
DS201	Decorative Stitching	135
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	227
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	379
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	246
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	363
111050-01	Coat hanger in black plastic	82
SE224	Seat XL, width 490 mm, depth 505 mm	123

Accessories/Options/Surcharges:

SP201	Coccyx seat	252
SP202	Seat with memory foam (Only for: 3550, 3553, 3557)	293
LI233	Gas stem A Black	0
LI232	Gas stem A Silver	0
LI231	Gas stem B Black	0
LI230	Gas stem B Silver	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X Black, Ø660 mm, black lacquered aluminium	0
FB215	Base 5X Polished, Ø660 mm, polished aluminium	105
CA201	Castors for hard floors, Ø65 mm, black	0
CA221	Castors manually lockable, Ø65 mm	49

Item no	Description	Accessories/option	Item no	Description	Accessories/option
15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth		905005	Decorative Stitching	
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth				
8300130-02	Armrest 8S pair (black) Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm		8700130-02	Armrest 8E pair (black) Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm	
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm		8700280-02	Armrest 8E pair (black). Upholstered armrest top in black leather Height of armrest above seat 198-299 mm RH Logic 400 Elite Height of armrest above seat 178-279 mm	
111050-01	Coat hanger in black plastic		-	Lumbar pump Standard on all RH Logic 400 models	
750235	Seat XL. Width 505 mm, depth 490 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
LI233	Gas stem A Black Seat height 535-675 mm		FB214	Base 5X Black, 660 mm, black lacquered aluminium	
LI232	Gas stem A Silver Seat height 535-675 mm				
LI231	Gas stem B Black Seat height 490-635 mm		FB215	Base 5X Polished, 660 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 490-635 mm				
LI210	Gas stem 4Q Black Seat height 420-541 mm				

User Instruction RH Logic 400/300

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=vM7s6RymQFs>

RH Mereo Silver

- Seat: width 407 mm, depth 470 mm (seatslide 100 mm)
- Seat height: 410-565 (4T NPR Silver)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD





Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
8111	RH Mereo 200 Silver • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg		1 102	1 109	1 129	1 166	1 233	1 354	1 584	
8211	RH Mereo 220 Silver • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg		1 171	1 181	1 201	1 241	1 311	1 441	1 687	
8311	RH Mereo 300 Silver • Backrest large: width 442 mm, height 630 mm • Weight: 18,9 kg		1 181	1 199	1 213	1 255	1 329	1 462	1 709	
Accessories/Options/Surcharges:										
HR212	Headrest Mereo Fabric std/COM (Only for: 8211, 8311)									153
HR213	Headrest Mereo Leather std (Only for: 8211, 8311)									185
SE274	Seat XL RH Mereo from 2022									107
DS201	Decorative Stitching									132
SP233	RH Mereo Duo. Combination of two fabrics									132
730019-1	Armrest 8T Silver pair. Adjustable in height, depth, width & turnable									225
AR705	Armrest 8T XL Silver pair. Adjustable in height, depth, width & turnable									353
730030-1	Armrest traverse Silver. To supplement with armrests at a later stage									89
730014-1	Coat hook in silver metal (only for 8211, 8311, 8213, 8313)									22
LI232	Gas stem A Silver									0
LI230	Gas stem B Silver									0
LI222	Gas stem 4T Silver									0
FB221	Footbase 5T polished									98
CA201	Castors for hard floors, Ø65 mm, black									0
CA220	Castors soft wheels for hard floors, Ø65 mm, grey									0

Accessories/Options/Surcharges:

CA221

Castors manually lockable, Ø65 mm

49

Item no	Description	Accessories/option	Item no	Description	Accessories/option
730006-1	Neckrest RH Mereo Silver in fabric/C.O.M (only for 8211, 8311) Adjustable in height, depth & angle		905005	Decorative Stitching	
730016-1	Neckrest RH Mereo Silver in leather. (only for 8211, 8311) Adjustable in height, depth & angle				
730019-1	Armrest 8T Silver pair. Height of armrest above seat 195-310 mm		905008	RH Mereo Duo. Combination of two fabrics	
AR705	Armrest 8T XL Silver pair. Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		730014-1	Coat hook in silver metal (only for 8211, 8311, 8213, 8313)	
LI232	Gas stem A Silver Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 460-605 mm				
LI222	Gas stem 4T Silver Seat height 399-543 mm				




User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=rN2R1H-6ZIk>

RH Mereo Black

- Seat: width 407 mm, depth 470 mm (seatslide 100 mm)
- Seat height: 410-565 mm (4T NPR Black)
- Base in black lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Black
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
8112	RH Mereo 200 Black • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg		1 102	1 109	1 129	1 166	1 233	1 354	1 584	
8212	RH Mereo 220 Black • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg		1 171	1 181	1 201	1 241	1 311	1 441	1 687	
8312	RH Mereo 300 Black • Backrest large: width 400 mm, height 630 mm • Weight: 18,9 kg		1 181	1 199	1 213	1 255	1 329	1 462	1 709	
Accessories/Options/Surcharges:										
730006-2	Neckrest RH Mereo in fabric/C.O.M Black (only for 8312, 8212). Adjustable in height, depth and angle									153
730016-2	Neckrest RH Mereo in leather Black (only for 8312, 8212). Adjustable in height, depth and angle									185
SE274	Seat XL RH Mereo from 2022									107
DS201	Decorative Stitching									132
SP233	RH Mereo Duo. Combination of two fabrics									132
730019-2	Armrest 8T Black pair. Adjustable in height, depth, width & turnable									225
AR707	Armrest 8T XL Black pair. Adjustable in height, depth, width & turnable									353
730030-2	Armrest traverse Black. To supplement with armrests at a later stage									89
730014-2	Coat hook in black metal (only for 8212, 8312)									22
LI233	Gas stem A Black									0
LI231	Gas stem B Black									0
LI223	Gas stem 4T Black									0
FB221	Footbase 5T polished									98
CA201	Castors for hard floors, Ø65 mm, black									0
CA221	Castors manually lockable, Ø65 mm									49

Item no	Description	Accessories/option	Item no	Description	Accessories/option
730006-2	Neckrest RH Mereo Black in fabric/C.O.M (only for 8212, 8312). Adjustable in height, depth & angle		905005	Decorative Stitching	
730016-2	Neckrest RH Mereo Black in leather (only for 8212, 8312). Adjustable in height, depth & angle				
730019-2	Armrest 8T Black pair. Height of armrest above seat 195-310 mm		905008	RH Mereo Duo. Combination of two fabrics	
AR707	Armrest 8T XL Black pair . Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		730014-2	Coat hook in black metal (only for 8212, 8312)	
LI233	Gas stem A Black Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI231	Gas stem B Black Seat height 460-605 mm				
LI223	Gas stem 4T Black Seat height 399-543 mm				




User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=rN2R1H-6ZIk>

RH Mereo Silver Grey

- Seat: width 407 mm, depth 470 mm (seatslide 100 mm)
- Seat height: 410-565 mm (4T NPR Silver)
- Base in silver lacquered aluminium (5T) and castors for carpeted floors (Ø65 mm)
- Plastic colour: Grey
- Certified in accordance to: EN 1335 Type A, GS, ANSI/BIFMA X5-1, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
8113	RH Mereo 200 Silver Grey • Backrest medium: width 365 mm, height 470 mm • Weight: 18,4 kg		1 121	1 133	1 150	1 191	1 258	1 375	1 606	
8213	RH Mereo 220 Silver Grey • Backrest large: width 365 mm, height 630 mm • Weight: 18,9 kg		1 194	1 207	1 224	1 264	1 339	1 464	1 712	
8313	RH Mereo 300 Silver Grey • Backrest large: width 400 mm, height 630 mm • Weight: 18,9 kg		1 213	1 222	1 235	1 279	1 354	1 490	1 743	
Accessories/Options/Surcharges:										
730006-3	Neckrest RH Mereo Silver Grey in fabric/C.O.M (only for 8213, 8313). Adjustable in height, depth and angle									155
730016-3	Neckrest RH Mereo Silver Grey in leather(only for 8213, 8313). Adjustable in height, depth and angle									188
SE274	Seat XL RH Mereo from 2022									107
DS201	Decorative Stitching									132
SP233	RH Mereo Duo. Combination of two fabrics									132
730019-3	Armrest 8T Silver Grey pair. Adjustable in height, depth, width & turnable									229
AR709	Armrest 8T XL Silver Grey pair. Adjustable in height, depth, width & turnable									362
730030-3	Armrest traverse Silver Grey. To supplement with armrests at a later stage									90
730014-1	Coat hook in silver metal (only for 8211, 8311, 8213, 8313)									22
LI232	Gas stem A Silver									0
LI230	Gas stem B Silver									0
LI222	Gas stem 4T Silver									0
FB221	Footbase 5T polished									98
CA201	Castors for hard floors, Ø65 mm, black									0
CA220	Castors soft wheels for hard floors, Ø65 mm, grey									0
CA221	Castors manually lockable, Ø65 mm									49


Item no	Description	Accessories/option	Item no	Description	Accessories/option
730006-3	Neckrest RH Mereo Silver Grey in fabric/C.O.M (only for 8213, 8313). Adjustable in height, depth & angle		905005	Decorative Stitching	
730016-3	Neckrest RH Mereo Silver Grey in leather (only for 8213, 8313). Adjustable in height, depth & angle				
730019-3	Armrest 8T Silver Grey pair. Height of armrest above seat 195-310 mm		905008	RH Mereo Duo. Combination of two fabrics	
AR709	Armrest 8T XL Silver Grey pair. Armrest top in black leather (black) width 135 mm, length 254 mm, Height of armrest above seat 195-310 mm				
SE274	Seat XL Width 490 mm, depth 520 mm		730014-1	Coat hook in silver metal (only for 8213, 8313)	
LI232	Gas stem A Silver Seat height 505-645 mm		FB221	Base 5T Polished, Ø680 mm, polished aluminium	
LI230	Gas stem B Silver Seat height 460-605 mm				
LI222	Gas stem 4T Silver Seat height 399-543 mm				

User Instruction RH Mereo

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=rN2R1H-6ZIk>

RH Axia

- Seat height: 400-554 mm (ON-4UZ)
- Seat slide: 100 mm
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5U in black plastic (Ø670 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335 Type B, GS, BS5459-2, EPD ISO 14025, GREENGUARD GOLD, CRADLE TO CRADLE








Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
3121	RH Axia 3121 • Backrest 2.1: width 450 mm, height 390 mm, thickness 70 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg		1006	1019	1033	1068	1121	1227	1465	
3122	RH Axia 3122 • Backrest 2.2: width 450 mm, height 470 mm, thickness 70 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg		1128	1142	1151	1199	1251	1364	1623	
3123	RH Axia 3123 • Backrest 2.3: width 450 mm, height 470 mm, thickness 80 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg • With extra comfort layer in seat and back		1212	1225	1237	1283	1336	1457	1732	
3124	RH Axia 3124 • Backrest 2.4: width 460 mm, height 540 mm, thickness 80 mm • Seat: depth 470 mm, width 485 mm, thickness 60 mm • Weight: 24.5 kg		1264	1279	1290	1343	1397	1513	1803	

Accessories/Options/Surcharges:

HR2725	RH Axia Headrest in black lacquered aluminium only for 3124	189
ME2765	RH Axia Mechanism A polished (seat height, back angle, seat angle adjustment)	103
ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	-87
ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	25
ME2760	RH Axia Mechanism D polished with 4 cm extra seat depth (seat height & seat angle adjustment)	85
ME2775	RH Axia Mechanism D black with 4 cm extra seat depth (seat height & seat angle adjustment)	85
AR2780	Armrest 8N Multi (black)	168
AR2760	Armrest 8N Multi (polished)	168
AR2795	Armrest 8N Multi XL (black) Upholstered armrest top in black leather	333

Accessories/Options/Surcharges:

AR2775	Armrest 8N Multi XL (polished). Upholstered armrest top in black leather	333
AE2720	Coathanger	97
LP201	Lumbar pump	151
SE275	Comfort seat (80 mm thick)	0
SE272	XL seat	84
SP201	Coccyx seat	139
SP202	Seat with memory foam	293
4DS001	Decorative stitching	130
FB2720	Base polished aluminium Ø670 mm	92
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
CA2715	Castors ON-7UP hard unbraked	0
CA2720	Castors ON-7UE soft braked	0
CA2725	Castors ON-7UJ hard braked	0
CA2765	Plastic glide	0

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR2725	RH Axia Headrest in black lacquered aluminium. Only available for RH Axia 3124		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
ME2765	RH Axia Mechanism A, polished (seat height, back angle, seat angle adjustment)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
ME2775	RH Axia Mechanism D,black (seat height, back angle, seat angle adjustment) 4 cm extra seat depth &a weighted mechanism (<170k kg)				
ME2760	RH Axia Mechanism D, polished (seat height, back angle, seat angle adjustment) 4 cm extra seat depth & weighted mechanism (<170k kg)				
AR2780	Armrest 8N Multi (black)		AR2795	Armrest 8N Multi XL (black) Upholstered armrest top in black leather	
AR2760	Armrest 8N Multi (polished)		AR2775	Armrest 8N XL Multi (polished). Upholstered armrest top in black leather	
AE2720	Coathanger. Black lacquered Only for RH Axia 3124		LP201	Lumbar pump	
SE272	XL seat Width 510 mm, depth 510 mm, thickness 85 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
SE275	Comfort seat Width 490 mm, depth 470, thickness 80 mm				

SP202	Seat with memory foam		4DS001	Decorative stitching	
LI255	Gas stem F Black Seat height 385-554 mm				
LI2742	Gas stem ON-4FH Black Seat height 450-600 mm				

User Instruction RH Axia

Check out our user guide, explaining how each of the unique functions are adjusted: <https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s>







RH Axia Netweave

- Seat height: 400-554 (ON-4UZ)
- Seat: depth, 470 mm, width 485 mm, thickness 60 mm (seat slide 100 mm)
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5U in black plastic (Ø670 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335 Type B, GS, BS5459-2, EPD ISO 14025, GREENGUARD GOLD, CRADLE TO CRADLE

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
3125	RH Axia Netweave 3125 • Backrest 2.5 Netweave: width 460 mm, height 560 mm • Weight: 24.8 kg		1 183	1 178	1 194	1 214	1 239	1 295	1 544	






Accessories/Options/Surcharges:

ME2765	RH Axia Mechanism A polished (seat height, back angle, seat angle adjustment)	103
ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	85
ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	25
ME2775	RH Axia Mechanism D black with 4 cm extra seat depth (seat height & seat angle adjustment)	85
ME2760	RH Axia Mechanism D polished with 4 cm extra seat depth (seat height & seat angle adjustment)	195
AR2780	Armrest 8N Multi (black)	168
AR2770	Armrest 8N Multi (polished)	333
SE275	Comfort seat (80 mm thick)	0
SE272	XL seat	84
SP201	Coccyx seat	139
SP202	Seat with memory foam	293
4DS001	Decorative stitching	130
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
FB2720	Base polished aluminium Ø670 mm	92
CA2715	Castors ON-7UP hard unbraked	0
CA2720	Castors ON-7UE soft braked	0
CA2725	Castors ON-7UJ hard braked	0
CA2765	Plastic glide	0

Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
ME2765	RH Axia Mechanism A, polished (seat height, back angle, seat angle adjustment)		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
ME2775	RH Axia Mechanism D,black (seat height, back angle, seat angle adjustment)				
ME2760	RH Axia Mechanism D, polished (seat height, back angle, seat angle adjustment)				
AR2780	Armrest 8N Multi (black)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
AR2770	Armrest 8N Multi (polished)				
SE275	Comfort seat		4DS001	Decorative stitching	
SE272	XL seat Width 510 mm, depth 510 mm, thickness 85 mm		SP201	Coccyx seat Seat with cut out for relief of the coccyx and lumbar spine.	
SP202	Seat with memory foam		FB2720	Base polished aluminium Ø670 mm	
LI255	Gas stem F black Seat height 385-530 mm				
LI2742	Gas stem ON-4FH black Seat height 470-630 mm				

User Instruction RH Axia

Check out our user guide, explaining how each of the unique functions are adjusted: <https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s>

RH Axia Netweave Standard Colours - Shrinx Join					
Fabric: 4921 Colour No: 10 - Black Standard Collection	Fabric: 4921 Colour No: 11 - Grey Standard Collection	Fabric: 4921 Colour No: 14 - Rust Extended Collection	Fabric: 4921 Colour No: 32 - Beige Extended Collection	Fabric: 4921 Colour No: 70 - Blue Extended Collection	Fabric: 4921 Colour No: 75 - Green Extended Collection
					

RH Axia Netweave Standard Collection: 10-15 working days

RH Axia Netweave Extended Collection: 25 working days







RH Axia Exclusive

- Seat height: 410-560 mm (ON-4UZ)
- Seat: depth, 470 mm, width 490 mm, thickness 80 mm (seat slide 100 mm)
- RH Axia Mechanism A Black with double-sided operation: seat height, back angle, seat angle adjustment
- Base ON-5V black in aluminium (Ø710 mm) and castors, universal free-wheeling
- Colour: Black plastic & black coated metal
- Certified in accordance to: EN 1335, EPD ISO 14025

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
3140	RH Axia Exclusive 3140 • Backrest Exclusive: width 480 mm, height 650 mm, thickness 80 mm • Weight: 21.8 kg		1 419	1 431	1 488	1 563	1 656	1 921	2 248	

Accessories/Options/Surcharges:

HR2730	Headrest RH Axia Exclusive black laquerad aluminium	230
HR2740	Headrest RH Axia Exclusive Polished aluminium	240
AE2730	Coat hanger in black lacquered aluminium	97
ME2765	RH Axia Mechanism A polished (seat height, back angle, seat angle adjustment)	103
ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	-87
ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	25
ME2775	RH Axia Mechanism D black with 4 cm extra seat depth (seat height & seat angle adjustment)	85
ME2760	RH Axia Mechanism D polished with 4 cm extra seat depth (seat height & seat angle adjustment)	85
LP201	Lumbar pump	151
AR2780	Armrest 8N Multi (black)	168
AR2795	Armrest 8N Multi XL (black) Upholstered armrest top in black leather	333
AR2760	Armrest 8N Multi (polished)	168
AR2775	Armrest 8N Multi XL (polished). Upholstered armrest top in black leather	333
DS201	Decorative Stitching	130
LI255	Gas stem F Black	0
LI2742	Gas stem ON-4FH Black	0
FB2730	Footbase ON-5V polished	92
CA2715	Castors ON-7UP hard unbraked	0
CA2720	Castors ON-7UE soft braked	0
CA2725	Castors ON-7UJ hard braked	0
CA2765	Plastic glide	0




Item no	Description	Accessories/Option	Item no	Description	Accessories/Option
HR2730	RH Axia Exclusive Headrest in black lacquered aluminium		ME2755	RH Axia Mechanism B black (seat height & seat angle adjustment)	
HR2740	RH Axia Exclusive Headrest in polished aluminium				
ME2765	RH Axia Mechanism A polished (seat height, back angle, seat angle adjustment)		ME2770	RH Axia Mechanism B polished (seat height & seat angle adjustment)	
ME2275	RH Axia Mechanism D black (seat height, back angle, seat angle adjustment)				
ME2760	RH Axia Mechanism D polished (seat height, back angle, seat angle adjustment)				
AR2780	Armrest 8N Multi (black)		AR2795	Armrest 8N XL (black) Upholstered armrest top in black leather	
AR2760	Armrest 8N Multi (polished)		AR2775	Armrest 8N XL (polished) Upholstered armrest top in black leather	
AE2730	Coathanger. Black lacquered		LP201	Lumbar pump	
4DS001	Decorative stitching		FB730	Base polished aluminium Ø710 mm	
LI255	Gas stem F black 394-537 mm				
LI2742	Gas stem ON-4FH black 480-635 mm				

User Instruction RH Axia

Check out our user guide, explaining how each of the unique functions are adjusted: <https://www.youtube.com/watch?v=ykREeTNmVyg&t=128s>

RH Extend

- Seat: width 461 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 420-534 mm (4Q Silver)
- Base in silver lacquered aluminium (5X) and castors for carpeted floors (Ø65 mm)
- Certified in accordance to: EN 1335, GS, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
6111	RH Extend 100 • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg		1 093	1 105	1 121	1 158	1 225	1 348	1 575	
6211	RH Extend 120 • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg		1 213	1 221	1 239	1 282	1 356	1 488	1 741	
6112	RH Extend 200 • Adjustable back angle • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg		1 274	1 285	1 306	1 351	1 427	1 567	1 833	
6212	RH Extend 220 • Adjustable back angle • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg		1 391	1 401	1 422	1 471	1 556	1 709	2 000	







Accessories/Options/Surcharges:

100023	Neckrest RH Extend. Upholstered in Xtreme 009. Adjustable in height & depth	222
100023-01	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth	274
100023-02	Neckrest RH Extend in leather. Adjustable in height & depth	291
15041	Neckrest Cassette for RH Logic 300 & Extend 100/200	9
750236	Seat XL, width 490 mm, depth 505 mm	101
DS201	Decorative Stitching	133
	Uniform upholstery back	114
	Uniform upholstery seat	114
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	227
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	246

Accessories/Options/Surcharges:

8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	363
111050-01	Coat hanger in black plastic	82
LI201	Gas stem 4P Black	0
LI200	Gas stem 4P Silver	0
LI210	Gas stem 4Q Black	0
FB214	Base 5X Black, Ø660 mm, black lacquered aluminium	0
FB215	Base 5X Polished, Ø660 mm, polished aluminium	101
CA201	Castors for hard floors, Ø65 mm, black	0

NOTE: To enable a neckrest to be fitted at a later stage, you "must" add a neckrest cassette. Only for RH Extend 100 and 200.

Item no	Description	Accessories/option	Item no	Description	Accessories/option	
100023	Neckrest RH Extend. Upholstered in Xtreme 009. Adjustable in height & depth		905005	Decorative Stitching		
100023-01	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth					
100023-02	Neckrest RH Extend in leather. Adjustable in height & depth					
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable Height of armrest above seat 220-297 mm		8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width Height of armrest above seat 220-297 mm		
111050-01	Coat hanger in black plastic		8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width Height of armrest above seat 220-297 mm		
750236	Seat XL. Width 490 mm, depth 505 mm		-	Uniform upholstery back. Upholstery without contrasted black waist for a cleaner visual look.		
			-	Uniform upholstery seat Upholstery without contrasted black sides for a cleaner visual look.		
LI201	Gas stem 4P Black Seat height 460-570 mm		FB214	Base 5X Black, Ø660 mm, black lacquered aluminium		
LI200	Gas stem 4P Silver Seat height 460-570 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium		
LI210	Gas stem 4Q Black Seat height 420-534 mm					

User Instruction RH Extend

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=0F0aJG1JbdI>

RH Activ

- Seat height: 395-525 mm (B Black)
- Base in black lacquered aluminium (5F) and castors for carpeted floors (Ø50 mm)
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD






Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
2772	RH Activ 200 • Backrest medium: width 370 mm, height 295 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13 kg		792	798	811	838	886	974	1 139	
2872	RH Activ 220 • Backrest large: width 370 mm, height 430 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13,6 kg		845	855	866	894	945	1 038	1 215	
2782	RH Activ 202 • Backrest medium: width 370 mm, height 295 mm • Seat medium: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13 kg		838	848	859	888	939	1 032	1 206	
2882	RH Activ 222 • Backrest large: width 370 mm, height 430 mm • Seat large: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13,6 kg		889	900	913	943	997	1 095	1 281	
Accessories/Options/Surcharges:										
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable									227
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width									246
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width									363
RB200	Reinforced upper part backpad (black leather)									59
RS200	Reinforced front edge seat (black leather)									59
SE212	Seat cashier medium (30 mm extra padding)									87
63100-01	Footring 6F, Black, Ø455 mm									134
LI230	Gas stem B Silver									0
LI235	Gas stem D Black									7
LI234	Gas stem D Silver									7
LI237	Gas stem E Black									32

Accessories/Options/Surcharges:

LI236	Gas stem E Silver	32
LI228	Gas stem 4FL Black	0
FB225	Base 5F Silver, Ø590 mm, silver lacquered aluminium	0
FB227	Base 5F Polished, Ø590 mm, polished aluminium	75
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	22
FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	22
FB230	Base 5G Polished, Ø630 mm, polished aluminium	155
FB210	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G increases seat height 25 mm	48
CA206	Castors for hard floors, Ø50 mm, black	0
CA211	Castors 7D for carpeted floors, Ø50 mm. For base 5N	0
CA207	Castors 7G, locks automatically when seated, Ø50 mm	47
CA212	Castors 7HN for hard floors, Ø50 mm. For base 5N	0
CA208	Plastic glide 7K	0

VALID COMBINATIONS

Model: 2772 & 2782	
Base: 5N	Gas stem: 4FL, B
Base: 5F	Gas stem: 4FL, B, D, E
Base: 5G	Gas stem: 4FL, B, D, E
Model: 2882, 2872	
Base: 5F	Gas stem: 4FL, B
Base: 5G	Gas stem: 4FL, B, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable. Armrest height above seat 190-290 mm		8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width. Armrest height above seat 190-290 mm	
SE212	Seat cashier medium (30 mm extra padding)		8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width. Armrest height above seat 190-290 mm	
RB200	Reinforced upper part backpad (black leather)		RS200	Reinforced front edge seat (black leather)	
63100-01	Footring 6F, black, Ø455 mm		71810	Plastic glide 7K	
LI230	Gas stem B Silver Seat height 395-525 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI235	Gas stem D Black Seat height 500-675 mm		FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	
LI234	Gas stem D Silver Seat height 500-675 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI237	Gas stem E Black Seat height 595-840 mm		FB210	Base 5N - Ø540 mm, polished steel	
LI236	Gas stem E Silver Seat height 595-840 mm				
LI228	Gas stem 4FL Black Seat height 365-445 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=hexc6goUiM4>

RH Activ 300





- Seat height: 515-700 mm (D Grey)
- Backrest: width 280 mm, height 230 mm
- All metal parts in dark grey lacquer (RAL 7024), all plastic parts in dark grey (MT 11310)
- Base in dark grey lacquered aluminium (5F) and castors that lock automatically when seated (50mm)
- Certified in accordance to: ANSI/BIFMA, GS

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
2668-01	RH Activ 303 • Seat Cashier: width 450 mm, depth 428 mm (extra padding, 30 mm) (seatslide 50 mm) • Seat height: 515-700 mm • Weight: 13 kg		985	994	1 012	1 042	1 104	1 214	1 420	

Accessories/Options/Surcharges:


RB200	Reinforced upper part backpad (black leather)	59
RS200	Reinforced front edge seat (black leather)	59
63100-01	Footring 6F, Black, Ø455 mm	134
LI254	Gas stem A Grey (RAL 7024)	0
FB227	Base 5F Polished, Ø590 mm, polished aluminium	75
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	22
FB230	Base 5G Polished, Ø630 mm, polished aluminium	155
CA206	Castors for hard floors, Ø50 mm, black	0
CA205	Castors for soft floors, Ø50 mm, black	0
CA208	Plastic glide 7K	0

NOTE!
RH Activ 303 with gas stem E only in combination with base 5G

Item no	Description	Accessories/option	Item no	Description	Accessories/option
RB200	Reinforced upper part backpad (black leather)		RS200	Reinforced front edge seat (black leather)	
63100-01	Footring 6F, black, Ø455 mm		CA208	Plastic glide 7K	
LI254	Gas stem A Grey (RAL 7024) Seat height 455-590 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
			FB230	Base 5G Polished, Ø630 mm, polished aluminium	



RH Support

- Base in black lacquered aluminium (5F- Ø590 mm) and glides (7K)
- Certified in accordance to: GREENGUARD GOLD

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
4501	RH Support 4501 • Backrest RH17: width 380 mm, height 230 mm • Seat RH8 Saddle: width 410 mm, depth 380 mm • Mechanism: 3G • Seat height: 565-810 mm (E Black) • Weight: 10,6 kg		747	754	767	792	837	923	1 078	
4511	RH Support 4511 • Backrest RH17: width 380 mm, height 230 mm • Seat RH9 Taburett: Ø350 mm • Mechanism: 3G • Seat height: 595-840 mm (E Black) • Weight: 10,5 kg		729	734	746	773	815	896	1 048	
4521	RH Support 4521 • Backrest RH17: width 380 mm, height 230 mm • Seat RH7 Limpan: width 450 mm, depth 240 mm • Mechanism: 3G • Seat height: 565-810 mm (E Black) • Weight: 10,5 kg		725	732	744	770	813	893	1 044	

Accessories/Options/Surcharges:

LI231	Gas stem B Black	- 32
LI230	Gas stem B Silver	- 32
LI235	Gas stem D Black	- 18
LI234	Gas stem D Silver	- 18
LI236	Gas stem E Silver	0
LI228	Gas stem 4FL Black	- 32
63100-01	Footring 6F, Black, Ø455 mm	134
FB225	Base 5F Silver, Ø590 mm, silver lacquered aluminium	0
FB227	Base 5F Polished, Ø590 mm, polished aluminium	76
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	22
FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	22
FB230	Base 5G Polished, Ø630 mm, polished aluminium	155
FB210	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G increases seat height 25 mm	48
CA205	Castors for soft floors, Ø50 mm, black	0
CA206	Castors for hard floors, Ø50 mm, black	0
CA207	Castors 7G, locks automatically when seated, Ø50 mm	47
CA211	Castors 7D for carpeted floors, Ø50 mm. For base 5N	0
CA212	Castors 7HN for hard floors, Ø50 mm. For base 5N	0


Item no	Description	Accessories/option	Seat height 4501, 4521	Seat height 4511
LI231	Gas stem B Black		365-495 mm	380-510 mm
LI230	Gas stem B Silver		365-495 mm	380-510 mm
LI235	Gas stem D Black		470-640 mm	515-695 mm
LI234	Gas stem D Silver		470-640 mm	515-695 mm
LI236	Gas stem E Silver		565-810 mm	595-840 mm
LI228	Gas stem 4FL Black		340-415 mm	355-460 mm
63100-01	Footring 6F, black, Ø455 mm			
FB225	Base 5F Silver, Ø590 mm, silver lacquered aluminium			
FB227	Base 5F Polished, Ø590 mm, polished aluminium			
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium			
FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium			
FB230	Base 5G Polished, Ø630 mm, polished aluminium			
FB210	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G. Increases seat height 25 mm			

User Instruction RH Support

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=DJDUiSFiy9s>

RH Secur24

- Seat: width 410 mm, depth 435 mm
- Seat height: 410-535 mm (ON-4S)
- Double-sided operation: seat height, back angle, seat angle adjustment
- Base (5T in black aluminium 680 mm and castors for hard floors)
- Upholstery: The outside of the RH Secur24 is always finished in black imitation leather in PG3 & PG5. In PG6 & PG7 it is always finished in black natural leather.
- Fabrics to choose from are used for the middle part. See available upholstery option in list below.
- Certified in accordance to: EN-1335, GS, BS5459-2, Blue Angel




Item no	Base model +	Price Group (PG)	③	⑤	⑥	⑦	Price
3130	RH Secur24 • Backrest: width 481 mm, height 829 mm • With 110 mm thick seat cushion & 80 mm thick back cushion • Adjustable lumbar support in depth • Weight: 37,6 kg		2 332	2 379	2 666	3 190	
3131	RH Secur24 Exclusive • Backrest: width 481 mm, height 829 mm • With 110 mm thick seat cushion & 80 mm thick back cushion • Adjustable lumbar support in height & depth • With seat depth adjustment, 120 mm • Weight: 37,6 kg		2 762	2 820	3 256	3 909	

Accessories/Options/Surcharges:

HR2710	Headrest RH Secur24. Adjustable in height & angle (only for 3130)	208
HR2715	Headrest RH Secur24 Exclusive. Adjustable in height, depth & angle	341
HC2710	Headrest cover RH Secur24 in Helanca 8628	53
HC2715	Headrest cover RH Secur24 with customer logo in Helanca 8628	Price on request
HC2720	Headrest cover RH Secur24 Exclusive in Helanca 8628	53
HC2725	Headrest cover RH Secur24 Exclusive with customer logo in Helanca 8628	Price on request
002-613-P100	RH Secur24 Hygienical disposal covers for headrest, 100 pieces	27
WR2710	Backrest with weapon recess (only for model 3131)	233
CV2710	Protection cover RH Secur24 for back and seat in Steel 099 (only with AR2805, AR2810)	436
AE2710	Coat hanger in black laquered aluminium	216
SA2710	Seat slide adjustment	213
ME2710	Mechanism with extended tension control for model 3130	120
ME2720	Mechanism with extended tension control for model 3130 and 3131 (for seatslide)	120

Accessories/Options/Surcharges:

AR2805	Armrest 8SC pair. Adjustable in height & angle	190
AR2810	Armrest 8SC XL pair. Armrest top in black leather. Adjustable in height & angle	344
AR2710	Armrest 8F pair. Flipable & adjustable in angle	290
AR2715	Armrest 8F pair. Armrest top in black leather. Flipable & adjustable in angle	389
AR2720	Armrest 8H pair. Flipable, adjustable in height & angle	443
AR2725	Armrest 8H pair. Armrest top in black leather. Flipable & adjustable in angle	543
LI231	Gas stem B Black	0
LI255	Gas stem F Black	0
FB219	Footbase 5T silver	0
FB221	Footbase 5T polished	94
125178	Castors for soft floors, Ø65 mm, black	0
CA208	Plastic glide 7K	0

Item no	Description	Accessories/Options	Item no	Description	Accessories/Options
HR2710	Headrest RH Secur24 Adjustable in height & angle Upholstery: Follows selected fabric of the chair (outer & inner)		WR2710	Backrest with weapon recess (Only for 3130)	
HR2715	Headrest RH Secur24 Exclusive Adjustable in height, depth & angle Upholstery: Black Imitation leather, Trento TRO60, Elmo Soft 99999		SA2710	Seat with seatslide (Only for 3130)	
AR2805	Armrest 8SC Black lacquered Adjustable in height & angle		AE2710	Coathanger	
AR2810	Armrest 8SC XL Black lacquered with armrest top XL in black leather. Adjustable in height & angle		FB219	Base 5T silver lacquered aluminium, Ø680 mm	
AR2720	Armrest 8F. Adjustable in angle & flipable.		FB221	Base 5T polished aluminium, Ø680 mm	
AR2725	Armrest 8F. Armrest top in black leather top. Black lacquered. Adjustable in angle & flipable		LI255	Gas stem F Black 465-615 mm	
AR2710	Armrest 8H. Black lacquered Adjustable in height, angle & flipable		LI231	Gas stem B Black 495-645 mm	
AR2715	Armrest 8H. Armrest top in black leather top. Black lacquered Adjustable in height, angle & flipable				

User Instruction RH Secur24

Check out our user guide, explaining how each of the unique functions are adjusted <https://www.youtube.com/watch?v=Orf07DH6SXA>

DELIVERY TIMES FOR RH SECURE24

RH Secur24 Quick-ship: 10 days delivery time

Model	Outer Upholstery	Inner Upholstery
RH Secur24	Black imitation leather	Steel in Black (SEE099)
RH Secur24 Exclusive	Black imitation leather	Steel in Black (SEE099)

Additional options for RH Secur24 in Quick-ship:

- Seatslide
- Seatslide with weapon recess


RH Secur24 Standard Collection: 23-28 days delivery time

RH Secur24 Extended Collection: 30-35 days delivery time

NOTE! For special requests please contact our Customer Service


UPHOLSTERY GUIDE

HEADREST



Headrest RH Secur24

- Inner section is always upholstered same in same fabric as chosen inner fabric of seat & back
- Outer section is always upholstered in black intimation leather




Headrest RH Secur24 Exclusive:

- Fully upholstered in black imitation leather or black leather

FABRIC CHOICE SEAT & BACK


OUTER & INNER SECTION COMBINATIONS

Outer:
Black imitation leather (standard) or
Black leather - Elmosoft 9999



Inner:
PG3
Cabana, 24/7+, Ultra, Strong
PG5
Steel

FULLY UPHOLSTERED




Outer & inner sections in upholstered in same fabric

PG3
24/7+, Ultra, Strong
PG5
Steel
PG6
Trento
PG7
Elmosoft

RH Focus


- Backrest: height 684 mm, width 480 mm, thickness 60 mm
- Seat: width 468 mm, depth 475 mm, thickness 60 mm (seatslide 80 mm)
- Seat height: 400-530 mm (ON-4FR)
- RH Focus F mechanism: double-sided operation: seat height, back angle, seat angle adjustment
- Base (5T) in black aluminium 680 mm and castors for hard floor
- Certified in accordance to: EN 1335, GS, ANSI/BIFMA X5.1, EPD ISO 14025

Please note: The outer part of the backrest and headrest are always upholstered in black leather. The fabrics to choose from are applicable to the inner part of both backrest and headrest.

Item no	Base model +	Price Group (PG)	③	⑤	⑥	⑦	Price
3135	RH Focus • Weight: 23,9 kg		2 016	2 062	2 156	2 549	

Accessories/Options/Surcharges:

HR2720	Headrest RH Focus. Adjustable in height & angle	180
HC2730	Headrest cover RH Focus with RH logo	53
002-614-P100	RH Focus Hygienical disposal covers for headrest, 100 pieces	27
HC2735	Headrest cover RH Focus with customer logo	53
HP2710	Holster protect, reinforced upholstery on back (in Black Delinova 200)	94
CV2730	Protection cover RH Focus for back and seat in Steel 099	441
AR2730	Armrest 8K pair. Armrest top in black leather. Adjustable in height & angle	170
AR2745	Armrest 8K XL pair. Armrest top in black leather. Adjustable in height & angle	323
AR2720	Armrest 8H pair. Flipable, adjustable in height & angle	443
AR2725	Armrest 8H pair. Armrest top in black leather. Flipable & adjustable in angle	543
AR2710	Armrest 8F pair. Flipable & adjustable in angle	290
AR2715	Armrest 8F pair. Armrest top in black leather. Flipable & adjustable in angle	389
LI233	Gas stem A Black	0
LI255	Gas stem F Black	0
FB219	Footbase 5T silver	0
FB221	Footbase 5T polished	94
125178	Castors for soft floors, Ø65 mm, black	0
CA208	Plastic glide 7K	0

Item no	Description	Accessories/Options	Item no	Description	Accessories/Options
HR2720	Headrest RH Focus. Adjustable in height & angle Upholstery: Outer part in black leather		HP2710	Holster protect, reinforced upholstery on back	
AR2730	Armrest 8K Black lacquered Adjustable in height & angle		LI255	Gas stem F black 435-565 mm	
AR2745	Armrest 8K XL Black lacquered with armrest top XL in black leather. Adjustable in height & angle		LI2710	Gas stem A black 505-635 mm	
AR2720	Armrest 8F. Adjustable in angle & flipable.		FB219	Base 5T silver lacquered aluminium, Ø680 mm	
AR2725	Armrest 8F. Armrest top in black leather top. Black lacquered. Adjustable in angle & flipable		FB221	Base 5T polished aluminium, Ø680 mm	
AR2710	Armrest 8H. Black lacquered Adjustable in height, angle & flipable				
AR2715	Armrest 8H. Armrest top in black leather top. Black lacquered Adjustable in height, angle & flipable				

User Instruction RH Focus

Check out our user guide, explaining how each of the unique functions are adjusted <https://www.youtube.com/watch?v=8TyXdip7kpw>



RH Logic 400/300 ESD

- Seat: width 457 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 440-560 mm (4F Logic)
- Base in black aluminium (5X black) and free wheeling ESD castors 7FM (metal)
- Upholstered backshell
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, Nordic Swan, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
3346	RH Logic 300 ESD • Backrest: width 447 mm, height 510 mm • Weight: 21 kg		2 060
3556	RH Logic 400 ESD • Backrest: with lumbar pump: width 447 mm, height 620 mm • Weight: 21,8 kg		2 421

Accessories/Options/Surcharges:

8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width	313
LP201	Lumbar pump (Only for: 3346)	92
LI217	Gas stem B (Chrome)	0
FB215	Base 5X Polished, Ø660 mm, polished aluminium	105
CA219	Castors, antistatic, for hard floors	-48
63100-01	Footring 6F, Black, Ø455 mm	134

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 198-299 mm		LP201	Lumbar pump (only for: 3346)	
63100-01	Footring 6F, black, Ø455 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	
LI217	Gas stem B (Chrome) Seat height 480-610 mm				

User Instruction RH Logic 400/300

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=vM7s6RymQFs>

RH Extend ESD

- Seat: width 461 mm, depth 465 mm (seatslide 80 mm)
- Seat height: 440-560 mm (4F Logic)
- Base in black aluminium (5X black) and free wheeling ESD castors 7FM (metal)
- Upholstered backshell
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, GS, BS 5459/2, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
6116	RH Extend 200 ESD • Backrest medium: width 440 mm, height 510 mm • Weight: 19 kg		1 397
6216	RH Extend 220 ESD • Backrest large: width 440 mm, height 620 mm • Weight: 19,8 kg		1 561

Accessories/Options/Surcharges:

8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width	313
FB215	Base 5X Polished, Ø660 mm, polished aluminium	101
CA219	Castors, antistatic, for hard floors	-47

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 220-297 mm		FB215	Base 5X Polished, Ø660 mm, polished aluminium	

User Instruction RH Extend

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=0F0aJG1JbdI>




RH Activ ESD

- Seat height: 395-525mm (B Chrome)
- Base in black lacquered aluminium (5F) and free wheeling ESD castors 7FM (metal)
- Upholstered in Global ESD Melange (1508-291) or black antistatic vinyl
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)

Item no	Base model +	Price Group (PG)	Price
2776	RH Activ 200 ESD • Backrest medium ESD: width 370 mm, height 295 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13 kg		1 067
2876	RH Activ 220 ESD • Backrest large ESD: width 370 mm, height 430 mm • Seat medium: width 440 mm, depth 430 mm (seatslide 55 mm) • Weight: 13,6 kg		1 133
2886	RH Activ 222 ESD • Backrest large ESD: width 370 mm, height 430 mm • Seat large: width 460 mm, depth 460 mm (seatslide 55 mm) • Weight: 13,6 kg		1 177
Accessories/Options/Surcharges:			
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width		313
LI219	Gas stem D (Chrome)		7
LI220	Gas stem E (Chrome)		32
LI2742	Gas stem ON-4FH Black		0
LI206	Gas stem 4FL (Chrome)		0
63100-01	Footring 6F, Black, Ø455 mm		134
FB227	Base 5F Polished, Ø590 mm, polished aluminium		75
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium		22
FB230	Base 5G Polished, Ø630 mm, polished aluminium		155
CA219	Castors, antistatic, for hard floors		-47

VALID COMBINATIONS

Model: 2776	
Base: 5F	Gas stem: 4FL, ON-4FH, D, E
Base: 5G	Gas stem: 4FL, ON-4FH, D, E
Model: 2876 & 2686	
Base 5F:	Gas stem: 4FL
Base 5G	Gas stem: 4FL, ON-4FH, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width. Height of armrest above seat 190-290 mm		63100-01	Footring 6F, black, Ø455 mm	
LI2742	Gas stem ON-4FH Black Seat height 459-607 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
LI219	Gas stem D (Chrome) Seat height 500-675 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI220	Gas stem E (Chrome) Seat height 595-840 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI206	Gas stem 4FL (Chrome) Seat height 365-445 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=hexc6goUiM4>

RH Activ ESD Cleanroom


- Work chair for cleanroom environment designed to deflect static electricity, release a minimum of particles and easy to clean
- Seat medium Cleanroom: width 440 mm, depth 430 mm (seatslide 55 mm)
- Seat height: 395-525 mm (B Chrome)
- Base in black lacquered aluminium (5F) and free wheeling ESD castors 7FM (metal)
- Upholstered in black antistatic vinyl
- Approved according to ISO Class 4.
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, IEC 61340 (ESD)


Item no	Base model +	Price Group (PG)	Price
2874	RH Activ 220 ESD Cleanroom • Backrest large ESD Cleanroom: width 370 mm, height 430 mm • Weight: 13,6 kg 		1 336

Accessories/Options/Surcharges:		
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width	313
LI2742	Gas stem ON-4FH Black	0
LI206	Gas stem 4FL (Chrome)	0
LI219	Gas stem D (Chrome)	7
LI220	Gas stem E (Chrome)	32
63100-01	Footring 6F, Black, Ø455 mm	134
FB227	Base 5F Polished, Ø590 mm, polished aluminium	75
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	22
FB230	Base 5G Polished, Ø630 mm, polished aluminium	155
CA219	Castors, antistatic, for hard floors	-47

VALID COMBINATIONS

Model: 2874	
Base: 5F	Gas stem: 4FL
Base: 5G	Gas stem: 4FL, ON-4FH, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8700420	Armrest 8E ESD pair (black). Adjustable in height, width & rotatable. Height of armrest above seat 190-290 mm		63100-01	Footring 6F, black, Ø455 mm	

LI2742	Gas stem ON-4FH Black Seat height 459-607 mm		FB227	Base 5F Polished, Ø590 mm, polished aluminium	
LI219	Gas stem D (Chrome) Seat height 515-690 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI220	Gas stem E (Chrome) Seat height 605-855 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI206	Gas stem 4FL (Chrome) Seat height 375-465 mm				

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=hexc6goUiM4>

RH Activ Cleanroom

- Work chair for cleanroom environment, designed to release a minimum of particles and easy to clean
- Seat medium Cleanroom: width 440 mm, depth 430 mm (seatslide 55 mm)
- Seat height: 395-525 mm (B Black)
- Base in black lacquered aluminium (5F) and castors for hard floors
- Upholstered in black antistatic vinyl
- Approved according to ISO Class 4 and ISO Class 5.
- Certified in accordance to: EN 1335, BS5459, Möbelfakta, EPD ISO 14025, GREENGUARD GOLD, ISO Class 4





Item no	Base model +	Price Group (PG)	Price
2873	RH Activ 220 Cleanroom • Backrest large Cleanroom: width 370 mm, height 430 mm • Weight: 13,6 kg		1 089

Accessories/Options/Surcharges:

8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	227
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	246
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	363
LI230	Gas stem B Silver	0
LI235	Gas stem D Black	7
LI237	Gas stem E Black	32
LI236	Gas stem E Silver	32
LI228	Gas stem 4FL Black	0
63100-01	Footring 6F, Black, Ø455 mm	134
FB225	Base 5F Silver, Ø590 mm, silver lacquered aluminium	0
FB227	Base 5F Polished, Ø590 mm, polished aluminium	75
FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	22
FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	22
FB230	Base 5G Polished, Ø630 mm, polished aluminium	155
FB210	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G increases seat height 25 mm	48
125104	Castors for soft floors, Ø50 mm, black	12
7110050	Castors 7D for carpeted floors, Ø50 mm. For base 5N	17
71400	Castor 7G, locks automatically when seated, Ø50 mm	22
7110060	Castors 7HN for hard floors, Ø50 mm. For base 5N (only for 2772, 2782)	20
71810	Plastic glide 7K	14

VALID COMBINATIONS

Model: 2873	
Base: 5F	Gas stem: 4FL, B
Base: 5G	Gas stem: 4FL, B, D, E

Item no	Description	Accessories/option	Item no	Description	Accessories/option
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable. Height of armrest above seat 190-290 mm		8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width. Height of armrest above seat 190-290 mm	
63100-01	Footring 6F, black, Ø455 mm		8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width. Height of armrest above seat 190-290 mm	
LI230	Gas stem B Silver Seat height 395-525 mm		FB229	Base 5G Black, Ø630 mm, black lacquered aluminium	
LI235	Gas stem D Black Seat height 500-675 mm		FB228	Base 5G Silver, Ø630 mm, silver lacquered aluminium	
LI237	Gas stem E Black Seat height 595-840 mm		FB230	Base 5G Polished, Ø630 mm, polished aluminium	
LI236	Gas stem E Silver Seat height 595-840 mm		FB210	Base 5N - Ø540 mm, polished steel	
LI228	Gas stem 4FL Black Seat height 365-445 mm		71810	Plastic glide 7K	

User Instruction RH Activ

Check out our user guide, explaining how each of the unique functions are adjusted. <https://www.youtube.com/watch?v=hexc6goUiM4>

Footform

Certified in accordance to: GS

Item no	Base model +	Price Group (PG)	Price
FF-DU-8-34	Dual Footform. Height 4-17 cm (low) / 17-30 cm (high); platform 45x33,5 cm (wxd); max. size 43x45x39 cm (hxwxd)		276
FF-ST-8-21	Standard Footform. Height 4-17 cm; platform 45x33,5 cm (wxd); max. size 43x45x39 cm (hxwxd)		247

Spare parts

Spareparts RH Axia Exclusive (seat and back pads), RH Secur24 & RH Focus. Please contact our Customer Service for information

Item no	Neckrest	Price
740500-1	Neckrest RH Logic 200 Silver in fabric. Adjustable in height & depth	134
740550-1	Neckrest RH Logic 200 Silver in leather. Adjustable in height & depth	192
740500-2	Neckrest RH Logic 200 Black in fabric. Adjustable in height & depth	134
740550-2	Neckrest RH Logic 200 Black in leather. Adjustable in height & depth	202
740504	Neckrest pad RH Logic 200 in fabric	121
740554	Neckrest pad RH Logic 200 in leather	147
15022	Neckrest RH Logic 400 in fabric/C.O.M. Adjustable in height & depth	138
15032	Neckrest RH Logic 400 in leather. Adjustable in height & depth	206
100091	Neckrest cover RH Logic 400	11
730006-1	Neckrest RH Mereo in fabric/C.O.M Silver (only for 8211, 8311). Adjustable in height, depth and angle	153
730006-2	Neckrest RH Mereo in fabric/C.O.M Black (only for 8312, 8212). Adjustable in height, depth and angle	153
730006-3	Neckrest RH Mereo Silver Grey in fabric/C.O.M (only for 8213, 8313). Adjustable in height, depth and angle	155
730016-1	Neckrest RH Mereo in leather Silver (only for 8211, 8311). Adjustable in height, depth and angle	185
730016-2	Neckrest RH Mereo in leather Black (only for 8312, 8212). Adjustable in height, depth and angle	185
730016-3	Neckrest RH Mereo Silver Grey in leather(only for 8213, 8313). Adjustable in height, depth and angle	188
100023	Neckrest RH Extend. Upholstered in Xtreme 009. Adjustable in height & depth	222
100023-01	Neckrest RH Extend in fabric/C.O.M. Adjustable in height & depth	274
100023-02	Neckrest RH Extend in leather. Adjustable in height & depth	291
100026	Neckrest pad RH Extend	89
15041	Neckrest Cassette for RH Logic 300 & Extend 100/200	9

Item no	Backrest pads	①	②	③	④	⑤	⑥	⑦	Price
740206	Backrest pad RH Logic 200. From 2019	363	365	369	381	404	446	522	
740273	Backrest pad RH Logic Elite 200. From 2022	435	437	442	457	485	536	627	
740203	Backrest pad RH Logic 220. From 2019	452	456	459	477	504	553	648	
740271	Backrest pad RH Logic Elite 220. From 2022	543	547	551	571	605	664	778	
740204	Backrest RH Logic 200 (complete) From 2019	531	537	541	562	594	654	764	
740272	Backrest RH Logic Elite 200 (complete). From 2022	638	643	649	673	712	782	916	
740200	Backrest RH Logic 220 (complete) From 2019	623	629	633	657	696	767	895	
740270	Backrest RH Logic Elite 220 (complete). From 2022	747	753	760	788	835	919	1 074	
10031	Back pad RH Logic 300. From 2006	202	209	225	258	308	446	522	
10044	Backrest pad RH Logic 300 Elite. From 2016	310	317	333	369	415	551	644	
10032	Backrest pad RH Logic 300 Comfort. From 2006	310	317	333	369	415	551	644	
10001	Backrest pad RH Logic 400. From 2005	440	455	475	521	584	740	865	
10021	Backrest pad RH Logic 400 Comfort. From 2005	584	596	616	664	725	883	1 031	
10023	Backrest pad RH Logic 400 Elite. From 2016	584	596	616	664	725	883	1 031	

Item no	Backrest pads	①	②	③	④	⑤	⑥	⑦	Price
730003	Backrest RH Mereo 200 black plastic (complete) From 2013	219	221	223	229	242	266	311	
730002	Backrest RH Mereo 220 black plastic (complete) From 2013	240	242	245	251	268	294	343	
730004-2	Backrest RH Mereo 300 black plastic (complete) From 2019	316	319	321	335	353	389	456	
730003-3	Backrest RH Mereo 200 grey plastic (complete) From 2019	263	264	266	276	293	320	374	
730002-3	Backrest RH Mereo 220 grey plastic (complete) From 2019	294	296	301	311	333	363	424	
730004-3	Backrest RH Mereo 300 grey plastic (complete) From 2019	302	305	309	317	338	371	433	
270601	Back RH Axia 2.1	137	141	147	168	194		288	
270602	Back RH Axia 2.2	251	257	265	293	318		442	
270603	Back RH Axia 2.3	310	315	322	351	362		528	
270604	Back RH Axia 2.4	366	373	381	412	443		600	
270604-10	Back RH Axia 2.4 w/headrest	568	574	586	615	629		788	
270605	Back RH Axia 2.5 Netweave								299
100036	Backrest pad RH Activ Medium. From 2011	126	135	139	154	168	239	278	
100034	Backrest pad RH Activ Large. From 2011	203	209	218	229	246	314	369	
1850026	Backrest pad RH Extend Medium. From 2008	167	174	180	214	265	347	405	
1860026	Backrest pad RH Extend Large. From 2008	240	247	252	286	336	485	567	
111002	Backrest pad RH17	106	110	118	132	151	214	251	
	• For options on pads, see each chair model. • Complete = Pad + Shell								

Item no	Upholst. backshell RH Logic	①	②	③	④	⑤	⑥	⑦
740207	Upholstered backshell RH Logic 200. From 2019	374	378	381	394	418	459	538
740202	Upholstered backshell RH Logic 220. From 2019	374	378	381	394	418	459	538

Item no	Seat pads	①	②	③	④	⑤	⑥	⑦
740101	Seat pad RH Logic 200. From 2019	309	311	313	322	342	378	441
740103	Seat pad XL RH Logic 200. From 2019	423	426	429	447	474	519	607
740125	Seatpad RH Logic Elite 200. From 2022	370	373	376	387	412	452	528
740127	Seatpad RH Logic Elite 200 XL. From 2022	507	510	517	537	567	621	728
20002	Seat pad RH Logic 400. From 2008	297	311	323	365	416	552	646
20022	Seat pad RH Logic 400 Comfort. From 2008	379	392	404	447	495	634	742
20023	Seat pad RH Logic 400 Elite. From 2016	379	392	404	447	495	634	742
20037	Seat pad RH Logic 400 XL. From 2008	521	534	546	589	638	776	907
20038	Seat pad RH Logic 400 XL Comfort. From 2008	601	616	628	669	720	857	1002
20039	Seat pad RH Logic 400 XL Elite. From 2016	601	616	628	669	720	857	1002
730110	Seat pad RH Mereo. From 2013	231	232	233	245	257	286	334

Item no	Seat pads	①	②	③	④	⑤	⑥	⑦
730114	Seat pad RH Mereco XL	342	343	345	362	380	422	492
271601	Seat RH Axia 2.0 std (from 2020)	176	186	193	212	238		345
271607	Seat RH Axia 2.0 std	139	145	151	171	197	254	298
271602	Seat RH Axia 2.0 XL (from 2020)	259	269	273	293	318		439
2850025	Seat pad RH Extend. From 2008	279	287	292	320	372	456	532
2860025	Seat pad RH Extend XL. From 2012	418	426	431	458	512	594	695
200018	Seat RH Activ Medium (complete) From 2011	209	219	225	233	251	320	374
200019	Seat RH Activ Large (complete) From 2011	278	286	290	303	320	390	457
200020	Seat RH Activ Medium Cashier (complete) From 2011	320	332	335	348	365	433	507
25500	Seat RH7 Limpan (complete)	167	173	179	195	211	277	323
26000	Seat RH8 Sadel (complete)	203	208	218	228	245	310	363
26500	Seat RH9 Taburett (complete)	173	179	184	202	219	280	329
	• For options on pads, see each chair model. • Complete = Pad + Shell							

Item no	Gas stem	Price
143201-1A	Gas stem A Black	141
143201-2A	Gas stem A Silver	141
143201-7024	Gas stem A Grey (RAL 7024)	141
143206-3A	Gas stem B Black	120
143206-2A	Gas stem B Silver	120
520020-03	Gas stem B (chrome)	178
143202-3A	Gas stem D Black	161
143202-2A	Gas stem D Silver	161
143204-3A	Gas stem E Black	175
143204-2A	Gas stem E Silver	175
42000-1	Gas stem 4FL Black	184
520011-05	Gas stem 4P Black	209
520011	Gas stem 4P Silver	209
520001-05	Gas stem 4Q Black	219
520001	Gas stem 4Q Silver	219
730403-2	Gas stem 4T Black	219
730403-1	Gas stem 4T Silver	219
730404-2	Gas stem 4T NPR Black	219
730404-1	Gas stem 4T NPR Silver	219
	• For seat heights, see section Physical measurements.	

Item no	Armrests	Price
740400-1	Armrest 8L Silver pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	222
740480-1	Armrest 8L Silver right. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	111

Item no	Armrests	Price
740482-1	Armrest 8L Silver left. Armrest top in TPU (black). Adjustable in height, depth, width & turnable	111
740401-1	Armrest 8L Silver pair. Armrest top in black leather (black). Adjustable in height, depth, width & turnable.	354
740484-1	Armrest 8L Silver right. Armrest top in black leather (black). Adjustable in height, depth, width & turnable	177
740486-1	Armrest 8L Silver left. Armrest top in black leather (black). Adjustable in height, depth, width & turnable	177
740406-1	Armrest 8L XL Silver pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	390
740481-1	Armrest 8L XL Silver right. Armrest top in leather (black). Adjustable in height, depth, width & turnable	195
740483-1	Armrest 8L XL Silver left. Armrest top in leather (black). Adjustable in height, depth, width & turnable	195
740400-2	Armrest 8L pair. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	222
740480-2	Armrest 8L right. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	111
740482-2	Armrest 8L left. Armrest top in TPU (black). Adjustable in height, depth, width & turnable. From 2019	111
740401-2	Armrest 8L Black pair. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	354
740484-2	Armrest 8L right. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	177
740486-2	Armrest 8L left. Armrest top in black leather (black). Adjustable in height, depth, width & turnable. From 2019	177
740406-2	Armrest 8L XL Black pair. Armrest top in leather (black). Adjustable in height, depth, width & turnable	390
740481-2	Armrest 8L XL Black right. Armrest top in leather (black). Adjustable in height, depth, width & turnable	195
740483-2	Armrest 8L XL Black left. Armrest top in leather (black). Adjustable in height, depth, width & turnable	195
740462-2	Armrest traverse Black. To supplement with armrest at a later stage. From 2019	87
8300130-02	Armrest 8S pair (black). Adjustable in height, width & rotatable	227
8300135-02	Armrest 8S right (black). Adjustable in height and width. Rotating.	113
8300136-02	Armrest 8S left (black). Adjustable in height, width & rotatable	113
8300230-02	Armrest 8S XL pair (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	379
8300235-02	Armrest 8S XL right (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	189
8300236-02	Armrest 8S XL left (black). Upholstered armrest top in black leather. Adjustable in height, width & rotatable	189
8700130-02	Armrest 8E pair (black). Adjustable in height, depth & width	246
8700135-02	Armrest 8E right (black). Adjustable in height, depth & width.	122
8700136-02	Armrest 8E left (black). Adjustable in height, depth & width.	122
8700280-02	Armrest 8E pair (black). Upholstered armrest top black leather. Adjustable in height, depth & width	363
8700285-02	Armrest 8E right (black). Upholstered armrest top black leather. Adjustable in height, depth & width.	182
8700286-02	Armrest 8E left (black). Upholstered armrest top black leather. Adjustable in height, depth & width.	182
8700420	Armrest 8E ESD pair (black). Adjustable in height, depth & width	313
8700425	Armrest 8E ESD right (black). Adjustable in height, depth & width.	156
8700426	Armrest 8E ESD left (black). Adjustable in height, depth & width.	156
730019-1	Armrest 8T Silver pair. Adjustable in height, depth, width & turnable	225
730011-1	Armrest 8T right Silver. Adjustable in height, depth, width & turnable. From 2019	112
730009-1	Armrest 8T left Silver Adjustable in height, depth, width & turnable. From 2019	112
730031-1	Armrest 8T XL Silver pair. Adjustable in height, depth, width & turnable	353
730032-1	Armrest 8T XL Silver right. Adjustable in height, depth, width & turnable	176
730033-1	Armrest 8T XL Silver left. Adjustable in height, depth, width & turnable	176
730030-1	Armrest traverse Silver. To supplement with armrests at a later stage	89

Item no	Armrests	Price
730019-2	Armrest 8T Black pair. Adjustable in height, depth, width & turnable	225
730011-2	Armrest 8T right Black. Adjustable in height, depth, width & turnable. From 2019	112
730009-2	Armrest 8T left Black. Adjustable in height, depth, width & turnable. From 2019	112
730031-2	Armrest 8T XL Black pair. Adjustable in height, depth, width & turnable	353
730032-2	Armrest 8T XL Black right . Adjustable in height, depth, width & turnable	176
730033-2	Armrest 8T XL Black left. Adjustable in height, depth, width & turnable	176
730030-2	Armrest traverse Black. To supplement with armrests at a later stage	89
730019-3	Armrest 8T Silver Grey pair. Adjustable in height, depth, width & turnable	229
730011-3	Armrest 8T right Silver Grey. Adjustable in height, depth, width & turnable. From 2019	114
730009-3	Armrest 8T left Silver Grey. Adjustable in height, depth, width & turnable. From 2019	114
730031-3	Armrest 8T XL Silver Grey pair. Adjustable in height, depth, width & turnable	362
730032-3	Armrest 8T XL Silver Grey right. Adjustable in height, depth, width & turnable	182
730033-3	Armrest 8T XL Silver Grey left. Adjustable in height, depth, width & turnable	182
730030-3	Armrest traverse Silver Grey. To supplement with armrests at a later stage	90
ON-8N-ZW	Armrest 8N Multi pair (black)	168
ON-8N-ZW-X	Armrest 8N Multi XL pair (black) Upholstered armrest top in black leather.	333
ON-8N-AP	Armrest 8N Multi pair (polished)	168
ON-8K-ZW	ON-8K-ZW 24/7 multi-armrests black coated (standard)	168
ON-8K-ZW-X	ON-8K-ZW-X 24/7 XL-armrests black coated with black leather top	320
ON-8SC-ZW	Multi-armrests black coated	188
ON-8SC-ZW-X	XL-armrests, black coated with black leather top	341
NOTE! Chairs delivered after October 2018 have new armrest locking screw. Please check delivery date of your chair before ordering.		

Item no	Footbase	Price
510016-02	Base 5F Black, Ø590 mm, black lacquered aluminium	139
510016-01	Base 5F Silver, Ø590 mm, silver lacquered aluminium	139
510016-03	Base 5F Polished, Ø590 mm, polished aluminium	267
510015-02	Base 5G Black, Ø630 mm, black lacquered aluminium	144
510015-01	Base 5G Silver, Ø630 mm, silver lacquered aluminium	144
510015-03	Base 5G Polished, Ø630 mm, polished aluminium	279
56400	Base 5N - Ø540 mm, polished steel, for castors 7HN, 7D or 7G increases seat height 25 mm	171
740118-2	Base 5T Black, Ø680 mm, black lacquered aluminium	120
740118-1	Base 5T Silver, Ø680 mm, silver lacquered aluminium	120
FB221	Base 5T Polished, Ø680 mm, polished aluminium	208
510013-02	Base 5X Black, Ø660 mm, black lacquered aluminium	167
510013-01	Base 5X Silver, Ø660 mm, silver lacquered aluminium	167
510013-03	Base 5X Polished, Ø660 mm, polished aluminium	303

Item no	Castors	Price
125108	Castors for hard floors, Ø50 mm, black	12
125104	Castors for soft floors, Ø50 mm, black	12
7110050	Castors 7D for carpeted floors, Ø50 mm. For base 5N	17
72400	Castor Ø50 mm 7FM free wheeling ESD castors (metal)	30
71400	Castor 7G, locks automatically when seated, Ø50 mm	22
7110060	Castors 7HN for hard floors, Ø50 mm. For base 5N (only for 2772, 2782)	20
125115	Castors, Antistatic, for hard floors	21
125178	Castors for soft floors, Ø65 mm, black	13
125177	Castors Ø65 mm, for hard and soft floors, black	13
125177-D	Castors Ø65 mm, for hard and soft floors, grey	12
105000348020	Castors manually lockable, Ø65 mm	11
71810	Plastic glide 7K	14
ON-7UK	Plastic glide ON-7UK	9

Item no	Miscellaneous	Price
150012-06	Lumbar pump bulb for RH Logic 300 & 400	41
9990000	Gas stem remover	107

Item no	Ungrouped	Price
63100-01	Footring 6F, Black, Ø455 mm	134

Standard Fabric & Colour Collection

10 year guarantee as standard or 5 year guarantee on 24/7 use.

The Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials.

The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leathers in our Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Delivery time from factory is approx 20 working days from receipt of order confirmation.

NOTE! Some fabrics in our Collections may not be approved for all RH chairs, please contact our Customer Service for more information.

CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 100% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 100% post-consumer recycled polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)




CU60109



CU60110



CU60999



CU66165

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom


Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



EXR009



EXR081



EXR145

SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

- Composition:** 85% New Zealand wool, 15% polyamide
- Abrasion resistance:** 200 000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO
- Light fastness:** 5-8 (EN ISO 105 - B02)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4 (EN ISO 12945-2)
- Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
- Design:** Cenk Kivrikoglu
- Produced in:** Lithuania
- Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

- Composition:** 85% New Zealand wool, 15% polyamide
- Abrasion resistance:** 200.000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM
- Light fastness:** 5-7 (EN ISO 105-B02)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4-5 (EN-ISO 12945-2)
- Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
- Design:** Cenk Kivrikoglu
- Produced in:** Lithuania
- Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



FOCUS (GABRIEL) - PRICE GROUP 3

Focus is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK, AM 18 - NF D 60-013-(only for fabric)

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FC61036



FC61039



FC60999



FC61042

FOCUS MELANGE (GABRIEL) - PRICE GROUP 3

Focus Melange is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear. The equal thickness between the warp and weft yarn give a harmonious and symmetric melange colour expression.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company


Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FCM60308



FCM60310



FCM60900



FCM61240



FCM68247

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool

Weight: 530 g/lm

Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex  Standard 100, ISO 14001 certified company

Design: Dorte Bo Bojesen

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




GA60003



GA60999



GA66004



GA66005

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m  ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex  Standard 100, Indoor Advantage  "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60   C and bleach cleanable (For further info follow Camira  s cleaning guidelines – www.camirafabrics.com)




OCI001




OCI008



OCI014



OCI012



OCI011

PUXX 1 (ONIRO) - PRICE GROUP 3

Puxx 1 is a polyurethane leather with a soft touch that is easy to clean and disinfect. It is 100% waterproof, antibacterial & antifungal and resistant towards blood and urine. Being strong, durable and easy to maintain make it well suited for environments with high cleaning requirements.

Composition: Coating: 100% polyurethane with a cotton/polyester backing

Weight: 520 g/m²

Abrasion resistance: 300 000 Martindale (EN 530-2 (2010))

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, IMO 2010 FTP Code Annex 1 part 8

Light fastness: 6-7 (EN ISO 105-B02)


Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)

Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Oniro Design team

Produced in: Belgium

Cleaning: Alcohol, hydrogen peroxide & chlorine solutions. Never use solvents. For more info please contact supplier www.oniro.nl



PU215816

PUXX 2 (ONIRO) - PRICE GROUP 3

Puxx 2 is a matte and smooth polyurethane leather with a soft touch that is easy to clean and disinfect. It is 100% waterproof, antibacterial & antifungal and resistant towards blood and urine. Being strong, durable and easy to maintain make it well suited for environments with high cleaning requirements.

Composition: Coating: 100% polyurethane with a cotton/polyester backing

Weight: 520 g/m²

Abrasion resistance: 300 000 Martindale (EN 530-2 (2010))

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, IMO 2010 FTP Code Annex 1 part 8

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)

Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Oniro Design team

Produced in: Belgium

Cleaning: Alcohol, hydrogen peroxide & chlorine solutions. Never use solvents. For more info please contact supplier www.oniro.nl



PU223043



PU227001

ILLUSION 3.0 (NEVOTEX) - PRICE GROUP 4

Illusion 3.0 is a resistant easy cleanable synthetic leather with a polyurethane (PU) coating on a cotton backing. It has a semi matte surface with a softly grained structure and is recommended to use in environments with high cleaning demands.

Composition: Coating: 100% Polyurethane, Backing: 100% Cotton

Weight: 600 ± 30 g/m²

Abrasion resistance: 500 000 Martindale (EN ISO 5470-2:2003)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, DiN 4102-1B2:1998 (B2), IMO 2010 FTP Code Annex 1 part 8

Light fastness: >7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)

Surface resistance: 4-5 (EN12720)

Environmental facts: Oeko-Tex® Standard 100, Free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Nevotex Design team

Produced in: Belgium

Cleaning: Alcohol (75%), hydrogen peroxide & chlorine. For specific recommendations please contact supplier www.nevotex.com

Not approved for RH Logic 200/220 and RH Axia Exclusive



ILU3110

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction creates a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold


Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)



STT190



STT655

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, , BS 5852 Crib 5 (with treatment), BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)



STT133

STT153

STT253

STT213

STT276

STT383

STT645

STT796

PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2,0 N/cm ISO 11644


Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier – www.wollsdorf.com



ATG56100

ATG55185

ATG55130


ATG55206

ATG55115

ELMOSOFT (ELMO) - PRICE GROUP 7


Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

- Thickness:** 1.1 - 1.3 mm
- Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175
- Light fastness:** 6 (EN ISO 105-B02)
- Rubbing:** Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640
- Finish-adhesion:** ≥ 2 N/cm - ISO 11644
- Tear-strength:** ≥ 20 N/cm DIN 53329-A
- Environmental facts:** Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO₂ neutral on energy.
- Animal Welfare:** All hides are by-products from the meat and dairy industries with traceability back to the farm. Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)
- Produced in:** Sweden
- Cleaning:** (Follow the guidelines by our supplier – www.elmoleather.com)



DECORATIVE STITCHES

Decorative stitches can truly add the little extra to your chair.
The 10-colour thread program is available on all textiles for the following RH chairs: RH Logic 200/220, RH Logic 400/300, RH Mereo & RH Extend.



Fabrics 24/7

10 year guarantee as standard or 5 year guarantee on 24/7 use.

The 24/7 Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials.

The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leathers in our 24/7 Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements. These fabrics are tested and approved according to our quality standards.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please contact our Customer Service for more information.

24/7+ (CAMIRA) - PRICE GROUP 3

24/7+ is a tightly woven construction with inherent flame retardancy designed to withstand the rigorous 24/7 use. Made from highly resilient fibre types to create a textile that achieves optimum strength.

Composition: 50% polyamide, 33% wool, 10% Flame Retardant Viscose , 7% viscose

Weight: 435g/m² ±5%

Abrasion resistance: >400 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Medium Hazard, BS 5852 Section 4 Crib 5, UNI 9175 Class 1 IM

Light fastness: 5 (EN ISO 105-B02)


Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Environmental facts: Manufacturing process - fully compliant with ISO 14001


Design: Camira Design Studio

Produced in: United Kingdom

Cleaning: Professional dry cleaning (For further info follow Camira's cleaning guide – www.camirafabrics.com)



IFC012



IFC017

DOLCE (SPRADLING) - PRICE GROUP 3

Dolce is a polyurethane based synthetic leather with a leather grain look. It is supplied with a soft touch and a comfortable grip. It's high durability and good surface resistance makes it suitable for high demanding environments.

Composition: 100% Polyurethane (100% Rayon Backing)

Weight: 340.00gr/m²

****Abrasion resistance:** 300 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 - Source#0, IMO Res. A.652 (16) 8.2,8.3 , CA TB 117-2013

UV stability: 4 (ASTM D1148)

Crocking resistance: 4(Wet/Dry) (AATCC8)


Environmental facts: ISO 14001 certified company, No heavy metals

Design: Spradling Design Team

Produced in: Germany

Cleaning & disinfection: For info follow cleaning guidelines www.spradling.com

NOTE! Only available for RH Secur 24 (inner seat- and back pad)



CBN6728

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric with a specially designed and constructed mix of natural and syntehtic fibers. Its honeycomb pattern creates depth and texture with a smothth touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™

Weight: 415 g/lm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)

Environmental facts: Cradle to Cradle Certified™ silver, Oeko-Tex® Standard 100, recyclable

Design: Climatex Design team

Produced in: Germany



STO099

ULTRA (CLIMATEX/JAB) - PRICE GROUP 3

Ultra is a light and durable fabric made with a mix of natural and synthetic fibers, combined to fulfill the Climatex textile lock technology. This innovative weaving technique allows moisture and temperature to be regulated and provides the fabric with its flame-retardant and durable properties.

Composition: 72% Cradura™, PA (Polyamide polymer) 16% wool, 12% Redesigned Lenzing FR™, CV(Flame-resistant cellulosic fiber)

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852-0/1, California TB 117-2013

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 4-5 (Wet/Dry) (EN ISO 105X12)

Environmental facts: Cradle to Cradle Silver, Oekotex 100, Recyclable with separable components, using renewable energy in production

Design: Climatex design studio

Produced in: Germany


Cleaning & disinfection: Professional dry cleaning (For further info please contact www.climatex@jab.de)

Available for RH Focus & RH Secur24

NOTE! CLI095 – to be ordered as Special request for RH Secur24



CLI095



CLI099

STEEL (CLIMATEX/JAB) - PRICE GROUP 5

Steel is a highly durable 24/7 fabric, specially designed with Climatex® Dualcycle™. It's unique construction and fiber mix make it climate-regulating, moisture absorbent and flame retardant. This enables good abrasion resistance for long-term use in the most demanding environments. It's honeycomb patterned texture creates depth and a smooth touch.

Composition: 62% Cradura™ (PA), 14% Certified virgin wool (WV), 10% redesigned Lenzing FR™, 11% Polyester, 3% Steel

Weight: 452 g/lfm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013, IMO FTP Code 2010 Part 8, NFPA260

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Perspiration fastness: 5/5 (alkaline/acid) (EN ISO 105-E04)


Environmental facts: Oeko-Tex® Standard 100

Design: Climatex Design team


Produced in: Germany



SEE099



SEE051



SEE093

TRENTO + (VAN LEEUWEN) - PRICE GROUP 6

Trento + is a semi aniline leather with natural grain from European cow hides. It has a semi-matt appearance and a soft waxy feel. Through dyed with chrome tannage and with a pigmented protective coat finish.

Thickness: 0,9-1,1mm

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS5852 1&2, IMO A.652 (16)

Light fastness: >5 (EN ISO 105-B02)

Rubbing: Wet >3/4 250 - Dry >4 500 (EN ISO 11640)

Finish-adhesion: ≥ 2 N/cm (EN ISO 11644)

Tear-strength: ≥ 20 N (EN ISO 3377 1+2)

Environmental facts: Blue Angel, ISO 14001 certified company

Produced in: Italy

Only available for RH Secure24



TR0760

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: ≥ 2 N/cm - ISO 11644

Tear-strength: ≥ 20 N/cm DIN 53329-A

Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO₂ neutral on energy.

Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm. Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

Produced in: Sweden


Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)

Available for: RH Secur24, RH Focus, RH Logic 200/220 Elite

NOTE! EL33004, EL93068 – to be ordered as Special request for RH Secur24



EL33004



EL93068



EL99999

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all RH chairs, please contact our Customer Service for more information.

SUPPLIER/COLLECTION	PRICE GROUP	SUPPLIER/COLLECTION	PRICE GROUP
Ambla - www.ambla.com		Gabriel - www.gabriel.dk	
Exmoor	4	Beyond Loop	3
Wild Heather	4	Breeze Fusion ¹⁾	4
		Capture*	3
		Comfort +	5
Camira Fabrics - www.camirafabric.com		Crisp ¹⁾	3
24/7 Flax	3	Cura *	3
Blazer	3	Fame	3
Era	3	Focus *	3
Hi-Tech ESD *	OR	Focus Melange *	3
Mainline Flax	3	Focus Royal	3
Mainline Twist	3	Future Loop	3
Oceanic *	3	Gaja Classic *	3
Penta	3	Go Check (Trevira CS)	3
Quest	3	Lense	3
RePlay	3	Nobel	4
Rivet	3	Parcel Loop	3
Revolution	4	Renewed Loop	3
Sumi	4	Select *	2
Synergy	3	Step (Trevira CS)	3
Urban	3	Step Melange (Trevira CS)	3
X2	3	Tailor	3
Xtreme *	3	Tonal	3
		TwillWool	4
Climatex/Jab - www.climatex.jab.de		Umber	3
Steel	5		
Ultra * 2)	3	GU - www.gu.no	
		Amdal	4
Elmo - www.elmoleather.com		Bardal	4
Elmosoft *	OR	Heidal	4
Elmosoft Piqué	OR	Mandal ⁵⁾	4
		Hornschuch/Skai - www.skai.com	
		skai® Evida (vinyl) ⁴⁾	3
		skai® Evida Fiber (vinyl) ⁴⁾	3
		Krall & Roth - www.krallroth.com	
		Shrinx Join * 3)	OR
		Shrinx Wool 3)	OR

* Non-standard colours

OR = Price on request

¹⁾ Not approved for RH Logic 220/200

²⁾ Only for RH Focus, RH Secur24 & RH Axia Exclusive

³⁾ Only for RH Axia 2.5

⁴⁾ Not approved for RH Focus and RH Secur

⁵⁾ Mandal: 110, 180, 210, 380, 560, 760, 830, 940, 960

For the remaining colours in this collection, please contact Customer Service.

SUPPLIER/COLLECTION	PRICE GROUP	SUPPLIER/COLLECTION	PRICE GROUP
Kvadrat - www.kvadrat.dk		Oniro - www.oniro.nl	
Canvas 2 ¹⁾	4	Puxx 1 *	3
Clara 2 ⁴⁾	4	Puxx 2 *	3
Divina 3	5		
Divina MD	5	Spradling - www.spradling.eu	
Divina Melange 3	5	Dolce	3
Fiord 2	4	Valencia ⁵⁾	3
Hallingdal 65	5	Valencia Biosense ⁵⁾	3
Hero	4		
Hero Heather	4	Svensson - www.ludvigsvensson.com	
Melange Nap	4	Hello-RE	3
Naveli	4	Khaki (Trevira CS)	3
Remix 3 ¹⁾	3	Macro	3
Re-wool 2	3	Node	3
Steelcut 3 *	4	Poppy	4
Steelcut Trio 3 *	4	Semi	3
Steelcut Quartet	4		
Tonus 4	5	Vescom - www.vescom.com	
Twill Weave	5	Gamut ²⁾	4
Vidar	6	Acton	4
Nevotex - www.nevotex.se		Wollsdorf - www.wollsdorf.com	
Antistatic Synthetic leather	3	Paloma - Leather ³⁾	OR
Illusion 3.0* ⁴⁾	4		
Illusion Full grain 3.0 ⁴⁾	4		

* Non-standard colours

OR = Price on request

¹⁾ Only approved for RH Logic 400/300, RH Extend, RH Activ

²⁾ Only approved for RH Logic 400/300, RH Mereo, RH Extend, RH Activ

³⁾ Not approved for RH Secur24, RH Focus

⁴⁾ Not approved for RH Logic 200/220

⁵⁾ Not approved for RH Logic 220 headrest

Physical measurements - Work chairs

PHYSICAL MEASUREMENTS - WORK CHAIRS

Measurements in mm. Given measurements are based on EN 1335-1
Our test reports are continuously updated. Contact our Customer Service for more information and details.

Model	Seat height (standard 4T NPR)	Seat height (B)	Seat height (4T)	Seat height (A)
RH Logic 200	397-550	445-595	385-530	490-635
RH Logic 220	397-550	445-595	385-530	490-635
RH Logic 200 Elite	417-570	465-650	405-550	535-665
RH Logic 220 Elite	417-570	465-650	405-550	535-665
	Seat depth	Seat width	Seat depth with slide	Seat angel adjustment
RH Logic 200	477	442	386-484	-15.5°/+8.6°
RH Logic 220	477	442	400-499	-15.5°/+8.6°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Logic 200	518	431	490-588	19°
RH Logic 220	620	433	581-681	21°
	Height of armrest above seat 8L	Height of armrest above seat 8L BS	Diameter of base	Weight (kg)
RH Logic 200	199-315	199-315	680	19.9
RH Logic 220	199-315	199-315	680	20.4
RH Logic 200 Elite	179-295	179-295	680	21
RH Logic 220 Elite	179-295	179-295	680	22.8

Model	Seat height (standard 4Q)	Seat height (B)	Seat height (A)	-
RH Logic 300	420-540	490-635	535-675	-
RH Logic 300 Elite	440-570	520-650	555-695	-
RH Logic 400	420-540	490-635	535-675	-
RH Logic 400 Elite	440-570	520-650	555-695	-
	Seat depth	Seat width	Seat depth with slide	Seat angel adjustment
RH Logic 300	467	462	384-443	-13.4°/+5.4°
RH Logic 300 Elite	467	462	384-443	-13.4°/+5.4°
RH Logic 400	467	462	384-443	-17.2°/+4.6°
RH Logic 400 Elite	467	462	384-443	- 17.2°/+4.6°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Logic 300	510	447	514-592	15.2°
RH Logic 300 Elite	510	447	514-592	15.2°
RH Logic 400	620	447	624-703	15.2°
RH Logic 400 Elite	620	447	624-703	15.2°
	Height of armrest above seat 8E & 8S	Height of armrest above seat 8S XL	Diameter of base	Weight (kg)
RH Logic 300	198-299	223-325	660	21
RH Logic 300 Elite	178-279	203-305	660	21
RH Logic 400	198-299	223-325	660	21.8
RH Logic 400 Elite	178-279	203-305	660	21.8

Model	Seat height (standard 4T NPR)	Seat height (B)	Seat height (4T)	Seat height (A)
RH Mereo 200	410-565	460-605	399-543	505-645
RH Mereo 220	410-565	460-605	399-543	505-645
RH Mereo 300	410-565	460-605	399-543	505-645
	Seat depth	Seat width	Seat depth with slide	Seat angel adjustment
RH Mereo 200	470	407	398-494	-16°/+7.7°
RH Mereo 220	470	407	397-491	-16°/+7.7°
RH Mereo 300	470	407	394-488	- 16°/+7.7°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Mereo 200	470	365	432-510	19.8°
RH Mereo 220	630	365	582-657	19.8°
RH Mereo 300	630	442	580-656	19.8°
	Height of armrest above seat 8T	-	Diameter of base	Weight (kg)
RH Mereo 200	195-310	-	680	18.4
RH Mereo 220	195-310	-	680	18.9
RH Mereo 300	195-310	-	680	18.9

Model	Seat height (standard 4Q)	Seat height (4P)	-	-
RH Extend 100	420-534	460-570	-	-
RH Extend 200	420-534	460-570	-	-
RH Extend 120	420-534	460-570	-	-
RH Extend 220	420-534	460-570	-	-
	Seat depth	Seat width	Seat depth with slide	Seat angle adjustment
RH Extend 100	465	461	400-480	- 10° +3°
RH Extend 200	465	461	400-480	- 10°/+3°
RH Extend 120	465	461	400-480	- 10°/+3°
RH Extend 220	465	461	400-480	- 10°/+3°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Extend 100	510	440	455-535	-
RH Extend 200	510	440	455-535	24°
RH Extend 120	620	440	640-720	-
RH Extend 220	620	440	640-720	24°
	Height of armrest above seat (8E & 8S)	-	Diameter of base	Weight (kg)
RH Extend 100	220-297	-	660	19
RH Extend 200	220-297	-	660	19
RH Extend 120	220-297	-	660	19.8
RH Extend 220	220-297	-	660	19.8

Model	Seat height (B)	Seat height (D)	Seat height (4FL)	Seat height (E)
RH Activ 200	395-525 (standard)	500-675	365-445	600-850
RH Activ 202	395-525 (standard)	500-675	365-445	600-850
RH Activ 220	395-525 (standard)	500-675	365-445	600-850
RH Activ 222	395-525 (standard)	500-675	365-445	600-850
RH Activ 303	-	515-700 (standard)	-	-
	Seat depth	Seat width	Seat depth with slide	Seat angle adjustment
RH Activ 200	430	440	390-445	- 7°/+6°
RH Activ 202	460	460	420-475	- 7°/+6°
RH Activ 220	430	440	390-445	- 7°/+6°
RH Activ 222	460	460	420-475	- 7°/+6°
RH Activ 303	428	450	420-475	- 5°/+5°
	Backrest height	Backrest width	-	Backrest angle adjustment
RH Activ 200	295	370	-	23°
RH Activ 202	295	370	-	23°
RH Activ 220	430	370	-	23°
RH Activ 222	430	370	-	23°
RH Activ 303	230	280	-	23°
	Height of armrest above seat (8E & 8S)	-	Diameter of base	Weight (kg)
RH Activ 200	190-290	-	590	13
RH Activ 202	190-290	-	590	13
RH Activ 220	190-290	-	590	13.6
RH Activ 222	190-290	-	590	13.6
RH Activ 301	-	-	590	13
RH Activ 303	-	-	590	13.6

Model	Seat height (standard E)	Seat height (B)	Seat height (D)	Seat height (4FL)
RH Support 4501	565-810	365-495	470-640	340-415
RH Support 4511	595-840	380-510	515-695	355-460
RH Support 4521	565-810	365-495	470-640	340-415
	Seat depth	Seat width	Backrest height	Backrest width
RH Support 4501	380	410	230	380
RH Support 4511	-	Ø350	230	380
RH Support 4521	240	450	230	380
	-	-	Diameter of base	Weight (kg)
RH Support 4501	-	-	590	10.6
RH Support 4511	-	-	590	10.5
RH Support 4521	-	-	590	10.5

Model	Seat height (standard 4F Logic)	Seat height (4B chrome)	-	-
RH Logic 300 ESD	440-560	480-610	-	-
RH Logic 400 ESD	440-560	480-610	-	-
RH Extend 200 ESD	440-560	-	-	-
RH Extend 220 ESD	440-560	-	-	-
	Seat depth	Seat width	Seat slide	Seat angle adjustment
RH Logic 300 ESD	465	457	384-443	-17.2°/+4.6°
RH Logic 400 ESD	465	457	384-443	-17.2°/+4.6°
RH Extend 200 ESD	465	461	400-480	-10°/+3°
RH Extend 220 ESD	465	461	400-480	- 10°/+3°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Logic 300 ESD	510	447	514-592	15.2°
RH Logic 400 ESD	620	447	624-703	15.2°
RH Extend 200 ESD	508	444	455-535	24°
RH Extend 220 ESD	623	443	640-720	24°
	Height of armrest above seat (8E ESD)	-	Diameter of base	Weight (kg)
RH Logic 300 ESD	198-299	-	660	21°
RH Logic 400 ESD	198-299	-	660	21.8°
RH Extend 200 ESD	220-297	-	660	35°
RH Extend 220 ESD	220-297	-	660	37°

Model	Seat height (standard B chrome)	Seat height (E chrome)	Seat height (D chrome)	Seat height (ON-4FH black)	Seat height (4FL chrome)
RH Activ 200 ESD	395-525	595-840	500-675	459-607	365-445
RH Activ 220 ESD	395-525	595-840	500-675	459-607	375-465
RH Activ 222 ESD	395-525	595-840	500-675	459-607	375-465
	Seat depth	Seat width	Seat slide	Seat angle adjustment	
RH Activ 200 ESD	430	440	390-445	- 7°/+6°	
RH Activ 220 ESD	430	440	390-445	- 7°/+6°	
RH Activ 222 ESD	460	460	420-475	- 7°/+6°	
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment	
RH Activ 200 ESD	295	370		20°	
RH Activ 220 ESD	430	370		23°	
RH Activ 222 ESD	430	370		23°	
	Height of armrest above seat (8E ESD)	-	Diameter of base	Weight (kg)	
RH Activ 200 ESD	190-290	-	590	13	
RH Activ 220 ESD	190-290	-	590	13.6	
RH Activ 222 ESD	190-290	-	590	13.6	

Model	Seat height (standard B chrome)	Seat height (E chrome)	Seat height (D chrome)	Seat height (ON-4FH black)	Seat height (4FL chrome)
RH Activ ESD Cleanroom 220	395-525	605-855	515-690	459-607	375-465
	Seat depth	Seat width	Seat slide	Seat angle adjustment	
RH Activ ESD Cleanroom 220	430	440	390-445	-7°/+6°	
	Backrest height	Backrest width	-	Backrest angle adjustment	
RH Activ ESD Cleanroom 220	430	370	-	23°	
	Height of armrest above seat (8E ESD)	-	Diameter of base	Weight (kg)	
RH Activ ESD Cleanroom 220	190-290	-	590	13.6	

Model	Seat height (standard B black)	Seat height (E chrome)	Seat height (D black)	Seat height (4FL chrome)
RH Activ Cleanroom 220	395-525	595-840	500-675	365-445
	Seat depth	Seat width	Seat slide	Seat angle adjustment
RH Activ Cleanroom 220	460	460	390-445	- 7°+6°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Activ Cleanroom 220	430	370		23°
	Height of armrest above seat (8E ESD)	-	Diameter of base	Weight (kg)
RH Activ Cleanroom 220	190-290	-	590	13.6

Model	Seat height (standard ON-4SR)	Seat height (B)	Seat height (F)	
RH Secure24	410-535	495-645	465-615	
RH Secur24 Exclusive	410-535	495-645	465-615	
	Seat depth	Seat width	Seat slide	Seat angle adjustment
RH Secur24	435	410	140 mm	+4,8° / - 13,9°
RH Secur24 Exclusive	435	410	140 mm	+4,8° / - 13,9°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angel adjustment
RH Secur24	829	481	-	18.4°
RH Secur24 Exclusive	829	481	-	18.4°
	Height of armrest above seat 8SC	Height of armrest above seat 8SC XL	Height of armrest above seat 8F	Height of armrest above seat 8H
RH Secur24			247	247
RH Secur24 Exclusive			247	247
			Diameter of base	Weight (kg)
RH Secur24			680	37.6
RH Secur24 Exclusive			680	37.6

Model	Seat height (standard ON-4FR)	Seat height (A)	Seat height (F)	
RH Focus	400-530	505-365	435-565	
	Seat depth	Seat width	Seat slide	Seat angle adjustment
RH Focus	475	468	425-505	-4.9-(+) 11.2°
	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
	684	480	-	32.3°
	Height of armrest above seat 8K	Height of armrest above seat 8K XL	Height of armrest above seat 8H	Height of armrest above seat 8F
RH Focus	199-305	199-305		170-325
			Diameter of base	Weight (kg)
RH Focus			680	23.9 kg

Model	Seat height (standard ON-4UZ)	Seat height (ON-4FH)	Seat height (F)	
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	400-554	450-600	385-554	
RH Axia Exclusive	410-560	480-635	394-537 mm	
	Seat depth	Seat width	Seat slide	Seat angle adjustment
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	470	490	318-469	+5° / - 14°
RH Axia Exclusive	470	490	383-470	+5° / - 9°

	Backrest height	Backrest width	Backrest height adjustment	Backrest angle adjustment
RH Axia 2.1	390	450	170-230	15°
RH Axia 2.2	470	450	170-230	15°
RH Axia 2.3	470	450	170-230	15°
RH Axia 2.4	540	460	170-230	15°
RH Axia 2.5	560	460	170-230	15°
RH Axia Exclusive	650	480	150-270	23°
	Height of armrest above seat 8N	Height of armrest above seat 8N XL	Diameter of base	Weight (kg)
RH Axia 2.1, 2.2, 2.3, 2.4, 2.5	215-310	215-310	670	19.7 kg
RH Axia Exclusive	194-298	194-298	710	21.8

Tests and Certificates

An RH chair is built to withstand stress and to last. All chairs are therefore rigorously tested and approved according to known standards for different markets

PRODUCT FAMILY	Technical certificates					Environmental certificates					
	EN 1335	GS	BS 5459	ANSI BIFMA	IEC 61340-ESD	Möbelfakta	EPD ISO 14025	GREEN-GUARD	Cradle to Cradle	Nordic Swan	Blue Angel
RH Logic 200/220	x	x	x	x		x	x	x			
RH Logic 400/300	x		x		x	x	x	x		x	
RH Mereo	x	x		x		x	x	x			
RH Axia	x	x	x				x	x	x		
RH Axia Exclusive	x						x				
RH Extend	x	x			x	x	x	x			
RH Activ	x	x	x	x	x	x	x	x			
RH Support								x			
RH Secur24	x	x									x
RH Focus	x	x	x	x			x				x

NOTE! The list is not a full overview of RH portfolio and its models. Our certificates are continuously updated. Contact our Customer Service for more information and details.

RH Quick-ship

RH Quick-ship consists of our most popular chairs. RH Quick-ship collection offers a delivery of only five business days from the factory after the order is placed. Please add transport days.

To ensure delivery, the maximum order is 10 chairs, requests for larger volumes, please contact us.

You can supplement the chair with the following accessories:

- Neckrest
- Armrests
- Gas lift in varying seat heights.
- Castors for soft floors and hard floors.

Model	Fabric and colour						
	Item no	Gaja Black - 60999	Paloma Soft - Black 56100	Puxx 1 Black - 215816	24/7 - WK012	Select Black - 60999	Select Grey - 60134
RH Mereo 200 Silver	8111	x	x			x	x
RH Mereo 220 Silver	8211	x	x			x	x
RH Mereo 300 Silver	8311	x	x			x	x
RH Mereo 200 Black	8112	x	x			x	x
RH Mereo 220 Black	8212	x	x			x	x
RH Mereo 300 Black	8312	x	x			x	x
RH Mereo 200 Silver Grey	8113	x	x			x	x
RH Mereo 220 Silver Grey	8213	x	x			x	x
RH Mereo 300 Silver Grey	8313	x	x			x	x
RH Logic 200 Black	9112					x	x
RH Logic 220 Black	9212					x	x
RH Logic 200 Silver	9111					x	x
RH Logic 220 Silver	9211					x	x
RH Logic 300	3540	x	x			x	x
RH Logic 400	3350	x	x			x	x
RH Logic 400 Elite	3559		x		x		
RH Extend 100	6212					x	x
RH Extend 120	6112					x	x
RH Extend 200	6211					x	x
RH Extend 220	6111					x	x
RH Activ 200	2772			x		x	x
RH Activ 220	2872			x		x	x
RH Activ 222	2882			x		x	x
RH Support 4501 (Saddle)	4501			x			

RH Secur 24, see model page



Flokk is the leading manufacturer of high-quality workplace furniture in Europe, with a strong foothold in North America, developing a growing family of global brands. We are the proud owner of product brands HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection and Malmstolen. A structured focus on the environment through several decades has enabled us to be a leader in the development of sustainable furniture.

Our head office is in Oslo, Norway, with main production sites in Røros (Norway), Nässjö (Sweden), Turek (Poland), Huddersfield (UK) Reno NV (USA), Delanco NJ (USA) and Hawthorne CA (USA). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, Canada, China and Australia. Flokk products are sold in more than 80 countries worldwide. About 1950 employees work together to realize the vision of Flokk:
Inspire great work

Flokk A/S
Drammensveien 145
0277 Oslo

Phone: +47 22595900
E-mail: info-international@flokk.com
www.flokk.com