

Price List

EUR

Valid from 01.04.2024



2024-V1

Designed to work

giroflex
by Flokk

Content

News, September 2023	3
General sales and delivery terms	5
General information	7
giroflex 10 Sit-Stand Stool	8
giroflex 161 Visitor's Chair	9
giroflex 313 Swivel Chair	10
giroflex 313 Conference Chair	11
giroflex 313 Spare parts	13
giroflex 40 Swivel Chair	14
giroflex 40 Spare parts	15
giroflex 353 Swivel Chair	16
giroflex 353 Conference Chair	18
giroflex 353 NPR Swivel Chair	20
giroflex 353 Visitor's Chair 4-legged	21
giroflex 353 Spare parts	22
giroflex 353 Visitor's Chair Cantilever	24
giroflex 434 Swivel Chair	25
giroflex 64 Swivel Chair	26
giroflex 64 QUILT Swivel Chair - Special Collection	28
giroflex 64 Executive Chair	29
giroflex 64 Spare parts	31
giroflex 68 Swivel Chair	34
giroflex 68 Spare parts	36
giroflex 353 adapt Laboratory Chair	39
giroflex 64 adapt Cashier Chair	40
giroflex 64 adapt Laboratory Chair	41
giroflex 64 adapt 24/7 Chair	42
giroflex 60 adapt 24/7 Chair	44
giroflex 60 Spare parts	46
Measurements - Office Range (1)	48
Measurements - Office Range (2)	49
Measurements - Adapt Range	50
Packaging measurements	51
Standard fabrics	56
Product specific fabrics	64
Extended Fabric & Colour Collection	66



New, more robust boxes and changes in default packaging.

From 18th of September 2023 new better quality, 100% recyclable boxes for Giroflex will be implemented. What's more, there will be the possibility to order swivel chairs in fully/semi knocked down version (depending on model) and it will become default (standard) option. Fully/semi knocked down versions will become default (standard) as they have many benefits e.g. logistic flow emits less CO₂, boxes take less storage and are easier to carry on.

From 18th of September 2023, we will charge an assembly fee of 35 GBP per swivel chair ordered assembled in a box/foil.

Your benefits from new model



No assembly fee when ordering fully/semi knocked down version.



New delivery model is more sustainable (more chairs transported in 1 truck), thus 55-58% less CO₂ emission (depending on the box).



Boxes for fully/semi knocked down chairs take up less space in the warehouse compared to the fully assembled chairs.



Boxes for fully/semi knocked down chairs are easier to carry on, than fully assembled chairs.



New boxes are 100% recyclable.



New boxes are better quality.

News – continuation



From September the 1st, 2023, Giroflex are offering a wider and richer standard fabric collection. This means a broader range of high-quality fabrics and leather to choose from.

We are also introducing a new price group structure, aligning with Flokk procedures, going from earlier 1-4 price groups to now 1-7 price groups. The prices are harmonised according to the new price groups, to be able to offer a broader selection of fabrics and leather as part of Flokk. Some models only be offered in fabrics from selected price groups. This is to ensure the quality suited for the certain products, for them to serve their purpose.

General sales and delivery terms

Generally

This document applies for contracted distributors of Giroflex. Unless specifically quoted, orders will be carried out in accordance with following general terms.

Standard delivery times	Working days
Standard Fabric & Colour Collection	15
Extended Colour Collection	20-30*
Quick-ship	5-10
On request	on request

After order entry / transportation days must be added

*Provided availability at suppliers stock

Longer delivery times may occur periodically, during holidays and for large orders.

Prices

All prices are recommended retail prices in Euro excl. VAT. Prices are valid from 01.04.2024. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

CHANGE/CANCELLATION OF ORDERS

Change/cancellation of orders on chairs or upholstery are possible up until production have begun. Each amended or cancelled order will incur a charge per order. Please contact your local Customer Service for more information. Once production has started orders cannot be changed.

Conditions of delivery

Ex Works (Incoterms 2020) including packaging. All products must be inspected upon receipt/arrival.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk AS within 7 calendar days after receipt of the goods. Invisible damage (means no damaged packaging) must be reported in writing to Customer Service, Flokk AS within 7 calendar days after receipt. If there are any problems with registration of the claim, please write to Customer Service Flokk immediate when the problems occur. Documentation must follow the e-mail.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Picture of Flokk product label (including order no.)
- Pictures of damaged goods
- Pictures of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

Model and/or price modification

Models or prices subject to alterations, may change without prior notice.

Terms of payment

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk AS until payment is made in full.

Irregularities

Apparent transport damage and irregularity in total number must be notified immediately in writing to the delivering carrier, by putting a reserve on the delivery note presented.

In case of damage not visible from the outside, such reserve must be effected to the last carrier within not more than 3 working days from delivery, whereby Giroflex is also to be notified.

WARRANTY

We offer a 5-year (3-years for 24/7 chairs) warranty on construction, material and workmanship of our products, subject to appropriate handling and normal wear and tear. The warranty for covering materials, pneumatic parts, castors and glides is limited to 2 years in any case. The information indicated on the label under the chair is determining for the guarantee period.

The warranty excludes COM (Customer's own material), impact damage and torn upholstery materials caused by careless handling, or normal wear and tear to covering materials, castors and glides.

No warranty is provided with regard to the identical colouring of materials and leather in the case of repeat orders, nor for CleanGuard treatments or damage in consequence of self-repairs.

Leather

Leather is a natural product. Grain, cracks and wrinkles are authentic proof of this material. These typical characteristics will not be accepted as grounds for complaint.

Wood

Wood is also a natural product. Natural features of wood will not be accepted as grounds for complaint.

CERTIFICATIONS & APPROVALS

Flokk is ISO 9001 accredited. Giroflex chairs are tested in accordance with EN 1335. The German test institute TÜV and Intertek has approved and issued the GS certificate (Geprüfte Sicherheit) for many Giroflex chairs.

The following products are certified with the label GREENGUARD Gold

- giroflex 40
- giroflex 313
- giroflex 64

Please contact our Customer Service for further information.

In January 2024, Giroflex have the following EPD-certified product families, and will continue to expand our certification:

- giroflex 40
- giroflex 64
- giroflex 353 swivel
- giroflex 353 conference

Giroflex is continuously working with quality and sustainability certifications for our products.

Please advice our sustainability pages and product pages on Flokk.com for the latest updates about certifications.

DISCLAIM

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations.

That is, as a result of component purchases, special orders or the like.

ON REQUEST

Inquire about material usability and pattern repeats. Procurement/Costs see "General information".

MAINTENANCE GUIDE

Care of fabric upholstery

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating mechanism. For additional maintenance advice please contact our customer service team or our web site flokk.com.

Care of gas stem

Gas stems should be periodically wiped clean with a cloth and general purpose solvent, then a fingertip of light grease applied.

PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

END OF LIFE - RECYCLING

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling. We encourage you to ensure proper recycling of your chair and its various components.

If you have questions on how to dispose or return your chair after use, please contact our Customer Service.

CUSTOMER SERVICE

Flokk AS
Phone: +47 72 40 72 40
E-mail: info-international@flokk.com
giroflex.com / flokk.com

General information

EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		€
Special metal colours		o. r.
Combination choice outside given price-list standard	Order fee	30
	Surcharge per chair	5

Delivered cover materials (outside Giroflex collections)		€
On request fabric (delivered by customer) (PG 1)	Order fee fabric	55
	Order fee leather	65
Upholstery test of unknown cover materials	Unique fee	210

Procurement to DDP supplier (address on request)

GIROFLEX QUICK-FIX DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.

Delivery time 5-10 working days. (after order entry / transportation days must be added)

Model		Armrests					Base		Fabric and colour		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.

For orders over 10 chairs, please contact our Customer Service. Subject to holiday seasons and high production volume.

giroflex 10 Sit-Stand Stool

Standard configuration

Inclination angle 14°

Seat height adjustment 64 - 81 cm



Seat upholstered or integral foam

Column tube black

Foot disc aluminium powder coated in 810 black, 812 pearl-metallic or 813 alu-metallic

Rubber sole for hard and soft floors

Designed by Zemp + Partner Design, update by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	Price
10-2020	giroflex 10-2020 sit-stand stool Seat upholstered		335	338	352	362	384	
10-3020	giroflex 10-3020 sit-stand stool Seat integral foam black							338
Accessories/Options/Surcharges:								
	Cone upholstered		83	84	89	96	102	
CL6003	CleanGuard seat (Only for: 10-2020)							23



option "Cone upholstered"

giroflex 161 Visitor's Chair

Standard configuration

Formfitting seat cushion

Back shell and armrests in plastic 810 black

Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic, 825 magnesium





Armrest endcaps come in same colour as steel frame (optional choice is 810 black, no surcharge)

Seat height 42 cm

Flexible cantilever base / All models are stackable

Certified in accordance to GS EN 16139

Designed by dozs-farkas design team (1997), update by BIG-GAME design studio (2020)

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
161-6003	giroflex 161-6003 visitor's chair Unupholstered plastic back		451	455	473	479	508	588	688	
161-6203	giroflex 161-6203 visitor's chair Upholstered back (front part)		555	560	582	598	634	720	843	
161-6403	giroflex 161-6403 visitor's chair Mesh back Knit161		586	591	614	618	656	740	866	
161-6403-KNI	giroflex 161-6403-KNI visitor's chair Mesh back Knit161 Special Collection*									590

Accessories/Options/Surcharges:

	Upholstered backshell (Only for: 161-6203)	33	33	36	37	39	45	52	
CA6030	Plastic glides								21
CA6031	Glides with felt								21
CL6003	CleanGuard seat (Only for: 161-6003, 161-6403, 161-6403-KNI)								23
CL6004	CleanGuard back/seat (Only for: 161-6203)								36

*Special collection: Backrest Knit161 / Seat Select in 5 colour combinations: Night, Glacier, Stone, Dusk, Forest



Option upholstered backshell (161-6203): Same fabric collection as seat and back upholstery (front)

giroflex 313 Swivel Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39 - 51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 Type B // GREENGUARD Gold Certification
 German Design Award Winner 2017, Red Dot Award Winner 2017 / Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
313-4039	giroflex 313-4039 swivel chair Backrest mesh Runner		759	766	797	848	899	969	1 133	
313-4539	giroflex 313-4539 swivel chair Backrest upholstered		812	819	852	904	958	1 021	1 194	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									92
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									221
AR6019	Armrest fixed, aluminium polished, softpad black									293
FC6019	Seat and back frame aluminium polished									106
LI6014	Column standard, chromium plated									36
LI6045	Special seat height 49-65 cm									41
LI6050	Special seat height 52-69 cm									90
LI6070	Special seat height 57-74 cm									90
LI6090	Special seat height 64-81 cm									112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									123
FB6019	5-arm aluminium base polished									37
CL6003	CleanGuard seat (Only for: 313-4039)									23
CL6004	CleanGuard back/seat (Only for: 313-4539)									36



- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 313 Conference Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height 45 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 4-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
313-4018	giroflex 313-4018 conference chair Backrest mesh Runner		726	732	761	815	864	933	1091	
313-4518	giroflex 313-4518 conference chair Backrest upholstered		778	785	816	868	920	988	1156	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									92
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									221
AR6019	Armrest fixed, aluminium polished, softpad black									293
FC6019	Seat and back frame aluminium polished									106
LI6105	Column fix, chromium plated									36
LI6101	Column height adjustable									37
LI6106	Column height adjustable, chromium plated									72
LI6102	Column auto-return									47
LI6107	Column auto-return, chromium plated									83
FB6049	4-arm aluminium base polished									37
CA6030	Plastic glides , metal shaft powder coated									49
CA6032	Plastic glides, metal shaft chromium-plated									80
CA6031	Glides with felt , metal shaft powder coated									49
CA6033	Glides with felt, metal shaft chromium-plated									80
CL6003	CleanGuard seat (Only for: 313-4018)									23
CL6004	CleanGuard back/seat (Only for: 313-4518)									36

- Option "auto return" requires glides instead of castors

giroflex 313 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	21
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	3

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	15
122287810	Glide to swivel chair with felt – Price per unit	18

Item no	Bases	Price
223488700	Aluminium BASE 7530 POLISHED	98
223488810	Aluminium base 7530 Powder coated 313, black	72
223488812	Aluminium BASE 7530 Powder coated 313, pearl-metallic	77
223488813	Aluminium BASE 7530 Powder coated 313, aluminium metallic	74

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	55
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	57

Item no	Armrests	Price
423463810	ARMREST RIGHT giroflex 313-4039	32
423462810	ARMREST LEFT giroflex 313-4039	32

Item no	Armrest-parts	Price
223504810	Insert M6 Long giroflex 313-4039	5
223505	Insert M6 Short, giroflex 313-4039	5
915144	Torx Pan Head Screw M6X20	1

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S31340	SEAT CUSHION, giroflex313-4039	95	96	100	144	152	260	304	
R31345	Back cushion, giroflex 313-4539	169	170	178	221	234	391	457	
R313-4039	Mesh back, Complete Part								128

Item no	Accessories	Price
815712710	Footring, 500 MM	166


giroflex 40 Swivel Chair

Standard configuration

Synchronised mechanism
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner
 Seat height adjustment 37-51 cm
 Seat- and backrest-support aluminium powder coated in 810 black
 Seat depth adjustment 6 cm
 Seat inclination angle 0°/-3°
 Lumbar support, height adjustable
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // GREENGUARD Gold Certification
 Designed by Ito Design

Please note: Armrests cannot be added ore removed in a later stage.

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
40-4049	giroflex 40-4049		831	838	872	914	969	1 116	1 306	

Accessories/Options/Surcharges:

7ARMR022	Armrest 3D, black									135
	Headrest adjustable		94	95	99	105	111	128	150	
7ALCO006	Seat- and back-frame aluminium polished									33
7BASC013	5-arm aluminium base black									65
7BASC015	5-arm aluminium base polished									55
7TCAS028	Castors 65 mm for soft and hard floors									17
7TCAS024	Plastic glides									49
7TCAS025	Plastic glides with felt									49

giroflex 40 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors - Price per unit	12
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded - Price per unit	12
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded - Price per unit	3

Item no	Glides	Price
115142810	Glide to swivel chair - Price per unit	15
122287810	Glide to swivel chair with felt - Price per unit	18

Item no	Bases	Price
PBC431000009005	Base, Aluminium, black, giroflex 40	108
Z03112310	Base, Aluminium, Polished,	95
Z03112222	Base, Plastic, black	29

Item no	Columns/Gas lifts	Price
Z03112421	Gaslift Black, giroflex 40, 39-51cm black	16

Item no	Mechanism parts	Price
Z05111450	Screw for connecting backrest to Mechanism	1
Z03113361	Mechanism, black LP26	277
Z04132849	Tension Lever, black, giroflex 40	4

Item no	Seat and back upholstered parts	Price
S40-4049	Seat, Mechanism + seat cushion preassembled.	470
R40-4049	Backrest, giroflex 40	437

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
Z12112258	Headrest Adaptor, giroflex 40								3
Z11111695	Headrest Cover, giroflex 40								1
KST40-4049	Headrest, Complete, giroflex 40	94	95	99	103	110	127	149	



giroflex 353 Swivel Chair

Standard configuration

Synchronised mechanism Automatic Move
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Seat depth adjustment 6 cm
 Backrest height adjustment 6 cm
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
353-4029	giroflex 353-4029 swivel chair Backrest mesh Runner		511	515	536	598	634	717	839	
353-4529	giroflex 353-4529 swivel chair Backrest upholstered		565	570	593	733	777	976	1 142	

Accessories/Options/Surcharges:

AR6005	Armrest fixed	65
AR6022	Armrest 2D, plastic support black, with softpad	108
AR6040	Armrest 4D, plastic support black, with softpad	143
AR6042	Armrest 4D, aluminium support polished, with softpad	214
AR6045	Armrest 4D-NPR, plastic support, with softpad	187
HR6001	Headrest adjustable fabric / skai@Palma	128
HR6002	Headrest adjustable mesh Runner (Only for: 353-4029)	128
AE6001	Coat hanger powder coated 810 black	91
SE6001	Seat 3D Move	107
ME6002	Seat tilt adjustable (forward tilt 4°)	50
LS6001	Lumbar support depth adjustable (Only for: 353-4529)	45
LI6012	Comfort column on standard seat height 39-51 cm	24
LI6025	Special seat height 41-55 cm	41
LI6035	Special seat height 46-62 cm	41
LI6045	Special seat height 49-65 cm	41
LI6060	Special seat height 55-72 cm	90

Accessories/Options/Surcharges:

LI6080	Special seat height 62-79 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	48
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CL6003	CleanGuard seat (Only for: 353-4029)	23
CL6004	CleanGuard back/seat (Only for: 353-4529)	36



- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 353 Conference Chair

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 German Design Award Winner 2016, Red Dot Award Winner 2014
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
353-3018	giroflex 353-3018 conference chair Back mesh Runner		450	454	472	533	565	649	760	
353-3518	giroflex 353-3518 conference chair Back upholstered		502	506	527	645	684	878	1027	

Accessories/Options/Surcharges:

AR6061	Armrest fix, steel support black	53
AR6062	Armrest fix, steel support chromium plated	109
CL6003	CleanGuard seat (Only for: 353-3018)	23
CL6004	CleanGuard back/seat (Only for: 353-3518)	36
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	48
LI6111	Column standard, chromium plated (for 5-arm base)	34
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded (5 pcs)	17
FB6040	4-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic	61
FB6049	4-arm aluminium base polished	89
LI6105	Column fix, chromium plated (for 4-arm base)	34
LI6101	Column height adjustable (for 4-arm base)	36
LI6106	Column height adjustable, chromium plated (for 4-arm base)	70
LI6102	Column auto-return (for 4-arm base)	46
LI6107	Column auto-return, chromium plated (for 4-arm base)	80
LI6103	Column height adjustable and auto-return (for 4-arm base)	80
LI6108	Column height adjustable and auto-return, chromium plated (for 4-arm base)	113
CA6412	Castors black, 65 mm, for hard or soft floors, braked unloaded (4pcs.)	14

Accessories/Options/Surcharges:

CA6430	Plastic glides or glides with felt, metal shaft power coated (4 pcs)	48
CA6432	Plastic glides or glides with felt, metal shaft chromium-plated (4 pcs)	79

Option "auto return" requires glides instead of castors

giroflex 353 NPR Swivel Chair


Standard configuration

Synchronised mechanism Automatic Move
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner
 Armrest 4D-NPR, plastic support, softpad
 Seat height adjustment 41-55 cm
 Seat depth adjustment 38-48 cm
 Backrest height adjustment 6 cm
 Seat shell and back frame in plastic 810 black
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

NPR Test report

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-4029-NPR	giroflex 353-4029-NPR swivel chair		769	776	807	858	910	978	1 144	

Accessories/Options/Surcharges:





HR6002	Headrest adjustable mesh Runner	128
HR6001	Headrest adjustable fabric / skai@Palma	128
AE6001	Coat hanger powder coated 810 black	91
SE6001	Seat 3D Move	107
LI6035	Special seat height 46-62 cm	41
LI6045	Special seat height 49-65 cm	41
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CL6003	CleanGuard seat	23

giroflex 353 Visitor's Chair 4-legged

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat shell and back frame in plastic 810 black
 Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height 44 cm
 4-legged base
 Plastic glides or glides with felt
 All models are stackable

Certified in accordance to GS EN 16139
 Red Dot Award Winner 2014
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
353-3004	giroflex 353-3004 visitor's chair Backrest mesh Runner 4-legged		341	345	358	423	449	540	632	
353-7004	giroflex 353-7004 visitor's chair Backrest mesh Runner 4-legged With armrest		403	407	424	486	514	603	705	
353-3504	giroflex 353-3504 visitor's chair Backrest upholstered 4-legged		393	396	411	536	568	770	901	
353-7504	giroflex 353-7504 visitor's chair Backrest upholstered 4-legged With armrests		455	459	477	599	635	834	976	

Accessories/Options/Surcharges:

FC6199	Frame chromium plated (Only for: 353-3004, 353-3504)	80
FC6099	Frame chromium plated (Only for: 353-7004, 353-7504)	89
CL6003	CleanGuard seat (Only for: 353-3004, 353-7004)	23
CL6004	CleanGuard back/seat (Only for: 353-3504, 353-7504)	36

giroflex 353 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	12
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	12
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	20
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	20
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	21
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	3

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	15
122287810	Glide to swivel chair with felt – Price per unit	18

Item no	Bases	Price
422614810	Plastic base 7130, Black	38
222615700	Aluminium Base 7030 Polished	98
222615810	Aluminium Base 7030 Powder-coated, Black	72
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	87
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	87

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	32
823017810	Column 34 Comfort, 39-51cm, black with cushion.	55
813877810	Column 22, special seat height 46-62cm	93

Item no	Mechanisms	Price
722621810	MECHANISM 520 Complete, giroflex 353	180
722622810	MECHANISM 521 Complete, with negative tilt, giroflex 353	180

Item no	Armrests	Price
622722810	Armrest pair.Fixed, Plastic.Structured, giroflex 353	81
622652810	2D-Armrest pair, in plastic, with Softpad	113
622728810	4D-Armrest pair, in plastic, with Softpad	132
622656700	4D-Armrest pair, in Aluminium, with Softpad	152
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	132

Item no	Armrest-sets	Price
624486810	2D-Armrest set, plastic Softpad, giroflex 353	144
624487810	4D-Armrest set, plastic Softpad, giroflex 353	190
624488700	4D-Armrest set, Aluminium Softpad, giroflex 353	255

Item no	Armrest-parts	Price
923792	Eccentric lever M8X49.5	5
923814	Eccentric lever, 4D armrest, Aluminium Arm support.M8X42	8
923165	Plastic Thread-SCREW 6X20	1
224047	Hex nut, size SW17 M8	1
222662	ARMREST BRIDGE, giroflex 353-4029	11
422862810	ADAPTER for fixed ARMREST, giroflex 353	4

Item no	Seat and back plastic parts	Price
422617810	Seat shell, giroflex 353-4029	30
624276810	Backrest Preassembled, giroflex 353-40/4529	98

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦
S35301	Seat cushion, giroflex 353-40/4529	95	96	100	144	152	260	304
S35303	Seat cushion, giroflex 353-4029 3D	95	96	100	144	152	260	304
R35301	Back cushion, giroflex 353-4529	124	125	130	178	189	284	333
R35302	Back cushion with Lumbar support, giroflex 353-45	134	135	141	188	199	294	343
R353-4029	Backrest Preassembled, giroflex 353-4029							





Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
222683810	Coat Hanger, without headrest, powder coated, giroflex 353								60
222684810	Coat Hanger, with Headrest, powder coated, giroflex 353								67
NP3533	headrest.3D, Clean room, giroflex 353-4029								33
NP3531	Headrest cushion, giroflex 353	93	94	98	103	110	127	149	
KST353-4029	Headrest Complete, giroflex 353-4029	164	165	171	180	190	221	221	
422673810	Cover for Headrest, giroflex 353								5
622670810	Headrest set without pillow, giroflex 353								60
815712710	Footring, 500 MM								166

giroflex 353 Visitor's Chair Cantilever

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat shell and back frame in plastic 810 black
 Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height 44 cm
 Cantilever base
 All models are stackable

Certified in accordance to GS EN 16139
 Red Dot Award Winner 2014
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
353-3003	giroflex 353-3003 visitor's chair Backrest mesh Runner Cantilever		364	367	382	445	472	562	658	
353-7003	giroflex 353-7003 visitor's chair Backrest mesh Runner Cantilever With armrests		426	430	448	510	541	626	732	
353-3503	giroflex 353-3503 visitor's chair Backrest upholstered Cantilever		411	416	432	556	589	792	926	
353-7503	giroflex 353-7503 visitor's chair Backrest upholstered Cantilever With armrests		477	482	501	621	658	857	1003	

Accessories/Options/Surcharges:

FC6199	Frame chromium plated (Only for: 353-3003, 353-3503)	80
FC6099	Frame chromium plated (Only for: 353-7003, 353-7503)	89
CA6030	Plastic glides	20
CA6031	Glides with felt	20
CL6003	CleanGuard seat (Only for: 353-3003, 353-7003)	23
CL6004	CleanGuard back/seat (Only for: 353-3503, 353-7503)	36

giroflex 434 Swivel Chair

Standard configuration

Synchronised mechanism with comfort spring force adjustment

Seat cushion with dual-zone seat profile



Backrest mesh Tricot*

Seat height adjustment 40 - 52 cm

5-arm plastic base in 810 black

Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // Designed by greutmann bolzern Designstudio

Item no	Base model +	Price Group (PG)	Price						
			①	②	③	④	⑤	⑥	⑦
434-3019	giroflex 434-3019 swivel chair Low back, height 55 cm		511	517	537	585	620	700	818
434-4019	giroflex 434-4019 swivel chair Medium back, height 61 cm		559	564	587	630	668	748	875

Accessories/Options/Surcharges:

AR6005	Armrest fixed	89
AR6021	Armrest 1D, plastic support black, with softpad	121
AR6023	Armrest 2D, aluminium support black, with softpad	160
AR6050	Armrest 4D, aluminium support black, with softpad	201
LS6005	Lumbar support height adjustab	49
SD6002	Seat depth adjustment 5 cm	43
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6050	Special seat height 52-69 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	49
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CL6003	CleanGuard seat	23

* Colors Tricot:

uni: N470 black, N471 stone grey, N472 slate grey

bicolors: N473 stone grey/black, N474 slate grey/black, N475 red/black, N476 green/black, N477 blue/black




giroflex 64 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40-52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-3078	giroflex 64-3078 swivel chair Standard seat width 45 cm Low back height 47-54 cm		834	841	875	977	1036	1110	1298	
64-3578	giroflex 64-3578 swivel chair Standard seat width 45 cm Medium back height 55-62 cm		945	953	991	1124	1191	1290	1509	
64-4578	giroflex 64-4578 swivel chair Medium seat width 48.5 cm Medium back height 55-62 cm		1000	1009	1049	1182	1253	1346	1574	
Accessories/Options/Surcharges:										
	Upholstered backshell (Only for: 64-3078)		50	50	67	84	89	115	134	
	Upholstered backrest (Only for: 64-3578, 64-4578)		66	67	84	96	102	131	154	
AR6005	Armrest fixed									115
AR6020	Armrest 1D, steel support									182
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									212
AR6039	Armrest 4D, aluminium support polished, with softpad									262
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									237
AT6001	Armrest pad fabric									67
AT6002	Armrest pad leather									96

Accessories/Options/Surcharges:

CMF	Comfort upholstery	116
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	84
LS6001	Lumbar support depth adjustable	75
ME6003	Increased back tilt resistance	131
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	29
PU6000	Push rod cover	17
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6050	Special seat height 52-69 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6019	5-arm aluminium base polished	37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CA6014	Castors chromium plated, 65 mm, for hard or soft floors, braked unloaded	47
CL6004	CleanGuard back/seat	36
CL6005	CleanGuard back/seat/upolstered backshell	56

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above


giroflex 64 QUILT Swivel Chair - Special Collection

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price
64-3578-QUI	giroflex 64-3578-QUI swivel chair Standard seat width 45 cm Medium back height 55 - 62 cm		1 207

Accessories/Options/Surcharges:

AR6005	Armrest fixed	115
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	212
AR6039	Armrest 4D, aluminium support polished, with softpad	262
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	237
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	84
LS6001	Lumbar support depth adjustable	75
ME6003	Increased back tilt resistance	131
PU6000	Push rod cover	17
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6050	Special seat height 52-69 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6019	5-arm aluminium base polished	37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above




giroflex 64 Executive Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Fixed armrest plastic 810 black with aluminium support in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 Push rod covering
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-9278	giroflex 64-9278 executive chair Wide seat width 51 cm High back height 60 - 67 cm		1819	1836	1909	2063	2186	2249	2631	
64-9778	giroflex 64-9778 executive chair Wide seat width 51 cm High back height 60 - 67 cm Fixed headrest		2009	2028	2109	2252	2387	2467	2887	
64-9878	giroflex 64-9878 executive chair Wide seat width 51 cm High back height 60 - 67 cm Height adjustable headrest		2175	2194	2282	2422	2567	2638	3086	

Accessories/Options/Surcharges:

	Upholstered backshell	83	84	96	115	122	164	192	
AR6019	Armrest fixed, aluminium polished, softpad black								50
AR6033	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad								19
AR6039	Armrest 4D, aluminium support polished, with softpad								70
AR6055	Armrest 4D-NPR, aluminium support black, with softpad								45
AT6001	Armrest pad fabric								96

Accessories/Options/Surcharges:

AT6002	Armrest pad leather	131
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	84
LS6001	Lumbar support depth adjustable	75
ME6003	Increased back tilt resistance	131
ME6019	Mechanism polished	324
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6050	Special seat height 52-69 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6019	5-arm aluminium base polished	37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CL6004	CleanGuard back/seat	36
CL6005	CleanGuard back/seat/upolstered backshell	56

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	12
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	12
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	14
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	14

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	15
122287810	Glide to swivel chair with felt – Price per unit	18

Item no	Bases	Price
213580700	Aluminium Base 7830.1 Polished	111
213580810	Aluminium BASE 7830.1 Powder-coated, black	80
213580812	Aluminium BASE 7830.1 Powder-coated, pearl-metallic	75
213580813	Aluminium BASE 7830.1 Powder-coated, aluminium metallic	75

Item no	Columns/Gas lifts	Price
823265810	Column 16, black, Standard seat height 40-51cm	55
823265700	Column 16, chromed, Standard seat height 40-51cm	68
813877810	Column 22, special seat height 46-62cm	93
812625810	Column 18, special seat height 52-69cm	110

Item no	Mechanisms	Price
713317810	Mechanism 200, black	510
713317812	Mechanism 200, pearl-metallic	470
713317813	Mechanism 200, aluminium metallic	470
713317700	Mechanism 200, polished aluminum	900
724426810	Mechanism 200 lumbar support, black	139
724426812	Mechanism 200 lumbar support, pearl-metallic	139
724426813	Mechanism 200 lumbar support, aluminium metallic	139
724426700	Mechanism 200 lumbar support, polished aluminum	139

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism. 200	12
713321	Handle Left,height adjustment. Preassembled for mechanism. 200	12
223352	Tension Lever, 200	20

Item no	Mechanism parts	Price
413103810	Turning knob, mechanism 200	4
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	23

Item no	Armrests	Price
413137810	Fixed armrest Left, giroflex 64-30/3578	64
413138810	Fixed armrest Right, giroflex 64-30/3578	64
614202810	4D-Armrest, Left Preassembled, black	116
614202812	4D-Armrest, Left Preassembled, pearl-metallic	116
614202813	4D-Armrest, Left Preassembled, aluminium metallic	116
614202700	4D-Armrest, Left Preassembled, polished aluminum	146
614203810	4D-armrest, right preassembled, black	116
614203812	4D-armrest, right preassembled, pearl-metallic	116
614203813	4D-armrest, right preassembled, aluminium metallic	116
614203700	4D-armrest, right preassembled, polished aluminum	146
620618810	4D-NPR standard, armrest right	87
213399810	Armrest Body, Left. giroflex 64-92/97, black	132
213399812	Armrest Body, Left. giroflex 64-92/97, pearl-metallic	132
213399813	Armrest Body, Left. giroflex 64-92/97, aluminium metallic	132
213399700	Armrest Body, Left. giroflex 64-92/97, polished aluminum	182
213400810	Armrest.Body, Right. giroflex 64-92/97, black	225
213400812	Armrest.Body, Right. giroflex 64-92/97, pearl-metallic	132
213400813	Armrest.Body, Right. giroflex 64-92/97, aluminium metallic	132
213400700	Armrest.Body, Right. giroflex 64-92/97, polished aluminum	182

Item no	Armrest-sets	Price
614131810	1D-Armrest set assembled for installation, giroflex 64, black	202
614131812	1D-Armrest set assembled for installation, giroflex 64, pearl-metallic	202
614131813	1D-Armrest set assembled for installation, giroflex 64, aluminium metallic	202
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	269
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	269
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	269
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	327
624441810	4D-NPR preassembled 64 armrest set, black	335

Item no	Armrest-parts	Price
413204810	Armrest Top for 1D, giroflex 64-30/3578	12
413737810	Armpad with Foamed Top for 4D-Armrest, giroflex 64-30/3578	23
413401810	Armrest Top giroflex 64-92/97	142

Item no	Seat and back plastic parts	Price
413127810	Seat shell, giroflex 64-30/3578	28

Item no	Seat and back plastic parts	Price
413388810	Seat shell giroflex 64-45/9278	36
413128810	Back shell, giroflex 64-3078	41
413129810	Back shell, giroflex 64-35/4578	49
413389810	Back shell, giroflex 60 and 64-92/9778	101
624173810	Back shell with Lumbar function, giroflex 64-3078	99
624174810	Back shell with Lumbar function, Preassembled, giroflex 64-35/4578	99
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	154

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S64301	Seat Cushion. giroflex 64-30/3578	127	128	133	192	203	236	277	
S64321	Seat Cushion. giroflex 64-30/3578 CMF	166	167	174	235	250	321	375	
S64401	Seat Cushion. giroflex 64-40/4578	136	137	143	200	213	247	289	
S64421	Seat Cushion. giroflex 64-4578 CMF	179	181	188	250	265	347	405	
S64521	Seat Cushion. giroflex 64-92/9778	206	209	217	318	336	389	455	
S64405	Seat Cushion. D.50MM, giroflex 64-4578	147	148	154	211	223	259	303	
S64425	S-CUSH.D.50MM 64-4578 CMF	189	191	198	258	273	356	417	
S64322	Seat Cushion, QUILT, giroflex 64-3578-QUI								221
R64301	Back Cushion, giroflex 64-3078	146	147	153	209	221	256	299	
R64302	Back Cushion, giroflex 64-3078-LAB		70	73					
R64321	Back Cushion, giroflex 64-3078 CMF	191	193	200	262	278	374	438	
R64351	Back Cushion, giroflex 64-3578	166	167	174	230	244	283	331	
R64371	Back Cushion, giroflex 64-3578 CMF	220	222	231	267	284	404	473	
R64521	Back Cushion, giroflex 64-9278	291	294	305	412	437	525	614	
R64-5778	Back Cushion, giroflex 64-9778	291	294	305	412	437	525	614	
R64581	Back Cushion, giroflex 64-9878	291	294	305	412	437	525	614	
R64372	Back Cushion, QUILT, giroflex 64-3578-QUI								251
RS6430	Back shell, giroflex 64-3078	197	199	208	218	231	267	313	
RS6435	Back shell, giroflex 64-35/4578	210	212	220	231	245	284	332	
RS6452	Back shell, giroflex 64-9278	329	332	346	363	385	446	523	

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
NP6457	Headrest CUSHION 64-9778	185	187	195	196	198	221	258	
NP6458	Headrest CUSHION 64-9878	255	257	267	281	297	345	403	
213304810	Coat Hanger, Complete. Powder Coated, giroflex 64-3578								95
815712710	Footring, 500 MM								166


giroflex 68 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered or mesh (Runner or Softtouch)
 Y-support and mechanism in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 5 cm
 Backrest height adjustment 7 cm
 5-arm plastic base in 810 black
 Castors black Ø 65 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
68-3509	giroflex 68-3509 swivel chair Backrest upholstered		696	702	730	846	897	1058	1239	

68-3519	giroflex 68-3519 swivel chair Backrest mesh (Runner or Softtouch)		822	830	863	940	997	1042	1219	
---------	--	---	-----	-----	-----	-----	-----	------	------	--

Accessories/Options/Surcharges:

AR6005	Armrest fixed									109
AR6070/6072/6073	Armrest 3D, aluminium support 810 black, 812 pearl-metallic or 813 alu-metallic									186
AR6079	Armrest 3D, aluminium support polished									235
SPD6000	Softpad for armrest 3D									71
AR6050	Armrest 4D, aluminium support black, with softpad									201
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									232
HR6001	Headrest adjustable fabric / skai®Palma									208
HR6002	Headrest adjustable mesh Runner (Only for: 68-3519)									208
HR6003	Headrest Leather									243
HR6019	Headrest support chromium plated									19
CMF	Comfort upholstery 68-3509									111
CMF	Comfort upholstery 68-3519									73
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic 68-3509									85
AE6010	Coat hanger powder coated 810 black, 812 pearl metallic or 813 alu-metallic 68-3519									99
AE6019	Coat hanger chromium plated 68-3509									99
AE6019	Coat hanger chromium plated 68-3519									117

Accessories/Options/Surcharges:

LS6001	Lumbar support depth adjustable (Only for: 68-3509)	78
ME6002	Seat tilt adjustable (forward tilt 4°)	37
ME6019	Mechanism polished	166
YS6019	Y-support polished 68-3509	71
YS6019	Y-support polished 68-3519	99
PU6000	Push rod cover	17
LI6025	Special seat height 41-55 cm	41
LI6035	Special seat height 46-62 cm	41
LI6055	Special seat height 54-70 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	49
CL6003	CleanGuard seat (Only for: 68-3519)	23
CL6004	CleanGuard back/seat (Only for: 68-3509)	36

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 54-70 cm and above

giroflex 68 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	20
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	20
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	21
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	14
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	14
Z12112092	Castor. F111 65 Hard for Soft floors, braking when unloaded – Price per unit	3

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	15
122287810	Glide to swivel chair with felt – Price per unit	18

Item no	Bases	Price
221813700	Aluminium base 9530 5-leg, polished	98
221813810	Aluminium base 9530 5-leg, Powder-coat, black	72
221813812	Aluminium base 9530 5-leg, Powder-coat, peral-metallic	67
221813813	Aluminium base 9530 5-leg, Powder-coat, aluminium metallic	67
421426810	Base, Plastic, black, 8830	38

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	55
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	57
823053810	Column/Gas lift Comfort, for plastic base – seat height 39-51cm, black, giroflex 68	58
814954810	Telescope for Gas lift 175 MM, for special seat height 46-62 cm, giroflex 68	110
813877810	Column 22, special seat height 46-62cm	93

Item no	Mechanisms	Price
714796810	Mechanism 400, Preassembled, giroflex 68, black	430
714796812	Mechanism 400, Preassembled, giroflex 68, pearl-metallic	437
714796813	Mechanism 400, Preassembled, giroflex 68, aluminium metallic	437
714796701	Mechanism 400, Preassembled, giroflex 68, polished aluminum	351
714859810	Mechanism 401, Preassembled, giroflex 68, black	290
714859812	Mechanism 401, Preassembled, giroflex 68, pearl-metallic	290
714859813	Mechanism 401, Preassembled, giroflex 68, aluminium metallic	290
714859701	Mechanism 401, Preassembled, giroflex 68, polished aluminum	351

Item no	Mechanism parts	Price
414612810	Guide Below, giroflex 68	8
414518810	Guide Top, giroflex 68	8
215379	Leaf spring 3.2mm Mechanism 400	17
419488	Spring for mechanism 400	24
914823	COMPRESSION SPR.25.1X14.0X1.4	3
414632000	Lever to lock mechanism 400	8
414552810	Release button, back height adjustment, giroflex 68	8
414631810	Handle to lock mechanism, giroflex 68	4
414628810	Button to seat debth adjustment, giroflex 68	8
413988810	Turning Knob, mechanism 300/400	3

Item no	Armrests	Price
619406810	3D-Armrest Complete. Left Structured, black	113
619406812	3D-Armrest Complete. Left Structured, pearl-metallic	113
619406813	3D-Armrest Complete. Left Structured, aluminium metallic	113
619406700	3D-Armrest Complete. Left Structured, polished aluminum	143
619407810	3D-Armrest Complete. Right Structured , black	113
619407812	3D-Armrest Complete. Right Structured, pearl-metallic	113
619407813	3D-Armrest Complete. Right Structured, aluminium metallic	113
619407700	3D-Armrest Complete. Right Structured, polished aluminum	143
619613810	3D-Armrest Complete. Left, Softpad, black	128
619613812	3D-Armrest Complete. Left, Softpad, pearl-metallic	128
619613813	3D-Armrest Complete. Left, Softpad, aluminium metallic	128
619613700	3D-Armrest Complete. Left, Softpad, polished aluminum	155
619614810	3D-Armrest Complete. Right, Softpad, black	128
619614812	3D-Armrest Complete. Right, Softpa, pearl-metallic	128
619614813	3D-Armrest Complete. Right, Softpad, aluminium metallic	128
619614700	3D-Armrest Complete. Right, Softpad, polished aluminum	155
620617810	4D-NPR standard, armrest left	87
620618810	4D-NPR standard, armrest right	87
414768810	Fixed Armrest Y-support, left	64
414769810	Fixed Armrest Y-support, right	64

Item no	Armrest-sets	Price
624446810	3D-Armrestset preassembled., black	227
624446812	3D-Armrestset preassembled, pearl-metallic	227
624446813	3D-Armrestset preassembled, aluminium metallic	227
624446700	3D-Armrestset preassembled, polished aluminum	284
624447810	3D-Armrestset preassembled, Softpad, black	254
624447812	3D-Armrestset preassembled, Softpad, pearl-metallic	254

Item no	Armrest-sets	Price
624447813	3D-Armrestset preassembled, Softpad, aluminium metallic	254
624447700	3D-Armrestset preassembled, Softpad, polished aluminum	311
624450810	Fixed Armrestset preassembled.	231
624448810	4D-Armrestset preassembled, black	255

Item no	Armrest-parts	Price
618826810	3D-Armrest preassembled Left	45
618827810	3D-Armrest preassembled Right	45
418832810	Armpad, SoftPad for 2/3D-Armrest	41
418830810	Armpad, Structured 2/3D-Armrest	27
414614810	Insert Right 2/3D-Armrest	8
414770810	Fixed Armrest, Structured Top	17

Item no	Seat and back plastic parts	Price
414520810	Back shell	27
414531810	Seat Shell	18
624172810	Back shell with Lumbar Function, giroflex 68-3509	110

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S68351	Seat cushion, giroflex 68-3509	114	115	119	158	167	194	227	
S68371	Seat cushion, giroflex 68-3509 CMF	152	153	159	210	222	279	326	
R68351	Back cushion, giroflex 68-3509	106	107	111	155	164	190	222	
R68352	Back cushion, with Lumbar Function, giroflex 68-35	106	107	111	155	164	190	222	
R68371	Back cushion, with comfort upholstery	147	148	154	190	201	264	309	
R68372	Back cushion with comfort upholstery. With lumbar support	147	148	154	190	201	264	309	
R68-3519	Backrest mesh preapplied. giroflex 68-3519								268
R68-3619	Backrest mesh preapplied. Drilled. giroflex 68-3519								276


Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
KST68-3609	Headrest complete, giroflex 68-3509	188	190	197	208	220	240	282	
KST68-3619	Headrest complete, giroflex 68-3519	250	252	262	274	291	319	373	
NP68	NECKREST CUSH.68-3519	187	189	196	206	219	254	297	
815712710	Footring, 500 MM								166

giroflex 353 adapt Laboratory Chair

Standard configuration

Synchronised mechanism Automatic Move (without finetuning of back tilt resistance)
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Seat depth adjustment 6 cm
 Backrest height adjustment 6 cm
 5-arm plastic base in 810 black
 Glides or castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	②	Price
353-4529-LAB	giroflex 353-4529-LAB swivel chair			538

Accessories/Options/Surcharges:

AR6005	Armrest fixed		64
AR6022	Armrest 2D, plastic support black, with softpad		107
AR6040	Armrest 4D, plastic support black, with softpad		140
AR6042	Armrest 4D, aluminium support polished, with softpad		212
AR6045	Armrest 4D-NPR, plastic support, with softpad		186
ME6007	Fine adjustment of back tilt resistance		34
ME6008	Seat tilt adjustment 4° (incl. fine adjustment of back tilt resistance)		85
LS6001	Lumbar support depth adjustable		44
PU6000	Push rod cover		17
LI6025	Special seat height 41-55 cm		41
LI6035	Special seat height 46-62 cm		41
LI6045	Special seat height 49-65 cm		41
LI6060	Special seat height 55-72 cm		90
LI6080	Special seat height 62-79 cm		110
FR6001	Footring chromium plated, centre piece black, Ø 50 cm		123
FB6010	5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished		48
CA6012	Castors black, 65 mm, for hard and soft floors, braked unloaded		17



- Option "seat tilt adjustment": only available in combination with option "fine tuning of back tilt resistance"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 64 adapt Cashier Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat- and backshell, mechanics 810 black
 Seat height adjustment 39-51 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base Ø 60 cm in 810 black
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
64-3080	giroflex 64-3080 cashier chair Standard seat, width 45 cm Low back, height 47-54 cm		730	736	766	843	894	1 037	1 213	
64-4080	giroflex 64-4080 cashier chair Medium seat, width 48.5 cm Low back, height 47-54 cm		781	788	820	900	953	1 106	1 293	

Accessories/Options/Surcharges:

CMF	Comfort upholstery	112
CMFSTD	Comfort upholstery, only seat	52
PU6000	Push rod cover	17
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6040	Special seat height 47-65 cm	41
LI6050	Special seat height 52-69 cm	90
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6019	5-arm aluminium base polished	41
CL6004	CleanGuard back/seat	36



- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 47-65 cm and above

giroflex 64 adapt Laboratory Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Upholstery without grooves
 Seat- and backshell plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Glides or castors black Ø 50 mm for hard or soft floors, braked unloaded.

Certified in accordance to GS EN 1335-1/-2/-3
 Ergonomics approved (LGA)

Item no	Base model +	Price Group (PG)	② Price
64-3078-LAB	giroflex 64-3078-LAB swivel chair Standard seat width 45 cm Low back height 47-54 cm		834
64-3578-LAB	giroflex 64-3578-LAB swivel chair Standard seat width 45 cm Medium back height 55-62 cm		944

Accessories/Options/Surcharges:

AR6005	Armrest fixed	114
AR6020	Armrest 1D, steel support	181
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	212
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	236
LS6001	Lumbar support depth adjustable	75
PU6000	Push rod cover	17
LI6030	Special seat height 43-59 cm	41
LI6035	Special seat height 46-62 cm	41
LI6050	Special seat height 52-69 cm	90
LI6075	Special seat height 59-76 cm	112
LI6095	Special seat height 66-83 cm	112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	123
FB6019	5-arm aluminium base polished	37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 adapt 24/7 Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Backshell in plastic 810 black
 Armrest fixed
 Seat height adjustment 40-52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	③	⑥	Price
64-9278-24h	giroflex 64-9278-24h swivel chair		2093	2391	
64-9878-24h	giroflex 64-9878-24h swivel chair With headrest		2447	2772	
Accessories/Options/Surcharges:					
	Upholstered backshell		96	127	
AR6019	Armrest fixed, aluminium polished, softpad black				50
AR6030	Armrest 4D, aluminium support powder coated 810 black, with softpad				19
AR6055	Armrest 4D-NPR, aluminium support black, with softpad				45
AT6001	Armrest pad fabric				96
AT6002	Armrest pad leather				131
AE6010	Coat hanger powder coated 810 black				84
LS6001	Lumbar support depth adjustable				75
ME6019	Mechanism polished				324
PU6000	Push rod cover				17
LI6030	Special seat height 43-59 cm				41
LI6035	Special seat height 46-62 cm				41
LI6050	Special seat height 52-69 cm				90
LI6075	Special seat height 59-76 cm				112
LI6095	Special seat height 66-83 cm				112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				123

Accessories/Options/Surcharges:

FB6019	5-arm aluminium base polished	37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	17
CL6004	CleanGuard back/seat	36
CL6005	CleanGuard back/seat/upolstered backshell	56

- Headrest: optional in vinyl skai®Palma (no surcharge - only in PG2)
- Armrest pad fabric/leather: only for armrest fix
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 60 adapt 24/7 Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest with highly contoured side bolsters for perfect support
 Comfort upholstery
 Backshell in plastic 810 black
 Armrest 4D with plastic support black and softpad
 Seat height adjustment 40-52 cm
 Seat depth adjustment 5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	③	⑥	Price
60-9229-24h	giroflex 60-9229-24h swivel chair		1984	2280	
60-9829-24h	giroflex 60-9829-24h swivel chair With headrest - height adjustable and inclinable		2338	2662	
Accessories/Options/Surcharges:					
	Upholstered backshell		96	127	
AR6044	Armrests foldable				140
AR6042	Armrest 4D, aluminium support polished, with softpad				149
AE6010	Coat hanger powder coated 810 black				84
LS6001	Lumbar support depth adjustable				75
ME6019	Mechanism polished				324
PU6000	Push rod cover				17
LI6025	Special seat height 41-55 cm				41
LI6035	Special seat height 46-62 cm				41
LI6045	Special seat height 49-65 cm				41
LI6060	Special seat height 55-72 cm				90
LI6080	Special seat height 62-79 cm				112
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				123
FB6019	5-arm aluminium base polished				37
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded				17
CA6014	Castors chromium plated, 65 mm, for hard and soft floors, braked unloaded				47

Accessories/Options/Surcharges:

CL6004	CleanGuard back/seat	36
CL6005	CleanGuard back/seat/upolstered backshell	55

- Headrest: optional available in vinyl skai®Palma (no surcharge - only in PG2)
- Sidebolsters seat/back: optional available in vinyl skai®Palma black (no surcharge - only in PG2)
- Option "foldable armrests": backrest is fixed, no height adjustment
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49 - 65 cm and above

giroflex 60 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats - Price per unit	21
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats - Price per unit	21
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats - Price per unit	20
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats - Price per unit	20
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded - Price per unit	3

Item no	Glides	Price
115142810	Glide to swivel chair - Price per unit	15
122287810	Glide to swivel chair with felt - Price per unit	18

Item no	Bases	Price
422614810	Plastic base 7130, Black	38
222615700	Aluminium Base 7030 Polished	98
222615810	Aluminium Base 7030 Powder-coated, Black	72
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	87
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	87

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	32
823017810	Column 34 Comfort, 39-51cm, black with cushion.	55
813877810	Column 22, special seat height 46-62cm	93

Item no	Mechanisms	Price
713317810	Mechanism 200, black	510
713317812	Mechanism 200, pearl-metallic	470
713317700	Mechanism 200, polished aluminum	900
724426810	Mechanism 200 lumbar support, black	139
724426812	Mechanism 200 lumbar support, pearl-metallic	139
724426813	Mechanism 200 lumbar support, aluminium metallic	139
724426700	Mechanism 200 lumbar support, polished aluminum	139

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism. 200	12
713321	Handle Left,height adjustment. Preassembled for mechanism. 200	12
223352	Tension Lever, 200	20
413103810	Turning knob, mechanism 200	4

Item no	Mechanism parts	Price		
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	23		

Item no	Armrests	Price		
622652810	2D-Armrest pair, in plastic, with Softpad	113		
622728810	4D-Armrest pair, in plastic, with Softpad	132		
622656700	4D-Armrest pair, in Aluminium, with Softpad	152		
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	132		
624375810	Armrest, foldable, left	190		
624376810	Armrest, foldable, right	190		

Item no	Armrest-sets	Price		
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	269		
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	269		
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	269		
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	327		

Item no	Seat and back plastic parts	Price		
415875810	Seat shell giroflex 545/60	41		
413389810	Back shell, giroflex 60 and 64-92/9778	101		
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	154		

Item no	Seat and back upholstered parts	③	⑥	⑦
R60921	Back cushion, giroflex 60-9229	320	499	583
R60922	Back cushion foldable Armrest	320	499	583
R60923	Back cushion foldable Armrest, with Lumbar function	358	539	631
R60924	Back cushion with lumbar function	358	539	631
S60921	Seat cushion, giroflex 60-92/98	224	373	437

Item no	Accessories	③	⑥
NP60-9829-24H	Headrest Cushion, giroflex 60	319	410

Measurements - Office Range (1)

MEASURING POINTS



Seat height



Total height



Backrest height



Armrest height



Seat width



Total width



Backrest width



Seat depth

Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Conference Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

Measurements - Office Range (2)

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Conference Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
	giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120
434-4019			40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
Visitor's Chair		434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

Measurements - Adapt Range

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
Giroflex Adapt	Laboratory	64-3078-LAB	40-52	92-111	47-54	45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578-LAB	40-52	100-119	55-62	45	43	66	41.5-44	0-12	0-24	45-120	17.4
		353-4529-LAB	39-51	100-119	60-66	49	46	70	38-44	0-12	0-21	45-120	14.3
	24/7	60-9229-24h	40-52	105-124	59-66	50	48	70	41-46	0-12	0-24	65-150	22.4
		60-9829-24h	40-52	123-152	59-66	50	48	70	41-46	0-12	0-24	65-150	26
		64-9278-24H	40-52	106-125	60-67	51	47	66	45-47.5	0-12	0-24	65-150	21.8
		64-9878-24H	40-52	119-148	60-67	51	47	66	45-47.5	0-12	0-24	65-150	25.6
	Check-out	64-3080	39-51	91-110	47-54	45	43	62	41.5-44	0-12	0-24	45-120	16.6
		64-4080	39-51	91-110	47-54	49	43	62	41.5-44	0-12	0-24	45-120	17

Packaging measurements

Changes from 18th of September 2023:

Giroflex will implement 100% recyclable boxes. It will be the possibility to order swivel chairs in fully, or semi-knocked down versions – depending on model.

This will become the standard option and has many benefits e.g. logistic flow emits less CO2, boxes take less storage and are easier to carry on.

Underneath you will see an overview of possible choices per model.

Model	Type	Configuration	Assembled in foil ¹		Assembled in box		Semi-knocked down		Fully knocked down	
			Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)
10-2020	Sit-stand Stools	All options	NO	380X340X720	YES	380X340X720	NO	n/a	NO	n/a
10-3020	Sit-stand Stools	All options	NO	380X340X720	YES	380X340X720	NO	n/a	NO	n/a
161-6003	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6203	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6403	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6403-KNI	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
313-4018	Swivel/Visitor	All options	YES	670x730x1160	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 39-51,49-65;52-69;57-74	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 64-81	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
313-4518	Swivel/Visitor	All options	YES	670x730x1160	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 39-51,49-65;52-69;57-74	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 64-81	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a

					Assembled in foil ¹	Assembled in box		Semi-knocked down		Fully knocked down	
						YES	NO	YES	NO	YES	NO
353-3003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a	NO	n/a
353-3003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a	NO	n/a
353-3004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a	NO	n/a
353-3004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	YES	670x730x835	NO	n/a
353-3018	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	YES	670x730x835	NO	n/a
353-3018-C2G	Swivel/Visitor	All options	NO	NO	n/a	NO	n/a	NO	n/a	YES	680x680x440
353-3503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a	NO	n/a
353-3503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a	NO	n/a
353-3504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a	NO	n/a
353-3504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	YES	670x730x835	NO	n/a
353-3518	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	YES	670x730x835	NO	n/a
353-4029	Swivel	No headrest & Seat height 39-51:41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	NO	n/a	YES	735x720x480
353-4029	Swivel	No headrest & Seat height 55-72:62-79	YES	YES	735x760x1315	NO	n/a	NO	n/a	YES	735x720x480
353-4029	Swivel	headrest & Seat height 39-51:41-55	YES	YES	735x760x1315	YES	670x730x1160	YES	670x730x1160	NO	n/a
353-4029	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	No headrest & Seat height 39-51:41-55;46-62	YES	YES	735x760x1115	NO	n/a	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	No headrest & Seat height 49-65;55-72;62-79	YES	YES	735x760x1315	NO	n/a	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	headrest & Seat height 39-51:41-55	YES	YES	735x760x1315	YES	670x730x1160	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	headrest & Seat height 41-55;46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	YES	670x730x1160	NO	n/a
353-4529	Swivel	No headrest & Seat height 39-51:41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	NO	n/a	YES	735x720x480
353-4529	Swivel	No headrest & Seat height 55-72:62-79	YES	YES	735x760x1315	NO	n/a	NO	n/a	YES	735x720x480
353-4529	Swivel	headrest & Seat height 39-51:41-55;	YES	YES	735x760x1315	YES	670x730x835	YES	670x730x835	NO	n/a

353-4529	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529-LAB	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-7003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
40-4049	Swivel	Without headrest	YES	YES	735x760x1115	YES	670x730x955	NO	n/a
40-4049	Swivel	With Headrest	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
434-3003	Conference	All options	NO	YES	670x730x1160	NO	n/a	NO	n/a
434-3019	Swivel	Seat height 40-52;43-59;46-62; 52-69	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
434-3019	Swivel	Seat height;59-76; 66-83	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
434-3019-C2G	Swivel	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
434-4019	Swivel	Seat height 40-52;43-59;46-62	YES	YES	735x760x1115	NO	n/a	YES	815x720x515
434-4019	Swivel	Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	815x720x515
434-7013	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
434-7929	Swivel	All options	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 40-52;41-55;46-62;49-65	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 55-72; 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
545-4529	Swivel	headrest & Seat height 40-52;41-55;46-62;55-72;49-65	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a

545-4529	Swivel	Headrest & Seat height 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
60-9229-24H	Swivel	Seat height 40-52,43- 59	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 46-62,52- 69; 59-76	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 40-52,43-59; 46-62	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 52-69;59-76; 66-83	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
64-3078	Swivel	Seat height 40-52,43- 59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078	Swivel	Seat height 59-76; 66- 83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 40-52,43- 59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 59-76; 66- 83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 39-51,40- 52;43-59;46-59;47- 65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 59-76; 66- 83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 40-52,43- 59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 52-69; 59- 76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 40-52,43- 59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 52-69; 59- 76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 40-52,43- 59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 52-69; 59- 76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 39-51,40- 52;43-59;46-59;47- 65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 59-76; 66- 83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 40-52,43- 59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 52-69; 59- 76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

64-9278	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278-24H	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3509	Swivel	No headrest & Seat height 40-52,41-55;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3509	Swivel	No headrest & Seat height 54-70; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3509	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3509	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3519	Swivel	No headrest & Seat height 40-52,43-59;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3519	Swivel	No headrest & Seat height 52-69; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3519	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3519	Swivel	headrest & Seat height 59-76;66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a

1 Option "Assembled in foil" only available in Switzerland, Germany, France and Benelux

Standard fabrics

Delivery times for standard and extended colour range:

This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.

Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.

The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance:

To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 98% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 98% post-consumer recycled polyester, 2% polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines - www.gabriel.dk)



CU60999

CU66165

CU60109

CU60110

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 °C and bleach cleanable (For further info follow Camira's cleaning guidelines - www.camirafabrics.com)



EXR009

EXR026

EXR046

EXR081

EXR145

RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post-consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The palette of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

Composition: 80% polyester, 20% post-consumer recycled polyester

Weight: 510 g/lm

Abrasion resistance: 70000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Inger Mosholt Nielsen, Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash orl dry cleaning (For further info follow Gabriel´s cleaning guidelines_www.gabriel.dk



RUN60011

RUN60025

RUN60999

RUN64089

RUN66063

RUN66123

SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



SC60003

SC60051

SC60134

SC60139

SC60999

SC61184

SC61186

SC62097



SC64089

SC66194

SC66071

SC67098

SC68209

SKAI PALMA - PRICE GROUP 2

Skai Palma is a synthetic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

Composition: 89% PVC-Compound, 11% CO/PES-knitted fabric

Weight: 825 +/- 50 g/m²

Thickness: 1,3 +/- 0,2mm

Abrasion resistance: 100 000 Martindale (EN ISO 5470-2)

Flammability: DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: Fulfills REACH requirements, ISO 14001 certified company

Produced in: Germany

Cleaning & disinfection: For Cleaning and disinfection follow Skai's cleaning guidelines www.skai.com)



PLM701

CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN-ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)




CPT4102




CPT4301




CPT4401




CPT4601



CPT5101




CPT5103




CPT5501



CPT6001



CPT6401



CPT6601

FOCUS (GABRIEL) - PRICE GROUP 3

Focus is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK, AM 18 - NF D 60-013-(only for fabric)

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FC60999

FC61042

FC61039

FC61036

FOCUS MELANGE (GABRIEL) - PRICE GROUP 3

Focus Melange is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear. The equal thickness between the warp and weft yarn give a harmonious and symmetric melange colour expression.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FCM68247

FCM61240

FCM60900

FCM60310

FCM60308

FCM60309

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool

Weight: 530 g/lm

Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Dorte Bo Bojesen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



GA60019

GA60999

GA64089

GA66004

GA66005

GA60003

GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

Composition: 69 % Cradura™, PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR™, CV FR

Weight: 465 g/lfm

Abrasion resistance: 465'000 Martindale, EN ISO 12947-2

Flammability: EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260

Light fastness: 6, EN ISO 105-B02


Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105-X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified™ Silver, recyclable.

Designed by: Climatex Design team

Produced in: Germany



GRO099

GRO094

GRO092

GRO051

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



OCI001

OCI008

OCI011

OCI012

OCI014

STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m²

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SE60999

SE60011

SE64013

SE67004

SE67072

STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

Composition: 100% Trevira cs

Weight: 336 g/m²

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



STM66018



STM60011

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction creates a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold


Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines - www.kvadrat.dk)



STT190



STT655

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines - www.kvadrat.dk)



LEATHER NATURA (ICA) - PRICE GROUP 6

Leather Natura is a premium quality through-dyed leather from bull hides. It has a textured grainy surface with a soft touch.

Thickness: 1,1-1,3


Flammability: EN 1021 part 1+2, BS 5852 part 1 sources 0 and 1, California TB117 A/1 and E/1

Light fastness: 5 (EN ISO 105 - B02)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 11-640)

Environmental facts: ISO 14001 certified company

Produced in: Italy



ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: ≥ 2 N/cm - ISO 11644


Tear-strength: ≥ 20 N/cm DIN 53329-A

Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO2 neutral on energy.

Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

Produced in: Sweden

Cleaning: (Follow the guidelines by our supplier - www.elmoleather.com)



Product specific fabrics

This is Giroflex selection of special textiles for certain products.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric with a specially designed and constructed mix of natural and syntehtic fibers. Its honeycomb pattern creates depth and texture with a smothh touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™

Weight: 415 g/lm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)


Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)

Environmental facts: Cradle to Cradle Certified™ silver, Oeko-Tex® Standard 100, recyclable

Design: Climatex Design team

Produced in: Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

SYNERGY QUILT HOURGLASS (CAMIRA)

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

Composition: 95% pure new wool, 5% nylon with polyester and polyurethane foam backing

Weight: 700 g/m2 ±10%

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: California Technical Bulletin 117 - 2013, CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)

Light fastness: 4 (AATCC-16) 5 (EN ISO 105 - B02)

Colour fastness: 3/4 (Wet/Dry) (AATCC-8)

Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)


Environmental facts: Non metallic dyestuffs, ISO 14001 certified company

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 C and bleach cleanable (For further info follow Camira 's cleaning guidelines - www.camirafabrics.com)

Only for giroflex 64-3578-QUI (Extended collection)



QSH17



QSH35




QSH59



QSH62



QSH69



QSH84

SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.

Composition: 76% polyester, 23% polyamide, 1% stainless steel

Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021 1

Light fastness: 5-7 (EN ISO 105 - B02)


Rubbing fastness: 5/4 (Wet/Dry) (EN ISO 105X12)

Environmental facts: ISO 14001 certified company

Designed by: Krall & Roth design team

Produced in: Germany

Mesh fabric – only for backrest giroflex 68



N460

KNIT MESH

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It's solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.

Composition: 100% polyester

Abrasion resistance: 28 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard

Light fastness: 6 (EN ISO 105 - B02)

Pilling: 4-5 (BS EN ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals

Design: Camira Technical Knitting team & Flokk Design team

Produced in: United Kingdom

Cleaning & disinfection: Bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)

Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI



KNI099

KNI100

KNI101

KNI102

KNI104

NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

Composition: 100% polyester flame retardant (Trevira CS)


Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M1

Light fastness: 4-5 (EN ISO 105 - B02)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Mesh only for giroflex 434



N470

N471

N472

N473

N474

N475

N476

N477

Extended Fabric & Colour Collection

If you cannot find what you are looking for in our Standard or Curated collection, we also provide a wider selection of fabrics in various colours from different suppliers we collaborate with. The fabrics are tested and quality-approved to satisfy our requirements. Delivery time for giroflex Chairs upholstered with extended fabrics is 20-25 working days from factory, provided fabric is available at suppliers stock. Transport days to be added.

COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special

Other fabrics. Prices and delivery on request.

SUPPLIER/COLLECTION	PRICE GROUP
Camira Fabrics - www.camirafabrics.com	
Oceanic*	3
Synergy Quilt Hourglass* ¹⁾	OR
Xtreme*	3
Climatex/Jab - www.climatex.jab.de	
Grano*	3
Strong* ³⁾	3
Elmo - www.elmoleather.com	
Elmosoft* ²⁾	OR
Gabriel - www.gabriel.dk	
Capture*	3
Cura*	3
Comfort+	5
Focus	3
Focus Melange	3
Gaja Classic*	3
Gaja C2C	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3

SUPPLIER/COLLECTION	PRICE GROUP
ICA - www.icaleather.it	
Leather Natura*	6
Kvadrat - www.kvadrat.dk	
Steelcut 3*	4
Steelcut Trio 3*	4
Skai - www.skai.com	
Skai Palma*	2

* Non standard colours

OR = on request

¹⁾ = Only for giroflex 64 -3578 -QUI

²⁾ = Not for LAB/24H/cashier

³⁾ = Only for giroflex 60 and 64 -24h chairs



Flokk is the leading manufacturer of high-quality workplace furniture in Europe, with a strong foothold in North America, developing a growing family of global brands. We are the proud owner of product brands HAG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Connection and Malmstolen. A structured focus on the environment through several decades has enabled us to be a leader in the development of sustainable furniture.

Our head office is in Oslo, Norway, with main production sites in Røros (Norway), Nässjö (Sweden), Turek (Poland), Huddersfield (UK) Delanco NJ(USA) and Hawthorne (USA). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, Canada, China and Australia. Flokk products are sold in more than 80 countries worldwide. About 1800 employees work together to realize the vision of Flokk:
Inspire great work.

Flokk A/S
Drammensveien 145
0277 Oslo

Phone: +47 22595900
E-mail: info-international@flokk.com
www.flokk.com