

Price List

EUR

Valid from 01.03.2025



2025-V1

Designed to work

giroflex
by Flokk

Content

General sales and delivery terms	3
General information	5
giroflex 10 Sit-Stand Stool	6
giroflex 161 Visitor's Chair	7
giroflex 313 Swivel Chair	8
giroflex 313 Conference Chair	9
giroflex 313 Spare parts	10
giroflex 40 Swivel Chair	11
giroflex 40 Spare parts	12
giroflex 353 Swivel Chair	13
giroflex 353 Conference Chair	15
giroflex 353 NPR Swivel Chair	16
giroflex 353 Visitor's Chair 4-legged	17
giroflex 353 Visitor's Chair Cantilever	18
giroflex 353 Spare parts	19
giroflex 434 Swivel Chair	21
giroflex 64 Swivel Chair	22
giroflex 64 QUILT Swivel Chair - Special Collection	24
giroflex 64 Executive Chair	25
giroflex 64 Spare parts	27
giroflex 68 Swivel Chair	30
giroflex 68 Spare parts	32
giroflex 353 adapt Laboratory Chair	35
giroflex 64 adapt Cashier Chair	36
giroflex 64 adapt Laboratory Chair	37
giroflex 64 adapt 24/7 Chair	38
giroflex 60 adapt 24/7 Chair	40
giroflex 60 Spare parts	42
Measurements - Office Range (1)	44
Measurements - Office Range (2)	45
Measurements - Adapt Range	46
Packaging measurements	47
Standard fabrics	52
Product specific fabrics	61
Extended Fabric & Colour Collection	63

General sales and delivery terms

Generally

This document applies for contracted distributors of Giroflex. Unless specifically quoted, orders will be carried out in accordance with following general terms.

Standard delivery times	Working days
Standard Fabric & Colour Collection	15
Extended Colour Collection	> 25*
Quick-ship	5-10
On request	on request
After order entry / transportation days must be added	

*Provided availability at suppliers stock

Longer delivery times may occur periodically, during holidays and for large orders.

Prices

All prices are recommended retail prices in Euro excl. VAT. Prices are valid from 01.03.2025. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

CHANGE/CANCELLATION OF ORDERS

Change/cancellation of orders on chairs or upholstery are possible up until production have begun. Each amended or cancelled order will incur a charge per order. Please contact your local Customer Service for more information. Once production has started orders cannot be changed.

Conditions of delivery

Ex Works (Incoterms 2020) including packaging. All products must be inspected upon receipt/arrival.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk AS within 7 calendar days after receipt of the goods. Invisible damage (means no damaged packaging) must be reported in writing to Customer Service, Flokk AS within 7 calendar days after receipt. If there are any problems with registration of the claim, please write to Customer Service Flokk immediate when the problems occur. Documentation must follow the e-mail.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Picture of Flokk product label (including order no.)
- Pictures of damaged goods
- Pictures of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

Model and/or price modification

Models or prices subject to alterations, may change without prior notice.

Terms of payment

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk AS until payment is made in full.

Irregularities

Apparent transport damage and irregularity in total number must be notified immediately in writing to the delivering carrier, by putting a reserve on the delivery note presented.

In case of damage not visible from the outside, such reserve must be effected to the last carrier within not more than 3 working days from delivery, whereby Giroflex is also to be notified.

WARRANTY

We offer a 5-year (3-years for 24/7 chairs) warranty on construction, material and workmanship of our products, subject to appropriate handling and normal wear and tear. The warranty for covering materials, pneumatic parts, castors and glides is limited to 2 years in any case. The information indicated on the label under the chair is determining for the guarantee period.

The warranty excludes COM (Customer's own material), impact damage and torn upholstery materials caused by careless handling, or normal wear and tear to covering materials, castors and glides.

No warranty is provided with regard to the identical colouring of materials and leather in the case of repeat orders, nor for CleanGuard treatments or damage in consequence of self-repairs.

Leather

Leather is a natural product. Grain, cracks and wrinkles are authentic proof of this material. These typical characteristics will not be accepted as grounds for complaint.

Wood

Wood is also a natural product. Natural features of wood will not be accepted as grounds for complaint.

CERTIFICATIONS & APPROVALS

Flokk is ISO 9001 accredited. Giroflex chairs are tested in accordance with EN 1335. The German test institute TÜV and Intertek has approved and issued the GS certificate (Geprüfte Sicherheit) for many Giroflex chairs.

The following products are certified with the label GREENGUARD Gold

- giroflex 40
- giroflex 313
- giroflex 64

Please contact our Customer Service for further information.

Giroflex have the following EPD-certified product families, and will continue to expand our certification:

- giroflex 40
- giroflex 64
- giroflex 313
- giroflex 353 swivel
- giroflex 353 conference

Giroflex is continuously working with quality and sustainability certifications for our products.

Please advice our sustainability pages and product pages on Flokk.com for the latest updates about certifications.

DISCLAIMER

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations. That is, as a result of component purchases, special orders or the like.

ON REQUEST

Inquire about material usability and pattern repeats.
Procurement/Costs see "General information".

MAINTENANCE GUIDE

Care of fabric upholstery

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating mechanism. For additional maintenance advice please contact our customer service team or our web site flokk.com.

Care of gas stem

Gas stems should be periodically wiped clean with a cloth and general purpose solvent, then a fingertip of light grease applied.

PACKAGING MATERIAL - RECYCLING

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

END OF LIFE - RECYCLING

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling. We encourage you to ensure proper recycling of your chair and its various components.

If you have questions on how to dispose or return your chair after use, please contact our Customer Service.

CUSTOMER SERVICE

Flokk AS
Phone: +47 72 40 72 40
E-mail: info-international@flokk.com
giroflex.com / flokk.com

General information

EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		€
Special metal colours		o. r.
Combination choice outside given price-list standard	Order fee	30
	Surcharge per chair	5

Delivered cover materials (outside Giroflex collections)		€
On request fabric (delivered by customer) (PG 1)	Order fee fabric	55
	Order fee leather	65
Upholstery test of unknown cover materials	Unique fee	210

Procurement to DDP supplier (address on request)

GIROFLEX QUICK-FIX DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.

Delivery time 5-10 working days. (after order entry / transportation days must be added)

Model		Armrests					Base		Fabric and colour		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.

For orders over 10 chairs, please contact our Customer Service. Subject to holiday seasons and high production volume.

giroflex 10 Sit-Stand Stool

Standard configuration
Inclination angle 14°
Seat height adjustment 64 - 81 cm
Seat upholstered or integral foam
Column tube black
Foot disc aluminium powder coated in 810 black, 812 pearl-metallic or 813 alu-metallic
Rubber sole for hard and soft floors

Designed by Zemp + Partner Design, update by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	Price
10-2020	giroflex 10-2020 sit-stand stool Seat upholstered		343	346	361	371	
10-3020	giroflex 10-3020 sit-stand stool Seat integral foam black						346
Accessories/Options/Surcharges:							
	Cone upholstered		87	88	92	96	
CL6003	CleanGuard seat (Only for: 10-2020)						24



option "Cone upholstered"

giroflex 161 Visitor's Chair

Standard configuration

Formfitting seat cushion
Back shell and armrests in plastic 810 black
Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic, 825 magnesium
Armrest endcaps come in same colour as steel frame (optional choice is 810 black, no surcharge)
Seat height 42 cm
Flexible cantilever base / All models are stackable

Certified in accordance to GS EN 16139
Designed by dozs-farkas design team (1997), update by BIG-GAME design studio (2020)

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
161-6003	giroflex 161-6003 visitor's chair Unupholstered plastic back		462	466	485	491	521	603	705	
161-6203	giroflex 161-6203 visitor's chair Upholstered back (front part)		569	574	597	613	650	738	864	
161-6403	giroflex 161-6403 visitor's chair Mesh back Knit161		601	606	629	633	672	759	888	
161-6403-KNI	giroflex 161-6403-KNI visitor's chair Mesh back Knit161 Special Collection*									605
Accessories/Options/Surcharges:										
	Upholstered backshell (Only for: 161-6203)		35	35	38	39	41	47	55	
CA6030	Plastic glides									22
CA6031	Glides with felt									22
CL6003	CleanGuard seat (Only for: 161-6003, 161-6403, 161-6403-KNI)									24
CL6004	CleanGuard back/seat (Only for: 161-6203)									38

*Special collection: Backrest Knit161 / Seat Select in 5 colour combinations: Night, Glacier, Stone, Dusk, Forest
Option upholstered backshell (161-6203): Same fabric collection as seat and back upholstery (front)

giroflex 313 Swivel Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39 - 51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 Type B // GREENGUARD Gold Certification
 German Design Award Winner 2017, Red Dot Award Winner 2017 / Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
313-4039	giroflex 313-4039 swivel chair Backrest mesh Runner		584	589	613	652	692	745	871	
313-4539	giroflex 313-4539 swivel chair Backrest upholstered		624	630	655	695	737	785	918	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									97
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									232
AR6019	Armrest fixed, aluminium polished, softpad black									308
FC6019	Seat and back frame aluminium polished									111
LI6045	Special seat height 49-65 cm									43
LI6050	Special seat height 52-69 cm									95
LI6070	Special seat height 57-74 cm									95
LI6090	Special seat height 64-81 cm									118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									129
FB6019	5-arm aluminium base polished									39
CL6003	CleanGuard seat (Only for: 313-4039)									24
CL6004	CleanGuard back/seat (Only for: 313-4539)									38

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 313 Conference Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height 45 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 4-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
313-4018	giroflex 313-4018 conference chair Backrest mesh Runner		559	563	585	627	664	718	839	
313-4518	giroflex 313-4518 conference chair Backrest upholstered		599	604	627	667	707	760	889	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									97
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									232
AR6019	Armrest fixed, aluminium polished, softpad black									308
FC6019	Seat and back frame aluminium polished									111
LI6101	Column height adjustable									39
LI6102	Column auto-return									49
FB6049	4-arm aluminium base polished									39
CA6030	Plastic glides , metal shaft powder coated									51
CA6031	Glides with felt , metal shaft powder coated									51
CL6003	CleanGuard seat (Only for: 313-4018)									24
CL6004	CleanGuard back/seat (Only for: 313-4518)									38

- Option "auto return" requires glides instead of castors

giroflex 313 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	22
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	22
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	4

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
223488700	Aluminium BASE 7530 POLISHED	103
223488810	Aluminium base 7530 Powder coated 313, black	76
223488812	Aluminium BASE 7530 Powder coated 313, pearl-metallic	81
223488813	Aluminium BASE 7530 Powder coated 313, aluminium metallic	81

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	58
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	60

Item no	Armrests	Price
423463810	ARMREST RIGHT giroflex 313-4039	34
423462810	ARMREST LEFT giroflex 313-4039	34

Item no	Armrest-parts	Price
223504810	Insert M6 Long giroflex 313-4039	6
223505	Insert M6 Short, giroflex 313-4039	6
915144	Torx Pan Head Screw M6X20	2

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S31340	SEAT CUSHION, giroflex313-4039	100	101	105	151	160	273	319	
R31345	Back cushion, giroflex 313-4539	177	179	187	232	246	411	480	
R313-4039	Mesh back, Complete Part								134

Item no	Accessories	Price
815712710	Footring, 500 MM	174

giroflex 40 Swivel Chair

Standard configuration

- Synchronised mechanism
- Seat cushion with dual-zone seat profile
- Backrest mesh Runner
- Seat height adjustment 37-51 cm
- Seat- and backrest-support aluminium powder coated in 810 black
- Seat depth adjustment 6 cm
- Seat inclination angle 0°/-3°
- Lumbar support, height adjustable
- 5-arm plastic base in 810 black
- Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // GREENGUARD Gold Certification
Designed by Ito Design

Please note: Armrests cannot be added ore removed in a later stage.

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
										
40-4049	giroflex 40-4049		852	859	894	937	993	1 144	1 339	
Accessories/Options/Surcharges:										
7ARMR022	Armrest 3D, black									142
	Headrest adjustable		99	100	104	110	117	134	158	
7ALCO006	Seat- and back-frame aluminium polished									35
7BASC013	5-arm aluminium base black									68
7BASC015	5-arm aluminium base polished									58
7TCAS028	Castors 65 mm for soft and hard floors									18
7TCAS024	Plastic glides									51
7TCAS025	Plastic glides with felt									51

giroflex 40 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	13
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	13
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	4

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
PBC431000009005	Base, Aluminium, black, giroflex 40	113
Z03112310	Base, Aluminium, Polished,	100
Z03112222	Base, Plastic, black	30

Item no	Columns/Gas lifts	Price
Z03112421	Gaslift Black, giroflex 40, 39-51cm black	17

Item no	Mechanism parts	Price
Z05111450	Screw for connecting backrest to Mechanism	2
Z03113361	Mechanism, black LP26	291
Z04132849	Tension Lever, black, giroflex 40	5

Item no	Seat and back upholstered parts	Price
S40-4049	Seat, Mechanism + seat cushion preassembled.	494
R40-4049	Backrest, giroflex 40	459



Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
Z12112258	Headrest Adaptor, giroflex 40								4
Z11111695	Headrest Cover, giroflex 40								2
KST40-4049	Headrest, Complete, giroflex 40	99	100	104	108	116	133	156	

giroflex 353 Swivel Chair

Standard configuration

- Synchronised mechanism Automatic Move
- Seat cushion with dual-zone seat profile
- Backrest mesh Runner or upholstered
- Seat height adjustment 39-51 cm
- Seat shell, back frame, back upholstery plate in plastic 810 black
- Seat depth adjustment 6 cm
- Backrest height adjustment 6 cm
- 5-arm plastic base in 810 black
- Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-4029	giroflex 353-4029 swivel chair Backrest mesh Runner		524	528	549	613	650	735	860	
353-4529	giroflex 353-4529 swivel chair Backrest upholstered		579	584	608	751	796	1 000	1 171	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed									68
AR6022	Armrest 2D, plastic support black, with softpad									113
AR6040	Armrest 4D, plastic support black, with softpad									150
AR6042	Armrest 4D, aluminium support polished, with softpad									225
AR6045	Armrest 4D-NPR, plastic support, with softpad									196
HR6001	Headrest adjustable fabric / skai@Palma									134
HR6002	Headrest adjustable mesh Runner (Only for: 353-4029)									134
AE6001	Coat hanger powder coated 810 black									96
SE6001	Seat 3D Move									112
ME6002	Seat tilt adjustable (forward tilt 4°)									53
LS6001	Lumbar support depth adjustable (Only for: 353-4529)									47
LI6012	Comfort column on standard seat height 39-51 cm									25
LI6025	Special seat height 41-55 cm									43
LI6035	Special seat height 46-62 cm									43
LI6045	Special seat height 49-65 cm									43
LI6060	Special seat height 55-72 cm									95

Accessories/Options/Surcharges:

LI6080	Special seat height 62-79 cm	118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	50
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	18
CL6003	CleanGuard seat (Only for: 353-4029)	24
CL6004	CleanGuard back/seat (Only for: 353-4529)	38

- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 353 Conference Chair

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 German Design Award Winner 2016, Red Dot Award Winner 2014
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-3018	giroflex 353-3018 conference chair Back mesh Runner		461	465	484	546	579	665	779	
353-3518	giroflex 353-3518 conference chair Back upholstered		515	519	540	661	701	900	1 053	
Accessories/Options/Surcharges:										
AR6061	Armrest fix, steel support black									56
AR6062	Armrest fix, steel support chromium plated									114
CL6003	CleanGuard seat (Only for: 353-3018)									24
CL6004	CleanGuard back/seat (Only for: 353-3518)									38
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished									50
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded (5 pcs)									18
FB6040	4-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic									64
FB6049	4-arm aluminium base polished									93
LI6101	Column height adjustable (for 4-arm base)									38
LI6102	Column auto-return (for 4-arm base)									48
LI6103	Column height adjustable and auto-return (for 4-arm base)									84
CA6412	Castors black, 65 mm, for hard or soft floors, braked unloaded (4 pcs.)									15
CA6430	Plastic glides or glides with felt, metal shaft power coated (4 pcs)									50
CA6432	Plastic glides or glides with felt, metal shaft chromium-plated (4 pcs)									83

Option "auto return" requires glides instead of castors

giroflex 353 NPR Swivel Chair

Standard configuration
Synchronised mechanism Automatic Move
Seat cushion with dual-zone seat profile
Backrest mesh Runner
Armrest 4D-NPR, plastic support, softpad
Seat height adjustment 41-55 cm
Seat depth adjustment 38-48 cm
Backrest height adjustment 6 cm
Seat shell and back frame in plastic 810 black
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished
Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
NPR Test report
Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
										
353-4029-NPR	giroflex 353-4029-NPR swivel chair		788	795	827	879	933	1 002	1 173	

Accessories/Options/Surcharges:										
HR6002	Headrest adjustable mesh Runner									134
HR6001	Headrest adjustable fabric / skai@Palma									134
AE6001	Coat hanger powder coated 810 black									96
SE6001	Seat 3D Move									112
LI6035	Special seat height 46-62 cm									43
LI6045	Special seat height 49-65 cm									43
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded									18
CL6003	CleanGuard seat									24

giroflex 353 Visitor's Chair 4-legged

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat shell and back frame in plastic 810 black
 Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height 44 cm
 4-legged base
 Plastic glides or glides with felt
 All models are stackable

Certified in accordance to GS EN 16139
 Red Dot Award Winner 2014
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-3004	giroflex 353-3004 visitor's chair Backrest mesh Runner 4-legged		350	354	367	434	460	554	648	
353-7004	giroflex 353-7004 visitor's chair Backrest mesh Runner 4-legged With armrest		413	417	435	498	527	618	723	
353-3504	giroflex 353-3504 visitor's chair Backrest upholstered 4-legged		403	406	421	549	582	789	924	
353-7504	giroflex 353-7504 visitor's chair Backrest upholstered 4-legged With armrests		466	470	489	614	651	855	1 000	

Accessories/Options/Surcharges:

FC6199	Frame chromium plated (Only for: 353-3004, 353-3504)	84
FC6099	Frame chromium plated (Only for: 353-7004, 353-7504)	93
CL6003	CleanGuard seat (Only for: 353-3004, 353-7004)	24
CL6004	CleanGuard back/seat (Only for: 353-3504, 353-7504)	38

giroflex 353 Visitor's Chair Cantilever

Standard configuration

Formfitting seat cushion
 Backrest mesh Runner or upholstered
 Seat shell and back frame in plastic 810 black
 Steel parts powder coated in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height 44 cm
 Cantilever base
 All models are stackable

Certified in accordance to GS EN 16139

Red Dot Award Winner 2014

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
353-3003	giroflex 353-3003 visitor's chair Backrest mesh Runner Cantilever		373	376	392	456	484	576	674	
353-7003	giroflex 353-7003 visitor's chair Backrest mesh Runner Cantilever With armrests		437	441	459	523	555	642	750	
353-3503	giroflex 353-3503 visitor's chair Backrest upholstered Cantilever		421	426	443	570	604	812	949	
353-7503	giroflex 353-7503 visitor's chair Backrest upholstered Cantilever With armrests		489	494	514	637	674	878	1 028	

Accessories/Options/Surcharges:

FC6199	Frame chromium plated (Only for: 353-3003, 353-3503)	84
FC6099	Frame chromium plated (Only for: 353-7003, 353-7503)	93
CA6030	Plastic glides	21
CA6031	Glides with felt	21
CL6003	CleanGuard seat (Only for: 353-3003, 353-7003)	24
CL6004	CleanGuard back/seat (Only for: 353-3503, 353-7503)	38

giroflex 353 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	13
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	13
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	21
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	22
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	22
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	4

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
422614810	Plastic base 7130, Black	40
222615700	Aluminium Base 7030 Polished	103
222615810	Aluminium Base 7030 Powder-coated, Black	76
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	91
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	91

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	34
823017810	Column 34 Comfort, 39-51cm, black with cushion.	58
813877810	Column 22, special seat height 46-62cm	98

Item no	Mechanisms	Price
722621810	MECHANISM 520 Complete, giroflex 353	189
722622810	MECHANISM 521 Complete, with negative tilt, giroflex 353	189

Item no	Armrests	Price
622722810	Armrest pair.Fixed, Plastic.Structured, giroflex 353	85
622652810	2D-Armrest pair, in plastic, with Softpad	119
622728810	4D-Armrest pair, in plastic, with Softpad	139
622656700	4D-Armrest pair, in Aluminium, with Softpad	160
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	139

Item no	Armrest-sets	Price
624486810	2D-Armrest set, plastic Softpad, giroflex 353	151
624487810	4D-Armrest set, plastic Softpad, giroflex 353	200
624488700	4D-Armrest set, Aluminium Softpad, giroflex 353	268

Item no	Armrest-parts	Price
923792	Eccentric lever M8X49.5	6
923814	Eccentric lever, 4D armrest, Aluminium Arm support.M8X42	9
923165	Plastic Thread-SCREW 6X20	2
224047	Hex nut, size SW17 M8	2
222662	ARMREST BRIDGE, giroflex 353-4029	12
422862810	ADAPTER for fixed ARMREST, giroflex 353	5

Item no	Seat and back plastic parts	Price
422617810	Seat shell, giroflex 353-4029	32
624276810	Backrest Preassembled, giroflex 353-40/4529	103

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦
S35301	Seat cushion, giroflex 353-40/4529	100	101	105	151	160	273	319
S35303	Seat cushion, giroflex 353-4029 3D	100	101	105	151	160	273	319
R35301	Back cushion, giroflex 353-4529	130	131	137	187	198	298	350
R35302	Back cushion with Lumbar support, giroflex 353-45	141	142	148	197	209	309	360
R353-4029	Backrest Preassembled, giroflex 353-4029							

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
222683810	Coat Hanger, without headrest, powder coated, giroflex 353								63
222684810	Coat Hanger, with Headrest, powder coated, giroflex 353								70
NP3533	headrest.3D, Clean room, giroflex 353-4029								35
NP3531	Headrest cushion, giroflex 353	98	99	103	108	116	133	156	
KST353-4029	Headrest Complete, giroflex 353-4029	172	173	180	189	200	232	232	
422673810	Cover for Headrest, giroflex 353								6
622670810	Headrest set without pillow, giroflex 353								63
815712710	Footring, 500 MM								174

giroflex 434 Swivel Chair

Standard configuration

Synchronised mechanism with comfort spring force adjustment

Seat cushion with dual-zone seat profile


Backrest mesh Tricot*

Seat height adjustment 40 - 52 cm

5-arm plastic base in 810 black

Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // Designed by greutmann bolzern Designstudio

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
434-3019	giroflex 434-3019 swivel chair Low back, height 55 cm		524	530	550	600	636	718	838	
434-4019	giroflex 434-4019 swivel chair Medium back, height 61 cm		573	578	602	646	685	767	897	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed									93
AR6021	Armrest 1D, plastic support black, with softpad									127
AR6023	Armrest 2D, aluminium support black, with softpad									168
AR6050	Armrest 4D, aluminium support black, with softpad									211
LS6005	Lumbar support height adjustab									51
SD6002	Seat depth adjustment 5 cm									45
LI6030	Special seat height 43-59 cm									43
LI6035	Special seat height 46-62 cm									43
LI6050	Special seat height 52-69 cm									95
LI6075	Special seat height 59-76 cm									118
LI6095	Special seat height 66-83 cm									118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									129
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished									51
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded									18
CL6003	CleanGuard seat									24

* Colors Tricot:

uni: N470 black, N471 stone grey, N472 slate grey


bicolors: N473 stone grey/black, N474 slate grey/black, N475 red/black, N476 green/black, N477 blue/black

giroflex 64 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Seat- and backshell in plastic 810 black
Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40-52 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-3078	giroflex 64-3078 swivel chair Standard seat width 45 cm Low back height 47-54 cm		855	862	897	1001	1062	1138	1330	
64-3578	giroflex 64-3578 swivel chair Standard seat width 45 cm Medium back height 55-62 cm		969	977	1016	1152	1221	1322	1547	
64-4578	giroflex 64-4578 swivel chair Medium seat width 48.5 cm Medium back height 55-62 cm		1025	1034	1075	1212	1284	1380	1613	
Accessories/Options/Surcharges:										
	Upholstered backshell (Only for: 64-3078)		53	53	70	88	93	121	141	
	Upholstered backrest (Only for: 64-3578, 64-4578)		69	70	88	101	107	138	162	
AR6005	Armrest fixed									121
AR6020	Armrest 1D, steel support									191
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									223
AR6039	Armrest 4D, aluminium support polished, with softpad									275
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									249
AT6001	Armrest pad fabric									70
AT6002	Armrest pad leather									101

Accessories/Options/Surcharges:

CMF	Comfort upholstery	122
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	88
LS6001	Lumbar support depth adjustable	79
ME6003	Increased back tilt resistance	138
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	30
PU6000	Push rod cover	18
LI6030	Special seat height 43-59 cm	43
LI6035	Special seat height 46-62 cm	43
LI6050	Special seat height 52-69 cm	95
LI6075	Special seat height 59-76 cm	118
LI6095	Special seat height 66-83 cm	118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6019	5-arm aluminium base polished	39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	18
CL6004	CleanGuard back/seat	38
CL6005	CleanGuard back/seat/upolstered backshell	59

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 QUILT Swivel Chair - Special Collection

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Please note that this product will be discontinued when fabrics our out of stock.

Item no	Base model +	Price Group (PG)	Price
64-3578-QUI	giroflex 64-3578-QUI swivel chair Standard seat width 45 cm Medium back height 55 - 62 cm		1 237
Accessories/Options/Surcharges:			
AR6005	Armrest fixed		121
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad		223
AR6039	Armrest 4D, aluminium support polished, with softpad		275
AR6055	Armrest 4D-NPR, aluminium support black, with softpad		249
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic		88
LS6001	Lumbar support depth adjustable		79
ME6003	Increased back tilt resistance		138
PU6000	Push rod cover		18
LI6030	Special seat height 43-59 cm		43
LI6035	Special seat height 46-62 cm		43
LI6050	Special seat height 52-69 cm		95
LI6075	Special seat height 59-76 cm		118
LI6095	Special seat height 66-83 cm		118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm		129
FB6019	5-arm aluminium base polished		39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded		18

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 Executive Chair

Standard configuration

Synchronised mechanism Organicmove
Seat cushion with dual-zone seat profile
Backrest upholstered
Comfort upholstery
Seat- and backshell in plastic 810 black
Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
Fixed armrest 810 black PUR pad with aluminium support in 810 black, 812 pearl-metallic, 813 alu-metallic
Seat height adjustment 40 - 52 cm
Seat depth adjustment 2.5 cm
Backrest height adjustment 7 cm
Push rod covering
5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-9278	giroflex 64-9278 executive chair Wide seat width 51 cm High back height 60 - 67 cm		1 864	1 882	1 957	2 115	2 241	2 305	2 697	
64-9778	giroflex 64-9778 executive chair Wide seat width 51 cm High back height 60 - 67 cm Fixed headrest		2 059	2 079	2 162	2 308	2 447	2 529	2 959	
64-9878	giroflex 64-9878 executive chair Wide seat width 51 cm High back height 60 - 67 cm Height adjustable headrest		2 229	2 249	2 339	2 483	2 631	2 704	3 163	
Accessories/Options/Surcharges:										
	Upholstered backshell		87	88	101	121	128	172	202	
AR6019	Armrest fixed, aluminium polished, softpad black									53
AR6033	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									20
AR6039	Armrest 4D, aluminium support polished, with softpad									74
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									47
AT6001	Armrest pad fabric									101

Accessories/Options/Surcharges:

AT6002	Armrest pad leather	138
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	88
LS6001	Lumbar support depth adjustable	79
ME6003	Increased back tilt resistance	138
ME6019	Mechanism polished	340
LI6030	Special seat height 43-59 cm	43
LI6035	Special seat height 46-62 cm	43
LI6050	Special seat height 52-69 cm	95
LI6075	Special seat height 59-76 cm	118
LI6095	Special seat height 66-83 cm	118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6019	5-arm aluminium base polished	39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	18
CL6004	CleanGuard back/seat	38
CL6005	CleanGuard back/seat/upolstered backshell	59

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	13
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	13
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	15
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	15

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
213580700	Aluminium Base 7830.1 Polished	117
213580810	Aluminium BASE 7830.1 Powder-coated, black	84
213580812	Aluminium BASE 7830.1 Powder-coated, pearl-metallic	79
213580813	Aluminium BASE 7830.1 Powder-coated, aluminium metallic	79

Item no	Columns/Gas lifts	Price
823265810	Column 16, black, Standard seat height 40-51cm	58
823265700	Column 16, chromed, Standard seat height 40-51cm	71
813877810	Column 22, special seat height 46-62cm	98
812625810	Column 18, special seat height 52-69cm	116

Item no	Mechanisms	Price
713317810	Mechanism 200, black	536
713317812	Mechanism 200, pearl-metallic	494
713317813	Mechanism 200, aluminium metallic	494
713317700	Mechanism 200, polished aluminum	945
724426810	Mechanism 200 lumbar support, black	146
724426812	Mechanism 200 lumbar support, pearl-metallic	146
724426813	Mechanism 200 lumbar support, aluminium metallic	146
724426700	Mechanism 200 lumbar support, polished aluminum	146

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism. 200	13
713321	Handle Left,height adjustment. Preassembled for mechanism. 200	13
223352	Tension Lever, 200	21

Item no	Mechanism parts	Price
413103810	Turning knob, mechanism 200	5
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	24

Item no	Armrests	Price
413137810	Fixed armrest Left, giroflex 64-30/3578	67
413138810	Fixed armrest Right, giroflex 64-30/3578	67
614202810	4D-Armrest, Left Preassembled, black	122
614202812	4D-Armrest, Left Preassembled, pearl-metallic	122
614202813	4D-Armrest, Left Preassembled, aluminium metallic	122
614202700	4D-Armrest, Left Preassembled, polished aluminum	153
614203810	4D-armrest, right preassembled, black	122
614203812	4D-armrest, right preassembled, pearl-metallic	122
614203813	4D-armrest, right preassembled, aluminium metallic	122
614203700	4D-armrest, right preassembled, polished aluminum	153
620618810	4D-NPR standard, armrest right	91
213399810	Armrest Body, Left. giroflex 64-92/97, black	139
213399812	Armrest Body, Left. giroflex 64-92/97, pearl-metallic	139
213399813	Armrest Body, Left. giroflex 64-92/97, aluminium metallic	139
213399700	Armrest Body, Left. giroflex 64-92/97, polished aluminum	191
213400810	Armrest.Body, Right. giroflex 64-92/97, black	236
213400812	Armrest.Body, Right. giroflex 64-92/97, pearl-metallic	139
213400813	Armrest.Body, Right. giroflex 64-92/97, aluminium metallic	139
213400700	Armrest.Body, Right. giroflex 64-92/97, polished aluminum	191

Item no	Armrest-sets	Price
614131810	1D-Armrest set assembled for installation, giroflex 64, black	212
614131812	1D-Armrest set assembled for installation, giroflex 64, pearl-metallic	212
614131813	1D-Armrest set assembled for installation, giroflex 64, aluminium metallic	212
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	282
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	282
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	282
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	343
624441810	4D-NPR preassembled 64 armrest set, black	352

Item no	Armrest-parts	Price
413204810	Armrest Top for 1D, giroflex 64-30/3578	13
413737810	Armpad with Foamed Top for 4D-Armrest, giroflex 64-30/3578	24
413401810	Armrest Top giroflex 64-92/97	149

Item no	Seat and back plastic parts	Price
413127810	Seat shell, giroflex 64-30/3578	29

Item no	Seat and back plastic parts	Price
413388810	Seat shell giroflex 64-45/9278	38
413128810	Back shell, giroflex 64-3078	43
413129810	Back shell, giroflex 64-35/4578	51
413389810	Back shell, giroflex 60 and 64-92/9778	106
624173810	Back shell with Lumbar function, giroflex 64-3078	104
624174810	Back shell with Lumbar function, Preassembled, giroflex 64-35/4578	104
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	162

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S64301	Seat Cushion. giroflex 64-30/3578	133	134	140	202	213	248	291	
S64321	Seat Cushion. giroflex 64-30/3578 CMF	174	175	183	247	263	337	394	
S64401	Seat Cushion. giroflex 64-40/4578	143	144	150	210	224	259	303	
S64421	Seat Cushion. giroflex 64-4578 CMF	188	190	197	263	278	364	425	
S64521	Seat Cushion. giroflex 64-92/9778	216	219	228	334	353	408	478	
S64405	Seat Cushion. D.50MM, giroflex 64-4578	154	155	162	222	234	272	318	
S64425	S-CUSH.D.50MM 64-4578 CMF	198	201	208	271	287	374	438	
S64322	Seat Cushion, QUILT, giroflex 64-3578-QUI								232
R64301	Back Cushion, giroflex 64-3078	153	154	161	219	232	269	314	
R64302	Back Cushion, giroflex 64-3078-LAB		74	77					
R64321	Back Cushion, giroflex 64-3078 CMF	201	203	210	275	292	393	460	
R64351	Back Cushion, giroflex 64-3578	174	175	183	242	256	297	348	
R64371	Back Cushion, giroflex 64-3578 CMF	231	233	243	280	298	424	497	
R64521	Back Cushion, giroflex 64-9278	306	309	320	433	459	551	645	
R64-5778	Back Cushion, giroflex 64-9778	306	309	320	433	459	551	645	
R64581	Back Cushion, giroflex 64-9878	306	309	320	433	459	551	645	
R64372	Back Cushion, QUILT, giroflex 64-3578-QUI								286
RS6430	Back shell, giroflex 64-3078	207	209	218	229	243	280	329	
RS6435	Back shell, giroflex 64-35/4578	221	223	231	243	257	298	349	
RS6452	Back shell, giroflex 64-9278	345	349	363	381	404	468	549	

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
NP6457	Headrest CUSHION 64-9778	194	196	205	206	208	232	271	
NP6458	Headrest CUSHION 64-9878	268	270	280	295	312	362	423	
213304810	Coat Hanger, Complete. Powder Coated, giroflex 64-3578								100
815712710	Footring, 500 MM								174

giroflex 68 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered or mesh (Runner or Softtouch)
 Y-support and mechanism in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 5 cm
 Backrest height adjustment 7 cm
 5-arm plastic base in 810 black
 Castors black Ø 65 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
68-3509	giroflex 68-3509 swivel chair Backrest upholstered		713	720	748	867	919	1 084	1 270	
68-3519	giroflex 68-3519 swivel chair Backrest mesh (Runner or Softtouch)		843	851	885	964	1 022	1 068	1 249	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed									114
AR6070/6072/6073	Armrest 3D, aluminium support 810 black, 812 pearl-metallic or 813 alu-metallic									195
AR6079	Armrest 3D, aluminium support polished									247
SPD6000	Softpad for armrest 3D									75
AR6050	Armrest 4D, aluminium support black, with softpad									211
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									244
HR6001	Headrest adjustable fabric / skai®Palma									218
HR6002	Headrest adjustable mesh Runner (Only for: 68-3519)									218
HR6003	Headrest Leather									255
HR6019	Headrest support chromium plated									20
CMF	Comfort upholstery 68-3509									117
CMF	Comfort upholstery 68-3519									77
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic 68-3509									89
AE6010	Coat hanger powder coated 810 black, 812 pearl metallic or 813 alu-metallic 68-3519									104
LS6001	Lumbar support depth adjustable (Only for: 68-3509)									82
ME6002	Seat tilt adjustable (forward tilt 4°)									39

Accessories/Options/Surcharges:

ME6019	Mechanism polished	174
YS6019	Y-support polished 68-3509	75
YS6019	Y-support polished 68-3519	104
PU6000	Push rod cover	18
LI6025	Special seat height 41-55 cm	43
LI6035	Special seat height 46-62 cm	43
LI6055	Special seat height 54-70 cm	95
LI6075	Special seat height 59-76 cm	118
LI6095	Special seat height 66-83 cm	118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	51
CL6003	CleanGuard seat (Only for: 68-3519)	24
CL6004	CleanGuard back/seat (Only for: 68-3509)	38

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 54-70 cm and above

giroflex 68 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	21
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	22
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	22
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	15
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	15
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	4

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
221813700	Aluminium base 9530 5-leg, polished	103
221813810	Aluminium base 9530 5-leg, Powder-coat, black	76
221813812	Aluminium base 9530 5-leg, Powder-coat, peral-metallic	70
221813813	Aluminium base 9530 5-leg, Powder-coat, aluminium metallic	70
421426810	Base, Plastic, black, 8830	40

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	58
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	60
823053810	Column/Gas lift Comfort, for plastic base – seat height 39-51cm, black, giroflex 68	61
814954810	Telescope for Gas lift 175 MM, for special seat height 46-62 cm, giroflex 68	116
813877810	Column 22, special seat height 46-62cm	98

Item no	Mechanisms	Price
714796810	Mechanism 400, Preassembled, giroflex 68, black	452
714796812	Mechanism 400, Preassembled, giroflex 68, pearl-metallic	459
714796813	Mechanism 400, Preassembled, giroflex 68, aluminium metallic	459
714796701	Mechanism 400, Preassembled, giroflex 68, polished aluminum	369
714859810	Mechanism 401, Preassembled, giroflex 68, black	305
714859812	Mechanism 401, Preassembled, giroflex 68, pearl-metallic	305
714859813	Mechanism 401, Preassembled, giroflex 68, aluminium metallic	305
714859701	Mechanism 401, Preassembled, giroflex 68, polished aluminum	369

Item no	Mechanism parts	Price
414612810	Guide Below, giroflex 68	9
414518810	Guide Top, giroflex 68	9
215379	Leaf spring 3.2mm Mechanism 400	18
419488	Spring for mechanism 400	25
914823	COMPRESSION SPR.25.1X14.0X1.4	3
414632000	Lever to lock mechanism 400	9
414552810	Release button, back height adjustment, giroflex 68	9
414631810	Handle to lock mechanism, giroflex 68	5
414628810	Button to seat debth adjustment, giroflex 68	9
413988810	Turning Knob, mechanism 300/400	3

Item no	Armrests	Price
619406810	3D-Armrest Complete. Left Structured, black	119
619406812	3D-Armrest Complete. Left Structured, pearl-metallic	119
619406813	3D-Armrest Complete. Left Structured, aluminium metallic	119
619406700	3D-Armrest Complete. Left Structured, polished aluminum	150
619407810	3D-Armrest Complete. Right Structured , black	119
619407812	3D-Armrest Complete. Right Structured, pearl-metallic	119
619407813	3D-Armrest Complete. Right Structured, aluminium metallic	119
619407700	3D-Armrest Complete. Right Structured, polished aluminum	150
619613810	3D-Armrest Complete. Left, Softpad, black	134
619613812	3D-Armrest Complete. Left, Softpad, pearl-metallic	134
619613813	3D-Armrest Complete. Left, Softpad, aluminium metallic	134
619613700	3D-Armrest Complete. Left, Softpad, polished aluminum	163
619614810	3D-Armrest Complete. Right, Softpad, black	134
619614812	3D-Armrest Complete. Right, Softpa, pearl-metallic	134
619614813	3D-Armrest Complete. Right, Softpad, aluminium metallic	134
619614700	3D-Armrest Complete. Right, Softpad, polished aluminum	163
620617810	4D-NPR standard, armrest left	91
620618810	4D-NPR standard, armrest right	91
414768810	Fixed Armrest Y-support, left	67
414769810	Fixed Armrest Y-support, right	67

Item no	Armrest-sets	Price
624446810	3D-Armrestset preassembled., black	238
624446812	3D-Armrestset preassembled, pearl-metallic	238
624446813	3D-Armrestset preassembled, aluminium metallic	238
624446700	3D-Armrestset preassembled, polished aluminum	298
624447810	3D-Armrestset preassembled, Softpad, black	267
624447812	3D-Armrestset preassembled, Softpad, pearl-metallic	267

Item no	Armrest-sets	Price
624447813	3D-Armrestset preassembled, Softpad, aluminium metallic	267
624447700	3D-Armrestset preassembled, Softpad, polished aluminum	327
624450810	Fixed Armrestset preassembled.	243
624448810	4D-Armrestset preassembled, black	268

Item no	Armrest-parts	Price
618826810	3D-Armrest preassembled Left	47
618827810	3D-Armrest preassembled Right	47
418832810	Armpad, SoftPad for 2/3D-Armrest	43
418830810	Armpad, Structured 2/3D-Armrest	28
414614810	Insert Right 2/3D-Armrest	9
414770810	Fixed Armrest, Structured Top	18

Item no	Seat and back plastic parts	Price
414520810	Back shell	28
414531810	Seat Shell	19
624172810	Back shell with Lumbar Function, giroflex 68-3509	116

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S68351	Seat cushion, giroflex 68-3509	120	121	125	166	175	204	238	
S68371	Seat cushion, giroflex 68-3509 CMF	160	161	167	221	233	293	342	
R68351	Back cushion, giroflex 68-3509	111	112	117	163	172	200	233	
R68352	Back cushion, with Lumbar Function, giroflex 68-35	111	112	117	163	172	200	233	
R68371	Back cushion, with comfort upholstery	154	155	162	200	211	277	324	
R68372	Back cushion with comfort upholstery. With lumbar support	154	155	162	200	211	277	324	
R68-3519	Backrest mesh preapplied. giroflex 68-3519								281
R68-3619	Backrest mesh preapplied. Drilled. giroflex 68-3519								290


Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
KST68-3609	Headrest complete, giroflex 68-3509	197	200	207	218	231	252	296	
KST68-3619	Headrest complete, giroflex 68-3519	263	265	275	288	306	335	392	
NP68	NECKREST CUSH.68-3519	196	198	206	216	230	267	312	
815712710	Footring, 500 MM								174

giroflex 353 adapt Laboratory Chair

Standard configuration

Synchronised mechanism Automatic Move (without finetuning of back tilt resistance)
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Seat depth adjustment 6 cm
 Backrest height adjustment 6 cm
 5-arm plastic base in 810 black
 Glides or castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	② Price
353-4529-LAB	giroflex 353-4529-LAB swivel chair		551

Accessories/Options/Surcharges:

AR6005	Armrest fixed	67
AR6022	Armrest 2D, plastic support black, with softpad	112
AR6040	Armrest 4D, plastic support black, with softpad	147
AR6042	Armrest 4D, aluminium support polished, with softpad	223
AR6045	Armrest 4D-NPR, plastic support, with softpad	195
ME6007	Fine adjustment of back tilt resistance	36
ME6008	Seat tilt adjustment 4° (incl. fine adjustment of back tilt resistance)	89
LS6001	Lumbar support depth adjustable	46
PU6000	Push rod cover	18
LI6025	Special seat height 41-55 cm	43
LI6035	Special seat height 46-62 cm	43
LI6045	Special seat height 49-65 cm	43
LI6060	Special seat height 55-72 cm	95
LI6080	Special seat height 62-79 cm	116
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6010	5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic or polished	50
CA6012	Castors black, 65 mm, for hard and soft floors, braked unloaded	18

- Option "seat tilt adjustment": only available in combination with option "fine tuning of back tilt resistance"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 64 adapt Cashier Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat- and backshell, mechanics 810 black
 Seat height adjustment 39-51 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base Ø 60 cm in 810 black
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-3080	giroflex 64-3080 cashier chair Standard seat, width 45 cm Low back, height 47-54 cm		748	754	785	864	916	1 063	1 243	
64-4080	giroflex 64-4080 cashier chair Medium seat, width 48.5 cm Low back, height 47-54 cm		801	808	841	923	977	1 134	1 325	
Accessories/Options/Surcharges:										
CMF	Comfort upholstery									118
CMFSTD	Comfort upholstery, only seat									55
PU6000	Push rod cover									18
LI6030	Special seat height 43-59 cm									43
LI6035	Special seat height 46-62 cm									43
LI6040	Special seat height 47-65 cm									43
LI6050	Special seat height 52-69 cm									95
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									129
FB6019	5-arm aluminium base polished									43
CL6004	CleanGuard back/seat									38

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 47-65 cm and above

giroflex 64 adapt Laboratory Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Upholstery without grooves
 Seat- and backshell plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Glides or castors black Ø 50 mm for hard or soft floors, braked unloaded.

Certified in accordance to GS EN 1335-1/-2/-3
 Ergonomics approved (LGA)

Item no	Base model +	Price Group (PG)	② Price
---------	--------------	------------------	---------

64-3078-LAB	giroflex 64-3078-LAB swivel chair Standard seat width 45 cm Low back height 47-54 cm		855
64-3578-LAB	giroflex 64-3578-LAB swivel chair Standard seat width 45 cm Medium back height 55-62 cm		968

Accessories/Options/Surcharges:

AR6005	Armrest fixed	120
AR6020	Armrest 1D, steel support	190
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	223
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	248
LS6001	Lumbar support depth adjustable	79
PU6000	Push rod cover	18
LI6030	Special seat height 43-59 cm	43
LI6035	Special seat height 46-62 cm	43
LI6050	Special seat height 52-69 cm	95
LI6075	Special seat height 59-76 cm	118
LI6095	Special seat height 66-83 cm	118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	129
FB6019	5-arm aluminium base polished	39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	18

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 64 adapt 24/7 Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Backshell in plastic 810 black
 Armrest fixed
 Seat height adjustment 40-52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	③	⑥	Price
64-9278-24h	giroflex 64-9278-24h swivel chair		2 145	2 451	
64-9878-24h	giroflex 64-9878-24h swivel chair With headrest		2 508	2 841	
Accessories/Options/Surcharges:					
	Upholstered backshell		101	133	
AR6019	Armrest fixed, aluminium polished, softpad black				53
AR6030	Armrest 4D, aluminium support powder coated 810 black, with softpad				20
AR6055	Armrest 4D-NPR, aluminium support black, with softpad				47
AT6001	Armrest pad fabric				101
AT6002	Armrest pad leather				138
AE6010	Coat hanger powder coated 810 black				88
LS6001	Lumbar support depth adjustable				79
ME6019	Mechanism polished				340
PU6000	Push rod cover				18
LI6030	Special seat height 43-59 cm				43
LI6035	Special seat height 46-62 cm				43
LI6050	Special seat height 52-69 cm				95
LI6075	Special seat height 59-76 cm				118
LI6095	Special seat height 66-83 cm				118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				129

Accessories/Options/Surcharges:

FB6019	5-arm aluminium base polished	39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	18
CL6004	CleanGuard back/seat	38
CL6005	CleanGuard back/seat/upolstered backshell	59

- Headrest: optional in vinyl skai®Palma (no surcharge - only in PG2)
- Armrest pad fabric/leather: only for armrest fix
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 60 adapt 24/7 Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest with highly contoured side bolsters for perfect support
 Comfort upholstery
 Backshell in plastic 810 black
 Armrest 4D with plastic support black and softpad
 Seat height adjustment 40-52 cm
 Seat depth adjustment 5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS 24h/150kg, EN 1335-1/-2/-3

Item no	Base model +	Price Group (PG)	③	⑥	Price
60-9229-24h	giroflex 60-9229-24h swivel chair		2 034	2 337	
60-9829-24h	giroflex 60-9829-24h swivel chair With headrest - height adjustable and inclinable		2 396	2 729	
Accessories/Options/Surcharges:					
	Upholstered backshell		101	133	
AR6044	Armrests foldable				147
AR6042	Armrest 4D, aluminium support polished, with softpad				156
AE6010	Coat hanger powder coated 810 black				88
LS6001	Lumbar support depth adjustable				79
ME6019	Mechanism polished				340
PU6000	Push rod cover				18
LI6025	Special seat height 41-55 cm				43
LI6035	Special seat height 46-62 cm				43
LI6045	Special seat height 49-65 cm				43
LI6060	Special seat height 55-72 cm				95
LI6080	Special seat height 62-79 cm				118
FR6001	Footring chromium plated, centre piece black, Ø 50 cm				129
FB6019	5-arm aluminium base polished				39
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded				18
CL6004	CleanGuard back/seat				38

Accessories/Options/Surcharges:

CL6005	CleanGuard back/seat/upolstered backshell	58
--------	---	----

- Headrest: optional available in vinyl skai®Palma (no surcharge - only in PG2)
- Sidebolsters seat/back: optional available in vinyl skai®Palma black (no surcharge - only in PG2)
- Option "foldable armrests": backrest is fixed, no height adjustment
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49 - 65 cm and above

giroflex 60 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	22
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	22
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	21
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	21
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	4

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	16
122287810	Glide to swivel chair with felt – Price per unit	19

Item no	Bases	Price
422614810	Plastic base 7130, Black	40
222615700	Aluminium Base 7030 Polished	103
222615810	Aluminium Base 7030 Powder-coated, Black	76
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	91
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	91

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	34
823017810	Column 34 Comfort, 39-51cm, black with cushion.	58
813877810	Column 22, special seat height 46-62cm	98

Item no	Mechanisms	Price
713317810	Mechanism 200, black	536
713317812	Mechanism 200, pearl-metallic	494
713317700	Mechanism 200, polished aluminum	945
724426810	Mechanism 200 lumbar support, black	146
724426812	Mechanism 200 lumbar support, pearl-metallic	146
724426813	Mechanism 200 lumbar support, aluminium metallic	146
724426700	Mechanism 200 lumbar support, polished aluminum	146

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism. 200	13
713321	Handle Left,height adjustment. Preassembled for mechanism. 200	13
223352	Tension Lever, 200	21
413103810	Turning knob, mechanism 200	5

Item no	Mechanism parts	Price		
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	24		
Item no	Armrests	Price		
622652810	2D-Armrest pair, in plastic, with Softpad	119		
622728810	4D-Armrest pair, in plastic, with Softpad	139		
622656700	4D-Armrest pair, in Aluminium, with Softpad	160		
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	139		
624375810	Armrest, foldable, left	200		
624376810	Armrest, foldable, right	200		
Item no	Armrest-sets	Price		
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	282		
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	282		
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	282		
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	343		
Item no	Seat and back plastic parts	Price		
415875810	Seat shell giroflex 545/60	43		
413389810	Back shell, giroflex 60 and 64-92/9778	106		
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	162		
Item no	Seat and back upholstered parts	③	⑥	⑦
R60921	Back cushion, giroflex 60-9229	336	524	612
R60922	Back cushion foldable Armrest	336	524	612
R60923	Back cushion foldable Armrest, with Lumbar function	376	566	663
R60924	Back cushion with lumbar function	376	566	663
S60921	Seat cushion, giroflex 60-92/98	235	392	459
Item no	Accessories	③	⑥	
NP60-9829-24H	Headrest Cushion, giroflex 60	335	431	

Measurements - Office Range (1)

MEASURING POINTS



Seat height



Total height



Backrest height



Armrest height



Seat width



Total width



Backrest width



Seat depth

Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Conference Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

Measurements - Office Range (2)

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Conference Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120	15.4
		434-4019	40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
	Visitor's Chair	434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

Measurements - Adapt Range

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
Giroflex Adapt	Laboratory	64-3078-LAB	40-52	92-111	47-54	45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578-LAB	40-52	100-119	55-62	45	43	66	41.5-44	0-12	0-24	45-120	17.4
		353-4529-LAB	39-51	100-119	60-66	49	46	70	38-44	0-12	0-21	45-120	14.3
	24/7	60-9229-24h	40-52	105-124	59-66	50	48	70	41-46	0-12	0-24	65-150	22.4
		60-9829-24h	40-52	123-152	59-66	50	48	70	41-46	0-12	0-24	65-150	26
		64-9278-24H	40-52	106-125	60-67	51	47	66	45-47.5	0-12	0-24	65-150	21.8
		64-9878-24H	40-52	119-148	60-67	51	47	66	45-47.5	0-12	0-24	65-150	25.6
	Check-out	64-3080	39-51	91-110	47-54	45	43	62	41.5-44	0-12	0-24	45-120	16.6
		64-4080	39-51	91-110	47-54	49	43	62	41.5-44	0-12	0-24	45-120	17

Packaging measurements

Changes from 18th of September 2023:

Giroflex will implement 100% recyclable boxes. It will be the possibility to order swivel chairs in fully, or semi knocked down versions – depending on model .

This will become the standard option and has many benefits e.g. logistic flow emits less CO2, boxes take less storage and are easier to carry on.

Underneath you will see an overview of possible choices per model.

Model	Type	Configuration	Assembled in foil ¹		Assembled in box		Semi-knocked down		Fully knocked down	
			Possibility		Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)
10-2020	Sit-stand Stools	All options	NO		YES	380X340X720	NO	n/a	NO	n/a
10-3020	Sit-stand Stools	All options	NO		YES	380X340X720	NO	n/a	NO	n/a
161-6003	Conference	All options	NO		YES	670x730x955	NO	n/a	NO	n/a
161-6203	Conference	All options	NO		YES	670x730x955	NO	n/a	NO	n/a
161-6403	Conference	All options	NO		YES	670x730x955	NO	n/a	NO	n/a
161-6403-KNI	Conference	All options	NO		YES	670x730x955	NO	n/a	NO	n/a
313-4018	Swivel/Visitor	All options	YES		YES	670x730x1160	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 39-51,49-65;52-69;57-74	YES		YES	735x760x1115	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 64-81	YES		YES	735x760x1315	YES	670x730x835	NO	n/a
313-4518	Swivel/Visitor	All options	YES		YES	670x730x1160	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 39-51,49-65;52-69;57-74	YES		YES	735x760x1115	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 64-81	YES		YES	735x760x1315	YES	670x730x835	NO	n/a

			Assembled in foil ¹	Assembled in box		Semi-knocked down		Fully knocked down	
353-3003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3018	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-3018-C2G	Swivel/Visitor	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
353-3503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-3504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	670x730x835	NO	n/a
353-3518	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	670x730x835	NO	n/a
353-4029	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	No headrest & Seat height 39-51;41-55;46-62	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	No headrest & Seat height 49-65;55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4029-NPR	Swivel	headrest & Seat height 39-51;41-55	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4029-NPR	Swivel	headrest & Seat height 41-55;46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529	Swivel	headrest & Seat height 39-51;41-55;	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

353-4529	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529-LAB	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-7003	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7003	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7004	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7004	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7503	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7503	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-7504	Conference	1pcs in Box	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
353-7504	Conference	2pcs in Box	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
40-4049	Swivel	Without headrest	YES	YES	YES	735x760x1115	YES	670x730x955	NO	n/a
40-4049	Swivel	With Headrest	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
434-3003	Conference	All options	NO	YES	YES	670x730x1160	NO	n/a	NO	n/a
434-3019	Swivel	Seat height 40-52;43-59;46-62; 52-69	YES	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
434-3019	Swivel	Seat height;59-76; 66-83	YES	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
434-3019-C2G	Swivel	All options	NO	NO	NO	n/a	NO	n/a	YES	680x680x440
434-4019	Swivel	Seat height 40-52;43-59;46-62	YES	YES	YES	735x760x1115	NO	n/a	YES	815x720x515
434-4019	Swivel	Seat height 55-72;62-79	YES	YES	YES	735x760x1315	NO	n/a	YES	815x720x515
434-7013	Conference	All options	NO	YES	YES	670x730x955	NO	n/a	NO	n/a
434-7929	Swivel	All options	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 40-52;41-55;46-62;49-65	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 55-72; 59-76; 62-79	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
545-4529	Swivel	headrest & Seat height 40-52;41-55;-46-62;55-72;49-65	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a

545-4529	Swivel	headrest & Seat height 59-76; 62-79	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x1160	NO	n/a
60-9229-24H	Swivel	Seat height 40-52, 43-59	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 46-62; 52-69; 59-76	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x955	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x955	NO	n/a
64-3078	Swivel	Seat height 40-52, 43-59; 46-62; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 40-52, 43-59; 46-62; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 39-51, 40-52; 43-59; 46-59; 47-65; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 39-51, 40-52; 43-59; 46-59; 47-65; 52-69	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 40-52, 43-59; 46-62	YES	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a

64-9278	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278-24H	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3509	Swivel	No headrest & Seat height 40-52,41-55;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3509	Swivel	No headrest & Seat height 54-70; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3509	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3509	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3519	Swivel	No headrest & Seat height 40-52,43-59;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3519	Swivel	No headrest & Seat height 52-69; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3519	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3519	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a

1 Option "Assembled in foil" only available in Switzerland, Germany, France and Benelux

Standard fabrics

Delivery times for standard and extended colour range:

This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.

Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.

The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance:

To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 100% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 100% post-consumer recycled polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)




CU60999



CU66165



CU60109



CU60110

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom


Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)




EXR009




EXR026



EXR046



EXR081



EXR145

RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post-consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The palette of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

Composition: 80% polyester, 20% post-consumer recycled polyester

Weight: 510 g/lm

Abrasion resistance: 70000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Inger Mosholt Nielsen, Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash orl dry cleaning (For further info follow Gabriel´s cleaning guidelines www.gabriel.dk)



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



SKAI PALMA - PRICE GROUP 2

Skai Palma is a synthetic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

- Composition:** 89% PVC-Compound, 11% CO/PES-knitted fabric
- Weight:** 825 +/- 50 g/m2
- Thickness:** 1,3 +/- 0,2mm
- Abrasion resistance:** 100 000 Martindale (EN ISO 5470-2)
- Flammability:** DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4-5 (EN ISO 12945-2)
- Environmental facts:** Fulfills REACH requirements, ISO 14001 certified company
- Produced in:** Germany
- Cleaning & disinfection:** For Cleaning and disinfection follow Skai's cleaning guidelines www.skai.com)




PLM701


CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

- Composition:** 85% New Zealand wool, 15% polyamide
- Abrasion resistance:** 200.000 Martindale (EN ISO 12947-2)
- Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM
- Light fastness:** 5-7 (EN ISO 105-B02)
- Rubbing fastness:** 4-5/4-5 (Wet/Dry) (EN ISO 105X12)
- Pilling:** 4-5 (EN-ISO 12945-2)
- Environmental facts:** EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company
- Design:** Cenk Kivrikoglu
- Produced in:** Lithuania
- Cleaning:** Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




CPT4102




CPT4301



CPT4401




CPT4601



CPT5101




CPT5103




CPT5501



CPT6001



CPT6401



CPT6601

FOCUS (GABRIEL) - PRICE GROUP 3

Focus is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK, AM 18 - NF D 60-013-(only for fabric)

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FC60999



FC61042



FC61039



FC61036

FOCUS MELANGE (GABRIEL) - PRICE GROUP 3

Focus Melange is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear. The equal thickness between the warp and weft yarn give a harmonious and symmetric melange colour expression.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)




FCM68247



FCM61240



FCM60900



FCM60310



FCM60308

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool

Weight: 530 g/lm

Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex  Standard 100, ISO 14001 certified company

Design: Dorte Bo Bojesen

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)




GA60019




GA60999



GA64089



GA66004



GA66005



GA60003

GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

Composition: 69 % Cradura , PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR , CV FR

Weight: 465 g/lfm

Abrasion resistance: 465'000 Martindale, EN ISO 12947-2

Flammability: EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260

Light fastness: 6, EN ISO 105-B02

Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105-X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: Oeko-Tex  Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified  Silver, recyclable.

Designed by: Climatex Design team


Produced in: Germany



GRO099



GRO094



GRO092



GRO051

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m²

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

Composition: 100% Trevira cs

Weight: 336 g/m²

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)




STM67004



STM64159



STM66018



STM60011

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction creates a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)



STT190



STT655

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, , BS 5852 Crib 5 (with treatment), BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)



STT133

STT153

STT213

STT253

STT276

STT383

STT645

STT796

PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2,0 N/cm ISO 11644


Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier – www.wollsdorf.com



ATG55206

ATG55185

ATG55115


ATG56100

ATG55130

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

- Thickness:** 1.1 - 1.3 mm
- Flammability:** BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175
- Light fastness:** 6 (EN ISO 105-B02)
- Rubbing:** Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640
- Finish-adhesion:** ≥ 2 N/cm - ISO 11644
- Tear-strength:** ≥ 20 N/cm DIN 53329-A
- Environmental facts:** Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO₂ neutral on energy.
- Animal Welfare:** All hides are by-products from the meat and dairy industries with traceability back to the farm. Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)
- Produced in:** Sweden
- Cleaning:** (Follow the guidelines by our supplier – www.elmoleather.com)



Product specific fabrics

This is Giroflex selection of special textiles for certain products.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric with a specially designed and constructed mix of natural and syntehtic fibers. Its honeycomb pattern creates depth and texture with a smothh touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™

Weight: 415 g/lm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)


Perspiration fastness: 5/5 (alkaline/acid) (EN ISO 105-E04)

Environmental facts: Cradle to Cradle Certified™ silver, Oeko-Tex® Standard 100, recyclable

Design: Climatex Design team

Produced in: Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

SYNERGY QUILT HOURGLASS (CAMIRA) - PRICE GROUP OD*

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

Composition: 95% pure new wool, 5% nylon with polyester and polyurethane foam backing

Weight: 700 g/m2 ±10%

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: California Technical Bulletin 117 - 2013, CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)

Light fastness: 4 (AATCC-16) 5 (EN ISO 105 - B02)

Colour fastness: 3/4 (Wet/Dry) (AATCC-8)

Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)

Environmental facts: Non metallic dyestuffs, ISO 14001 certified company

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


Only for giroflex 64-3578-QUI (Available on Demand as long as stock lasts)




QSH17




QSH35



QSH62



QSH69



QSH84

SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.

Composition: 76% polyester, 23% ployamide, 1% stainless steel

Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021 1

Light fastness: 5-7 (EN ISO 105 - B02)


Rubbing fastness: 5/4 (Wet/Dry) (EN ISO 105X12)

Environmmnetal facts: ISO 14001 certified company

Designed by: Krall & Roth design team

Produced in: Germany

Mesh fabric – only for backrest giroflex 68



N460

KNIT MESH

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It´s solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.

Composition: 100% polyester

Abrasion resistance: 28 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard

Light fastness: 6 (EN ISO 105 - B02)

Pilling: 4-5 (BS EN ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals

Design: Camira Technical Knitting team & Flokk Design team


Produced in: United Kingdom

Cleaning & disinfection: Bleach cleanable (For further info follow Camia´s cleaning guidelines – www.camirafabrics.com)


Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI




KNI099




KNI100



KNI101



KNI102



KNI104

NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

Composition: 100% polyester flame retardant (Trevira CS)


Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M1


Light fastness: 4-5 (EN ISO 105 - B02)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Mesh only for giroflex 434




N470




N471




N472




N473




N474



N475



N476



N477

* OD – Price on demand

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

Supplier/Collection	Price group
Camira Fabrics – www.camirafabrics.com	
Blazer	3
Mainline Flax	3
Oceanic*	3
Quest	3
RePlay	3
Xtreme*	3
Climatex/Jab – www.climatex.jab.de	
Grano*	3
Strong* ²⁾	3
Elmo – www.elmoleather.com	
Elmosoft* ¹⁾	OR
Gabriel – www.gabriel.dk	
Capture*	3
Cura*	3
Comfort+	5
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic*	3
Lense	3
Renewed Loop	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3
Synergy	3
Tonal	3

COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special

Other fabrics. Prices and delivery on request.

Supplier/Collection	Price group
Kvadrat – www.kvadrat.dk	
Canvas 2	4
Naveli	4
Remix 3	3
Steelcut 3*	4
Steelcut Quartet	4
Steelcut Trio 3*	4
Vidar 4	6
Ludvig Svensson – www.ludvigsvensson.com	
Semi	3
Skai – www.skai.com	
Skai Palma*	2
Wollsdorf – www.wollsdorf.com	
Paloma - Leather*	OR

* Non standard colours

OR = on request

¹⁾ = Not for LAB/24H/cashier

²⁾ = Only for giroflex 60 and 64 -24h chairs



Flokk is the leading manufacturer of high-quality workplace furniture in Europe, with a strong foothold in North America, developing a growing family of global brands. We are the proud owner of product brands HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection and Malmstolen.

Our head office is in Oslo, Norway, with main production sites in Røros (Norway), Nässjö (Sweden), Turek (Poland), Huddersfield (UK), Reno NV (USA), Delanco NJ (USA) and Hawthorne CA (USA). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, Canada, China and Australia. Flokk products are sold in more than 80 countries worldwide.

About 1950 employees work together to realise the vision of Flokk:
Inspire great work.

Flokk AS
Drammensveien 145
0277 Oslo

Phone: 22595900
E-mail: info-no@flokk.com
www.flokk.com