

Price list

01 / 2026

Workstations

I. System-eM 6

II. System-eM / Lano-E desks with electric height adjustment 52

III. Op-Lite 62

IV. Wariant 84

V. Idea 100

VI. Space arrangement systems 110

VII. StartUs 126

VIII. Acoustics 132

IX. Seating 150

X. Storage 166

XI. BookinGO 236

XII. CulinArt 240

Executive furniture

Contents

XIII. Ario 248

XIV. Eleganza 278

XV. Sirio 284

XVI. Toris 304

XVII. AXY-Line 314

XVIII. L-Line 334

XIX. Amara 342

XX. Fineze 344

XXI. Lusso 352

Reception counters

XXII. Emel 366

XXIII. Vero 388

XXIV. Nivero 396

XXV. Axer 400

XXVI. Sinto 406

XXVII. Averto 410

Accessories

XXVIII. Complementary furniture 414

XXIX. Partition screens and modesty panels 418

XXX. Cable management 432

XXXI. Work organization 440

XXXII. Surcharges 458

XXXIII. Finishes Catalog 464

Information 494

New product codes - explained simply

DESKS – RECTANGULAR TOP

KA160080074

K	A	160	080	074

- K — frame type (K, O, F, A, Q, Lano T, Lano C)
- A — desk top shape
- 160 — top width [cm]
- 080 — top depth [cm]
- 074 — desk height [cm]

KAY160080074

K	A	Y	160	080	074

- K — frame type (K, O, F, A, Q, Lano T, Lano C)
- A — desk top shape
- Y — height adjustment every 10 mm (650-850 mm)
- 160 — top width [cm]
- 080 — top depth [cm]
- 074 — desk height [cm]

BENCH WORKSTATIONS

XKD120160074

XK	D	120	160	074

- XK — Bench frame type (A-eM, F-eM, K-eM, Q-eM)
- D — Bench workstation top shape
- 120 — top width [cm]
- 160 — top depth [cm]
- 074 — desk height [cm]

CONFERENCE TABLES - RECTANGULAR TOP

KT220120074

K	T	220	120	074

- K — frame type
- T — rectangular conference table top shape
- 220 — table width [cm]
- 120 — table depth [cm]
- 074 — table height [cm]








I. System-eM

System-eM is a collection of modular furniture which features rectangular desks, desks with tops of different shapes, team desks - Bench desks with electric height adjustment - individual and multi-person workstations and simple conference tables with different tops. The desks can also be equipped with diffrent accessories such as upholstered, chipboard partition screens, netboxes and cable channels, as well as underdesk sideboards that support the desk.


System-eM offers seven leg modules - on four straight legs with round and square cross-section, on four A- and Q-shaped legs with rectangular cross-section, and rectangular, recessed legs – F model. The collection is completed with Lano C and Lano T modules which have two legs with square cross-section placed on a foot.

System-eM


Frame

O-eM	K-eM	A-eM	F-eM	Q-eM	Lano C	Lano T
						
○	□	□	□	□	□	□
leg with a round cross-section	leg with a square cross-section	leg with a rectangular cross-section	leg with a rectangular cross-section	leg with a rectangular cross-section	leg with a square cross-section	leg with a square cross-section
∅ 50 mm	50x50 mm	30x60 mm	30x60 mm	30x60 mm	65x65 mm	65x65 mm
H: 740-820 mm 650-850 mm	H: 740-820 mm 650-850 mm	H: 740 mm 650-850 mm	H: 740 mm 650-850 mm	H: 740 mm 650-850 mm	H: 740 mm 650-850 mm	H: 740 mm 650-850 mm


Desks




L-shaped desks




Team desks



Conference tables



Seminar tables with foldable tops



System-eM / Equipment

Sliding top


A sliding top makes it easier to access a horizontal cable channel. In individual desks, the sliding top is optional, in team desks it comes as standard.


It is possible to fit a suspended front partition screen. It is necessary to clearly indicate the sliding top option while making an order as it affects the structure of the desk.

– The top is equipped with a slide lock which can be released with a single click.

– The sliding top comes in a set with a fold-down cable channel

– Sliding range 120 mm.






Surcharge

Price


+ 206 EUR

Desk supported on sideboard




Sideboard for desk support is slid under 2/3 of the desk.


Sliding top and effortless access to fold-down cable channel still available.



System-eM desks can be supported on sideboards. It is possible to choose add-on shelf units, cabinets with two-sided sliding doors and drawers. More information on cabinets can be found in chapter 8 Storage / add-on cabinets.




The prices of desks supported on sideboards from eM collection are reduced by the sum below according to the type of the desk.




O-eM	K-eM	K-eM Bench	F-eM	F-eM Bench	A-eM	A-eM Bench	Q-eM	Q-eM Bench
- 48 EUR	- 59 EUR	- 67 EUR	- 67 EUR	- 80 EUR	- 67 EUR	- 82 EUR	- 84 EUR	- 99 EUR

System-eM / Accessories


Partition screens




BOARD PARTITION SCREEN




UPHOLSTERED PARTITION SCREEN



BOARD PARTITION SCREEN WITH UPHOLSTERED PANEL




TEXO




S50

UX 89/UX 90/ UX 91




SIDE ADD-ON PARTITION SCREEN


Horizontal cable management



FIXED CABLE CHANNEL




FOLD-DOWN CABLE CHANNEL




GRID CABLE CHANNEL

DD 91



COMB CABLE CLASP


UW04/UW 05



CABLE CLASP


Vertical cable management

UW 14/UW 15




SPRING CABLE CHANNEL

UW 02




FLEXIBLE CABLE CHANNEL

UW 18




UW 10



ADD-ON CABLE CHANNEL


UW381T080/UW381T130/ UW382T080/UW382T130



FABRIC CABLE CHANNEL


Cable outlets

UW 13




ROUND CABLE OUTLET

Scallop cut-out UW 16




Rectangular UW 17



ERGONOMIC OUTLET


UW 28 /UW 281




ALUMINUM CABLE OUTLET

System-eM / Accessories

Modesty panels




BOARD PARTITION SCREEN




PERFORATED MODESTY PANEL

Types of holes in perforated panels




Netboxes

UW33P / UW 33D / UW 34P / UW 34U / UW 34D / UW 35P / UW35D / UW 36



POWER CIRCLE S/M/M


UW50 / UW 42 / UW5541 / UW5542 / UW5584 / UW5585 / UW5142 / UW5163 / UW5164 / UW5242 / UW5263 / UW5264 / UW5341 / UW5352



NETBOX


Complementary accessories

UW20




PC HOLDER

UW25 / UW 24




PC HOLDER WITH PERFORATED PANEL

UW21




PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER


UK07



KEYBOARD DRAWER


Hanging accessories

PL20 / PL 30




MAGNETIC BOARD WITH SHELF

PL21 / PL 31




UPHOLSTERED PANEL FOR MAGNETIC BOARD

PL01-07 / PL 964 / PL 1164




SLAT FOR ACCESSORIES

AL02 / AP02




METAL SHELF A4

AL03 / AP03




METAL SHELF C5+

AL04 / AP04




METAL SHELF - SMALL

AL01 / AP01




METAL POCKET A4 - VERTICAL

AL09



LAPTOP HOLDER

AP10 / AP40



WORKSTATION ID

System-eM / Accessories

Complementary elements for System-eM custom desks

			PARTITION SCREEN						
			Board partition screen	Upholstered partition screen			Upholstered panel for board partition screen		
				1st Group	2nd Group	3rd Group	1st Group	2nd Group	3rd Group
SYSTEM-EM DESKS	Desks width	600	-	-	-	-	UT1P050027 99,-	UT2P050027 113,-	UT3P050027 169,-
		800	UZP078 124,-	UY1P078 224,-	UY2P078 256,-	UY3P078 381,-	UT1P070027 110,-	UT2P070027 125,-	UT3P070027 186,-
		1000	UZP098 133,-	UY1P098 241,-	UY2P098 274,-	UY3P098 409,-	UT1P090027 120,-	UT2P090027 137,-	UT3P090027 204,-
		1200	UZP118 143,-	UY1P118 257,-	UY2P118 293,-	UY3P118 437,-	UT1P110027 130,-	UT2P110027 149,-	UT3P110027 222,-
		1400	UZP138 152,-	UY1P138 274,-	UY2P138 312,-	UY3P138 466,-	UT1P130027 141,-	UT2P130027 160,-	UT3P130027 239,-
		1600	UZP158 161,-	UY1P158 290,-	UY2P158 331,-	UY3P158 494,-	UT1P150027 151,-	UT 2P150027 172,-	UT3P150027 257,-
		1800	UZP178 171,-	UY1P178 307,-	UY2P178 350,-	UY3P178 522,-	UT1P170027 161,-	UT2P170027 184,-	UT3P170027 274,-
		2000	UZP198 180,-	UY1P198 323,-	UY2P198 369,-	UY3P198 550,-	UT1P190027 172,-	UT2P190027 196,-	UT3P190027 292,-
	Desks depth	600	UZB058 115,-	UY1B058 208,-	UY2B058 237,-	UY3B058 353,-	UT1P050027 99,-	UT2P050027 113,-	UT3P050027 169,-
		800	UZB078 124,-	UY1B078 224,-	UY2B078 256,-	UY3B078 381,-	UT1P070027 110,-	UT2P070027 125,-	UT3P070027 186,-
		1000	UZB098 133,-	UY1B098 241,-	UY2B098 274,-	UY3B098 409,-	UT1P090027 120,-	UT2P090027 137,-	UT3P090027 204,-
		1200	UZB118 143,-	UY1B118 257,-	UY2B118 293,-	UY3B118 437,-	UT1P110027 130,-	UT2P110027 149,-	UT3P110027 222,-
		1400	UZB138 152,-	UY1B138 274,-	UY2B138 312,-	UY3B138 466,-	UT1P130027 141,-	UT2P130027 160,-	UT3P130027 239,-
SYSTEM-EM TEAM DESKS	Desks width	1200	UZW120002035 115,-	UY1W120003037 208,-	UY2W120003037 283,-	UY3W120003037 378,-	UT1P110027 130,-	UT2P110027 149,-	UT3P110027 222,-
		1400	UZW140002035 122,-	UY1W140003037 224,-	UY2W140003037 305,-	UY3W140003037 409,-	UT1P130027 141,-	UT2P130027 160,-	UT3P130027 239,-
		1600	UZW160003025 128,-	UY1W160003037 241,-	UY2W160003037 328,-	UY3W160003037 439,-	UT1P150027 151,-	UT 2P150027 172,-	UT3P150027 257,-
		1800	UZW180003025 136,-	UY1W180003037 258,-	UY2W180003037 350,-	UY3W180003037 469,-	UT1P170027 161,-	UT2P170027 184,-	UT3P170027 274,-
	Desks depth	1600	-	-	-	-	-	-	-

System-eM / Accessories

Complementary elements for System-eM custom desks

			HORIZONTAL CABLE MANAGEMENT			MODESTY PANELS	
			Fixed cable channel	Fold-down cable channel	Grid cable channel	Board	Perforated modesty panel
DESKS SYSTEM-EM	Desks width	600	-	-	-	ZRP040 96,-	ZRM040 189,-
		800	DDS040 36,-	DDU040 51,-	OLS040 55,-	ZRP060 98,-	ZRM060 195,-
		1000	DDS060 40,-	DDU060 56,-	OLS060 58,-	ZRP080 100,-	ZRM080 201,-
		1200	DDS080 43,-	DDU080 61,-	OLS080 62,-	ZRP100 102,-	ZRM100 207,-
		1400	DDS100 47,-	DDU100 67,-	OLS100 66,-	ZRP120 104,-	ZRM120 213,-
		1600	DDS120 51,-	DDU120 72,-	OLS120 69,-	ZRP140 106,-	ZRM140 219,-
		1800	DDS140 54,-	DDU140 77,-	OLS140 73,-	ZRP160 107,-	ZRM160 225,-
		2000	DDS160 58,-	DDU160 82,-	OLS160 77,-	ZRP180 109,-	ZRM180 231,-
	Desks depth	600	-	-	-	ZRB040 96,-	ZRN040 189,-
		800	-	-	-	ZRB060 98,-	ZRN060 195,-
		1000	-	-	-	ZRB080 100,-	ZRN080 201,-
		1200	-	-	-	ZRB100 102,-	ZRN100 207,-
		1400	-	-	-	ZRB120 104,-	ZRN120 213,-
SYSTEM-EM TEAM DESKS	Desks width	1200	-	-	OLB100 90,-	-	-
		1400	-	Fold-down cable channel and sliding top as standard	OLB120 95,-	-	-
		1600	-		OLB140 100,-	-	-
		1800	-		OLB180 109,-	-	-
	Depth topu	1600	-	-	-	-	-

O-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.
- Chipboard top 25 mm thick as standard,
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Sliding top - as an optionwith a surcharge.

FRAME

- 4 legs frame with a round cross-section and Ø50 mm diameter.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a round cross-section and Ø50 mm diameter


HEIGHT ADJUSTMENT


- Smooth height adjustment 740-820 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.


O-eM rectangular top





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OA080060074	800 / 600 / 740-820	**344**	19	0,09
OA100060074	1000 / 600 / 740-820	**356**	22	0,10
OA120060074	1200 / 600 / 740-820	**368**	24	0,10
OA140060074	1400 / 600 / 740-820	**381**	27	0,11
OA160060074	1600 / 600 / 740-820	**393**	30	0,12
OA180060074	1800 / 600 / 740-820	**405**	32	0,12
OA200060074	2000 / 600 / 740-820	**418**	35	0,13
OAY080060074	800 / 600 / 650-850	**495**	21	0,09
OAY100060074	1000 / 600 / 650-850	**507**	24	0,10
OAY120060074	1200 / 600 / 650-850	**520**	26	0,10
OAY140060074	1400 / 600 / 650-850	**532**	29	0,11
OAY160060074	1600 / 600 / 650-850	**545**	32	0,12
OAY180060074	1800 / 600 / 650-850	**557**	34	0,12
OAY200060074	2000 / 600 / 650-850	**570**	37	0,13
OA080080074	800 / 800 / 740-820	**359**	23	0,12
OA100080074	1000 / 800 / 740-820	**372**	26	0,13
OA120080074	1200 / 800 / 740-820	**384**	29	0,13
OA140080074	1400 / 800 / 740-820	**396**	32	0,14
OA160080074	1600 / 800 / 740-820	**409**	36	0,15
OA180080074	1800 / 800 / 740-820	**421**	39	0,16
OA200080074	2000 / 800 / 740-820	**433**	42	0,17
OAY080080074	800 / 800 / 650-850	**509**	25	0,12
OAY100080074	1000 / 800 / 650-850	**522**	28	0,13
OAY120080074	1200 / 800 / 650-850	**534**	31	0,13
OAY140080074	1400 / 800 / 650-850	**547**	35	0,14
OAY160080074	1600 / 800 / 650-850	**559**	38	0,15
OAY180080074	1800 / 800 / 650-850	**572**	41	0,16
OAY200080074	2000 / 800 / 650-850	**584**	44	0,17
OA080100074	800 / 1000 / 740-820	**375**	26	0,15
OA100100074	1000 / 1000 / 740-820	**387**	30	0,16
OA120100074	1200 / 1000 / 740-820	**400**	34	0,16
OA140100074	1400 / 1000 / 740-820	**412**	38	0,17
OA160100074	1600 / 1000 / 740-820	**424**	42	0,18
OA180100074	1800 / 1000 / 740-820	**437**	46	0,19
OA200100074	2000 / 1000 / 740-820	**449**	50	0,20
OAY080100074	800 / 1000 / 650-850	**523**	28	0,15
OAY100100074	1000 / 1000 / 650-850	**536**	32	0,16
OAY120100074	1200 / 1000 / 650-850	**548**	36	0,16
OAY140100074	1400 / 1000 / 650-850	**561**	40	0,17
OAY160100074	1600 / 1000 / 650-850	**573**	44	0,18
OAY180100074	1800 / 1000 / 650-850	**586**	48	0,19
OAY200100074	2000 / 1000 / 650-850	**598**	52	0,20


O-eM top D



* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OD54	1600 / 1000 / 740-820	**489**	39	0,16
OD64	1800 / 1000 / 740-820	**514**	42	0,17
OD74	2000 / 1000 / 740-820	**540**	45	0,18
OD55	1600 / 1000 / 650-850	**623**	42	0,16
OD65	1800 / 1000 / 650-850	**648**	45	0,17
OD75	2000 / 1000 / 650-850	**673**	49	0,18


O-eM top E



* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OE84	2165 / 1131 / 740-820	**813**	46	0,22
OE94	2365 / 1131 / 740-820	**853**	49	0,24
OE85	2165 / 1131 / 650-850	**981**	48	0,22
OE95	2365 / 1131 / 650-850	**1002**	52	0,24


O-eM top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OZ54	1600 / 1200 / 740-820	**580**	41	0,19
OZ64	1800 / 1200 / 740-820	**611**	44	0,20
OZ74	2000 / 1200 / 740-820	**648**	47	0,21
OZ55	1600 / 1200 / 650-850	**749**	43	0,19
OZ65	1800 / 1200 / 650-850	**780**	47	0,20
OZ75	2000 / 1200 / 650-850	**815**	50	0,21
OZ24	1600 / 1400 / 740-820	**597**	42	0,21
OZ34	1800 / 1400 / 740-820	**627**	45	0,22
OZ44	2000 / 1400 / 740-820	**661**	49	0,23
OZ25	1600 / 1400 / 650-850	**764**	45	0,21
OZ35	1800 / 1400 / 650-850	**794**	48	0,22
OZ45	2000 / 1400 / 650-850	**827**	51	0,23


O-eM top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OW54	1600 / 1600 / 740-820	**698**	49	0,22
OW64	1800 / 1600 / 740-820	**722**	52	0,24
OW74	2000 / 1600 / 740-820	**750**	55	0,25
OW55	1600 / 1600 / 650-850	**865**	51	0,22
OW65	1800 / 1600 / 650-850	**891**	55	0,24
OW75	2000 / 1600 / 650-850	**915**	58	0,25

O-eM top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OS54	1600 / 1200 / 740-820	**642**	44	0,19
OS64	1800 / 1200 / 740-820	**666**	47	0,21
OS74	2000 / 1200 / 740-820	**698**	50	0,22
OS55	1600 / 1200 / 650-850	**809**	46	0,19
OS65	1800 / 1200 / 650-850	**835**	50	0,21
OS75	2000 / 1200 / 650-850	**865**	53	0,22

K-eM

TOP

- Chipboard coated on bothsides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Sliding top - as an optionwith a surcharge.

FRAME

- 4 legs frame with a square cross-section 50x50 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a square cross-section and 50x50 mm.


HEIGHT ADJUSTMENT

- Smooth height adjustment 740-820 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.

K-eM rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KA080060074	800 / 600 / 740-820	**366**	20	0,09
KA100060074	1000 / 600 / 740-820	**377**	23	0,10
KA120060074	1200 / 600 / 740-820	**389**	26	0,10
KA140060074	1400 / 600 / 740-820	**400**	28	0,11
KA160060074	1600 / 600 / 740-820	**412**	31	0,12
KA180060074	1800 / 600 / 740-820	**423**	34	0,12
KA200060074	2000 / 600 / 740-820	**435**	36	0,13
KAY080060074	800 / 600 / 650-850	**507**	25	0,09
KAY100060074	1000 / 600 / 650-850	**518**	27	0,10
KAY120060074	1200 / 600 / 650-850	**530**	30	0,10
KAY140060074	1400 / 600 / 650-850	**541**	33	0,11
KAY160060074	1600 / 600 / 650-850	**553**	35	0,12
KAY180060074	1800 / 600 / 650-850	**565**	38	0,12
KAY200060074	2000 / 600 / 650-850	**576**	41	0,13
KA080080074	800 / 800 / 740-820	**379**	24	0,12
KA100080074	1000 / 800 / 740-820	**391**	27	0,13
KA120080074	1200 / 800 / 740-820	**402**	31	0,13
KA140080074	1400 / 800 / 740-820	**414**	34	0,14
KA160080074	1600 / 800 / 740-820	**425**	37	0,15
KA180080074	1800 / 800 / 740-820	**437**	40	0,16
KA200080074	2000 / 800 / 740-820	**448**	44	0,17
KAY080080074	800 / 800 / 650-850	**520**	28	0,12
KAY100080074	1000 / 800 / 650-850	**532**	31	0,13
KAY120080074	1200 / 800 / 650-850	**544**	35	0,13
KAY140080074	1400 / 800 / 650-850	**555**	38	0,14
KAY160080074	1600 / 800 / 650-850	**567**	41	0,15
KAY180080074	1800 / 800 / 650-850	**578**	45	0,16
KAY200080074	2000 / 800 / 650-850	**590**	48	0,17
KA080100074	800 / 1000 / 740-820	**393**	28	0,15
KA100100074	1000 / 1000 / 740-820	**404**	32	0,16
KA120100074	1200 / 1000 / 740-820	**416**	35	0,16
KA140100074	1400 / 1000 / 740-820	**427**	39	0,17
KA160100074	1600 / 1000 / 740-820	**439**	43	0,18
KA180100074	1800 / 1000 / 740-820	**450**	47	0,19
KA200100074	2000 / 1000 / 740-820	**462**	51	0,20
KAY080100074	800 / 1000 / 650-850	**534**	32	0,15
KAY100100074	1000 / 1000 / 650-850	**546**	36	0,16
KAY120100074	1200 / 1000 / 650-850	**557**	40	0,16
KAY140100074	1400 / 1000 / 650-850	**569**	44	0,17
KAY160100074	1600 / 1000 / 650-850	**581**	47	0,18
KAY180100074	1800 / 1000 / 650-850	**592**	51	0,19
KAY200100074	2000 / 1000 /650-850	**604**	55	0,20


K-eM top D



* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
KD54	1600 / 1000 / 740-820	**492**	40	0,16
KD64	1800 / 1000 / 740-820	**515**	44	0,17
KD74	2000 / 1000 / 740-820	**540**	47	0,18
KD55	1600 / 1000 / 650-850	**629**	45	0,16
KD65	1800 / 1000 / 650-850	**652**	49	0,17
KD75	2000 / 1000 / 650-850	**678**	52	0,18


K-eM top E



* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
KE84	2165 / 1131 / 740-820	**802**	47	0,22
KE94	2365 / 1131 / 740-820	**837**	51	0,24
KE85	2165 / 1131 / 650-850	**974**	53	0,22
KE95	2365 / 1131 / 650-850	**1007**	56	0,24


K-eM top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
KZ54	1600 / 1200 / 740-820	**589**	42	0,19
KZ64	1800 / 1200 / 740-820	**614**	46	0,20
KZ74	2000 / 1200 / 740-820	**649**	49	0,21
KZ55	1600 / 1200 / 650-850	**759**	48	0,19
KZ65	1800 / 1200 / 650-850	**786**	51	0,20
KZ75	2000 / 1200 / 650-850	**821**	54	0,21
KZ24	1600 / 1400 / 740-820	**603**	44	0,21
KZ34	1800 / 1400 / 740-820	**629**	47	0,22
KZ44	2000 / 1400 / 740-820	**661**	51	0,23
KZ25	1600 / 1400 / 650-850	**773**	49	0,21
KZ35	1800 / 1400 / 650-850	**800**	53	0,22
KZ45	2000 / 1400 / 650-850	**833**	56	0,23


K-eM top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
KW54	1600 / 1600 / 740-820	**695**	51	0,22
KW64	1800 / 1600 / 740-820	**719**	54	0,24
KW74	2000 / 1600 / 740-820	**739**	57	0,25
KW55	1600 / 1600 / 650-850	**865**	56	0,22
KW65	1800 / 1600 / 650-850	**890**	59	0,24
KW75	2000 / 1600 / 650-850	**911**	62	0,25

K-eM top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
KS54	1600 / 1200 / 740-820	**645**	45	0,19
KS64	1800 / 1200 / 740-820	**666**	49	0,21
KS74	2000 / 1200 / 740-820	**695**	52	0,22
KS55	1600 / 1200 / 650-850	**815**	51	0,19
KS65	1800 / 1200 / 650-850	**837**	54	0,21
KS75	2000 / 1200 / 650-850	**865**	57	0,22

K-eM Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Top with two ergonomic outlets: in 1200-mm wide stations - one straight piece, in wider stations - two pieces.
- Sliding top as standard.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- In stations for 4 and more users, middle legs are recessed by 380 mm. Legs with a square cross-section 50x50 mm.
- Fold-down, metal powder-coated in the color of the frame cable channel fitted under the top as standard.
- Cable channel for both stations.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer .
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Two-person workstations can be supported on sideboards.
- Partition screens: upholstered, chipboard and chipboard with upholstered panels.
- Workstation is always 1600 mm deep with or without a partition screen.
- In Bench team desks, prior arrangements regarding partition screen are necessary since the construction of the furniture does not allow for later orders of partition screens.

K-eM 2-person Bench




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XKD120160074	1200 / 1600 / 740	**963**	60	0,25
XKD140160074	1400 / 1600 / 740	**988**	67	0,27
XKD160160074	1600 / 1600 / 740	**1012**	73	0,30
XKD180160074	1800 / 1600 / 740	**1037**	79	0,33

K-eM 4-person Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XKC120160074	1200 / 1600 / 740	**1741**	60	0,25
XKC140160074	1400 / 1600 / 740	**1802**	67	0,27
XKC160160074	1600 / 1600 / 740	**1863**	73	0,30
XKC180160074	1800 / 1600 / 740	**1924**	79	0,33

Middle element for K-eM Bench desk



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XKS120160074	1200 / 1600 / 740	**812**	45	0,147
XKS140160074	1400 / 1600 / 740	**843**	48	0,157
XKS160160074	1600 / 1600 / 740	**874**	51	0,169
XKS180160074	1800 / 1600 / 740	**904**	54	0,179

F-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- 13 mm gap between top and frame.
- Sliding top - as an option with a surcharge.

FRAME

- 4 legs frame with a rectangular cross-section 60x30 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a rectangular cross-section and 30x60 mm.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.


F-eM rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
FA080060074	800 / 600 / 740-750	**432**	22	0,11
FA100060074	1000 / 600 / 740-750	**445**	25	0,12
FA120060074	1200 / 600 / 740-750	**457**	28	0,14
FA140060074	1400 / 600 / 740-750	**469**	30	0,15
FA160060074	1600 / 600 / 740-750	**481**	33	0,16
FA180060074	1800 / 600 / 740-750	**494**	36	0,17
FA200060074	2000 / 600 / 740-750	**506**	38	0,18
FAY080060074	800 / 600 / 650-850	**588**	26	0,11
FAY100060074	1000 / 600 / 650-850	**601**	29	0,12
FAY120060074	1200 / 600 / 650-850	**614**	32	0,14
FAY140060074	1400 / 600 / 650-850	**626**	34	0,15
FAY160060074	1600 / 600 / 650-850	**639**	37	0,16
FAY180060074	1800 / 600 / 650-850	**651**	40	0,17
FAY200060074	2000 / 600 / 650-850	**664**	42	0,18
FA080080074	800 / 800 / 740-750	**447**	26	0,15
FA100080074	1000 / 800 / 740-750	**459**	29	0,17
FA120080074	1200 / 800 / 740-750	**472**	33	0,18
FA140080074	1400 / 800 / 740-750	**484**	36	0,20
FA160080074	1600 / 800 / 740-750	**496**	39	0,21
FA180080074	1800 / 800 / 740-750	**508**	43	0,22
FA200080074	2000 / 800 / 740-750	**521**	46	0,24
FAY080080074	800 / 800 / 650-850	**603**	30	0,15
FAY100080074	1000 / 800 / 650-850	**615**	33	0,17
FAY120080074	1200 / 800 / 650-850	**628**	37	0,18
FAY140080074	1400 / 800 / 650-850	**641**	40	0,20
FAY160080074	1600 / 800 / 650-850	**653**	43	0,21
FAY180080074	1800 / 800 / 650-850	**666**	47	0,22
FAY200080074	2000 / 800 / 650-850	**678**	50	0,24
FA080100074	800 / 1000 / 740-750	**462**	30	0,19
FA100100074	1000 / 1000 / 740-750	**474**	34	0,20
FA120100074	1200 / 1000 / 740-750	**486**	38	0,22
FA140100074	1400 / 1000 / 740-750	**498**	42	0,24
FA160100074	1600 / 1000 / 740-750	**511**	46	0,26
FA180100074	1800 / 1000 / 740-750	**523**	49	0,28
FA200100074	2000 / 1000 / 740-750	**535**	53	0,30
FAY080100074	800 / 1000 / 650-850	**617**	34	0,19
FAY100100074	1000 / 1000 / 650-850	**630**	38	0,20
FAY120100074	1200 / 1000 / 650-850	**642**	42	0,22
FAY140100074	1400 / 1000 / 650-850	**655**	46	0,24
FAY160100074	1600 / 1000 / 650-850	**667**	50	0,26
FAY180100074	1800 / 1000 / 650-850	**680**	53	0,28
FAY200100074	2000 / 1000 / 650-850	**693**	57	0,30

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl


F-eM top D



* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
FD54	1600 / 1000 / 740-750	**630**	42	0,24
FD64	1800 / 1000 / 740-750	**655**	46	0,26
FD74	2000 / 1000 / 740-750	**686**	49	0,28
FD55	1600 / 1000 / 650-850	**802**	46	0,24
FD65	1800 / 1000 / 650-850	**826**	50	0,26
FD75	2000 / 1000 / 650-850	**861**	53	0,28


F-eM top E



* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
FE84	2165 / 1131 / 740-750	**1007**	51	0,34
FE94	2365 / 1131 / 740-750	**1049**	54	0,36
FE85	2165 / 1131 / 650-850	**1223**	58	0,34
FE95	2365 / 1131 / 650-850	**1265**	61	0,36


F-eM top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FZ54	1600 / 1200 / 740-750	**754**	45	0,29
FZ64	1800 / 1200 / 740-750	**790**	48	0,31
FZ74	2000 / 1200 / 740-750	**825**	51	0,33
FZ55	1600 / 1200 / 650-850	**968**	50	0,29
FZ65	1800 / 1200 / 650-850	**1004**	53	0,31
FZ75	2000 / 1200 / 650-850	**1041**	56	0,33
FZ24	1600 / 1400 / 740-750	**771**	46	0,32
FZ34	1800 / 1400 / 740-750	**805**	50	0,35
FZ44	2000 / 1400 / 740-750	**841**	53	0,37
FZ25	1600 / 1400 / 650-850	**986**	51	0,32
FZ35	1800 / 1400 / 650-850	**1022**	55	0,35
FZ45	2000 / 1400 / 650-850	**1056**	58	0,37


F-eM top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FW54	1600 / 1600 / 740-750	**882**	53	0,24
FW64	1800 / 1600 / 740-750	**907**	56	0,26
FW74	2000 / 1600 / 740-750	**936**	60	0,28
FW55	1600 / 1600 / 650-850	**1096**	58	0,24
FW65	1800 / 1600 / 650-850	**1120**	56	0,26
FW75	2000 / 1600 / 650-850	**1152**	65	0,28

F-eM top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FS54	1600 / 1200 / 740-750	**821**	48	0,21
FS64	1800 / 1200 / 740-750	**845**	51	0,23
FS74	2000 / 1200 / 740-750	**882**	55	0,24
FS55	1600 / 1200 / 650-850	**1036**	53	0,21
FS65	1800 / 1200 / 650-850	**1061**	56	0,23
FS75	2000 / 1200 / 650-850	**1096**	60	0,24

F-eM Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Top with two ergonomic outlets: in 1200 mm wide stations - one straight piece, in wider stations - two pieces.
- Sliding top as standard.
- 13 mm gap between top and frame.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- In stations for 4 and more users, middle legs are recessed by 380 mm. Legs with rectangular cross-section 30x60 mm.
- Cable channel for both stations.
- Fold-down, metal powder-coated in the color of the frame cable channel fitted under the top as standard.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Two-person workstations can be supported on sideboards.
- Partition screens: upholstered, chipboard and chipboard with upholstered panels.
- Workstation is always 1600 mm deep with or without a partition screen.
- In Bench team desks, prior arrangements regarding a partition screen are necessary since the construction of the furniture does not allow for later orders of partition screens.

F-eM 2-person Bench




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XFD120160074	1200 / 1600 / 740	**1052**	64	0,25
XFD140160074	1400 / 1600 / 740	**1084**	70	0,27
XFD160160074	1600 / 1600 / 740	**1116**	76	0,30
XFD180160074	1800 / 1600 / 740	**1148**	82	0,33

F-eM 4-person Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XFC120160074	1200 / 1600 / 740	**1896**	64	0,25
XFC140160074	1400 / 1600 / 740	**1959**	70	0,27
XFC160160074	1600 / 1600 / 740	**2023**	76	0,30
XFC180160074	1800 / 1600 / 740	**2087**	82	0,33

Middle element for F-eM Bench desk



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XFS120160074	1200 / 1600 / 740	**910**	36	0,147
XFS140160074	1400 / 1600 / 740	**942**	39	0,157
XFS160160074	1600 / 1600 / 740	**975**	42	0,169
XFS180160074	1800 / 1600 / 740	**1007**	45	0,179

A-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Sliding top - as an option with a surcharge.

FRAME

- 4 legs frame with rectangular cross-section 60x30 mm.
- A-shaped legs at an angle of 9°.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a rectangular cross-section and 60x30 mm.


HEIGHT ADJUSTMENT


- Fixed height 740 mm and leveling feet +10 mm
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.

A-eM rectangular top







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AA080060074	800 / 600 / 740-750	**486**	21	0,09
AA100060074	1000 / 600 / 740-750	**501**	23	0,10
AA120060074	1200 / 600 / 740-750	**515**	26	0,10
AA140060074	1400 / 600 / 740-750	**529**	29	0,11
AA160060074	1600 / 600 / 740-750	**543**	31	0,12
AA180060074	1800 / 600 / 740-750	**558**	34	0,12
AA200060074	2000 / 600 / 740-750	**572**	36	0,13
AAY080060074	800 / 600 / 650-850	**660**	24	0,09
AAY100060074	1000 / 600 / 650-850	**674**	27	0,10
AAY120060074	1200 / 600 / 650-850	**688**	30	0,10
AAY140060074	1400 / 600 / 650-850	**702**	32	0,11
AAY160060074	1600 / 600 / 650-850	**717**	35	0,12
AAY180060074	1800 / 600 / 650-850	**731**	38	0,12
AAY200060074	2000 / 600 / 650-850	**745**	40	0,13
AA080080074	800 / 800 / 740-750	**499**	24	0,12
AA100080074	1000 / 800 / 740-750	**513**	27	0,13
AA120080074	1200 / 800 / 740-750	**527**	31	0,13
AA140080074	1400 / 800 / 740-750	**541**	34	0,14
AA160080074	1600 / 800 / 740-750	**556**	37	0,15
AA180080074	1800 / 800 / 740-750	**570**	41	0,16
AA200080074	2000 / 800 / 740-750	**584**	44	0,17
AAY080080074	800 / 800 / 650-850	**673**	28	0,12
AAY100080074	1000 / 800 / 650-850	**687**	31	0,13
AAY120080074	1200 / 800 / 650-850	**701**	35	0,13
AAY140080074	1400 / 800 / 650-850	**716**	38	0,14
AAY160080074	1600 / 800 / 650-850	**730**	41	0,15
AAY180080074	1800 / 800 / 650-850	**744**	44	0,16
AAY200080074	2000 / 800 / 650-850	**758**	48	0,17
AA080100074	800 / 1000 / 740-750	**511**	28	0,15
AA100100074	1000 / 1000 / 740-750	**525**	32	0,16
AA120100074	1200 / 1000 / 740-750	**539**	36	0,16
AA140100074	1400 / 1000 / 740-750	**554**	40	0,17
AA160100074	1600 / 1000 / 740-750	**568**	43	0,18
AA180100074	1800 / 1000 / 740-750	**582**	47	0,19
AA200100074	2000 / 1000 / 740-750	**596**	51	0,20
AAY080100074	800 / 1000 / 650-850	**686**	32	0,15
AAY100100074	1000 / 1000 / 650-850	**700**	36	0,16
AAY120100074	1200 / 1000 / 650-850	**715**	39	0,16
AAY140100074	1400 / 1000 / 650-850	**729**	43	0,17
AAY160100074	1600 / 1000 / 650-850	**743**	47	0,18
AAY180100074	1800 / 1000 / 650-850	**757**	51	0,19
AAY200100074	2000 / 1000 / 650-850	**772**	55	0,20

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

A-eM top D







* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
AD54	1600 / 1000 / 740-750	**695**	41	0,16
AD64	1800 / 1000 / 740-750	**726**	45	0,17
AD74	2000 / 1000 / 740-750	**756**	48	0,18
AD55	1600 / 1000 / 650-850	**871**	45	0,16
AD65	1800 / 1000 / 650-850	**902**	49	0,17
AD75	2000 / 1000 / 650-850	**935**	52	0,18

A-eM top E






* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
AE84	2165 / 1131 / 740-750	**1080**	45	0,22
AE94	2365 / 1131 / 740-750	**1126**	49	0,24
AE85	2165 / 1131 / 650-850	**1302**	51	0,22
AE95	2365 / 1131 / 650-850	**1347**	54	0,24


A-eM top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AZ54	1600 / 1200 / 740-750	**776**	43	0,19
AZ64	1800 / 1200 / 740-750	**860**	46	0,20
AZ74	2000 / 1200 / 740-750	**885**	49	0,21
AZ55	1600 / 1200 / 650-850	**997**	48	0,19
AZ65	1800 / 1200 / 650-850	**1080**	51	0,20
AZ75	2000 / 1200 / 650-850	**1107**	54	0,21
AZ24	1600 / 1400 / 740-750	**823**	44	0,21
AZ34	1800 / 1400 / 740-750	**861**	48	0,22
AZ44	2000 / 1400 / 740-750	**901**	51	0,23
AZ25	1600 / 1400 / 650-850	**1043**	49	0,21
AZ35	1800 / 1400 / 650-850	**1083**	52	0,22
AZ45	2000 / 1400 / 650-850	**1122**	56	0,23


A-eM top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AW54	1600 / 1600 / 740-750	**964**	51	0,22
AW64	1800 / 1600 / 740-750	**971**	54	0,24
AW74	2000 / 1600 / 740-750	**1003**	58	0,25
AW55	1600 / 1600 / 650-850	**1185**	56	0,22
AW65	1800 / 1600 / 650-850	**1191**	60	0,24
AW75	2000 / 1600 / 650-850	**1225**	63	0,25

A-eM top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AS54	1600 / 1200 / 740-750	**873**	46	0,19
AS64	1800 / 1200 / 740-750	**906**	49	0,21
AS74	2000 / 1200 / 740-750	**942**	52	0,22
AS55	1600 / 1200 / 650-850	**1096**	51	0,19
AS65	1800 / 1200 / 650-850	**1127**	54	0,21
AS75	2000 / 1200 / 650-850	**1163**	58	0,22

A-eM Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Top with two ergonomic outlets: in 1200 mm wide stations - one straight piece, in wider stations - two pieces.
- Sliding top as standard.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- Legs with square cross-section 30x60 mm.
- A-shaped legs at an angle of 9°.
- In workstations for 4 and more users, middle legs are recessed Legs with rectangular cross-section 30x60 mm.
- Fold-down, metal powder-coated in the color of the frame cable channel fitted under the top as standard.
- Shared cable channel for both stations.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Two-person workstations can be supported on sideboards.
- Partition screens: upholstered, chipboard and chipboard with upholstered panels.
- Workstation is always 1600 mm deep with or without a partition screen.
- In Bench team desks, prior arrangements regarding a partition screen are necessary since the construction of the furniture does not allow for later orders of partition screens.

A-eM 2-person Bench




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XAD120160074	1200 / 1600 / 740	**1125**	61	0,25
XAD140160074	1400 / 1600 / 740	**1154**	67	0,27
XAD160160074	1600 / 1600 / 740	**1183**	73	0,30
XAD180160074	1800 / 1600 / 740	**1212**	79	0,33

A-eM 4-person Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XAC120160074	1200 / 1600 / 740	**2056**	61	0,25
XAC140160074	1400 / 1600 / 740	**2128**	67	0,27
XAC160160074	1600 / 1600 / 740	**2199**	73	0,30
XAC180160074	1800 / 1600 / 740	**2270**	79	0,33

Middle element for A-eM Bench desk



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XAS120160074	1200 / 1600 / 740	**949**	33	0,147
XAS140160074	1400 / 1600 / 740	**985**	36	0,157
XAS160160074	1600 / 1600 / 740	**1020**	39	0,169
XAS180160074	1800 / 1600 / 740	**1056**	42	0,179

Q-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- 13 mm gap between top and frame.
- Sliding top - as an option with a surcharge.

FRAME

- 4 legs frame with a rectangular cross-section 30x60.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a rectangular cross-section and 30x60 mm.


HEIGHT ADJUSTMENT


- Fixed height 740 mm and leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.


Q-eM rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QA080060074	800 / 600 / 740-750	**581**	26	0,11
QA100060074	1000 / 600 / 740-750	**596**	28	0,12
QA120060074	1200 / 600 / 740-750	**611**	31	0,13
QA140060074	1400 / 600 / 740-750	**626**	34	0,14
QA160060074	1600 / 600 / 740-750	**641**	36	0,15
QA180060074	1800 / 600 / 740-750	**656**	39	0,16
QA200060074	2000 / 600 / 740-750	**671**	42	0,17
QAY080060074	800 / 600 / 650-850	**780**	29	0,11
QAY100060074	1000 / 600 / 650-850	**795**	32	0,12
QAY120060074	1200 / 600 / 650-850	**810**	35	0,13
QAY140060074	1400 / 600 / 650-850	**826**	37	0,14
QAY160060074	1600 / 600 / 650-850	**841**	40	0,15
QAY180060074	1800 / 600 / 650-850	**856**	43	0,16
QAY200060074	2000 / 600 / 650-850	**872**	45	0,17
QA080080074	800 / 800 / 740-750	**598**	31	0,14
QA100080074	1000 / 800 / 740-750	**613**	34	0,16
QA120080074	1200 / 800 / 740-750	**628**	37	0,17
QA140080074	1400 / 800 / 740-750	**643**	40	0,19
QA160080074	1600 / 800 / 740-750	**659**	44	0,20
QA180080074	1800 / 800 / 740-750	**674**	47	0,22
QA200080074	2000 / 800 / 740-750	**689**	50	0,23
QAY080080074	800 / 800 / 650-850	**798**	34	0,14
QAY100080074	1000 / 800 / 650-850	**813**	37	0,16
QAY120080074	1200 / 800 / 650-850	**828**	41	0,17
QAY140080074	1400 / 800 / 650-850	**844**	44	0,19
QAY160080074	1600 / 800 / 650-850	**859**	47	0,20
QAY180080074	1800 / 800 / 650-850	**874**	51	0,22
QAY200080074	2000 / 800 / 650-850	**889**	54	0,23
QA080100074	800 / 1000 / 740-750	**616**	35	0,18
QA100100074	1000 / 1000 / 740-750	**631**	39	0,20
QA120100074	1200 / 1000 / 740-750	**646**	43	0,22
QA140100074	1400 / 1000 / 740-750	**661**	47	0,24
QA160100074	1600 / 1000 / 740-750	**676**	51	0,25
QA180100074	1800 / 1000 / 740-750	**691**	55	0,27
QA200100074	2000 / 1000 / 740-750	**706**	59	0,29
QAY080100074	800 / 1000 / 650-850	**816**	39	0,18
QAY100100074	1000 / 1000 / 650-850	**831**	43	0,20
QAY120100074	1200 / 1000 / 650-850	**846**	47	0,22
QAY140100074	1400 / 1000 / 650-850	**861**	51	0,24
QAY160100074	1600 / 1000 / 650-850	**877**	55	0,25
QAY180100074	1800 / 1000 / 650-850	**892**	59	0,27
QAY200100074	2000 / 1000 / 650-850	**907**	62	0,29

Q-eM top D







* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QD54	1600 / 1000 / 740-750	**829**	47	0,23
QD64	1800 / 1000 / 740-750	**863**	50	0,25
QD74	2000 / 1000 / 740-750	**901**	54	0,27
QD55	1600 / 1000 / 650-850	**1055**	50	0,23
QD65	1800 / 1000 / 650-850	**1087**	54	0,25
QD75	2000 / 1000 / 650-850	**1126**	57	0,27

Q-eM top E






* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QE84	2165 / 1131 / 740-750	**1290**	55	0,33
QE94	2365 / 1131 / 740-750	**1341**	59	0,35
QE85	2165 / 1131 / 650-850	**1570**	63	0,33
QE95	2365 / 1131 / 650-850	**1621**	67	0,35


Q-eM top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QZ54	1600 / 1200 / 740-750	**984**	49	0,28
QZ64	1800 / 1200 / 740-750	**1024**	53	0,30
QZ74	2000 / 1200 / 740-750	**1069**	56	0,33
QZ55	1600 / 1200 / 650-850	**1263**	54	0,28
QZ65	1800 / 1200 / 650-850	**1304**	57	0,30
QZ75	2000 / 1200 / 650-850	**1347**	61	0,33
QZ24	1600 / 1400 / 740-750	**1002**	51	0,31
QZ34	1800 / 1400 / 740-750	**1046**	54	0,34
QZ44	2000 / 1400 / 740-750	**1088**	57	0,37
QZ25	1600 / 1400 / 650-850	**1281**	55	0,31
QZ35	1800 / 1400 / 650-850	**1325**	59	0,34
QZ45	2000 / 1400 / 650-850	**1368**	62	0,37


Q-eM top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QW54	1600 / 1600 / 740-750	**1133**	57	0,24
QW64	1800 / 1600 / 740-750	**1167**	60	0,25
QW74	2000 / 1600 / 740-750	**1204**	64	0,27
QW55	1600 / 1600 / 650-850	**1414**	62	0,24
QW65	1800 / 1600 / 650-850	**1448**	65	0,25
QW75	2000 / 1600 / 650-850	**1485**	68	0,27

Q-eM top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QS54	1600 / 1200 / 740-750	**1061**	52	0,21
QS64	1800 / 1200 / 740-750	**1096**	55	0,22
QS74	2000 / 1200 / 740-750	**1125**	59	0,23
QS55	1600 / 1200 / 650-850	**1341**	57	0,21
QS65	1800 / 1200 / 650-850	**1378**	60	0,22
QS75	2000 / 1200 / 650-850	**1405**	63	0,23

Q-eM Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Top with two ergonomic outlets: in 1200 mm wide stations - one straight pieces, in wider stations - two pieces.
- Sliding top as standard.
- 13 mm gap between top and frame.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- In stations for 4 and more users, middle legs are recessed by 380 mm. Legs with rectangular cross-section 30x60 mm.
- Fold-down, metal powder-coated in the color of the frame cable channel fitted under the top as standard.
- Shared cable channel for both employees.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Two-person workstations can be supported on sideboards.
- Partition screens: upholstered, chipboard and chipboard with upholstered panels.
- Workstation is always 1600 mm deep with or without a partition screen.
- In Bench team desks, prior arrangements regarding a partition screen are necessary since the construction of the furniture does not allow for later orders of partition screens.

Q-eM 2-person Bench




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XQD120160074	1200 / 1600 / 740	**1242**	73	0,25
XQD140160074	1400 / 1600 / 740	**1275**	79	0,27
XQD160160074	1600 / 1600 / 740	**1307**	85	0,30
XQD180160074	1800 / 1600 / 740	**1340**	91	0,33

Q-eM 4-person Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XQC120160074	1200 / 1600 / 740	**2206**	73	0,25
XQC140160074	1400 / 1600 / 740	**2271**	79	0,27
XQC160160074	1600 / 1600 / 740	**2336**	85	0,30
XQC180160074	1800 / 1600 / 740	**2401**	91	0,33

Middle element for Q-eM Bench desk



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
XQS120160074	1200 / 1600 / 740	**996**	45	0,147
XQS140160074	1400 / 1600 / 740	**1029**	48	0,157
XQS160160074	1600 / 1600 / 740	**1061**	51	0,169
XQS180160074	1800 / 1600 / 740	**1094**	51	0,169

Lano-T

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Sliding top - as an option with a surcharge.

FRAME


- T-shaped base with square cross-section 65x65 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a square cross-section 50x50 mm.

HEIGHT ADJUSTMENT

- Fixed height 740 mm + leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order
- Possibility to select a chromium-plated foot for Lano-T desks as an option with a surcharge



Surcharge to furniture


Dimensions Top depth	Price EUR
600	+265
700	+310
800	+310
1000	+310
L- shaped	+310


Lano-T rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LT080060074	800 / 600 / 740-750	**649**	21	0,09
LT100060074	1000 / 600 / 740-750	**664**	24	0,10
LT120060074	1200 / 600 / 740-750	**680**	26	0,10
LT140060074	1400 / 600 / 740-750	**695**	29	0,11
LT160060074	1600 / 600 / 740-750	**711**	32	0,12
LT180060074	1800 / 600 / 740-750	**726**	34	0,12
LT200060074	2000 / 600 / 740-750	**742**	37	0,13
LTY080060074	800 / 600 / 650-850	**874**	25	0,09
LTY100060074	1000 / 600 / 650-850	**890**	28	0,10
LTY120060074	1200 / 600 / 650-850	**906**	30	0,10
LTY140060074	1400 / 600 / 650-850	**921**	33	0,11
LTY160060074	1600 / 600 / 650-850	**937**	35	0,12
LTY180060074	1800 / 600 / 650-850	**952**	38	0,12
LTY200060074	2000 / 600 / 650-850	**968**	41	0,13
LT080080074	800 / 800 / 740-750	**665**	26	0,12
LT100080074	1000 / 800 / 740-750	**681**	29	0,13
LT120080074	1200 / 800 / 740-750	**696**	32	0,13
LT140080074	1400 / 800 / 740-750	**712**	36	0,14
LT160080074	1600 / 800 / 740-750	**727**	39	0,15
LT180080074	1800 / 800 / 740-750	**743**	42	0,16
LT200080074	2000 / 800 / 740-750	**758**	45	0,17
LTY080080074	800 / 800 / 650-850	**891**	30	0,12
LTY100080074	1000 / 800 / 650-850	**906**	33	0,13
LTY120080074	1200 / 800 / 650-850	**922**	36	0,13
LTY140060074	1400 / 800 / 650-850	**937**	39	0,14
LTY160080074	1600 / 800 / 650-850	**953**	43	0,15
LTY180080074	1800 / 800 / 650-850	**969**	46	0,16
LTY200080074	2000 / 800 / 650-850	**984**	49	0,17
LT080100074	800 / 1000 / 740-750	**682**	27	0,15
LT100100074	1000 / 1000 / 740-750	**698**	31	0,16
LT120100074	1200 / 1000 /740-750	**713**	35	0,16
LT140100074	1400 / 1000 / 740-750	**729**	39	0,17
LT160100074	1600 /1000 / 740-750	**744**	43	0,18
LT180100074	1800 / 1000 / 740750	**760**	47	0,19
LT200100074	2000 / 1000 / 740-750	**775**	51	0,20
LTY080100074	800 / 1000 / 650-850	**907**	29	0,15
LTY100100074	1000 / 1000 / 650-850	**922**	33	0,16
LTY120100074	1200 / 1000 / 650-850	**938**	37	0,16
LTY140100074	1400 / 1000 / 650-850	**953**	41	0,17
LTY160100074	1600 / 1000 / 650-850	**969**	45	0,18
LTY180100074	1800 / 1000 / 650-850	**985**	49	0,19
LTY200100074	2000 / 1000 / 650-850	**1000**	53	0,20

Lano-T top D







* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LD58	1600 / 1000 / 740-750	**874**	43	0,16
LD68	1800 / 1000 / 740-750	**896**	46	0,17
LD78	2000 / 1000 / 740-750	**922**	49	0,18
LD59	1600 / 1000 / 650-850	**986**	42	0,16
LD69	1800 / 1000 / 650-850	**1007**	45	0,17
LD79	2000 / 1000 / 650-850	**1035**	49	0,18

Lano-T top E






* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LE88	2165 / 1131 / 740-750	**1004**	51	0,22
LE98	2365 / 1131 / 740-750	**1054**	55	0,24
LE89	2165 / 1131 / 650-850	**1144**	51	0,22
LE99	2365 / 1131 / 650-850	**1192**	55	0,24


Lano-T top Z



*Possibility to change the width for 420 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LZ58	1600 / 1200 / 740-750	**1004**	45	0,19
LZ68	1800 / 1200 / 740-750	**1041**	49	0,20
LZ78	2000 / 1200 / 740-750	**1085**	52	0,21
LZ59	1600 / 1200 / 650-850	**1144**	50	0,19
LZ69	1800 / 1200 / 650-850	**1180**	54	0,20
LZ79	2000 / 1200 / 650-850	**1224**	57	0,21
LZ28	1600 / 1400 / 740-750	**1023**	47	0,21
LZ38	1800 / 1400 / 740-750	**1061**	51	0,22
LZ48	2000 / 1400 / 740-750	**1106**	54	0,23
LZ29	1600 / 1400 / 650-850	**1162**	52	0,21
LZ39	1800 / 1400 / 650-850	**1200**	56	0,22
LZ49	2000 / 1400 / 650-850	**1245**	59	0,23


Lano-T top W



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LW58	1600 / 1600 / 740-750	**1145**	52	0,22
LW68	1800 / 1600 / 740-750	**1173**	56	0,24
LW78	2000 / 1600 / 740-750	**1208**	59	0,25
LW59	1600 / 1600 / 650-850	**1283**	57	0,22
LW69	1800 / 1600 / 650-850	**1311**	60	0,24
LW79	2000 / 1600 / 650-850	**1346**	63	0,25

Lano-T top S



*Possibility to change the width for 800 mm as an option with no surcharge

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LS58	1600 / 1200 / 740-750	**1087**	47	0,19
LS68	1800 / 1200 / 740-750	**1120**	50	0,21
LS78	2000 / 1200 / 740-750	**1159**	54	0,22
LS59	1600 / 1200 / 650-850	**1226**	52	0,19
LS69	1800 / 1200 / 650-850	**1259**	55	0,21
LS79	2000 / 1200 / 650-850	**1297**	58	0,22

Lano-C

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Sliding top - as an option with a surcharge.

FRAME


- C-shaped base with a square cross-section 65x65 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.
- L-shaped desks are equipped with an extra middle leg with a square cross-section and 50x50 mm.

HEIGHT ADJUSTMENT

- Fixed height 740 mm + leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Possibility to select a chromium-plated foot for Lano-C desks as an option with a surcharge




Surcharge to furniture

Dimensions Top width	Price EUR
600	+265
700	+310
800	+310
1000	+310
L- shaped	+310


Lano-C rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LC080060074	800 / 600 / 740-750	**632**	21	0,09
LC100060074	1000 / 600 / 740-750	**647**	24	0,10
LC120060074	1200 / 600 / 740-750	**663**	26	0,10
LC140060074	1400 / 600 / 740-750	**678**	29	0,11
LC160060074	1600 / 600 / 740-750	**693**	32	0,12
LC180060074	1800 / 600 / 740-750	**708**	34	0,12
LC200060074	2000 / 600 / 740-750	**723**	37	0,13
LCY080060074	800 / 600 / 650-850	**852**	25	0,09
LCY080060074	1000 / 600 / 650-850	**867**	28	0,10
LCY120060074	1200 / 600 / 650-850	**882**	30	0,10
LCY140060074	1400 / 600 / 650-850	**897**	33	0,11
LCY160060074	1600 / 600 / 650-850	**912**	35	0,12
LCY180060074	1800 / 600 / 650-850	**927**	38	0,12
LCY200060074	2000 / 600 / 650-850	**943**	41	0,13
LC080080074	800 / 800 / 740-750	**656**	26	0,12
LC100080074	1000 / 800 / 740-750	**671**	29	0,13
LC120080074	1200 / 800 / 740-750	**686**	32	0,13
LC140080074	1400 / 800 / 740-750	**702**	36	0,14
LC160080074	1600 / 800 / 740-750	**717**	39	0,15
LC180080074	1800 / 800 / 740-750	**732**	42	0,16
LC200080074	2000 / 800 / 740-750	**747**	45	0,17
LCY080080074	800 / 800 / 650-850	**875**	30	0,12
LCY100080074	1000 / 800 / 650-850	**890**	33	0,13
LCY120080074	1200 / 800 / 650-850	**905**	36	0,13
LCY140080074	1400 / 800 / 650-850	**921**	39	0,14
LCY160080074	1600 / 800 / 650-850	**936**	43	0,15
LCY180080074	1800 / 800 / 650-850	**951**	46	0,16
LCY200080074	2000 / 800 / 650-850	**966**	49	0,17
LC080100074	800 / 1000 / 740-750	**680**	25	0,15
LC100100074	1000 / 1000 / 740-750	**695**	29	0,16
LC120100074	1200 / 1000 / 740-750	**710**	33	0,16
LC140100074	1400 / 1000 / 740-750	**725**	37	0,17
LC160100074	1600 / 1000 / 740-750	**741**	41	0,18
LC180100074	1800 / 1000 / 740-750	**756**	45	0,19
LC200100074	2000 / 1000 / 740-750	**771**	49	0,20
LCY080100074	800 / 1000 / 650-850	**898**	29	0,15
LCY100100074	1000 / 1000 / 650-850	**914**	33	0,16
LCY120100074	1200 / 1000 / 650-850	**929**	37	0,16
LCY140100074	1400 / 1000 / 650-850	**944**	41	0,17
LCY160100074	1600 / 1000 / 650-850	**959**	45	0,18
LCY180100074	1800 / 1000 / 650-850	**974**	49	0,19
LCY200100074	2000 / 1000 / 650-850	**989**	53	0,20

Lano-C top D







* Possibility to change the width to 600 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LD51	1600 / 1000 / 740-750	**858**	42	0,16
LD61	1800 / 1000 / 740-750	**880**	45	0,17
LD71	2000 / 1000 / 740-750	**904**	48	0,18
LD53	1600 / 1000 / 650-850	**967**	45	0,16
LD63	1800 / 1000 / 650-850	**990**	49	0,17
LD73	2000 / 1000 / 650-850	**1015**	52	0,18

Lano-C top E






* Independent leg screwed directly to the top – 1 pc.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE81	2165 / 1131 / 740-750	**986**	49	0,22
LE91	2365 / 1131 / 740-750	**1036**	52	0,24
LE83	2165 / 1131 / 650-850	**1125**	51	0,22
LE93	2365 / 1131 / 650-850	**1173**	55	0,24


Lano-C top Z



*Possibility to change the width for 420 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LZ51	1600 / 1200 / 740-750	**986**	45	0,19
LZ61	1800 / 1200 / 740-750	**1024**	49	0,20
LZ71	2000 / 1200 / 740-750	**1069**	52	0,21
LZ53	1600 / 1200 / 650-850	**1125**	50	0,19
LZ63	1800 / 1200 / 650-850	**1164**	54	0,20
LZ73	2000 / 1200 / 650-850	**1206**	57	0,21
LZ21	1600 / 1400 / 740-750	**1006**	47	0,21
LZ31	1800 / 1400 / 740-750	**1042**	51	0,22
LZ41	2000 / 1400 / 740-750	**1087**	54	0,23
LZ23	1600 / 1400 / 650-850	**1145**	52	0,21
LZ33	1800 / 1400 / 650-850	**1181**	56	0,22
LZ43	2000 / 1400 / 650-850	**1226**	59	0,23


Lano-C top W



*Possibility to change the width for 800 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LW51	1600 / 1600 / 740-750	**1126**	52	0,22
LW61	1800 / 1600 / 740-750	**1155**	55	0,24
LW71	2000 / 1600 / 740-750	**1192**	58	0,25
LW53	1600 / 1600 / 650-850	**1265**	57	0,22
LW63	1800 / 1600 / 650-850	**1295**	60	0,24
LW73	2000 / 1600 / 650-850	**1331**	64	0,25

Lano-C top S



*Possibility to change the width for 800 mm as an option with no surcharge.

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LS51	1600 / 1200 / 740-750	**1055**	47	0,19
LS61	1800 / 1200 / 740-750	**1105**	50	0,21
LS71	2000 / 1200 / 740-750	**1144**	53	0,22
LS53	1600 / 1200 / 650-850	**1208**	52	0,19
LS63	1800 / 1200 / 650-850	**1244**	55	0,21
LS73	2000 / 1200 / 650-850	**1281**	58	0,22

Add-on tables System-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Rectangular, U add-on table based on a leg or two system legs adjusted to a desk.
- K leg with a square cross-section 50x50 mm.
- O leg with a round cross-section Ø 50 mm.
- F leg with a rectangular cross-section 30x60 mm.
- Lano C, T leg with a square cross-section 65x65 mm.


HEIGHT ADJUSTMENT

- Smooth height adjustment 740-820 mm (O, K add-on tables).
- Fixed height 740 mm (F, T, Q add-on table).
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Add-on table / O-eM





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OU34	800 / 600 / 740-820	**297**	16	0,06
OU44	1200 / 600 / 740-820	**318**	21	0,07
OU35	800 / 600 / 650-850	**366**	17	0,06
OU45	1200 / 600 / 650-850	**388**	22	0,07


Add-on table / K-eM





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KU34	800 / 600 / 740-820	**306**	17	0,06
KU44	1200 / 600 / 740-820	**327**	22	0,07
KU35	800 / 600 / 650-850	**403**	19	0,06
KU45	1200 / 600 / 650-850	**420**	24	0,07

Add-on table / F-eM






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FU34	800 / 600 / 740-750	**331**	18	0,08
FU44	1200 / 600 / 740-750	**351**	23	0,11
FU35	800 / 600 / 650-850	**418**	20	0,08
FU45	1200 / 600 / 650-850	**439**	25	0,11

System-eM / Add-on tables for System-eM desks


Add-on table U / A-eM





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AU34	800 / 600 / 740-750	**308**	22	0,06
AU44	1200 / 600 / 740-750	**331**	27	0,07
AU35	800 / 600 / 650-850	**399**	26	0,06
AU45	1200 / 600 / 650-850	**419**	31	0,07


Add-on table U / Lano-T





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LU38	800 / 600 / 740-750	**310**	17	0,06
LU48	1200 / 600 / 740-750	**331**	22	0,07
LU39	800 / 600 / 650-850	**394**	17	0,06
LU49	1200 / 600 / 650-850	**494**	23	0,07


Add-on table U / Q-eM





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QU34	800 / 600 / 740-750	**470**	19	0,08
QU44	1200 / 600 / 740-750	**479**	25	0,10
QU35	800 / 600 / 650-850	**590**	21	0,08
QU45	1200 / 600 / 650-850	**611**	26	0,10


Add-on table U / Lano-C






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LU31	800 / 600 / 740-750	**310**	17	0,06
LU41	1200 / 600 / 740-750	**333**	22	0,07
LU33	800 / 600 / 650-850	**394**	12	0,06
LU43	1200 / 600 / 650-850	**494**	17	0,07


Add-on table L / O-eM






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL44	800 / 800 / 740-820	**338**	11	0,04
OL45	800 / 800 / 650-850	**370**	11	0,04


Add-on table L / K-eM






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KL44	800 / 800 / 740-820	**326**	11	0,04
KL45	800 / 800 / 650-850	**361**	12	0,04

Add-on table L / F-eM






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FL44	800 / 800 / 740-750	**349**	11	0,05
FL45	800 / 800 / 650-850	**397**	12	0,05

System-eM / Add-on tables for System-eM desks


Add-on table R* / O-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OR64	1600 / 500 / 740-820	**376**	16	0,06
OR65	1600 / 500 / 650-850	**444**	17	0,06

*Individual leg screwed directly to the top - 2 pcs.
**Dimensions change for 1620 mm or 1640 mm with no surcharge.


Add-on table UU* / O-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OU94	972 / 1050 / 740-820	**482**	18	0,07
OU95	972 / 1050 / 650-850	**552**	19	0,07

*Individual leg screwed directly to the top - 2 pcs.


Add-on table R* / K-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KR64	1600 / 500 / 740-820	**385**	17	0,06
KR65	1600 / 500 / 650-850	**451**	19	0,06

*Individual leg screwed directly to the top - 2 pcs.
**Dimensions change for 1620 mm or 1640 mm with no surcharge.


Add-on table UU* / K-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KU94	972 / 1050 / 740-820	**482**	19	0,07
KU95	972 / 1050 / 650-850	**572**	21	0,07

*Individual leg screwed directly to the top - 2 pcs.


Add-on table R* / F-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FR64	1600 / 500 / 740-750	**410**	18	0,07
FR65	1600 / 500 / 650-850	**494**	20	0,07

*Individual leg screwed directly to the top - 2 pcs.
**Dimensions change for 1620 mm or 1640 mm with no surcharge.


Add-on table UU* / F-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FU94	972 / 1050 / 740-750	**524**	20	0,13
FU95	972 / 1050 / 650-850	**613**	22	0,13

*Individual leg screwed directly to the top - 2 pcs.


Add-on table RR* / O-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OR34	1164 / 1200 / 740-820	**492**	16	0,09
OR35	1164 / 1200 / 650-850	**559**	17	0,09

*Individual leg screwed directly to the top - 2 pcs.


Add-on table RR* / K-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KR34	1164 / 1200 / 740-820	**491**	17	0,09
KR35	1164 / 1200 / 650-850	**559**	19	0,09

*Individual leg screwed directly to the top - 2 pcs.

Add-on table RR* / F-eM



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FR34	1164 / 1200 / 740-750	**534**	17	0,10
FR35	1164 / 1200 / 650-850	**623**	19	0,10

*Individual leg screwed directly to the top - 2 pcs.

Conference tables O-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.

FRAME

- O-eM conference tables based on legs with a round cross-section and Ø 50 mm diameter.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT ADJUSTMENT

- Fixed height 740 mm + leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes, please specify location when ordering

O-eM table rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OT220100074	2200 / 1000 / 740-820	**717**	51	0,19
OTY220100074	2200 / 1000 / 650-850	**882**	53	0,19

O-eM table barrel-shaped top I




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OTB220120074	2200 / 1200 / 740-820	**743**	55	0,21
OTBY220120074	2200 / 1200 / 650-850	**909**	58	0,21

O-eM table barrel-shaped top II




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OTP200100074	2000 / 1000 / 740-820	**619**	47	0,18
OTPY200100074	2000 / 1000 / 650-850	**785**	49	0,18

O-eM round table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OTO080080074	800 / 800 / 740-820	**425**	18	0,09
OTO120120074	1200 / 1200 / 740-820	**519**	31	0,15
OTO140140074	1400 / 1400 / 740-820	**565**	41	0,20
OTOY080080074	800 / 800 / 650-850	**591**	21	0,09
OTOY120120074	1200 / 1200 / 650-850	**684**	33	0,15
OTOY140140074	1400 / 1400 / 650-850	**731**	43	0,20

O-eM table square top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OTK120120074	1200 / 1200 / 740-820	**473**	39	0,20
OTK140140074	1400 / 1400 / 740-820	**550**	49	0,24
OTK160160074	1600 / 1600 / 740-820	**626**	66	0,30
OTKY120120074	1200 / 1200 / 650-850	**639**	41	0,20
OTKY140140074	1400 / 1400 / 650-850	**715**	51	0,24
OTKY160160074	1600 / 1600 / 650-850	**792**	68	0,30

O-eM table trapezoid top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OO54	1600 / 693 / 740-820	**513**	25	0,17

O-eM table semi-circular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OO44	1600 / 800 / 740-820	**597**	28	0,18

O-eM table ellipse top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OT44	2100 / 1100 / 740-820	**661**	44	0,20
OT45	2100 / 1100 / 650-850	**803**	46	0,20

O-eM two-piece table with rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OT400100074	4000 / 1000 / 740-820	**1019**	92	0,34
OT440100074	4400 / 1000 / 740-820	**1054**	102	0,38
OT480100074	4800 / 1000 / 740-820	**1089**	111	0,41
OTY400100074	4000 / 1000 / 650-850	**1377**	96	0,34
OTY440100074	4400 / 1000 / 650-850	**1412**	106	0,38
OTY480100074	4800 / 1000 / 650-850	**1448**	115	0,41

Conference tables K-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.

FRAME

- K-eM conference tables based on legs with a square cross-section 50x50 mm diameter.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes please specify location when ordering.

K-eM table rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KT220100074	2200 / 1000 / 740-820	**761**	52	0,19
KTY220100074	2200 / 1000 / 650-850	**927**	56	0,19

K-em table barrel-shaped top I




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KTB220120074	2200 / 1200 / 740-820	**787**	57	0,21
KTBY220120074	2200 / 1200 / 650-850	**953**	61	0,21

K-em table barrel-shaped top II




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KTP200100074	2000 / 1000 / 740-820	**664**	48	0,18
KTPY200100074	2000 / 1000 / 650-850	**829**	52	0,18

K-eM table round top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KTO080080074	800 / 800 / 740-820	**474**	20	0,09
KTO120120074	1200 / 1200 / 740-820	**566**	32	0,15
KTO140140074	1400 / 1400 / 740-820	**612**	42	0,20
KTOY080080074	800 / 800 / 650-850	**639**	24	0,09
KTOY120120074	1200 / 1200 / 650-850	**731**	36	0,15
KTOY140140074	1400 / 1400 / 650-850	**777**	46	0,20

K-eM table square top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KTK120120074	1200 / 1200 / 740-820	**525**	40	0,20
KTK140140074	1400 / 1400 / 740-820	**601**	50	0,24
KTK160160074	1600 / 1600 / 740-820	**677**	67	0,30
KTKY120120074	1200 / 1200 / 650-850	**690**	45	0,20
KTKY140140074	1400 / 1400 / 650-850	**767**	55	0,24
KTKY160160074	1600 / 1600 / 650-850	**843**	71	0,30

K-eM table trapezoid top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KO54	1600 / 693 / 740-820	**582**	29	0,17

K-eM table semi-circular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KO44	1600 / 800 / 740-820	**647**	31	0,18

K-eM table ellipse top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KT44	2100 / 1100 / 740-820	**709**	46	0,20
KT45	2100 / 1100 / 650-850	**855**	50	0,20

K-eM two-piece table with rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
KT400100074	4000 / 1000 / 740-820	**1118**	94	0,34
KT440100074	4400 / 1000 / 740-820	**1149**	95	0,38
KT480100074	4800 / 1000 / 740-820	**1180**	113	0,41
KTY400100074	4000 / 1000 / 650-850	**1476**	101	0,34
KTY440100074	4400 / 1000 / 650-850	**1508**	112	0,38
KTY480100074	4800 / 1000 / 650-850	**1539**	122	0,41

Conference tables F-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- 13 mm gap between top and frame.

FRAME

- F-eM conference tables based on legs with a rectangular cross-section 30x60 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes please specify location when ordering.

F-eM table rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FT220100074	2200 / 1000 / 740-750	**782**	54	0,28
FTY220100074	2200 / 1000 / 650-850	**947**	58	0,28

F-eM table barrel-shaped top I



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FTB220120074	2200 / 1200 / 740-750	**807**	60	0,33
FTBY220120074	2200 / 1200 / 650-850	**973**	64	0,33


F-eM table barrel-shaped top II




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FTP200100074	2000 / 1000 / 740-750	**689**	50	0,29
FTPY200100074	2000 / 1000 / 650-850	**853**	54	0,29

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl


F-eM round table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FTO080080074	800 / 800 / 740-750	**503**	22	0,11
FTO120120074	1200 / 1200 / 740-750	**592**	34	0,20
FTO140140074	1400 / 1400 / 740-750	**636**	34	0,20
FTOY080080074	800 / 800 / 650-850	**668**	26	0,11
FTOY120120074	1200 / 1200 / 650-850	**757**	38	0,20
FTOY140140074	1400 / 1400 / 650-850	**802**	47	0,27


F-eM table square top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FTK120120074	1200 / 1200 / 740-750	**558**	43	0,27
FTK140140074	1400 / 1400 / 740-750	**633**	57	0,34
FTK160160074	1600 / 1600 / 740-750	**708**	70	0,42
FTKY120120074	1200 / 1200 / 650-850	**723**	47	0,27
FTKY140140074	1400 / 1400 / 650-850	**798**	61	0,34
FTKY160160074	1600 / 1600 / 650-850	**873**	74	0,42


F-eM table ellipse top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FT44	2100 / 1100 / 740-750	**723**	47	0,26
FT45	2100 / 1100 / 650-850	**889**	51	0,26

F-eM two-piece table with rectangular top





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FT400100074	4000 / 1000 / 740-820	**1149**	98	0,50
FT440100074	4400 / 1000 / 740-820	**1180**	108	0,56
FT480100074	4800 / 1000 / 740-820	**1211**	117	0,61
FTY400100074	4000 / 1000 / 650-850	**1493**	105	0,50
FTY440100074	4400 / 1000 / 650-850	**1524**	116	0,56
FTY480100074	4800 / 1000 / 650-850	**1555**	126	0,61

Conference tables Q-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- 13 mm gap between top and frame.

FRAME

- F-eM conference tables based on legs with a rectangular cross-section 30x60 mm.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.
- 650-850 mm height adjustment in 10 mm increments and leveling feet +10 mm

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes please specify location when ordering.

Q-eM table rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QT220100074	2200 / 1000 / 740-750	**989**	59	0,27
QTY220100074	2200 / 1000 / 650-850	**1231**	62	0,27

Q-eM table barrel-shaped top I




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QTB220120074	2200 / 1200 / 740-750	**1020**	66	0,32
QTBY220120074	2200 / 1200 / 650-850	**1260**	69	0,32

Q-eM table barrel-shaped top II




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
QTP200100074	2000 / 1000 / 740-750	**877**	55	0,28
QTPY200100074	2000 / 1000 / 650-850	**1118**	58	0,28

Q-eM round table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QTO080080074	800 / 800 / 740-750	**655**	25	0,11
QTO120120074	1200 / 1200 / 740-750	**761**	39	0,20
QTO140140074	1400 / 1400 / 740-750	**814**	48	0,26
QTOY080080074	800 / 800 / 650-850	**896**	29	0,11
QTOY120120074	1200 / 1200 / 650-850	**1002**	42	0,20
QTOY140140074	1400 / 1400 / 650-850	**1056**	52	0,26

Q-eM table square top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QTK120120074	1200 / 1200 / 740-750	**714**	49	0,26
QTK140140074	1400 / 1400 / 740-750	**803**	65	0,33
QTK160160074	1600 / 1600 / 740-750	**891**	79	0,41
QTKY120120074	1200 / 1200 / 650-850	**963**	53	0,26
QTKY140140074	1400 / 1400 / 650-850	**1048**	68	0,33
QTKY160160074	1600 / 1600 / 650-850	**1133**	82	0,41

Q-eM table ellipse top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QT44	2100 / 1100 / 740-750	**949**	51	0,25
QT45	2100 / 1100 / 650-850	**1162**	55	0,25

Q-eM two-piece table with rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QT400100074	4000 / 1000 / 740-820	**1767**	107	0,49
QT440100074	4400 / 1000 / 740-820	**1811**	118	0,54
QT480100074	4800 / 1000 / 740-820	**1855**	128	0,58
QTY400100074	4000 / 1000 / 650-850	**2272**	112	0,49
QTY440100074	4400 / 1000 / 650-850	**2315**	124	0,54
QTY480100074	4800 / 1000 / 650-850	**2358**	135	0,58

Seminar tables I-eM

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard tops 25 mm thick as standard.
- Clips for joining tables - 2pcs., screws - 4 pcs. as standard.
- Optional round rubber finish that serves as a bumper.

STRAIGHT EDGE CORNER* RUBBER EDGE CORNER



	Price EUR
IR41	+ 167
IR42	+ 178
IR43	+ 172
IR44	+ 181

FRAME

- Based on legs with a round cross-section Ø 60 mm.
- Self-supporting steel structure comprising of welded elements.
- Based on 4 castors, 2 castors with brakes.

HEIGHT


- Fixed height 745 mm and le veling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer p.10

SAMPLE LAYOUTS

- Sample arrangement possibilities of tables and chairs.




I-eM rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IR160080074	1600 / 800 / 745	**865**	31	0,28
IR180080074	1800 / 800 / 745	**881**	34	0,28


I-eM shaped table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IR43	1600 / 900 / 745	**897**	33	0,28
IR44	1800 / 900 / 745	**910**	36	0,29

Chipboard modesty panel

Mounted under the table on hinges. Folding together with table top.



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
to 1600 mm table				
ZRPI140	1400 / 18 / 300	**106**	13	0,035
to 1800 mm table				
ZRPI160	1600 / 18 / 300	**107**	15	0,040

K-eM Space


TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - table 7 mm lower.

K-EM SPACE

- Legs with a square cross-section 50x50 mm.
- Spatial frame providing more leg room and increasing the comfort of use.

SPATIAL FRAME



HEIGHT ADJUSTMENT

K-EM SPACE

- Smooth height adjustment 740-820 mm.


K-EM SPACE MOBILE


- Fixed table top height 740 mm.
- Castors with brakes: Ø 75 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer .
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Possibility to purchase XTORM powerbank together with an undertop grip.


K-eM Space






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WKL01	1400 / 600 / 740	**377**	24	0,26
WKL02	1600 / 600 / 740	**386**	27	0,27
WKL03	1800 / 600 / 740	**399**	29	0,28
WKL10	1400 / 800 / 740	**386**	30	0,36
WKL11	1600 / 800 / 740	**396**	33	0,37
WKL12	1800 / 800 / 740	**410**	36	0,37
WKL19	1400 / 1000 / 740	**531**	35	0,44
WKL20	1600 / 1000 / 740	**540**	38	0,45
WKL21	1800 / 1000 / 740	**552**	42	0,46


K-eM Space Mobile 2






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WKL04	1400 / 600 / 740	**450**	25	0,26
WKL05	1600 / 600 / 740	**458**	27	0,27
WKL06	1800 / 600 / 740	**472**	29	0,28
WKL13	1400 / 800 / 740	**458**	30	0,36
WKL14	1600 / 800 / 740	**470**	33	0,37
WKL15	1800 / 800 / 740	**482**	36	0,37
WKL22	1400 / 1000 / 740	**605**	35	0,44
WKL23	1600 / 1000 / 740	**614**	39	0,45
WKL24	1800 / 1000 / 740	**624**	42	0,46

K-eM Space Mobile 4





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WKL07	1400 / 600 / 740	**502**	25	0,26
WKL08	1600 / 600 / 740	**512**	27	0,27
WKL09	1800 / 600 / 740	**524**	29	0,28
WKL16	1400 / 800 / 740	**512**	30	0,36
WKL17	1600 / 800 / 740	**520**	33	0,37
WKL18	1800 / 800 / 740	**534**	36	0,37
WKL25	1400 / 1000 / 740	**655**	35	0,44
WKL26	1600 / 1000 / 740	**665**	39	0,45
WKL27	1800 / 1000 / 740	**674**	42	0,46

II. System-eM

Lano-E desks with electric height adjustment

Chapter 2 introduces desks with electric height adjustment. The collection includes rectangular desks, desks with tops of different shapes and Bench team desks.


The electric desks feature three leg modules, which are T- or Q-shaped and an F Bench desk.

System-eM

Desks with electric height adjustment

Frame


Lano-E 300 T



Three-section electric column – T leg

H: 625-1275 mm


Lano-E 300 IC T



Three-section electric column – T leg

H: 625-1275 mm


Lano-E 300 P



Three-section electric column – P leg

H: 625-1275 mm


Lano-E 300 T L-förmig



Three-section electric column – T leg

H: 625-1275 mm


Lano-E300 T Bench



Three-section electric column – T leg

H: 625-1275 mm


Lano-E 300 F Bench



Three-section electric column – F leg

H: 585-1235 mm

Lano-E 300 P Bench




Three-section electric column – P leg


H: 625-1275 mm

Desks


Lano-E 300 T




Lano-E 300 IC T



Lano-E 300 P




Lano-E 300 T L-shaped desks




Team desks with partition screens


Lano-E300 T Bench



Lano-E 300 F Bench



Lano-E 300 P Bench



System-eM / Equipment


Desks with electric height adjustment

Sliding top

A sliding top makes it easier to access a horizontal cable channel. This practical, optional solution can be used with all types of desks both individual and team desks with electric height adjustment.

It is possible to fit a suspended front partition screen. It is necessary to clearly indicate the sliding top option while making an order as it affects the structure of the desk.

- The top is equipped with a slide lock which can be released with a single click.
- The sliding top comes in a set with a fold-down cable channel.
- Sliding range: 120 mm.




Surcharge to furniture

Dimensions W	Price EUR
800	+204
1000	+204
1200	+204

PLUS control panel


Lano-E 300 IC is equipped with a PLUS control panel.

- Easy operation by tilting the panel up or down.
- Mountedunder the top.
- Black.



Anti-collision sensor


Anti-collision sensor comes as standard with every Lano-E 300 model.



PREMIUM control panel


Premium control panel is standard for Lano-E 300.

- Thanks to „memory" function, the panel saves 4 heights of your choice, which allows to adjust the height with a single click.
- Display with current height information.
- Bluetooth module, allowing to control your desk, using your smartphone, tablet or PC/MAC.
- Possibility to display a customized welcoming or logo (surcharge + 45 EUR per piece).
- Black.




System-eM / Accessories
Desks with electric height adjustment


Partition screen



BOARD PARTITION SCREEN




UPHOLSTERED PARTITION SCREEN




BOARD PARTITION SCREEN WITH UPHOLSTERED PANEL

UX89/UX90/UX91




SIDE ADD-ON PARTITION SCREEN

Modesty panels




BOARD MODESTY PANEL




PERFORATED MODESTY PANEL


Horizontal cable management



FIXED CABLE CHANNEL




FOLD-DOWN CABLE CHANNEL




GRID CABLE CHANNEL

DD91



COMBE CABLE CLASP


UW04/UW05



CABLE CLASP

Vertical cable management


UW14/UW15



SPRING CABLE CHANNEL


Netboxes

UW36/UW35P/UW35D/UW34P/UW34U/UW34Da



POWER CIRCLE S/M


UW50/UW42/UW5541/UW5542/UW5584/UW5585/UW5142/UW5163/UW5164/UW5242/UW5263/UW5264/UW5341/UW5352



NETBOX


Cable outlets

UW13




ROUND CABLE OUTLET

Scallop cut-out UW16




Rectangular UW17



ERGONOMIC OUTLET


UW28/UW281



ALUMINUM CABLE OUTLET


Complementary accessories

UW20




PC HOLDER

UW25/UW24




PC HOLDER WITH PERFORATED PANEL

UW21




PC TROLLEY WITH CASTORS

US62R/L



UNDERDESK DRAWER

UK07



KEYBOARD DRAWER

System-eM / Accessories

Desks with electric height adjustment

Complementary elements adjusted to the dimensions o f Lano E desks.

			PARTITION SCREEN						
			Board partition screen	Upholstered partition screen			Upholstered panel for board partition		
				1st Group	2nd Group	3rd Group	1st Group	2nd Group	3rd Group
DESKS LANO E 300	Desks width	1600	UZP158 161,-	UY1P158 290,-	UY2P158 331,-	UY3P158 494,-	UT1P150027 151,-	UT2P150027 172,-	UT3P150027 257,-
		1800	UZP178 171,-	UY1P178 307,-	UY2P178 350,-	UY3P178 522,-	UT1P170027 161,-	UT2P170027 184,-	UT3P170027 274,-
		2000	UZP198 180,-	UY1P198 323,-	UY2P198 369,-	UY3P198 550,-	UT1P190027 172,-	UT2P190027 196,-	UT3P190027 292,-
TEAM DESKS - LANO E 300		1600	-	Upholstered partition screen as standard.	Surcharge for fabrics from 2nd and 3rd price groups. Details in the table of surcharges.		-	-	-
		1800	-				-	-	-
		2000	-				-	-	-
DESKS LANO E 300 IC	Desks width	1400	UZP138 152,-	UY1P138 274,-	UY2P138 312,-	UY3P138 466,-	UT1P130027 141,-	UT2P130027 160,-	UT3P130027 239,-
		1600	UZP158 161,-	UY1P158 290,-	UY2P158 331,-	UY3P158 494,-	UT1P150027 151,-	UT2P150027 172,-	UT3P150027 257,-
		1800	UZP178 171,-	UY1P178 307,-	UY2P178 350,-	UY3P178 522,-	UT1P170027 161,-	UT2P170027 184,-	UT3P170027 274,-

			HORIZONTAL CABLE MANAGEMENT			MODESTY PANELS	
			Fixed cable channel	Fold-down cable channel	Grid cable channel	Board partition screen	Perforated modesty panel
DESKS LANO E 300	Desks width	1600	DDS120 51,-	DDU120 72,-	OLS120 69,-	ZRP140 106,-	ZRM140 219,-
		1800	DDS140 54,-	DDU140 77,-	OLS140 73,-	ZRP160 107,-	ZRM160 225,-
		2000	DDS160 58,-	DDU160 82,-	OLS160 77,-	ZRP180 109,-	ZRM180 231,-
TEAM DESKS - LANO E 300	Desks width	1600	DDS120 51,-	DDU120 72,-	OLS120 69,-	-	-
		1800	DDS140 54,-	DDU140 77,-	OLS140 73,-	-	-
		2000	DDS160 58,-	DDU160 82,-	OLS160 77,-	-	-
DESKS LANO E 300 IC	Desks width	1400	DDS100 47,-	DDU100 67,-	OLS100 66,-	ZRP120 104,-	ZRM120 213,-
		1600	DDS120 51,-	DDU120 72,-	OLS120 69,-	ZRP140 106,-	ZRM140 219,-
		1800	DDS140 54,-	DDU140 77,-	OLS140 73,-	ZRP160 107,-	ZRM160 225,-

Lano-E 300 T

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.
- Sliding top - as an option with a surcharge.

FRAME

- Self-supporting steel structure screwed with two undertop beams.
- T-shaped legs with a rectangular cross-section 50x80 mm at the base.
- It is possible to disjoin 2-person workstations, getting two individual Lano-E 300 T Bench desks.

HEIGHT ADJUSTMENT


- Electric height adjustment: 585 - 1235 mm for desks with no feet Lano-E 300 F Bench.
- Electric height adjustment: 625 - 1275 mm - for desks with feet - Lano-E 300 T, Lano-E300 T Bench.
- Desk movement speed - 80 mm/s.
- Premium control panel for Lano-E 300 desks as standard.

CABLE MANAGEMENT

- Horizontal: fixed metal cable channel, fold-down cable channel or plastic cable clamp.
- Vertical: cable channel - plastic spring.
- Plastic cable outlets and netboxes.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Anti-collision sensor as standard
- For additional elements such as: desk extensions, partition screens, cable outlets and PC-holders, please enclose a planning sketch with all measurements to the order.
- Prior arrangements regarding partition screen in Bench desks are necessary since the structure of the furniture does not allow for later orders of partition screens.
- Possibility to select a chromium-plated foot for Lano-E 300 T desks as an option with a surcharge.




Surcharge to furniture

Desk type	Price EUR
Rectangular desks	+ 307
L-shaped desk	+ 460
Bench desk	+ 614


Lano-E300 T






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LET160080074	1600 / 800 / 625-1275	**992**	52	0,16
LET180080074	1800 / 800 / 625-1275	**999**	56	0,17
LET200080074	2000 / 800 /625-1275	**1005**	59	0,18


Lano-E 300 T






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LET160090074	1600 / 900 / 625-1275	**998**	56	0,17
LET180090074	1800 / 900 / 625-1275	**1004**	60	0,19
LET200090074	2000 / 900 /625-1275	**1010**	63	0,21


Lano-E 300 T L-shaped desks






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE451	1600 / 1400 / 625-1275	**1641**	76	0,19
LE461	1800 / 1400 / 625-1275	**1660**	80	0,20
LE471	2000 / 1400 / 625-1275	**1678**	83	0,22


Lano-E 300 T L-shaped desks






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE452	1600 / 1400 / 625-1275	**1671**	76	0,19
LE462	1800 / 1400 / 625-1275	**1689**	80	0,20
LE472	2000 / 1400 / 625-1275	**1706**	83	0,22


Lano-E 300 T L-shaped desks






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE453	1600 / 1600 / 625-1275	**1691**	79	0,21
LE463	1800 / 1600 / 625-1275	**1709**	83	0,22
LE473	2000 / 1600 / 625-1275	**1728**	86	0,24

Lano-E 300 T Bench




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE355	1600 / 1600 / 625-1275	**2673**	91	0,178
LE365	1800 / 1600 / 625-1275	**2682**	94	0,188
LE375	2000 / 1600 / 625-1275	**2692**	97	0,198

Lano-E 300 T Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE356	1600 / 1800 / 625-1275	**2699**	96	0,194
LE366	1800 / 1800 / 625-1275	**2710**	99	0,204
LE376	2000 / 1800 / 625-1275	**2718**	102	0,214

Lano-E 300 F Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LE359	1600 / 1600 / 585-1235	**2460**	73	0,156
LE369	1800 / 1600 / 585-1235	**2468**	76	0,166
LE379	2000 / 1600 / 585-1235	**2477**	79	0,176

Lano-E 300 IC T

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.
- Sliding top - as an option with a surcharge.

FRAME

- Self-supporting steel structure screwed with two undertop beams.
- T-shaped legs with electric columns with 50x80 mm cross-section and feet.

HEIGHT ADJUSTMENT


- Electric height adjustment: 625-1275 mm for desks with feet Lano-E 300 IC T.
- Desk movement speed - 38mm/s.
- Plus control panel as standard.

CABLE MANAGEMENT

- Horizontal: fixed metal cable channel, fold-down cable channel or plastic cable clasp.
- Vertical: cable channel - plastic spring.
- Plastic cable outlets and netboxes.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Additional anti-collision function as an optionwith a surcharge.
- For additional elements such as: partition scr eens, cable outlets and PC-holders, please specify location when ordering.
- Possibility to select a chromium-plated foot for Lano-E 300 IC T desks as an option with a surcharge.




Surcharge to furniture

Dimensions D	Price EUR
700	+ 307
800	+ 307


Lano-E 300 IC T






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LFT140070074	1400 / 700 / 625-1275	**897**	52	0,16
LFT160070074	1600 / 700/ 625-1275	**904**	56	0,17
LFT180070074	1800 / 700 / 625-1275	**910**	59	0,18

Lano-E 300 IC T





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LFT140080074	1400 / 800 / 625-1275	**906**	52	0,16
LFT160080074	1600 / 800 / 625-1275	**913**	56	0,17
LFT180080074	1800 / 800 / 625-1275	**919**	59	0,18

Lano-E 300 P

TOP

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.
– Chipboard with reduced formaldehyde emission, E1 standard.
– Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Exclusively 25 mm thick chipboard top.

– Sliding top – as an option with a surcharge.

FRAME

– Self-supporting steel structure bolted with two undertop beams.
–Panel board legs coated on both sides with melamine resin with increased durability - 1st class.
– Panel board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
– Possibility to finish the external part of leg with decorative felt.
– Leveling feet +10 mm.

HEIGHT ADJUSTMENT

- Electric height adjustment within range: 625 - 1275 mm.
– Movement speed: 80 mm/s.
– Premium control panel for LANO-E 300 desks as standard.


CABLE MANAGEMENT

– Horizontal: fixed metal cable channel, fold-down cable channel or plastic cable clamp.
– Vertical: cable channel - plastic spring.
– Plastic cable outlets and netboxes.

ADDITIONAL INFORMATION


– Colors according to MARO offer.
– Anti-collision sensor as standard.
– For additional elements such as: partitions, cable outlets and PC-holders, please specify mounting position.
– The partition can only be ordered together with a bench-type desk.

Lano-E 300 P



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LEP120060074	1200 / 600 / 625-1275	**1106**	61	0,12
LEP160080074	1600 / 800 / 625-1275	**1124**	73	0,20
LEP200100074	2000 / 1000 / 625-1275	**1143**	84	0,32

Lano-E 300 P Bench



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LEP160160074	1600 / 1600 / 625-1275	**2750**	103	0,26
LEP180160074	1800 / 1600 / 625-1275	**2771**	115	0,34
LEP200160074	2000 / 1600 / 625-1275	**2791**	126	0,46

III. Op-Lite


Op-Lite collection features individual, electric and team desks as well as cabinets and pedestals - everything you need to comprehensively furnish an office. Universal shape of Op-Lite line will well suit the furniture from our other collections.

Desks with wooden legs are a complete novelty and are in line with current trends. Op-Lite furniture will also be perfect for canteens and cafeterias to enhance the informal character of an interior.

Op-Lite


Frame

Op-Lite I O




Leg:
Ø: 40mm
H: 740-800mm

Op-Lite I K




Leg:
40x40mm
H: 740-800mm

Op-Lite II O



Leg:
Ø: 40mm
H: 740-800mm

Op-Lite II K




Leg:
40x40mm
H: 740-800mm

Op-Lite II A




Leg:
55x25mm
H: 740-800mm

Op-Lite II F



Leg:
55x25mm
H: 740-800mm

Op-Lite II Q



Leg:
55x25mm
H: 740-800mm

Op-Lite II Wood O



Wooden leg:
Ø: 40mm
H: 740 mm

Op-Lite II Wood K



Wooden leg:
40x40mm
H: 740 mm

Op - Lite T




T leg:
50x50mm
H: 740 mm

Op-Lite E




Electric leg:
80x50mm
H: 625-1275 mm

Op-Lite II Bench O



Leg:
Ø: 40mm
H: 740-800mm

Op-Lite II Bench K



Leg:
40x40mm
H: 740-800mm

Op-Lite II A Bench




Leg:
55x25mm
H: 740-750mm

Op-Lite II F Bench



Leg:
55x25mm
H: 740-750mm

Op-Lite II Q Bench



Leg:
55x25mm
H: 740-750mm

Op-Lite II Wood O Bench



Wooden leg:
Ø: 40mm
H: 740 mm


Op-Lite II Wood K Bench




Wooden leg:
40x40mm
H: 740 mm

Add-on tables

Add-on table for Op-Lite II O



Add-on table for Op-Lite II K




Add-on table for Op-Lite II A



Add-on table for Op-Lite II F




Add-on table for Op-Lite II Q




Team desks

Op-Lite II Bench O




Op-Lite II Bench K




Pedestals

Op-Lite underdesk mobile pedestals



Op-Lite add-on pedestals



Cabinets and shelf units


Op-Lite cabinet 20H




Op-Lite cabinet 30H




Op-Lite cabinet 50H




Op-Lite hinged add-on cabinet 20H



Op-Lite hinged add-on cabinet 30H



Op-Lite combi cabinet 50H



Op-Lite shelf unit 20H



Op-Lite shelf unit 30H




Op-Lite shelf unit 50H



Op-Lite add-on shelf unit 10H



Op-Lite add-on shelf unit 20H




Op-Lite add-on shelf unit 30H




Op-Lite / Accessories


Partition screen



BOARD PARTITION SCREEN




UPHOLSTERED PARTITION SCREEN




BOARD PARTITION SCREEN WITH UPHOLSTERED PANEL

UX89/UX90/ UX91




SIDE ADD-ON PARTITION SCREEN

Modesty panels




BOARD MODESTY PANEL




PERFORATED MODESTY PANEL


Horizontal cable management



FIXED CABLE CHANNEL




FOLD-DOWN CABLE CHANNEL




GRID CABLE CHANNEL

DD91



COMB CABLE CLASP


UW04/UW 05



CABLE CLASP


Vertical cable management

UW14/UW 15




SPRING CABLE CHANNEL

UW02



FLEXIBLE CABLE CHANNEL


UW381T080/UW381T130/ UW382T080/UW382T130



FABRIC CABLE CHANNEL


Cable outlets

UW 1460




ROUND CABLE OUTLET Ø60

Scallop cut-out UW 16




Rectangular UW 17



ERGONOMIC OUTLET*


Pedestals and cabinets accessories

RT88



PENCIL INSERT

UTN06/UTN062 UTN063



UPHOLSTERED PAD

UP86




ANGLE IRON

* Does not apply to Op-Lite I O and Op-Lite I K desks


Complementary accessories

UW20




PC HOLDER

UW25/UW 24




PC HOLDER WITH PERFORATED PANEL

UW21




PC TROLLEY WITH CASTORS

US62R/L



UNDERDESK DRAWER

UK07



KEYBOARD DRAWER

Op-lite / Accessories

Complementary elements adjusted to the dimensions o f Op-Lite desks

			PARTITION SCREEN						
			Board partition screen	Upholstered partition screen			Upholstered panel f or board partition		
				1st Group	2nd Group	3rd Group	1st Group	2nd Group	3rd Group
DESKS OP-LITE	Desks width	1200	UZP118 143,-	UY1P118 257,-	UY2P118 293,-	UY3P118 437,-	UT1P110027 130,-	UT2P110027 149,-	UT3P110027 222,-
		1400	UZP138 152,-	UY21138 274,-	UY2P138 312,-	UY3P138 466,-	UT1P130027 141,-	UT2P130027 160,-	UT3P130027 239,-
		1600	UZP158 161,-	UY1P158 290,-	UY2P158 331,-	UY3P158 494,-	UT1P150027 151,-	UT2P150027 172,-	UT3P150027 257,-
		1800	UZP178 171,-	UY1P178 307,-	UY2P178 350,-	UY3P178 522,-	UT1P170027 161,-	UT2P170027 184,-	UT3P170027 274,-
		2000	UZP198 180,-	UY1P198 323,-	UY2P198 369,-	UY3P198 550,-	UT1P190027 172,-	UT2P190027 196,-	UT3P190027 292,-
TEAM DESKS OP-LITE	Desks width	1200	-	UY1W120003037 202,-	UY2W120003037 275,-	UY3W120003037 368,-	-	-	-
		1400	-	UY1W140003037 218,-	UY2W140003037 297,-	UY3W140003037 397,-	-	-	-
		1600	-	UY1W160003037 234,-	UY2W160003037 319,-	UY3W160003037 426,-	-	-	-

			HORIZONTAL CABLE MANAGEMENT			MODESTY PANELS	
			Fixed cable channel	Fold-down cable channel	Grid cable channel	Board partition screen	Perforated modesty panel
DESKS OP-LITE	Desks width	1200	DDS080 43,-	DDU080 61,-	OLS080 62,-	ZRP100 102,-	ZRM100 207,-
		1400	DDS100 47,-	DDU100 67,-	OLS100 66,-	ZRP120 104,-	ZRM120 213,-
		1600	DDS120 51,-	DDU120 72,-	OLS120 69,-	ZRP140 106,-	ZRM140 219,-
		1800	DDS140 54,-	DDU140 77,-	OLS140 73,-	ZRP160 107,-	ZRM160 225,-
		2000	DDS160 58,-	DDU160 82,-	OLS160 77,-	ZRP180 109,-	ZRM180 231,-
TEAM DESKS OP-LITE	Desks width	1400	-	-	OLB120 95,-	-	-
		1600	-	-	OLB140 100,-	-	-
		1800	-	-	OLB160 104,-	-	-

Op-Lite I

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of 4 legs and 4 profiles screwed together. Profiles form a frame to which the top is screwed
- Legs made of Ø 40 mm or 40x40 mm profiles, other metal elements with a 40x20 mm cross-section.

HEIGHT ADJUSTMENT

- Smooth height adjustment 740-800 mm.


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) - as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer .

Op-Lite I O



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLOO1260	1200 / 600 / 740-800	**287**	21	0,06
OLOO1460	1400 / 600 / 740-800	**301**	24	0,07
OLOO1660	1600 / 600 / 740-800	**306**	26	0,07
OLOO1268	1200 / 685 / 740-800	**293**	23	0,07
OLOO1468	1400 / 685 / 740-800	**306**	26	0,08
OLOO1668	1600 / 685 / 740-800	**313**	29	0,08
OLOO1270	1200 / 700 / 740-800	**299**	23	0,07
OLOO1470	1400 / 700 / 740-800	**311**	26	0,08
OLOO1670	1600 / 700 / 740-800	**319**	29	0,08
OLOO1280	1200 / 800 / 740-800	**305**	26	0,08
OLOO1480	1400 / 800 / 740-800	**318**	29	0,09
OLOO1680	1600 / 800 / 740-800	**324**	32	0,10
OLOO1880	1800 / 800 / 740-800	**340**	35	0,10
OLOO2080	2000 / 800 / 740-800	**354**	38	0,11

Op-Lite I K



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLOK1260	1200 / 600 / 740-800	**294**	22	0,06
OLOK1460	1400 / 600 / 740-800	**310**	25	0,07
OLOK1660	1600 / 600 / 740-800	**314**	27	0,07
OLOK1268	1200 / 685 / 740-800	**301**	24	0,07
OLOK1468	1400 / 685 / 740-800	**313**	27	0,08
OLOK1668	1600 / 685 / 740-800	**320**	30	0,08
OLOK1270	1200 / 700 / 740-800	**307**	25	0,07
OLOK1470	1400 / 700 / 740-800	**320**	27	0,08
OLOK1670	1600 / 700 / 740-800	**327**	30	0,08
OLOK1280	1200 / 800 / 740-800	**311**	27	0,08
OLOK1480	1400 / 800 / 740-800	**325**	30	0,09
OLOK1680	1600 / 800 / 740-800	**334**	33	0,10
OLOK1880	1800 / 800 / 740-800	**348**	36	0,10
OLOK2080	2000 / 800 / 740-800	**362**	39	0,11

Op-Lite II

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Legs made of Ø 40mm profile (Op-Lite II O), 40x40mm (Op-Lite II K), 55x25mm (Op-Lite II A, F, Q), other metal parts with 40x20 mmcross section (Op-Lite II O, K,A,F, Q).

HEIGHT ADJUSTMENT

- Smooth height adjustment 740-800 mm (Op-Lite II K, O), 740-750 mm(Op-Lite II A, F, Q).


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) - as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Op-Lite II O




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKO1260	1200 / 600 / 740-800	**270**	21	0,06
OLKO1460	1400 / 600 / 740-800	**283**	24	0,07
OLKO1660	1600 / 600 / 740-800	**287**	26	0,07
OLKO1268	1200 / 685 / 740-800	**274**	23	0,07
OLKO1468	1400 / 685 / 740-800	**288**	26	0,08
OLKO1668	1600 / 685 / 740-800	**296**	29	0,09
OLKO1270	1200 / 700 / 740-800	**281**	23	0,08
OLKO1470	1400 / 700 / 740-800	**294**	26	0,08
OLKO1670	1600 / 700 / 740-800	**299**	29	0,09
OLKO1280	1200 / 800 / 740-800	**287**	26	0,08
OLKO1480	1400 / 800 / 740-800	**299**	29	0,09
OLKO1680	1600 / 800 / 740-800	**306**	32	0,10
OLKO1880	1800 / 800 / 740-800	**320**	35	0,10
OLKO2080	2000 / 800 / 740-800	**314**	38	0,11

Op-Lite II K




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKK1260	1200 / 600 / 740-800	**276**	22	0,06
OLKK1460	1400 / 600 / 740-800	**293**	25	0,07
OLKK1660	1600 / 600 / 740-800	**297**	27	0,07
OLKK1268	1200 / 685 / 740-800	**284**	24	0,07
OLKK1468	1400 / 685 / 740-800	**296**	27	0,08
OLKK1668	1600 / 685 / 740-800	**302**	30	0,09
OLKK1270	1200 / 700 / 740-800	**287**	25	0,08
OLKK1470	1400 / 700 / 740-800	**301**	27	0,08
OLKK1670	1600 / 700 / 740-800	**309**	30	0,09
OLKK1280	1200 / 800 / 740-800	**294**	27	0,08
OLKK1480	1400 / 800 / 740-800	**308**	30	0,09
OLKK1680	1600 / 800 / 740-800	**314**	33	0,10
OLKK1880	1800 / 800 / 740-800	**326**	36	0,10
OLKK2080	2000 / 800 / 740-800	**341**	39	0,11

Op-Lite II A




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKA120060074	1200 / 600 / 740750	**312**	20	0,04
OLKA140060074	1400 / 600 / 740750	**324**	23	0,04
OLKA160060074	1600 / 600 / 740750	**326**	26	0,05
OLKA120068074	1200 / 685 / 740750	**318**	22	0,05
OLKA140068074	1400 / 685 / 740750	**328**	25	0,06
OLKA160068074	1600 / 685 / 740750	**333**	29	0,07
OLKA120070074	1200 / 700 / 740750	**323**	23	0,05
OLKA140070074	1400 / 700 / 740750	**334**	27	0,06
OLKA160070074	1600 / 700 / 740750	**338**	31	0,07
OLKA120080074	1200 / 800 / 740750	**329**	26	0,06
OLKA140080074	1400 / 800 / 740750	**340**	31	0,08
OLKA160080074	1600 / 800 / 740750	**343**	35	0,09
OLKA180080074	1800 / 800 / 740750	**380**	39	0,10
OLKA200080074	2000 / 800 / 740750	**391**	43	0,11

Op-Lite II Q



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKQ120060074	1200 / 600 / 740750	**351**	22	0,04
OLKQ140060074	1400 / 600 / 740750	**364**	25	0,04
OLKQ160060074	1600 / 600 / 740750	**366**	29	0,05
OLKQ120068074	1200 / 685 / 740750	**356**	24	0,05
OLKQ140068074	1400 / 685 / 740750	**368**	28	0,06
OLKQ160068074	1600 / 685 / 740750	**373**	32	0,07
OLKQ120070074	1200 / 700 / 740750	**363**	25	0,05
OLKQ140070074	1400 / 700 / 740750	**374**	29	0,06
OLKQ160070074	1600 / 700 / 740750	**379**	33	0,06
OLKQ120080074	1200 / 800 / 740750	**368**	29	0,06
OLKQ140080074	1400 / 800 / 740750	**380**	34	0,08
OLKQ160080074	1600 / 800 / 740750	**383**	39	0,09
OLKQ180080074	1800 / 800 / 740750	**434**	44	0,10
OLKQ200080074	2000 / 800 / 740750	**444**	49	0,11

Op-Lite II F



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKF120060074	1200 / 600 / 740-750	**298**	20	0,04
OLKF140060074	1400 / 600 / 740-750	**311**	23	0,04
OLKF160060074	1600 / 600 / 740-750	**312**	26	0,05
OLKF120068074	1200 / 685 / 740-750	**305**	22	0,05
OLKF140068074	1400 / 685 / 740-750	**314**	25	0,06
OLKF160068074	1600 / 685 / 740-750	**319**	29	0,07
OLKF120070074	1200 / 700 / 740-750	**310**	23	0,05
OLKF140070074	1400 / 700 / 740-750	**321**	27	0,06
OLKF160070074	1600 / 700 / 740-750	**324**	31	0,07
OLKF120080074	1200 / 800 / 740-750	**315**	26	0,06
OLKF140080074	1400 / 800 / 740-750	**326**	30	0,08
OLKF160080074	1600 / 800 / 740-750	**330**	35	0,09
OLKF180080074	1800 / 800 / 740-750	**379**	39	0,10
OLKF200080074	2000 / 800 / 740-750	**391**	43	0,11

Op-Lite II Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS /PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Legs made of Ø 40mm profile (Op-Lite II O), 40x40mm (Op-Lite II K), 55x25mm (Op-Lite II A, F, Q), other metal parts with 50x 25 mm and40x20 mmcross section (Op-Lite II O, K,A, F, Q).

HEIGHT ADJUSTMENT

- Smooth height adjustment 740-800 mm (Op-Lite II K, O), 740-750 (Op-Lite II A, F, Q).


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) - as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Op-Lite II O Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLBO120140074	1200 / 1400 / 740-750	**540**	42	0,08
OLBO140140074	1400 / 1400 / 740-750	**551**	44	0,09
OLBO160140074	1600 / 1400 / 740-750	**559**	46	0,11
OLBO140160074	1400 / 1600 / 740-750	**572**	46	0,11
OLBO160160074	1600 / 1600 / 740-750	**579**	48	0,13

Op-Lite II O Bench 4-person workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLFO240140074	2400 / 1400 / 740-800	**985**	81	0,16
OLFO280140074	2800 / 1400 / 740-800	**1002**	85	0,18
OLFO320140074	3200 / 1400 / 740-800	**1020**	89	0,22


Middle element for Op-Lite II O Bench workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLMO120140074	1200 / 1400 / 740-800	**459**	39	0,074
OLMO140140074	1400/ 1400 / 740-800	**468**	41	0,078
OLMO160140074	1600 / 1400 / 740-800	**476**	43	0,081


Op-Lite / Op-Lite II Bench team workstations

Op-Lite II K Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLBK120140074	1200 / 1400 / 740-750	**549**	42	0,08
OLBK140140074	1400 /1400 / 740-750	**557**	44	0,09
OLBK160140074	1600 / 1400 / 740-750	**568**	46	0,11
OLBK140160074	1400 / 1600 / 740-750	**622**	46	0,11
OLBK160160074	1600 / 1600 / 740-750	**633**	48	0,13

Op-Lite II A Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLBA120140074	1200 / 1400 / 740-750	**622**	42	0,08
OLBA140140074	1400 / 1400 / 740-750	**633**	44	0,09
OLBA160140074	1600 / 1400 / 740-750	**644**	46	0,11
OLBA140160074	1400 / 1600 / 740-750	**658**	46	0,11
OLBA160160074	1600 / 1600 / 740-750	**664**	48	0,13

Op-Lite II K Bench 4-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLFK240140074	2400 / 1400 / 740-800	**998**	81	0,16
OLFK280140074	2800 / 1400 / 740-800	**1016**	85	0,18
OLFK320140074	3200 / 1400 / 740-800	**1034**	89	0,22

Op-Lite II A Bench 4-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLFA240140074	2400 / 1400 / 740750	**1130**	81	0,16
OLFA280140074	2800 / 1400 / 740750	**1150**	85	0,18
OLFA320140074	3200 / 1400 / 740750	**1170**	89	0,22

Middle element for Op-Lite II K Bench workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLMK120140074	1200 / 1400 / 740-800	**465**	39	0,074
OLMK140140074	1400/ 1400 / 740-800	**474**	41	0,078
OLMK160140074	1600/ 1400 / 740-800	**483**	43	0,081

Middle element for Op-Lite II A Bench workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLMA120140074	1200 / 1400 / 740750	**528**	39	0,074
OLMA140140074	1400/ 1400 / 740750	**538**	41	0,078
OLMA160140074	1600/ 1400 / 740750	**546**	43	0,081

Op-Lite II F Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLBF120140074	1200 / 1400 / 740-750	**595**	42	0,08
OLBF140140074	1400 / 1400 / 740-750	**606**	44	0,09
OLBF160140074	1600 / 1400 / 740-750	**616**	46	0,11
OLBF140160074	1400 / 1600 / 740-750	**361**	46	0,11
OLBF160160074	1600 / 1600 / 740-750	**639**	48	0,13

Op-Lite II Q Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLBQ120140074	1200 / 1400 / 740-750	**693**	42	0,08
OLBQ140140074	1400 / 1400 / 740-750	**705**	44	0,09
OLBQ160140074	1600 / 1400 / 740-750	**717**	46	0,11
OLBQ140160074	1400 / 1600 / 740-750	**734**	46	0,11
OLBQ160160074	1600 / 1600 / 740-750	**741**	48	0,13

Op-Lite II F Bench 4-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLFF240140074	2400 / 1400 / 740750	**1081**	81	0,16
OLFF280140074	2800 / 1400 / 740750	**1102**	85	0,18
OLFF320140074	3200 / 1400 / 740750	**1120**	89	0,22

Op-Lite II Q Bench 4-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLFQ240140074	2400 / 1400 / 740750	**1260**	81	0,16
OLFQ280140074	2800 / 1400 / 740750	**1283**	85	0,18
OLFQ320140074	3200 / 1400 / 740750	**1305**	89	0,22

Middle element for Op-Lite II F Bench workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLMF120140074	1200 / 1400 / 740750	**505**	39	0,074
OLMF140140074	1400/ 1400 / 740750	**514**	41	0,078
OLMF160140074	1600/ 1400 / 740750	**524**	43	0,081

Middle element for Op-Lite II Q Bench workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLMQ120140074	1200 / 1400 / 740750	**590**	39	0,074
OLMQ140140074	1400/ 1400 / 740750	**599**	41	0,078
OLMQ160140074	1600/ 1400 / 740750	**610**	43	0,081

Add-on tables Op-Lite II

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Legs made of Ø 40mm profile (Op-Lite II O), 40x40mm (Op-Lite II K), 55x25mm (Op-Lite II A, F, Q), other metal parts with 40x20mm cross section (Op-Lite II O, K, A, F, Q).

HEIGHT ADJUSTMENT

- Smooth height adjustment 740-800 mm (Op-Lite II K, O), 740-750 (Op-Lite II A, F, Q)


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) -as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Add-on table forOp-Lite II O




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLPO060060074	600 / 600 / 740-800	**204**	10	0,03
OLPO080060074	800 / 600 / 740-800	**211**	14	0,04
OLPO120060074	1200 / 600 / 740-800	**227**	21	0,06

Add-on table forOp-Lite II K



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLPK060060074	600 / 600 / 740-800	**208**	11	0,03
OLPK080060074	800 / 600 / 740-800	**216**	15	0,04
OLPK120060074	1200 / 600 / 740-800	**231**	22	0,06


Add-on table forOp-Lite II A



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLPA060060074	600 / 600 / 740-750	**248**	10	0,03
OLPA080060074	800 / 600 / 740-750	**256**	13	0,04
OLPA120060074	1200 / 600 / 740-750	**272**	20	0,06

Op-Lite / Add-on tables for Op-Lite II desks


Add-on table forOp-Lite II F





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLPF060060074	600 / 600 / 740-750	**234**	10	0,03
OLPF080060074	800 / 600 / 740-750	**242**	13	0,04
OLPF120060074	1200 / 600 / 740-750	**257**	20	0,06

Add-on table for Op-Lite II Q





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLPQ060060074	600 / 600 / 740-750	**276**	12	0,03
OLPQ080060074	800 / 600 / 740-750	**284**	15	0,04
OLPQ120060074	1200 / 600 / 740-750	**299**	22	0,06

Op-Lite II Wood

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Angled at 9°, A-shaped legs made of beech wood with Ø40 mm or 40x40 mm cross-section and metal element with Ø40 mm or 40x40 mm profile, profile joining legs: 40x20 mm, other metal elements with 40x20 mm cross-section.

HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) -as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Op-Lite II Wood O



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLOW1260	1200 / 600 / 740-750	**426**	20	0,08
OLOW1460	1400 / 600 / 740-750	**444**	22	0,08
OLOW1660	1600 / 600 / 740-750	**450**	25	0,09
OLOW1268	1200 / 685 / 740-750	**431**	22	0,09
OLOW1468	1400 / 685 / 740-750	**447**	24	0,09
OLOW1668	1600 / 685 / 740-750	**456**	27	0,10
OLOW1270	1200 / 700 / 740-750	**437**	22	0,09
OLOW1470	1400 / 700 / 740-750	**454**	25	0,10
OLOW1670	1600 / 700 / 740-750	**462**	28	0,10
OLOW1280	1200 / 800 / 740-750	**444**	24	0,10
OLOW1480	1400 / 800 / 740-750	**460**	27	0,11
OLOW1680	1600 / 800 / 740-750	**469**	30	0,12
OLOW1880	1800 / 800 / 740-750	**483**	34	0,12
OLOW2080	2000 / 800 / 740-750	**500**	37	0,13

Op-Lite II Wood K



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLKW1260	1200 / 600 / 740-750	**433**	21	0,08
OLKW1460	1400 / 600 / 740-750	**451**	23	0,08
OLKW1660	1600 / 600 / 740-750	**458**	26	0,09
OLKW1268	1200 / 685 / 740-750	**438**	23	0,09
OLKW1468	1400 / 685 / 740-750	**457**	25	0,09
OLKW1668	1600 / 685 / 740-750	**468**	28	0,10
OLKW1270	1200 / 700 / 740-750	**445**	23	0,09
OLKW1470	1400 / 700 / 740-750	**461**	26	0,10
OLKW1670	1600 / 700 / 740-750	**471**	29	0,10
OLKW1280	1200 / 800 / 740-750	**450**	25	0,10
OLKW1480	1400 / 800 / 740-750	**469**	28	0,11
OLKW1680	1600 / 800 / 740-750	**476**	31	0,12
OLKW1880	1800 / 800 / 740-750	**492**	35	0,12
OLKW2080	2000 / 800 / 740-750	**507**	38	0,13

Op-Lite II Wood Bench

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Angled at 9o, A-shaped legs made of beech wood with Ø40 mm or 40x40 mm cross-section and metal element with Ø40 mm or 40x40 mm profile, profile joining legs: 40x20 mm, other metal elements with 50x25 mm cross-section.

HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) -as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Op-Lite II Wood O Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OBOW120140074	1200 / 1400 / 740-750	**831**	42	0,08
OBOW140140074	1400 / 1400 / 740-750	**846**	44	0,09
OBOW160140074	1600 / 1400 / 740-750	**860**	46	0,11

Op-Lite II Wood O Bench 4-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OFOW240140074	2400 / 1400 / 740-750	**1511**	81	0,16
OFOW280140074	2800 / 1400 / 740-750	**1538**	85	0,18
OFOW320140074	3200 / 1400 / 740-750	**1564**	89	0,22

Middle element for Op-Lite II Wood O Bench workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OMOW120140074	1200 / 1400 / 740-750	**706**	39	0,074
OMOW140140074	1400/ 1400 / 740-750	**719**	41	0,078
OMOW160140074	1600 / 1400 / 740-750	**731**	43	0,081

Op-Lite II Wood K Bench 2-person workstation




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OBKW120140074	1200 / 1400 / 740750	**846**	42	0,08
OBKW140140074	1400 / 1400 / 740750	**861**	44	0,09
OBKW160140074	1600 / 1400 / 740750	**875**	46	0,11

Op-Lite II Wood K Bench 4-person workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OFKW240140074	2400 / 1400 / 740750	**1538**	81	0,16
OFKW280140074	2800 / 1400 / 740750	**1565**	85	0,18
OFKW320140074	3200 / 1400 / 740750	**1592**	89	0,22

Middle element for Op-Lite II Wood K Bench workstation



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OMKW120140074	1200 / 1400 / 740750	**666**	39	0,074
OMKW140140074	1400/ 1400 / 740750	**677**	41	0,078
OMKW160140074	1600/ 1400 / 740750	**689**	43	0,081

Op-Lite II Wood add-on tables

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure comprising of welded elements of legs forming the side of the desk screwed with two undertop beams.
- Angled at 9o, A-shaped legs made of beech wood with Ø40 mm or 40x40 mm cross-section and metal element with Ø40 mm or 40x40 mm profile, profile joining legs: 40x20 mm, other metal elements with 40x20 mm cross-section.

HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) -as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Op-Lite II Wood O add-on table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OPKO060060074	600 / 600 / 740-750	**318**	10	0,02
OPKO080060074	800 / 600 / 740-750	**329**	13	0,03
OPKO120060074	1200 / 600 / 740-750	**353**	20	0,05

Op-Lite II Wood K add-on table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OPKW060060074	600 / 600 / 740-750	**312**	11	0,02
OPKW080060074	800 / 600 / 740-750	**323**	14	0,03
OPKW120060074	1200 / 600 / 740-750	**347**	21	0,05

Op-Lite T

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.

FRAME

- Self-supporting steel structure forming the side of the desk screwed with an undertop beam.
- Leg of the frame made of a profile with a square cross-section 50x50 mm.

HEIGHT ADJUSTMENT

- Fixed height 740 mm and leveling feet +10 mm.


EQUIPMENT

- Grid cable channel fitted to the top (galvanized only) -as an option.
- Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.
- Other horizontal and vertical cable channels.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Op-Lite T



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLT1268	1200 / 685 / 740-750	**287**	25	0,04
OLT1468	1400 / 685 / 740-750	**299**	27	0,05
OLT1668	1600 / 685 / 740-750	**306**	30	0,06
OLT1270	1200 / 700 / 740-750	**294**	25	0,04
OLT1470	1400 / 700 / 740-750	**308**	28	0,05
OLT1670	1600 / 700 / 740-750	**314**	31	0,06
OLT1280	1200 / 800 / 740-750	**299**	28	0,05
OLT1480	1400 / 800 / 740-750	**311**	31	0,06
OLT1680	1600 / 800 / 740-750	**319**	34	0,07
OLT1880	1800 / 800 / 740-750	**332**	37	0,07

Op-Lite E

TOP

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

– Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Chipboard top 25 mm thick only.

FRAME

– Frame made of two electric columns forming the side of the desk joined with undertop beams with a profile 50x25 mm.

– Three-piece electric columns with 80x50 mm cross-section.

HEIGHT ADJUSTMENT

– Electric height adjustment 630-1280 mm with an anti collision system as standard.

– Plastic leveling +10 mm.

EQUIPMENT

– Grid cable channel fitted to the top (galvanized only) - as an option.

– Ø 60 mm cable outlet available only as two pieces in the corners of the top. Available colors: white, black, and gray - as an option.


– Other horizontal and vertical cable channels.

BENCH CONNECTOR

– Frame made of profile with 80x40 mm cross-section and 45x45 mm (as an option with partition screen).

ADDITIONAL INFORMATION

– Colors according to MARO offer.




Surcharge

Net price
EUR


+ 177


Op-Lite E



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLE1268	1200 / 685 / 630-1280	**641**	41	0,07
OLE1468	1400 / 685 / 630-1280	**647**	44	0,08
OLE1668	1600 / 685 / 630-1280	**653**	47	0,09
OLE1270	1200 / 700 / 630-1280	**647**	41	0,07
OLE1470	1400 / 700 / 630-1280	**653**	44	0,08
OLE1670	1600 / 700 / 630-1280	**656**	47	0,09
OLE1280	1200 / 800 / 630-1280	**650**	44	0,08
OLE1480	1400 / 800 / 630-1280	**656**	47	0,09
OLE1680	1600 / 800 / 630-1280	**662**	51	0,10
OLE1880	1800 / 800 / 630-1280	**671**	54	0,11

Bench connector





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLEL060	1200 / 600 / 85	**177**	6,00	0,18
OLEL068	1200 / 685 / 85	**177**	6,85	0,20
OLEL070	1200 / 700 / 85	**177**	7,00	0,21
OLEL080	1200 / 800 / 85	**177**	8,00	0,24

Pedestals Op-Lite

Mobile pedestal

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass, top and fronts made of 18 mm thick panel board.
- Carcass finished with 0.8 mm thick ABS/PP plastic edge and 2 mm radius.
- Top and fronts finished with 2 mm thick ABS/PP plastic edge and 3 mm radius.
- Back wall 8 mm (does not apply to OL011).

EQUIPMENT

- Plastic drawers on roll runners with B1 handles.
- Pedestal on castors 36 mm in diameter.
- Central lock with two keys.

Add-on pedestal

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission,E1 standard.
- Top made of 25 mm thick panel board, 18 mm as an option
- Fronts made of 18 mm thick panel board.
- Carcass made of 18 mm board.
- Top and fronts finished with 2 mm thick ABS/PP plastic edge and 3 mm r adius.

- Carcass finished with 0.8 mm thick ABS/PP plastic edge and 2 mm radius.

- Back wall 8 mm.


EQUIPMENT

- Plastic drawers on roll runners with B1 handles.
- Pedestal on feet H=30 mm + 10 mm
- Central lock with two keys.

ADDITIONAL INFORMATION


- Colors according to MARO offer .

Underdesk pedestal
Op-Lite mobile 3-3-3




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL01	428 / 600 / 487	**283**	23	0,15
OL011	448 / 600 / 487	**250**	23	0,15

Underdesk pedestal
Op-Lite mobile 3-6




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL02	428 / 600 / 487	**298**	22	0,15

Underdesk pedestal
Op-Lite mobile 1-2-6




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL03	428 / 600 / 487	**332**	23	0,15

Add-on pedestal
Op-Lite 1-3-3-6



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL0460	428 / 600 / 711	**386**	19	0,21
OL0468	428 / 685 / 711	**396**	21	0,24
OL0470	428 / 700 / 711	**399**	22	0,25
OL0480	428 / 800 / 711	**426**	25	0,28

Add-on pedestal
Op-Lite 1-3-3-3-3



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL0560	428 / 600 / 711	**396**	32	0,21
OL0568	428 / 685 / 711	**399**	34	0,24
OL0570	428 / 700 / 711	**408**	35	0,25
OL0580	428 / 800 / 711	**431**	37	0,28

Op-Lite cabinets and shelf units

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Tops, carcasses and fronts made of 18 mm thick board.
- Tops and fronts finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Carcass finished with 0.8 mm thick ABS/PP plastic edge and 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- Back wall is made of 3 mm thick HDF board, recessed into the groove between the sides of the cabinet. Available only in white color (impossible to change) including the inside of the cabinet.
- Possibility to change the thickness of back wall 8 mm. Only in UNI colors. Surcharge + 15%EUR.
- 18 mm thick chipboard shelves with the possibility to change height every 32 mm (3 bracket holes for each level).
- 25 mm thick construction shelf (permanently mounted) in 5OH filing cabinets.
- Shelves only in the color of the carcass.
- Depth of cabinets and shelf units: 360 mm.


EQUIPMENT

- Doors equipped with 110° hinges and B1 handles, other handles available as an option.
- One point lock is mounted in cabinet doors.
- No lock in wardrobes.
- Cabinets and shelf units must be fitted to the wall. Wall-mounting kit is delivered.
- All cabinets are equipped with leveling feet H=30 mm + 10 mm as standard.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Op-Lite filing cabinetwith hinged doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL1680	800 / 360 / 740	**314**	23	0,23
OL06	800 / 360 / 1110	**335**	35	0,35
OL07	800 / 360 / 1850	**397**	57	0,58

Op-Lite wardrobe with hinged doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL08	800 / 360 / 1850	**387**	48	0,58

Op-Lite add-on cabinet with hinged doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL152	800 / 360 / 740	**317**	8	0,23
OL153	800 / 360 / 1110	**327**	9	0,35

Op-Lite shelf unit




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL1980	800 / 360 /740	**191**	6	0,23
OL1940	400 / 360 /740	**173**	3	0,11
OL09	800 / 360 / 1110	**201**	9	0,35
OL10	400 / 360 / 1110	**180**	5	0,17
OL11	800 / 360 / 1850	**258**	10	0,57
OL12	400 / 360 / 1850	**225**	5	0,29

Op-lite Combi cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL13	800 / 360 / 1850	**380**	49	0,58

Op-Lite add-on shelf unit



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OL141	800 / 360 / 370	**155**	8	0,12
OL142	800 / 360 / 740	**173**	8	0,23
OL143	800 / 360 / 1110	**189**	9	0,35

IV. Wariant


Wariant is a collection of mobile furniture that enables to freely arrange a space. The collection features desks with low and high partitions, compact desks, add-on desk cabinets, modular cabinets, mobile walls, a meeting place, a TV stand, a mobile mini assistant and a wardrobe.

Compact desks are equipped with pneumatic or electric height adjustment with the possibility to mount a tilting top. Wariant modular cabinets allow you to build and rebuild a piece of furniture that is fully adapted to the user's needs. Mobile walls with sound-insulating fabrics can be purchased with dry-wipe boards. The Mobile TV stand is perfect for presentations and meetings. On the other side, there is a a dry-wipe board. By rotating the TV stand, we can comfortably access the board. The Meeting Place is a mobile version of a conference table which can be used for team and individual work.

The furniture based on castors with brakes allows to change the layout of the office within few minutes. This way, the office can be rearranged to respond to your team's needs.

Wariant

Frame



Desk

Low partitions




Desks


High partitions




Compact desk




Mobile Mini Assistant



Add-on desk cabine t




Modular cabinets




Meeting Place




Mobile wardrobe



TV stand



Mobile wall



Wariant / Equipment

Dry-wipe board with writing function

Wariant furniture can be equipped with a dry-wipe board with a writing function. The board can be mounted on:


COMPACT DESK TOP



Surcharge to furniture

Dimensions W / D	Price EUR
900/ 700	+406
1000/ 700	+447
1200/ 700	+528


MEETING PLACE PANEL



Surcharge to furniture

Dimensions W / H	Price EUR
880/1190	+269

MOBILE WALL*




*standard

Upholstered panel

Wariant desks with high partitions are available with upholstered panels as standard. It is possible to add side panels - top and bottom panels as an option with a surcharge.


DESK WITH HIGH PARTITIONS AND UPHOLSTERED WALL*



*Standard

Control panel for compact desks


STANDARD CONTROL PANEL



*Standard

Ergonomic outlet

For Wariant compact desks as an option with a surcharge.



* For desks with partitions as standard


Handles for Wariant modular cabinets and add-on desk cabine ts

HANDLE B1*




*Standard

HANDLE A1** HANDLE C1**



**With no surcharge

HANDLE F1 HANDLE Z1 HANDLE E1




Surcharge

Price
+ 10 EUR/ St.


Wariant / Accessories

Partition screen



UPHOLSTERED PARTITION SCREEN


Cable management



GRID CABLE CHANNEL


Cable outlets

UW 28 / UW 281




ALUMINUM CABLE OUTLET

UW 13



ROUND CABLE OUTLET


Scallopcut-out UW 16



ERGONOMIC OUTLET


Hanging accessories

WX01




ORGANIZER 01 - A4 FOLDER

WX02




ORGANIZER 02 - PEN HOLDER

WX03




ORGANIZER 03 - CUBE

WX04




ORGANIZER 04 - TRAY

WX05



ORGANIZER 05 - FLOWER POT

WX07




ORGANIZER 07 - MIRROR

WX 14



PC-HOLDER

WX 12



BATTERY

Complementary elements adjusted to the dimensions o f Wariant desks*

			PARTITION SCREEN		
			Upholstered partition screen		
			1st Group	2nd Group	3rd Group
COMPACT DESKS	Desks width	900	UY1P088 226,-	UY2P088 452,-	UY3P088 542,-
		1000	UY1P098 234,-	UY2P098 468,-	UY3P098 562,-
		1200	UY1P118 250,-	UY2P118 500,-	UY3P118 600,-

			HORIZONTAL CABLE MANAGEMENT
			Grid cable channel
DESKS WITH HIGH AND LOW PARTITIONS	Desks width	1070	WX 13 83
		1270	WX 131 85
		1470	WX 132 87

Compact desks

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick as standard.
- Chipboard top 18 mm thick as an option - desk 7 mm lower.
- Desk with a tilting top with a special 19 mm thick board can be used as a dry-wipe board as an option with a surcharge (p. 84).
- Desk can be equipped with two rounded front corners as an option with a surcharge.

HEIGHT ADJUSTMENT

- Pneumatic height adjustment 745-1155 mm.
- Electric height adjustment 665-1315 mm.
- Desk with electric height adjustment can be equipped with a PLUS control panel.
- Castors with brakes: Ø 55 mm

PARTITION SCREENS

- 30 mm thick partition screens, mounted with angle brackets directly to the top of the desk.
- Partition screens cannot be mounted to desks with tilting tops.
- Upholstered panels.
- Desk width 900 mm - partition screen 780 mm.
- Desk width 1000 mm - partition screen 980 mm.
- Desk width 1200 mm - partition screen 1180 mm.


ADDITIONAL EQUIPMENT

- Elliptic ergonomic outlet.
- Possibility to purchase XTORM powerbank together with an undertop grip.
- Desks with electric columns can be equipped with a battery as an option
- Rounded front corners of the top with a surcharge

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Compact desk
with pneumatic height adjustment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WH01	900 / 700 / 745-1155	**928**	28	0,159
WH02	1000 / 700 / 745-1155	**932**	29	0,162
WH03	1200 / 700 / 745-1155	**939**	32	0,169

Compact desk
with pneumatic height adjustment and tilting top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WH07	900 / 700 / 745-1155	**1199**	33	0,145
WH08	1000 / 700 / 745-1155	**1205**	34	0,148
WH09	1200 / 700 / 745-1155	**1211**	37	0,155

Compact desk
with electric height adjustment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WH04	900 / 700 / 665-1315	**957**	33	0,127
WH05	1000 / 700 / 665-1315	**964**	34	0,130
WH06	1200 / 700 / 665-1315	**970**	36	0,137

Compact desk
with electric height adjustment and tilting top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WH10	900 / 700 / 665-1315	**1066**	33	0,150
WH11	1000 / 700 / 665-1315	**1073**	34	0,153
WH12	1200 / 700 / 665-1315	**1079**	37	0,160

Desks with low partitions

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.
- Top is equipped with an scallop cut-out.

HEIGHT ADJUSTMENT

- Fixed height: 740 mm.
- Castors with brakes: Ø 75 mm


ADDITIONAL EQUIPMENT


- Grid cable channel - galvanized (p. 97).


ADDITIONAL INFORMATION

- Board partitions only.
- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes, please specify location when ordering.

Desk with low partitions
- board wall







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
WI01	1070 / 700 / 970	**601**	42	0,13
WI02	1270 / 700 / 970	**623**	48	0,15
WI03	1470 / 700 / 970	**647**	54	0,16

Desks with high partitions

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.
- Top is equipped with an scallop cut-out.

HEIGHT ADJUSTMENT

- Desk with no height adjustment - fixed height: 740 mm.
- Desk with electric height adjustment: top height: 730-1380 mm (operated with SUPERIOR control panels, PREMIUM control panel with a surcharge).
- Desk with electric height adjustment is equipped with an anti-collision system as standard
- Desk with pneumatic height adjustment: top height 755-1175 mm.
- Castors with brakes: Ø 75 mm.

EQUIPMENT

- Back wall is made of board or PIN6 upholstered panel on the internal side of the desk.

ADDITIONAL EQUIPMENT


- Upholstered panels on side walls (p. 84).
- Add-on desk cabinet can be affixed (p. 91).
- Bottom side panel excludes an add-on cabinet.
- Mobile desks with high partitions can be equipped with dedicated organizers (p. 96-97).
- Grid cable channel - galvanized (p. 97).
- Possibility to purchase XTORM powerbank together with an undertop grip (p. 84-86).
- Desks with electric columns can be equipped with a battery.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- For additional elements such as: cable outlets and netboxes, please specify location when ordering.

Desk with high partitions
- board wall






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WA05	1070 / 700 / 1400	**817**	51	0,18
WA06	1270 / 700 / 1400	**845**	59	0,19
WA07	1470 / 700 / 1400	**873**	66	0,21

Desk with high partitions
- upholstered wall from the inside







Upholstery		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	GR. I	WA08	1070 / 700 / 1400	**1009**	53	0,18
		WA09	1270 / 700 / 1400	**1049**	60	0,19
		WA10	1470 / 700 / 1400	**1088**	68	0,21
	GR. II	WA082	1070 / 700 / 1400	**1041**	53	0,18
		WA092	1270 / 700 / 1400	**1086**	60	0,19
		WA102	1470 / 700 / 1400	**1130**	68	0,21
	GR. III	WA083	1070 / 700 / 1400	**1143**	53	0,18
		WA093	1270 / 700 / 1400	**1203**	60	0,19
		WA103	1470 / 700 / 1400	**1262**	68	0,21

*In case of selecting the color of the frame from 2nd or 3rd group, surcharge to the desk changes accordingly. Details in the table of surcharges.


Desk with high partitions and pneumatic height adjustment - board wall






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WA01	1070 / 700 / 755-1175	**1490**	63	0,25
WA02	1270 / 700 / 755-1175	**1522**	70	0,27


Desk with high partitions and electric height adjustment - board wall






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WA11	1070 / 700 / 730-1380	**1566**	67	0,22
WA12	1270 / 700 / 730-1380	**1595**	75	0,24


Desk with high partitions and pneumatic height adjustment - upholstered panel from the inside






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery GR.I	WA03	1070 / 700 / 755-1175	**1685**	64	0,25
	WA04	1270 / 700 / 755-1175	**1727**	72	0,27
Upholstery GR.II	WA032	1070 / 700 / 755-1175	**1718**	64	0,25
	WA042	1270 / 700 / 755-1175	**1764**	72	0,27
Upholstery GR.III	WA033	1070 / 700 / 755-1175	**1823**	64	0,25
	WA043	1270 / 700 / 755-1175	**1881**	72	0,27

Desk with high partitions and electric height adjustment - upholstered panel from the inside





Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery GR.I	WA13	1070 / 700 / 755-1175	**1774**	64	0,25
	WA14	1270 / 700 / 755-1175	**1869**	72	0,27
Upholstery GR.II	WA132	1070 / 700 / 755-1175	**1806**	64	0,25
	WA142	1270 / 700 / 755-1175	**1906**	72	0,27
Upholstery GR.III	WA133	1070 / 700 / 755-1175	**1908**	64	0,25
	WA143	1270 / 700 / 755-1175	**2023**	72	0,27

Add-on desk cabinets


STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass, shelves and fronts are made of 18 mm thick chipboard.
- All board elements are finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- Add-on desk cabinets are dedicated for desks with high partitions and are affixed to the frames of the desks.
- Depth of shelf units is adjusted to for 700 mm desks.
- Due to the way of assembling, shelf units have only two castors Ø 75mm.


EQUIPMENT

- Drawers as standard are equipped with handles from MARO A1, B1 and C1 collections with 128 mm spacing. Z1 and W1 handles as an option with a surcharge.
- Drawers with soft close automatic mechanism with a function of drawer braking and automatic closing.
- All drawers have a safety system against simultaneous opening and a central lock.

MODEL



RECTANGULAR ADD-ON CABINET WITH PLANT SPACE




TRUNCATED ADD-ON CABINET WITH PLANT SPACE

- At the top of the cabinet, at 120 mm, there is a space for plants.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Wariant add-on cabinet
- open shelf unit with plant space




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
S **WF07**	328 / 700 / 1080	**1230**	21	0,262
P **WF10**	328 / 700 / 1080	**397**	21	0,262

Wariant add-on cabinet
- with two drawers with plant space



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
S **WF08**	328 / 700 / 1080	**1594**	21	0,262
P **WF11**	328 / 700 / 1080	**753**	21	0,262

Wariant add-on cabinet
- with three drawers with plant space



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
S **WF09**	328 / 700 / 1080	**1612**	21	0,262
P **WF12**	328 / 700 / 1080	**777**	21	0,262

Modular cabinets

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass, fronts of modules and drawers, back wall and top are made of 18 mm thick board.
- All board elements are finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcasses of shelf units are factory-glued, assembled and delivered as a whole.
- Each element of the module has horizontal graining.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- Cabinets on mobile base with braked castors: Ø 75mm or stationary base with feet with +10 mm adjustment.
- Base is affixed directly to floor.
- Modules (4 pieces at maximum) can be freely stacked and rearranged.
- Cabinets can be stacked independently, front-back.

EQUIPMENT

- Upholstered panel for the back of the module as an option with a surcharge.
- Doors are equipped with 110° hinges with soft close mechanism.
- Drawers as standard are equipped with handles from MARO A1, B1 and C1 collections with 128 mm spacing. Z1 and W1 handles as an option with a surcharge.
- Drawers have Soft Close Automatic mechanism with a function of drawer braking and automatic closing.
- Lock for each modular cabinet as an option with a surcharge.

LOCK FOR MODULAR CABINETS



Surcharge

+14 EUR


LOCK FOR MODULAR CABINETS WITH TWO DRAWERS




Surcharge

+53 EUR

Stationary base






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM09	800 / 440 / 178	**93**	0	0,07

Mobile base






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM10	800 / 440 / 178	**152**	0	0,07


Wariant cabinet module - open unit





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM01	800 / 440 / 400	**256**	9	0,15


Wariant cabinet module - hinged doors unit






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM02	800 / 440 / 400	**315**	9	0,15

Wariant cabinet module - front open up




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM03	800 / 440 / 400	**368**	9	0,15

Top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM06	800 / 440 / 0	**58**	1	0,01

Wariant cabinet module - two drawers



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM04	800 / 440 / 400	**718**	9	0,15

Upholstered panel for the back of the module



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WM08	764 / 0 / 382	**76**	2	0,01

Complementary furniture and accessories

MOBILE WALL

- Equipped with a 1250 mm high, 19 mm thick whiteboard (width depending on the product size).
- Back part of the board covered with upholstery with PIN6 function (only on the dry-wipe area).
- Bottom upholstered panel (only with PIN3 option - impossible to stick pins).

MEETING PLACE

- Board elements 18 mm thick (19 mm thick dry-wipe board).
- Worktop 1980 mm x 800 mm.
- Four undertop shelves for office accessories.
- 800 mm x 920 mm dry-wipe board on the top side.
- 10 mm thick, 880 mm x 1190 mm PIN6 upholstered panel mounted on the outside as standard.
- Panel can be exchanged for a dry-wipe board as an option with a surcharge.

TV STAND

- Cabinet at the bottom 1360 mm x 380 mm.
- Cabinet equipped with Push To Open hinged doors with 110° hinges with soft-closing mechanism.
- TV mounting bracket included. Hole spacing according to Vesa standard.
- TV set max display size 55 inches.

MINI MOBILE ASSISTANT

- Dedicated hook for a bag/backpack as standard.
- Board elements 18 mm and 25 mm thick.


MOBILE WARDROBE


- Board elements 18 mm thick.
- Upholstered shelf pad as an option with a surcharge.
- 450 mm long hanger bar.


ADDITIONAL INFORMATION

- Colors according to MARO offer.
- All Complementary furniture are equipped with braked castors: Ø 75mm.

Mobile wall









Upholstery		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
GR. I		WW01	1400 / 450 / 2000	**2472**	51	0,19
		WW02	1600 / 450 / 2000	**2594**	56	0,21
		WW03	1800 / 450 / 2000	**2781**	62	0,22
		WW04	2400 / 450 / 2000	**3451**	77	0,27
GR. II		WW012	1400 / 450 / 2000	**2540**	51	0,19
		WW022	1600 / 450 / 2000	**2671**	56	0,21
		WW032	1800 / 450 / 2000	**2866**	62	0,22
		WW042	2400 / 450 / 2000	**3562**	77	0,27
GR. III		WW013	1400 / 450 / 2000	**2756**	51	0,19
		WW023	1600 / 450 / 2000	**2913**	56	0,21
		WW033	1800 / 450 / 2000	**3135**	62	0,22
		WW043	2400 / 450 / 2000	**3911**	77	0,27

Meeting Place









Upholstery	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
GR.I	WU01	2000 / 880 / 2000	**3056**	106	0,57
GR.II	WU012	2000 / 880 / 2000	**3108**	106	0,57
GR.III	WU013	2000 / 880 / 2000	**3274**	106	0,57

Wariant/ Complementary furniture

TV stand









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
WV01	1400 / 450 / 2000	**1628**	78	0,46

Mobile Mini Assistant










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
WO01	600 / 500 / 1100	**1005**	25	0,09

Mobile wardrobe







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
WY01	1400 / 450 / 2000	**1212**	66	0,20

Complementary accessories

HANGING ACCESSORIES

- All hanging accessories are metal and powder-coated.
- Accessories with WX indexes can be hung on the products from Wariant collection or on upholstered partition screens.


GRID CABLE CHANNEL

- Grid cable channels with U profiles are made of steel grid with galvanized surface. Not painted.

BATTERY FOR ELECTRIC DESKS

- Lithium-ion battery.
- LED battery-charging indicator showing performance level. Battery sound when charing is required.
- Thermal protection, overcurrent protection.
- Battery capacity: 2.15 Ah / 52 Wh.
- Nominal voltage: 24 V DC.
- Dimensions 210 x 76 x 38 mm.
- Color: black.
- Weight: 600 g.


Organizer 01 - A4 folder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX01	310 / 70 / 210	**97**	1	0,006

*While placing your order, please select the element to which the accessory will be mounted.


Organizer 02 - Pen holder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX02	100 / 70 / 210	**67**	1	0,002

*While placing your order, please select the element to which the accessory will be mounted.


Organizer 03 - Cube



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX03	100 / 100 / 100	**62**	1	0,002

*While placing your order, please select the element to which the accessory will be mounted.

Organizer 04 - Tray




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX04	210 / 30 / 100	**55**	1	0,001

*While placing your order, please select the element to which the accessory will be mounted.

Wariant/ Complementary accessories

Organizer 05 - Flower pot




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX05	310 / 100 / 100	**59**	1	0,004

Accumulator for electric desks




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX12	210 / 38 / 76	**470**	1	0,001

Organizer 07 - Mirror



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX07	100 / 30 / 310	**96**	1	0,001

PC-holder for desks with high partitions and electric height adjustment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX14	304 / 35 / 140	**95**	1	0,005

Grid cable channel - Wariant



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX13	1000/100 / 33	**83**	1	0,003
WX131	1200 / 100 / 33	**85**	1	0,003
WX132	1400 / 100 / 33	**87**	1	0,004

V. Idea

- tables for quick meetings


This is a collection of high tables for quick, standup meetings. A wide range of dimensions enables to fit a table even in the most limited spaces and provide room for casual conversations. Idea tables are perfect for social areas, and they also create optimum conditions for individual work in a quiet zone.

The collection also features two mobile tables: Idea H Mobile and Idea A Mobile.

Idea

Frames


Idea A



Leg with rectangular cross-section

25x50 mm
H: 1100 mm


Idea A Mobile



Leg with rectangular cross-section

25x50 mm
H: 1100 mm


Idea H



Leg with rectangular cross-section

25x50 mm
H: 1100 mm

Idea H Mobile



Leg with rectangular cross-section

25x50 mm
H: 1100 mm


Idea P



Board leg

25 mm
H: 1100 mm


Idea S



Round or square plate foot

Ø 600/700/800/900/
1000/1100/1200
Plate foot: Ø 350/490/600 mm
350x350/490x490/
600x600 cm
H: 500/740 /1100mm


Idea O



Single legs

Ø32mm
H: 1100 mm

Idea T




Square legs
65x65 mm


Plate foot: 480x480 mm
H: 1100 mm

High tables


Idea H




Idea A




Idea P



Idea T



Idea S




Idea O



Mobile high tables

Idea H Mobile




Idea A Mobile




Multimedia tables

Idea V




Idea / Accessories

Accessories for tables




1. Idea - high table.
2. Vertical cable channel - spring
3. Horizontal fixed or fold-down cable channel
4. Footrest - brushed stainless steel (height from the floor: 225 mm, profile 40x20 mm).
5. Netbox - possibility to choose a model and customize sockets
6. Mobile TV stand

CABLE MANAGEMENT




UW 14/UW 15

SPRING CABLE CHANNEL




UW381T080/UW 381T130/ UW382T080/UW 382T130

FABRIC CABLE CHANNEL




DD 91

COMB CABLE CLASP



UW04/UW 05


CABLE CLASP



UW 13


ROUND CABLE OUTLET

Netbox



UW36/ UW 35P / UW35D / UW 34P/ UW34U/UW 34Da

POWER CIRCLE S/M




UW50/UW 42 /UW5541/ UW5542 / UW5584/UW5585/ UW5142/UW5163/UW5164/ UW5242/ UW5263/UW5264/ UW5341/ UW5352

NETBOX


Netbox location in Idea P, Idea A, Idea H, Idea A Mobile and Idea H Mobile tables.

OPTION 1




Netbox located in the center of the top.

OPTION 2



Netbox located at mid-depth of the top and 250 mm from the left or right edge.

OPTION 3



Netboxes located at the mid -depth of the top and 250 mm from the left and right edge.

Idea

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.

HEIGHT ADJUSTMENT

- Fixed height 1100 mm.

Idea P

- Frame made of profiles with a rectangular cross-section 25x50, powder-coated.
- Panel legs, 25 mm thick.
- Brushed stainless steel footrest with a 20x40mm profile.

Idea A / .Idea A Mobile

- Frame made of profiles with a rectangular cross-section 25x50, powder-coated.
- A-shaped legs angled at 9 .
- Mobile version is equipped with 4 braked castors Ø 75 mm.
- Brushed stainless steel footrest with a 20x40 mm profile.


Idea H / H Mobile

- Frame made of profiles with a rectangular cross-section 25x50, powder-coated.
- Straight legs.
- Mobile version is equipped with 4 braked castors Ø 75 mm.
- Brushed stainless steel footrest with a 20x40 mm profile.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Netbox can be located on the right or left side or in the center of the top .

Idea P



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
IP100711	1000 / 700 / 1100	**1281**	49	0,13
IP120711	1200 / 700 / 1100	**1299**	53	0,15
IP140711	1400 / 700 / 1100	**1317**	57	0,17
IP160711	1600 / 700 / 1100	**1345**	60	0,19
IP180711	1800 / 700 / 1100	**1357**	64	0,21
IP200711	2000 / 700 / 1100	**1374**	68	0,23
IP100911	1000 / 900 / 1100	**1323**	59	0,14
IP120911	1200 / 900 / 1100	**1345**	64	0,16
IP140911	1400 / 900 / 1100	**1357**	68	0,18
IP160911	1600 / 900 / 1100	**1381**	72	0,21
IP180911	1800 / 900 / 1100	**1399**	77	0,23
IP200911	2000 / 900 / 1100	**1419**	81	0,25


Idea A
- rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IA100711	1000 / 700 / 1100	**1116**	49	0,130
IA120711	1200 / 700 / 1100	**1127**	53	0,151
IA140711	1400 / 700 / 1100	**1139**	57	0,171
IA160711	1600 / 700 / 1100	**1151**	60	0,190
IA180711	1800 / 700 / 1100	**1163**	64	0,211
IA200711	2000 / 700 / 1100	**1176**	68	0,232
IA100911	1000 / 900 / 1100	**1130**	59	0,139
IA120911	1200 / 900 / 1100	**1147**	64	0,162
IA140911	1400 / 900 / 1100	**1160**	68	0,184
IA160911	1600 / 900 / 1100	**1176**	72	0,205
IA180911	1800 / 900 / 1100	**1188**	77	0,227
IA200911	2000 / 900 / 1100	**1202**	81	0,251


Idea A
- rounded top





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IA100712	1000 /700 / 1100	**1167**	40	0,35
IA120712	1200 /700 / 1100	**1181**	44	0,36
IA140712	1400 /700 / 1100	**1191**	48	0,37
IA160712	1600 /700 / 1100	**1203**	53	0,38
IA180712	1800 /700 / 1100	**1215**	57	0,39
IA200712	2000 /700 / 1100	**1227**	62	0,40
IA100912	1000 / 900 / 1100	**1183**	40	0,35
IA120912	1200 / 900 / 1100	**1196**	44	0,36
IA140912	1400 / 900 / 1100	**1212**	48	0,37
IA160912	1600 / 900 / 1100	**1227**	53	0,38
IA180912	1800 / 900 / 1100	**1240**	57	0,39
IA200912	2000 / 900 / 1100	**1254**	62	0,40


Idea A Mobile
- rectangular top





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IAM140711	1400 / 700 / 1100	**1419**	24	0,30
IAM160711	1600 / 700 / 1100	**1432**	28	0,30
IAM180711	1800 / 700 / 1100	**1444**	32	0,31
IAM200711	2000 / 700 / 1100	**1458**	35	0,32


Idea A Mobile
- rounded top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IAM140712	1400 / 700 / 1100	**1474**	24	0,30
IAM160712	1600 / 700 / 1100	**1487**	28	0,30
IAM180712	1800 / 700 / 1100	**1500**	32	0,31
IAM200712	2000 / 700 / 1100	**1513**	35	0,32


Idea H
- rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IH100711	1000 / 700 / 1100	**1116**	35	0,28
IH120711	1200 / 700 / 1100	**1127**	39	0,29
IH140711	1400 / 700 / 1100	**1139**	43	0,30
IH160711	1600 / 700 / 1100	**1151**	47	0,30
IH180711	1800 / 700 / 1100	**1163**	50	0,31
IH200711	2000 / 700 / 1100	**1176**	54	0,32
IH100911	1000 / 900 / 1100	**1130**	35	0,28
IH120911	1200 / 900 / 1100	**1147**	39	0,29
IH140911	1400 / 900 / 1100	**1160**	43	0,30
IH160911	1600 / 900 / 1100	**1176**	47	0,30
IH180911	1800 / 900 / 1100	**1188**	50	0,31
IH200911	2000 / 900 / 1100	**1202**	54	0,32


Idea H
- rounded top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IH100712	1000 / 700 / 1100	**1167**	40	0,36
IH120712	1200 / 700 / 1100	**1181**	45	0,37
IH140712	1400 / 700 / 1100	**1191**	49	0,37
IH160712	1600 / 700 / 1100	**1203**	54	0,38
IH180712	1800 / 700 / 1100	**1215**	58	0,39
IH200712	2000 / 700 / 1100	**1227**	62	0,40
IH100912	1000 / 900 / 1100	**1183**	40	0,36
IH120912	1200 / 900 / 1100	**1196**	45	0,37
IH140912	1400 / 900 / 1100	**1212**	49	0,37
IH160912	1600 / 900 / 1100	**1227**	54	0,38
IH180912	1800 / 900 / 1100	**1240**	58	0,39
IH200912	2000 / 900 / 1100	**1254**	62	0,40


Idea H Mobile
- rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IHM140711	1400 / 700 / 1100	**1419**	24	0,30
IHM160711	1600 / 700 / 1100	**1432**	28	0,30
IHM180711	1800 / 700 / 1100	**1444**	32	0,31
IHM200711	2000 / 700 / 1100	**1458**	35	0,32

Idea H Mobile
- rounded top





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IHM140712	1400 / 700 / 1100	**1474**	24	0,30
IHM160712	1600 / 700 / 1100	**1487**	28	0,30
IHM180712	1800 / 700 / 1100	**1500**	32	0,31
IHM200712	2000 / 700 / 1100	**1513**	35	0,32

Idea

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard top 25 mm thick only.

HEIGHT ADJUSTMENT


- All Idea tables have fixed height 1100 mm and leveling feet +10 mm.
- Idea S is available in three height options: 1100 and 740 and 500 mm (no leveling feet).

Idea S

- Central leg with 80 mm round cross section on plate. Powder-coated leg and plate.


Idea S

- rounded top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IDSO060060050	600 / 600 / 500	**373**	20	0,01
IDSO070070050	700 / 700 / 500	**410**	22	0,02
IDSO080080050	800 / 800 / 500	**447**	24	0,03
IDSO090090050	900 / 900 / 500	**485**	26	0,04
IDSO100100050	1000 / 1000 / 500	**529**	28	0,05
IDSO060060074	600 / 600 / 740	**516**	32	0,03
IDSO070070074	700 /700 / 740	**543**	34	0,03
IDSO080080074	800 /800 / 740	**576**	36	0,04
IDSO090090074	900 /900 / 740	**613**	38	0,05
IDSO100100074	1000 /1000 / 740	**651**	54	0,06
IDSO110110074	1100 /1100 / 740	**727**	70	0,07
IDSO120120074	1200/ 1200 / 740	**809**	86	0,08
IDSO060060110	600 / 600 / 1100	**722**	34	0,03
IDSO070070110	700 / 700 / 1100	**760**	35	0,04
IDSO080080110	800 / 800 /1100	**804**	37	0,04
IDSO090090110	900 / 900 / 1100	**892**	39	0,05
IDSO100100110	1000 /1000 / 1100	**986**	41	0,05

Idea S
- rectangular top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
IDSK060060050	600 /600 / 500	**386**	22	0,02
IDSK070070050	700 /700 / 500	**408**	24	0,03
IDSK080080050	800 /800 / 500	**435**	26	0,04
IDSK090090050	900 /900 / 500	**468**	28	0,05
IDSK100100050	1000/ 1000 / 500	**507**	30	0,06
IDSK060060074	600 / 600 / 740	**484**	34	0,03
IDSK070070074	700 / 700 / 740	**512**	36	0,03
IDSK080080074	800 / 800 / 740	**544**	38	0,04
IDSK090090074	900 / 900 / 740	**581**	40	0,04
IDSK100100074	1000 / 1000 / 740	**620**	42	0,05
IDSK110110074	1100 / 1100 / 740	**695**	44	0,05
IDSK120120074	1200/ 1200 / 740	**778**	46	0,06
IDSK060060110	600 /600 / 1100	**690**	35	0,03
IDSK070070110	700 /700 / 1100	**728**	38	0,04
IDSK080080110	800 /800 / 1100	**772**	40	0,05
IDSK090090110	900 /900 / 1100	**859**	42	0,06
IDSK100100110	1000 /1000 / 1100	**953**	44	0,07

Idea

Idea O

- Double top.
- Undertop shelf made of 25 mm board.
- Single, metal, powder-coated legs.
- Leveling feet +/- 5 mm.


Idea T

- Shelf for documents or a laptop located 150 mm under the top, accessible from both sides.
- Powder-coated legs made of a square cross-section profile 65x65 mm.
- 480x480 mm foot.

ADDITIONAL INFORMATION

- Colors according to MARO offer .
- Netbox can be located on the right or left side or in the center of the top.


Idea O







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ID11	1000 / 1000 / 1100	**1148**	27	0,10

Idea T







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
GT41	1600 / 600 / 1100	**1426**	81	0,15

Idea V

STRUCTURE

–Frame made of 25x50 mm rectangular, powder-coated profiles, 18 mm thick chipboard cover.
–Back wall possible to disassemble for servicing.
–Brushed stainless steel footrest made of 20x40 mm profiles. Plastic leveling feet +10 mm.

EQUIPMENT


–Universal TV rack made of powder-coated metal. Frame for hanging TV set according to VESA. Possibility to mount TVs with mounting hole spacing ranging 75x75 mm (width x height). Dedicated to TVs with diagonal from 24" to 42".

ADDITIONAL INFORMATION

–Netbox can be fixed in the center of the top.

–Colors according to MARO offer.

Idea V



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
IV168100191	1686 / 1000/ 1917	**2391**	101	0,26
IV188100191	1886 /1000 / 1917	**2412**	113	0,29
IV208100191	2086 / 1000 / 1917	**2412**	125	0,32
IV228100191	2286 / 1000 / 1917	**2456**	137	0,35
IV248100191	2486 /1000 / 1917	**2477**	149	0,38

VI. Space arrangement systems

This chapter shows various spaces arrangement systems:

S50 walls have sound-insulating properties and are dedicated to open spaces. There are two types of walls: self-standing on feet and mobile on castors.

Aura - a modular system of shelf units for space arrangement. Thanks to the wide range of accessories such as shelves, panels and cabinets, Aura can suit your needs.

Diviso helps to divide office space in a permanent way. It is mounted to the top of a cabinet or back wall of a 2OH, 3OH or 4OH cabinet.


Texo felt curtains are an ideal solution for dividing space in open-plan offices. They come in a wide range of models and colors and go in line with modern office design trends.

Brevo – ceiling systems which are available in a few options. They do not only complement the interior and make it unique, but also boost the acoustics in the room.


Space arrangement systems

S50 partition walls


Self-standing wall




Mobile wall




Texo
- felt curtains



Brevo
- ceiling systems




MobiForm
- felt walls




Aura -modules

Exemplary sets




Diviso


Diviso 3 OH
1200 / 1600




Diviso 3 OH
2000 / 2400




Diviso 5 OH
1200 / 1600




Diviso 5 OH
2000 / 2400



Diviso 6 OH
1200 / 1600



Diviso 6 OH
2000 / 2400



Acoustic walls S50

STRUCTURE

-Lightweight upholstered panel wall made of honeycomb cardboard, foam, and fabric from MARO collection.
-Two upper panel wall corners are rounded with radius R=50 mm.
-Two options available: based on steel feet or braked castors – the same height.
- Castors made of plastic fi 50.
- Option to connect panel walls in series and/or at right angles with metal connectors as an option with a surcharge.


ACOUSTIC PROPERTIES

- Sound absorption class - A according to PN-EN ISO 354:2005.
- Sound absorption coefficient (αw) – 0.95.


ADDITIONAL INFORMATION

–Colors according to MARO offer.

EXAMPLE SETS




S50 self-standing wall



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Upholstery GR. I	**ST1W080110**	800/65/1100	**507**	8,4	0,06
	ST1W100110	1000/65/1100	**579**	9,8	0,08
	ST1W120110	1200/65/1100	**651**	11,2	0,09
	ST1W080140	800/65/1400	**584**	9,9	0,08
	ST1W100140	1000/65/1400	**675**	11,7	0,10
	ST1W120140	1200/65/1400	**765**	13,4	0,11
	ST1W080180	800/65/1800	**686**	11,9	0,10
	ST1W100180	1000/65/1800	**802**	14,6	0,12
	ST1W120180	1200/65/1800	**917**	16,0	0,15
Upholstery GR II	**ST2W080110**	800/65/1100	**603**	8,4	0,06
	ST2W100110	1000/65/1100	**675**	9,8	0,08
	ST2W120110	1200/65/1100	**747**	11,2	0,09
	ST2W080140	800/65/1400	**696**	9,9	0,08
	ST2W100140	1000/65/1400	**786**	11,7	0,10
	ST2W120140	1200/65/1400	**877**	13,4	0,11
	ST2W080180	800/65/1800	**826**	11,9	0,10
	ST2W100180	1000/65/1800	**941**	14,6	0,12
	ST2W120180	1200/65/1800	**1057**	16,0	0,15
Upholstery GR III	**ST3W080110**	800/65/1100	**911**	8,4	0,06
	ST3W100110	1000/65/1100	**983**	9,8	0,08
	ST3W120110	1200/65/1100	**1055**	11,2	0,09
	ST3W080140	800/65/1400	**1066**	9,9	0,08
	ST3W100140	1000/65/1400	**1157**	11,7	0,10
	ST3W120140	1200/65/1400	**1247**	13,4	0,11
	ST3W080180	800/65/1800	**1297**	11,9	0,10
	ST3W100180	1000/65/1800	**1412**	14,6	0,12
	ST3W120180	1200/65/1800	**1527**	16,0	0,15

S50 mobile wall



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Upholstery GR. I	**ST1M080110**	800/65/1100	**583**	8,7	0,06
	ST1M100110	1000/65/1100	**655**	10,1	0,08
	ST1M120110	1200/65/1100	**728**	11,5	0,09
	ST1M080140	800/65/1400	**660**	10,2	0,08
	ST1M100140	1000/65/1400	**751**	12,0	0,10
	ST1M120140	1200/65/1400	**842**	13,7	0,11
	ST1M080180	800/65/1800	**763**	12,2	0,10
	ST1M100180	1000/65/1800	**878**	14,9	0,12
	ST1M120180	1200/65/1800	**993**	16,3	0,15
Upholstery GR II	**ST2M080110**	800/65/1100	**679**	8,7	0,06
	ST2M100110	1000/65/1100	**751**	10,1	0,08
	ST2M120110	1200/65/1100	**824**	11,5	0,09
	ST2M080140	800/65/1400	**772**	10,2	0,08
	ST2M100140	1000/65/1400	**863**	12,0	0,10
	ST2M120140	1200/65/1400	**953**	13,7	0,11
	ST2M080180	800/65/1800	**903**	12,2	0,10
	ST2M100180	1000/65/1800	**1018**	14,9	0,12
	ST2M120180	1200/65/1800	**1133**	16,3	0,15
Upholstery GR III	**ST3M080110**	800/65/1100	**987**	8,7	0,06
	ST3M100110	1000/65/1100	**1059**	10,1	0,08
	ST3M120110	1200/65/1100	**1132**	11,5	0,09
	ST3M080140	800/65/1400	**1143**	10,2	0,08
	ST3M100140	1000/65/1400	**1234**	12,0	0,10
	ST3M120140	1200/65/1400	**1324**	13,7	0,11
	ST3M080180	800/65/1800	**1373**	12,2	0,10
	ST3M100180	1000/65/1800	**1489**	14,9	0,12
	ST3M120180	1200/65/1800	**1604**	16,3	0,15

Aura

STRUCTURE

ADDITIONAL BOARD ELEMENTS

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Complementary elements made of 18 mm board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- All complementary elements are screwed to the structure with the possibility to change their position multiple times.
- Distance between upholstered panel and board edge: 20 mm.


FRAME

- Modules made of square, steel profile 20x20 mm.
- Modules screwed together with M6 screws.
- Possibility to re-arrange the system multiple times.
- Powder-coated frame in black olor only.
- To stabilize the structure, only full modules are used in the corners (e.g. 3x1x1).
- Modules located at the bottom of the unit are equipped with leveling feet +10 mm (surcharge + 8 EUR).

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- In case o fcustomizing your Aura set, please enclose a layout drawing.
- Impossible to change the dimensions of the modules.
- Straight modules over 3OH high require affixing to the flooror wall.

Single module -1x0,5x0,5




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR00	410 / 410 / 410	**148**	2	0,01

Single module -1x1x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR01	410 / 410 / 410	**196**	4	0,01

Double module -2x1x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR11	410 / 410 / 800	**315**	7	0,10

Double module -1,5x1x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR12	410 / 410 / 780	**304**	7	0,10

Triple module 3x1x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR21	410 / 410 / 1190	**427**	10	0,10

Triple module
-2,5x1x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR22	410 / 410 / 1170	**418**	10	0,10

Sixfold module
-2x3x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR41	1190 / 410 / 800	**649**	17	0,30

Fourfold module
-2x2x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR31	800 / 410 / 800	**480**	12	0,20

Sixfold module
-1,5x3x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR42	1190 / 410 / 780	**638**	14	0,30

Fourfold module
-1,5x2x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR32	800 / 410 / 780	**472**	11	0,20

Sixfold module
-2x2,5x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR43	1170 / 410 / 800	**638**	15	0,30

Fourfold module
-1,5x1,5x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR33	780 / 410 / 780	**463**	9	0,20

Sixfold module
-1,5x2,5x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR44	1170 / 410 / 780	**627**	13	0,30

Eightfold module
-2x4x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR51	1580 / 410 / 800	**845**	21	0,30

Eightfold module
-2x3,5x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR53	1560 / 410 / 800	**836**	20	0,30

Eightfold module
-1,5x4x1



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR52	1580 / 410 / 780	**834**	18	0,30

Eightfold module
-1,5x3,5x1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUR54	1560 / 410 / 780	**821**	17	0,30

Shelf -1x1



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA11	410 / 18 / 368	**139**	2	0,01


Wooden panel -1x1*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA21	410 / 18 / 368	**149**	2	0,01


*Vertical graining as an option

Shelf -2x1



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA12	800 / 18 / 368	**174**	4	0,01


Wooden panel -2x1*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA22	800 / 18 / 368	**342**	4	0,01


*Vertical graining as an option

Shelf -3x1



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA13	1190 / 18 / 368	**192**	5	0,01


Wooden panel -3x1*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA23	1190 / 18 / 368	**192**	6	0,01


*Vertical graining as an option

Dry-wipe board -2x2




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA41	800 / 18 / 800	**748**	0	0,02

Dry-wipe board -3x2




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA42	1190 / 18 / 800	**796**	0	0,03


Upholstered panel -1x1



Upholstery	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
⎓	AUA31	410 / 30 / 410	**229**	3	0,01
⎓	AUA312	410 / 30 / 410	**239**	3	0,01
≡	AUA313	410 / 30 / 410	**270**	3	0,01


Upholstered pad for seating -1x1






Upholstery	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
⎓	AUA81	410 / 410 / 60	**273**	4	0,01
⎓	AUA812	410 / 410 / 60	**283**	4	0,01
≡	AUA81	410 / 410 / 60	**315**	4	0,01


Upholstered panel -2x1



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery	AUA32	800 / 30 / 410	**280**	6	0,02
	AUA322	800 / 30 / 410	**297**	6	0,02
	AUA323	800 / 30 / 410	**348**	6	0,02


Upholstered pad for seating -2x1






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery	AUA82	800 / 410 / 60	**340**	8	0,01
	AUA822	800 / 410 / 60	**357**	8	0,01
	AUA823	800 / 410 / 60	**408**	8	0,01


Upholstered panel -3x1



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery	AUA33	1190 / 30 / 410	**322**	9	0,02
	AUA332	1190 / 30/ 410	**344**	10	0,02
	AUA333	1190 / 30/ 410	**415**	10	0,02


Upholstered pad for seating - 3 x 1






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery	AUA83	1190 / 410 / 60	**408**	11	0,02
	AUA832	1190 / 410 / 60	**431**	11	0,02
	AUA833	1190 / 410 / 60	**502**	11	0,02


Plant box -1/3x1x1






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA51	367 / 410 / 120	**149**	5	0,02

Cabinet with point lock






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA72	367 / 410 / 367	**328**	11	0,06


CABINET -1x1x1






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA61	367 / 410 / 367	**179**	9	0,06


Locker with combination lock






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA73	367 / 410 / 367	**371**	11	0,06

Cabinet with push to open door





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AUA71	367 / 410 / 367	**337**	11	0,06

Diviso

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Ribs 18 mm thick, finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 150 mm deep ribs.

FRAME

- Structure based on metal poles, with a round profile Ø 50 mm.
- Poles are 250 mm from the edge.
- Number of poles depends on the width of the partition. 1200 and 1600 mm wide Diviso is equipped with two construction poles. Wider versions: 2000 and 2400 mm are equipped with three poles.
- Diviso comes in a set with a cabinet (cabinet price is not included).
- Diviso is affixed to the top of 2 or 3OH cabinets, it is impossible to affix them to higher cabinets.
- Diviso is screwed to the back of the cabinet only with 18 mm thick back wall.


HEIGHT


- Modules are available in heights: 3OH, 5OH or 6OH.
- Diviso affixed to back wall of the cabinet is equipped with leveling feet +20 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Diviso 3OH with two poles
- affixed to top of the cabinet 2/3OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV11	1200 / 150 / 1140	**845**	26	0,03
DIV13	1600 / 150 / 1140	**968**	33	0,03


Diviso 3OH with three poles
- affixed to top of the cabinet 2/3OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV15	2000 / 150 / 1140	**1204**	42	0,04
DIV17	2400 / 150 / 1140	**1322**	49	0,04

Diviso 5OH with two poles
- affixed to back wall of the cabinet




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV21	1200 / 150 / 1910	**1117**	59	0,04
DIV33	1600 / 150 / 1910	**1297**	75	0,05

Diviso 6OH with two poles
- affixed to back wall of the cabinet




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV41	1200 / 150 / 2280	**1320**	30	0,04
DIV43	1600 / 150 / 2280	**1536**	37	0,04

Diviso 5OH with three poles
- affixed to back wall of the cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV35	2000 / 150 / 1910	**1648**	91	0,06
DIV37	2400 / 150 / 1910	**1829**	107	0,07

Diviso 6OH with three poles
- affixed to back wall of the cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DIV45	2000 / 150 / 2280	**1950**	48	0,05
DIV47	2400 / 150 / 2280	**2169**	55	0,05

Texo

CONSTRUCTION

–Panel made of felt - rPET and PET non-woven fabric - with a thickness of 9 mm and a weight of 2000 g/m.
–Patterns cut using a CNC machine.
–Two installation options available (horizontal or vertical -see EXAMPLE ARRANGEMENTS).

EQUIPMENT


–Felt curtain is equipped with 2 sets of wire slings and 2 mounting clips as standard, each 2 m long.


ADDITIONAL INFORMATION


–Selection of the mounting system suitable for the specific surface within the customer's range.
–In the case of installation on a suspended ceiling, check its load-bearing capacity first.
–Panel always mounted vertically.
–Clips (2 pc.) for joining panels sold separately.
–Color options available in MARO's offer.


PATTERNS



Texo 01



Texo 02



Texo 03



Texo 04



Texo 05



Texo 06



Texo 07



Texo 08


Texo 09



Texo 10


Texo11



Texo12



Texo13


Texo14


Texo15


EXAMPLE ARRANGEMENTS*







* Variants with reflection both vertically and horizontally. The front and back may differ in colour.

Felt curtain Texo








Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TEX01F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX02F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX03F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX04F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX05F085170009	850 / 9/ 1700	**190**	2,9	0,13
TEX06F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX07F085170009	850 /9 / 1700	**190**	2,9	0,13
TEX08F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX09F085170009	850 / 9 / 1700	**190**	2,9	0,13
TEX10F085170009	850 / 9/1700	**190**	2,9	0,13
TEX11F085170009	850 /9 /1700	**190**	2,9	0,13
TEX12F085170009	850 /9 /1700	**190**	2,9	0,13
TEX13F085170009	850 /9 /1700	**190**	2,9	0,13
TEX14F085170009	850 /9 /1700	**190**	2,9	0,13
TEX15F085170009	850 /9 /1700	**190**	2,9	0,13
TEX01F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX02F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX03F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX04F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX05F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX06F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX07F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX08F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX09F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX10F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX11F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX12F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX13F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX14F085220009	850 / 9 /2200	**303**	3,7	0,17
TEX15F085220009	850 / 9 /2200	**303**	3,7	0,17

Joining clip



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TEXPL	66 / 20 / 15,3	**18**	0,011	0,001

Texo

CONSTRUCTION

–Divider made of felt - 9 mm thick rPET and PET non-woven fabric, 2000 g/m².
–Patterns cut out with CNC machine.
–Two mounting options available (horizontal and vertical).


EQUIPMENT

– Divider mounting post made of 20x20 mm profile and sheet metal base – powder coated.
- Each divider provided with 4 plastic clips for its installation.


ADDITIONAL INFORMATION

–Each divider segment is secured with a system of joint posts – the outer modules only need one post – see EXAMPLE SETS.
–Color options available in MARO's offer.


PATTERNS



Texo 01 Texo 02 Texo 03 Texo 04 Texo 05




Texo 06 Texo 07 Texo 08 Texo 09 Texo 10




Texo11 Texo12 Texo13 Texo14 Texo15


EXAMPLE ARRANGEMENTS*




* Variants with reflection both vertically and horizontally. The front and back may differ in colour.

Texo Free-standing divider







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TEX01S085170009	850 /9 /1700	**401**	11,62	0,08
TEX02S085170009	850 /9 /1700	**401**	11,62	0,08
TEX03S085170009	850 /9 /1700	**401**	11,62	0,08
TEX04S085170009	850 /9 /1700	**401**	11,62	0,08
TEX05S085170009	850 /9 /1700	**401**	11,62	0,08
TEX06S085170009	850 /9 /1700	**401**	11,62	0,08
TEX07S085170009	850 /9 /1700	**401**	11,62	0,08
TEX08S085170009	850 /9 /1700	**401**	11,62	0,08
TEX09S085170009	850 /9 /1700	**401**	11,62	0,08
TEX10S085170009	850 /9 /1700	**401**	11,62	0,08
TEX11S085170009	850 /9 /1700	**401**	11,62	0,08
TEX12S085170009	850 /9 /1700	**401**	11,62	0,08
TEX13S085170009	850 /9 /1700	**401**	11,62	0,08
TEX14S085170009	850 /9 /1700	**401**	11,62	0,08
TEX15S085170009	850 /9 /1700	**401**	11,62	0,08
TEX01S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX02S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX03S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX04S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX05S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX06S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX07S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX08S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX09S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX10S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX11S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX12S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX13S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX14S085220009	850 / 9 /2200	**559**	13,24	0,10
TEX15S085220009	850 / 9 /2200	**559**	13,24	0,10

Brevo panel ceiling

STRUCTURE

- Panel ceilings made of felt rPET and PET nonwoven fabric, 9 mm thick, 2000 g/m².
- Construction beams supported with steel sheet metal.
- Two panel mounting points on the beam allow to make different three-dimensional configurations (illustration of example sets).


EQUIPMENT

- Panel ceilings come with a set of wire slings (the exact number of slings depends on the ceiling depth), each 2 m long.

ADDITIONAL INFORMATION


- Selection of the suitable mounting system for the given surface up to the client.
- In case of mounting the product to a suspended ceiling, first check its load-bearing capacity.

PATTERNS





1 2 3

EXAMPLE SETS*



Brevo panel ceiling





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
BRP01116120028	1160 / 1200 / 280	**549**	4.5	0.38
BRP01176120028	1760 / 1200 / 280	**800**	6.8	0.59
BRP01116480028	1160 / 4800 / 280	**2066**	18.0	1.55
BRP01176480028	1760 / 4800 / 280	**3011**	27.2	2.36
BRP02116120028	1160 / 1200 / 280	**549**	4.5	0.38
BRP02176120028	1760 / 1200 / 280	**800**	6.8	0.59
BRP02116480028	1160 / 4800 / 280	**2066**	18.0	1.55
BRP02176480028	1760 / 4800 / 280	**3011**	27.2	2.36
BRP03116120028	1160 / 1200 / 280	**549**	4.5	0.38
BRP03176120028	1760 / 1200 / 280	**800**	6.8	0.59
BRP03116480028	1160 / 4800 / 280	**2066**	18.0	1.55
BRP03176480028	1760 / 4800 / 280	**3011**	27.2	2.36

Brevo three-dimensional panel

STRUCTURE

- Panel ceilings made of felt - rPET and PET nonwoven fabric, 9 mm thick, 2000 g/m².
- Shapes made with CNC machine.


EQUIPMENT


- Three-dimensional panels come with a set of wire slings (2 pieces, each 2 m long) and 2 mounting clips.

ADDITIONAL INFORMATION

- Selection of the suitable mounting system for the given surface up to the client.
- In case of mounting the product to a suspended ceiling, first check its load-bearing capacity.

Brevo three-dimensional panel





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
BRO01055055009	550 / 550 / 9	**115**	0.06	0.003
BRO01085085009	850 / 850 / 9	**157**	0.12	0.006
BRO01115115009	1150 /1150 / 9	**223**	0.22	0.011

MobiForm wall

STRUCTURE


– Shaped walls made of felt – rPET and PET nonwoven fabric 9 mm thick, 2000 g/m².

EQUIPMENT


– Walls equipped with leveling feet.

ADDITIONAL INFORMATION


– Dimensions are approximate and show the size of the wall when extended to maximum (illustration drawing).
- Various arrangement options possible.



EXAMPLE SETS



MobiForm wall



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
3-module wall				
MFO3110025177	1100 / 250 / 1770	**868**	10.0	0.48
6-module wall				
MFO6110025177	2050 / 250 / 1770	**1460**	19.0	0.91

VII. StartUs

StartUs-S and StartUs-E desks stand out thanks to the fact that after we are done with work, we can fold them in a way that they take up as little space as possible. When folded, their solids resemble chests of drawers in two sizes. Thanks to a wide range of colors, the desk will blend in smoothly with any apartment design.

StartUs-S model will be particularly appreciated by PC users as it enables to cover both the PC and monitor. Thanks to the cable outlet, cables are well-managed. The space for the monitor will also fit stationery items.

StartUs-E is a desk with electric height adjustment. Switching between working in standing and sitting positions will help to perform our daily duties while taking care of our spines.

StartUs


StartUs - S

Folded desk

Width:
1000/1200 mm

Depth :
270 mm


Height:
1200 mm



Unfolded desk

Top height:
740 mm

Top depth
when unfolded:
710 mm




StartUs - E

Folded desk

Width:
1000/1200 mm

Depth :
320 mm


Height:
740 mm



Unfolded desk

Top height:
740-1390 mm


Top depth
when unfolded:
720 mm



StartUs / Equipment


StartUs-S

The idea behind StartUs collection is to keep the balance between work and free time by making the desk as compact as possible and by taking up space only while in use.



The organization of work can be improved by adding extra paid upholstered panels for note pinning and a metal strip for hanging accessories for small office supplies.

ACCESSORIES FOR HANGING




AL01 AL03 AL04 AL09

StartUs-E


StartUs-E electric desk is equipped with an anti-collision sensor and SUPERIOR control panel as standard. PREMIUM control panel available with a surcharge.

ANTI-COLLISION SENSOR



PLUS CONTROL PANEL

- Thanks to „memory" function, the panel saves2 heights of your choice, which enables to adjust the height with a single click.
- LED light - reminds when it is time to get up.
- Bluetooth module, allowing to control your desk, using your smartphone, tablet, PC/MAC.
- Black.



StartUs-S

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass, front, back wall and desk top made of 18 mm thick chipboard.

EQUIPMENT

- Desk is equipped with shelves. Top and bottom shelves are construction shelves. Middle shelf can be adjusted every 32 mm. All shelves are made of 18 mm thick board.
- Shelves are available only in UNI colors.
- Bottom fronts are equipped with 90o hinges, castors and push to open function.
- Top front is equipped with a slot in the top right corner that serves as a handle. Front is lifted with gas struts.
- Round cable outlets φ60 and Power Circle L.
- Screw anchors for fitting to concrete walls, spacing 12 mm, included.
- From the inside back wall can be equipped with:
- An upholstered panel
- A metal strip for accessories
- An upholstered panel with a strip for accessories
- Accessories for hanging on the strip.


HEIGHT

- Furniture height: 1200 mm, leveling feet: +10 mm.
- Top height: 740 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

StartUs-S
Foldable desk




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
SU10	1000 / 270 / 1200	**1078**	85	0,330
SU11	1200 / 270 / 1200	**1114**	96	0,380


Slat for accessories StartUs-S



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Desks SU 10 **PL964**	963 / 60 / 13	**77**	1	0,001
Desks SU 11 **PL1164**	1163 / 60 / 13	**81**	1	0,001


Uphlostered panel for StartUs-S desks






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Desks SU 10					
Upholstery	UT9644	963 / 30 / 440	**108**	12	0,012
Upholstery	UT9644	963 / 30 / 440	**125**	12	0,012
Upholstery	UT9644	963 / 30 / 440	**195**	12	0,012
Do Desks SU 11					
Upholstery	UT1144	1163 / 30 / 440	**116**	14	0,015
Upholstery	UT1144	1163 / 30 / 440	**133**	14	0,015
Upholstery	UT1144	1163 / 30 / 440	**203**	14	0,015

Uphlostered panel1/2 for StartUs - S - with strip for accessories






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Desks SU 10					
Upholstery	UT9618	963 / 30 / 185	**185**	5	0,005
Upholstery	UT9618	963 / 30 / 185	**202**	5	0,005
Upholstery	UT9618	963 / 30 / 185	**272**	5	0,005
Do Desks SU 11					
Upholstery	UT1118	1163 / 30 / 185	**197**	6	0,006
Upholstery	UT1118	1163 / 30 / 185	**215**	6	0,006
Upholstery	UT1118	1163 / 30 / 185	**285**	6	0,006


* In case of ordering a set, please order 2 pieces of 185 mm high upholstered panels and a slat.

Hanging accessories - Metal pocket A4 - vertical




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AL01	260 / 240 / 50	**70**	1	0,003

Hanging accessories - Metal shelf C5+




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AP03	320 / 165 / 50	**57**	1	0,003

Hanging accessories - Small metal shelf



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AL04	165 / 150 / 70	**43**	1	0,002

Hanging accessories - Laptop holder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AL09	200 / 55 / 40	**49**	1	0,000

StartUs-E

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass, front, back wall and desk top made of 18 mm. thick chipboard.

EQUIPMENT

- Electric column with anti-collision system as standard.
- SUPERIOR control panel (PREMIUM control panel as an option).
- Fronts equipped with 90° hinges, castors and push to open function.
- Counterweight as standard.
- Screw anchors for fitting to concrete walls, spacing 12 mm, included.
- Round cable outlet φ60 in the back wall.


HEIGHT

- Folded furniture height: 740 mm, leveling feet +10 mm.
- Electrically adjusted top height: from 740 mm to 1390 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer .

StartUs-E
Foldable desk with electric height adjustment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
SU20	1000 / 320 / 740	**1567**	65	0,240
SU21	1200 / 320 / 740	**1600**	76	0,284

VIII. Acoustics


Acoustic furniture collection offers reliable solutions in modern forms. Among the new solutions you will find CubiSound and AcuPro acoustic absorbers, AcuStixx standalone modular partitions, ConScape acoustic space arrangement system and sofas with acoustic shields - SafeSpot.

All of the products are designed with a view to create an environment encouraging concentration and to reduce distracting stimuli in office space. In addition, we use recycled materials to produce this collection. This is a particularly distinctive feature of WallTexto panels, which are entirely made of rPET and PET fibers.


Acoustics

ConScape - system of office space arrangement


Closed set - S booth




Closed set - M booth




Closed set - L booth




Closed set - XL booth




Open set - C1




Open set - C2



Open set - S1




Open set - S2




AcuStixx - modular system of standalone partitions


First module




Last module



Middle module




Extension module




AcuPro - wall absorbers


Wall absorber



Extension module



Shelf




CubiSound - wall and ceiling absorbers


Symmetric wall absorber




Asymmetric wall absorber



Symmetric ceiling absorber




Asymmetric ceiling absorber




DualSystem - wall panels and partitions


Rectangular wall panel / rectangular partition



Symmetric wall panel / symmetric partition




Asymmetric wall panel / asymmetric partition




WallTexo - wall panels

Square wall panel



Rectangular wall panel




Singular slatted wall panel




Double slatted wall panel



Square slatted wall panel



AcuTexo - acoustic columns



ConScape

by Studio Rygalik

STRUCTURE

- Upholstered modules (straight and curved) made of panel board.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Structure made of powder-coated, metal profiles mounted to upholstered modules with dedicated brackets.
- Upholstered modules are filled with a combination of materials with acoustic properties. Inside: sound-absorbing properties, outside: sound-insulating properties.


EQUIPMENT

- Closed sets are equipped with a light and a remote control as standard.
- Wall-mounted tables with netboxes (1x electric socket 230 V and 1x USB with charging option - round top, 2x electrical socket 230V 2x USB with charging option - oval top) - as an option with surcharge.
- 12 mm panel board tops with 0.8 mm thick plastic edge.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Coat hook made of powder-coated metal as an option with a surcharge.
- TV holder made of powder-coated metal. Mounting bracket to hang a TV set in accordance with VESA standard. Possibility to mount a TV set with mounting hole spacing from 100 x100 mm (width x height) with M6 screws. Designed for TV sets with a 32" diagonal.
- Curtain made of 2nd price group fabrics as standard in closed sets.
- Feet padded with felt.

ADDITIONAL INFORMATION


- Product tested in accordance with ISO 23351-1 and PN-EN ISO 11546-2:2010.
- Dimensions are approximate and may vary depending on the selected fabric.
- Colors according to MARO offer.

Closed set - S booth




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNSW1R1	1550 / 1550 / 2250	**5990**	166	1,8
CNSW1R2	1550 / 1550 / 2250	**6058**	166	1,8
CNSW2R1	1550 / 1550 / 2250	**8010**	166	1,8
CNSW2R2	1550 / 1550 / 2250	**8090**	166	1,8
CNSW3R1	1550 / 1550 / 2250	**10085**	166	1,8
CNSW3R2	1550 / 1550 / 2250	**10186**	166	1,8

Closed set - M booth




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNMW1R1	2340 / 1550 / 2250	**7852**	232	2
CNMW1R2	2340 / 1550 / 2250	**7969**	232	2
CNMW2R1	2340 / 1550 / 2250	**10522**	232	2
CNMW2R2	2340 / 1550 / 2250	**10628**	232	2
CNMW3R1	2340 / 1550 / 2250	**13272**	232	2
CNMW3R2	2340 / 1550 / 2250	**13403**	232	2

Closed set - L booth




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNLW1R1	2340 / 2340 / 2250	**10784**	300	2,25
CNLW1R2	2340 / 2340 / 2250	**10903**	300	2,25
CNLW2R1	2340 / 2340 / 2250	**14105**	300	2,25
CNLW2R2	2340 / 2340 / 2250	**14246**	300	2,25
CNLW3R1	2340 / 2340 / 2250	**17530**	300	2,25
CNLW3R2	2340 / 2340 / 2250	**17702**	300	2,25

Closed set - XL booth




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNXLW1R1	3130 / 2340 / 2250	**12359**	383	2,65
CNXLW1R2	3130 / 2340 / 2250	**12495**	383	2,65
CNXLW2R1	3130 / 2340 / 2250	**16331**	383	2,65
CNXLW2R2	3130 / 2340 / 2250	**16493**	383	2,65
CNXLW3R1	3130 / 2340 / 2250	**20429**	383	2,65
CNXLW3R2	3130 / 2340 / 2250	**20583**	383	2,65

Round wall-mounted table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNTO045045001	450 / 450 / 122	**380**	2,5	0,02

Oval wall-mounted table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNTO119040001	1190 / 400 / 122	**557**	5	0,06

Coat hook




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNH	30 / 81 / 80	**44**	0.2	0,002

TV-holder




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
CNTV	785 / 74 / 302	**433**	4	0,02

Open set - C1




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNCSW1	2603 / 1857 / 2250	**5049**	202	1,35
CNCSW2	2603 / 1857 / 2250	**6058**	202	1,35
CNCSW3	2603 / 1857 / 2250	**7670**	202	1,35

Open set - C2




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNCMW1	3393 / 2647 / 2250	**8596**	312	1,6
CNCMW2	3393 / 2647 / 2250	**10314**	312	1,6
CNCMW3	3393 / 2647 / 2250	**12842**	312	1,6

Open set - S1



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNSSW1	4132 / 4137 / 2250	**4119**	288	1,6
CNSSW2	4132 / 4137 / 2250	**4942**	288	1,6
CNSSW3	4132 / 4137 / 2250	**6191**	288	1,6

Open set - S2



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CNSMW1	5715 / 5720 / 2250	**6246**	428	2
CNSMW2	5715 / 5720 / 2250	**7432**	428	2
CNSMW3	5715 / 5720 / 2250	**9293**	428	2

AcuStixx

by Studio Rygalik

STRUCTURE


- Upholstered modules made of recycled foam based on metal profiles.
- Metal profile and sheet metal serving as feet - powder-coated.
- Modules with 360-degree rotation around their own axis.
- If a set consists of 15 modules, it is necessary to order an extra middle module to provide stability. For longer sets, every eighth module should be a middle module.
- Feet padded with felt.

ACOUSTIC PROPERTIES


- Sound absorption class - B according to PN-EN ISO 11654:1999
- Sound absorption coefficient (α_W) - 0.85.

ADDITIONAL INFORMATION


- Dimensions are approximate and may vary depending on the selected fabric.
- Colors according to MARO offer.



EXEMPLARY SETS




First module




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
1st grp.				
AX1P014009200	145 / 93 / 2000	**357**	11.4	0.19
2nd grp.				
AX2P014009200	145 / 93/ 2000	**383**	11.4	0.19
3rd grp.				
AX3P014009200	145 / 93/ 2000	**465**	11.4	0.19

Last module




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
1st grp.				
AX1K014009200	145 / 93 / 2000	**601**	16.8	0.19
2nd grp.				
AX2K014009200	145 / 93 / 2000	**655**	16.8	0.19
3rd grp.				
AX3K014009200	145 / 93 / 2000	**825**	16.8	0.19


Middle module



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
1st grp.				
AX1M014009200	145 / 93 / 2000	**605**	15.7	0.19
2nd grp.				
AX2M014009200	145 / 93 / 2000	**658**	15.7	0.19
3rd grp.				
AX3M014009200	145 / 93 / 2000	**828**	15.7	0.19

Extension module





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
1st grp.				
AX1S014009200	145 / 93 / 2000	**291**	6.6	0.19
2nd grp.				
AX2S014009200	145 / 93 / 2000	**317**	6.6	0.19
3rd grp.				
AX3S014009200	145 / 93 / 2000	**397**	6.6	0.19

AcuPro

by Studio Rygalik

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Frame made of 30x30 mm powder-coated metal profiles.
- Upholstered elements made of recycled foam.

EQUIPMENT

- If a few absorbers are joined, an extra extension module needs to be ordered. It is delivered with metal, powder-coated elements that join the profiles of the absorbers and a felt insert that fills the gap between the upholstered elements.
- Shelf made of 12 mm thick melamine board as an option.Max. load: 5 Kg.


ACOUSTIC PROPERTIES

- Sound absorption class - A according to PN-EN ISO 354:2005
- Sound absorption coefficient (αW) - 1,00.

ADDITIONAL INFORMATION


- The right choice of mounting system for a given surface is up to the client.
- Dimensions are approximate and may vary depending on the selected fabric.
- Colors according to MARO offer.

Wall absorber




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.				
AP1P110014055	1100 / 145/ 550	**425**	11.5	0.08
2nd grp.				
AP2P110014055	1100 / 145 / 550	**486**	11.5	0.08
3rd grp.				
AP3P110014055	1100 / 145 / 550	**730**	11.5	0.08

Extension module



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.				
AP1W110014055	1100 / 145/ 550	**432**	11.5	0.08
2nd grp.				
AP2W110014055	1100 / 145/ 550	**492**	11.5	0.08
3rd grp.				
AP3W110014055	1100 / 145/ 550	**736**	11.5	0.08

Shelf



Product Code	Dimensions W / D /	Price EUR	Weight Kg	Vol. m³
APSH110035001	H 1100 / 350 / 12	**130**	3.5	0.01

CubiSound

by Studio Rygalik

STRUCTURE

- 1.2 mm sheet metal frame with 40x20 mm profile, powder-coated.
- 8 mm thick chipboard with reduced formaldehyde emission, E1 standard.
- Filled with soundproofing felt.

EQUIPMENT

- Ceiling absorbers are delivered with wire slings (4 pcs./absorber), each 2 m long.
- Wall absorbers are delivered with a stencil facilitating the positioning of the mounting holes.


ACOUSTIC PROPERTIES

- Sound absorption class - A according to PN-EN ISO 354:2005
- Sound absorption coefficient (α_W) - 1,00.

ADDITIONAL INFORMATION


- The right choice of mounting system for a given surface is up to the client.
- Before mounting on a suspended ceiling, check its load-bearing capacity.
- Dimensions are approximate and may vary depending on the selected fabric.
- Colors according to MARO offer.


Symmetric absorber




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
	Wall absorber				
1st grp.	**CS1S060060010**	600 / 600 / 100	**356**	6	0.04
	CS1S090090015	900 / 900 / 150	**478**	11.5	0.12
	CS1S120120018	1200 / 1200 / 185	**636**	15	0.26
2nd grp.	CS2S060060010	600 / 600 / 100	**382**	6	0.04
	CS2S090090015	900 / 900 / 150	**512**	11.5	0.12
	CS2S120120018	1200 / 1200 / 185	**679**	15	0.26
3rd grp.	CS3S060060010	600 / 600 / 100	**472**	6	0.04
	CS3S090090015	900 / 900 / 150	**633**	11.5	0.12
	CS3S120120018	1200 / 1200 / 185	**834**	15	0.26
	Ceiling absorber				
1st grp.	CS1W060060010	600 / 600 / 100	**392**	6	0.04
	CS1W090090015	900 / 900 / 150	**514**	11.5	0.12
	CS1W120120018	1200 / 1200 / 185	**672**	15	0.26
2nd grp.	CS2W060060010	600 / 600 / 100	**416**	6	0.04
	CS2W090090015	900 / 900 / 150	**547**	11.5	0.12
	CS2W120120018	1200 / 1200 / 185	**616**	15	0.26
3rd grp.	CS3W060060010	600 / 600 / 100	**501**	6	0.04
	CS3W090090015	900 / 900 / 150	**663**	11.5	0.12
	CS3W120120018	1200 / 1200 / 185	**745**	15	0.26

Asymmetric absorber







	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
	Wall absorber				
1st grp.	CS1A060060010	600 / 600 / 100	**362**	6	0.04
	CS1A090090015	900 / 900 / 150	**487**	11.5	0.12
	CS1A120120018	1200 / 1200 / 185	**649**	15	0.26
2nd grp.	CS2A060060010	600 / 600 / 100	**388**	6	0.04
	CS2A090090015	900 / 900 / 150	**521**	11.5	0.12
	CS2A120120018	1200 / 1200 / 185	**691**	15	0.26
3rd grp.	CS3A060060010	600 / 600 / 100	**478**	6	0.04
	CS3A090090015	900 / 900 / 150	**644**	11.5	0.12
	CS3A120120018	1200 / 1200 / 185	**846**	15	0.26
	Ceiling absorber				
1st grp.	CS1N060060010	600 / 600 / 100	**397**	6	0.04
	CS1N090090015	900 / 900 / 150	**522**	11.5	0.12
	CS1N120120018	1200 / 1200 / 185	**685**	15	0.26
2nd grp.	CS2N060060010	600 / 600 / 100	**421**	6	0.04
	CS2N090090015	900 / 900 / 150	**555**	11.5	0.12
	CS2N120120018	1200 / 1200 / 185	**726**	15	0.26
3rd grp.	CS3N060060010	600 / 600 / 100	**506**	6	0.04
	CS3N090090015	900 / 900 / 150	**671**	11.5	0.12
	CS3N120120018	1200 / 1200 / 185	**876**	15	0.26

DualSystem


by Studio Rygalik

STRUCTURE


–15 mm thick cardboard covered on both sides with recycled foam, finished with foam half-roll.

EQUIPMENT

-Each panel is fixed with 2 brackets, sold separately. Depending on the intended use, order the right number of desk or wall brackets. Fitting as a front partition only. The brackets are made of 2 mm thick sheet metal. The wall brackets are equipped with 9 mm thick felt serving as a wall spacer.



DESK BRACKET



WALL BRACKET

ACOUSTIC PROPERTIES


–Sound absorption class: A according to PN-EN ISO 354:2005
–Sound absorption coefficient (αw) – 1.00.

ADDITIONAL INFORMATION

-Colors according to MARO offer.


Rectangular wall panel / rectangular partition






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.	D1P080065006	800 / 65 / 650	**257**	3,0	0,033
	D1P090065006	900 / 65 / 650	**263**	3,3	0,038
	D1P100065006	1000 / 65 / 650	**279**	3,7	0,042
	D1P110065006	1100 / 65 / 650	**286**	4,0	0,046
	D1P120065006	1200 / 65 / 650	**337**	4,4	0,051
	D1P130065006	1300 / 65 / 650	**343**	4,8	0,054
	D1P140065006	1400 / 65 / 650	**360**	5,2	0,059
	D1P150065006	1500 / 65 / 650	**368**	5,6	0,063
	D1P160065006	1600 / 65 / 650	**383**	6,0	0,067
	D1P170065006	1700 / 65 / 650	**390**	6,3	0,071
	D1P180065006	1800 / 65 / 650	**406**	6,7	0,076
	D1P190065006	1900 / 65 / 650	**413**	7,1	0,081
	D1P200065006	2000 / 65 / 650	**419**	7,4	0,084
2nd grp.	D2P080065006	800 / 65 / 650	**287**	3,0	0,033
	D2P090065006	900 / 65 / 650	**295**	3,3	0,038
	D2P100065006	1000 / 65 / 650	**314**	3,7	0,042
	D2P110065006	1100 / 65 / 650	**324**	4,0	0,046
	D2P120065006	1200 / 65 / 650	**379**	4,4	0,051
	D2P130065006	1300 / 65 / 650	**388**	4,8	0,054
	D2P140065006	1400 / 65 / 650	**408**	5,2	0,059
	D2P150065006	1500 / 65 / 650	**419**	5,6	0,063
	D2P160065006	1600 / 65 / 650	**438**	6,0	0,067
	D2P170065006	1700 / 65 / 650	**448**	6,3	0,071
	D2P180065006	1800 / 65 / 650	**467**	6,7	0,076
	D2P190065006	1900 / 65 / 650	**477**	7,1	0,081
	D2P200065006	2000 / 65 / 650	**486**	7,4	0,084
3rd grp.	D3P080065006	800 / 65 / 650	**401**	3,0	0,033
	D3P090065006	900 / 65 / 650	**420**	3,3	0,038
	D3P100065006	1000 / 65 / 650	**452**	3,7	0,042
	D3P110065006	1100 / 65 / 650	**472**	4,0	0,046
	D3P120065006	1200 / 65 / 650	**543**	4,4	0,051
	D3P130065006	1300 / 65 / 650	**563**	4,8	0,054
	D3P140065006	1400 / 65 / 650	**596**	5,2	0,059
	D3P150065006	1500 / 65 / 650	**618**	5,6	0,063
	D3P160065006	1600 / 65 / 650	**649**	6,0	0,067
	D3P170065006	1700 / 65 / 650	**671**	6,3	0,071
	D3P180065006	1800 / 65 / 650	**702**	6,7	0,076
	D3P190065006	1900 / 65 / 650	**725**	7,1	0,081
	D3P200065006	2000 / 65 / 650	**745**	7,4	0,084

Symmetric wall panel / symmetric partition







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
D1S130065006	1300 / 65 / 650	**370**	4,8	0,054
D2S130065006	1300 / 65 / 650	**416**	4,8	0,054
D3S130065006	1300 / 65 / 650	**593**	4,8	0,054

3rd grp. 2nd grp. 1st grp.

Asymmetric wall panel / asymmetric partition








Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
D1A130065006	1300 / 65 / 650	**370**	4,8	0,054
D2A130065006	1300 / 65 / 650	**416**	4,8	0,054
D3A130065006	1300 / 65 / 650	**593**	4,8	0,054

3rd grp. 2nd grp. 1st grp.

Desk bracket for front partition










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DH01	100 / 130 / 150	**78**	0,6	0,002

Wall bracket







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
SH01	100 / 86 / 100	**85**	0,7	0,002

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

WallTexo


STRUCTURE

- Felt panels – made of rPET and PET fabrics, 9 mm thick, 2000 g/m².


ADDITIONAL INFORMATION

- The panels enhance room acoustics.
- The panels can be laid out in sets, which can create patterns – see EXAMPLE SETS for reference.
- Mounting glue sold separately.
- Colors according to MARO offer.

PATTERNS




EXAMPLE SETS*




*Inverted pattern options

Square wall panel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX01F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX02F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX03F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX04F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX05F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX06F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX07F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX08F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX09F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX10F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX11F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX12F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX13F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX14F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX15F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX16F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX17F025025009	250/ 9 /250	**14**	0,12	0.0001
WTX18F025025009	250/ 9 /250	**14**	0,12	0.0001

Rectangular wall panel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX01F025050009	250 / 9 /500	**28**	0,25	0,001
WTX02F025050009	250 / 9 /500	**28**	0,25	0,001
WTX03F025050009	250 / 9 /500	**28**	0,25	0,001
WTX04F025050009	250 / 9 /500	**28**	0,25	0,001
WTX05F025050009	250 / 9 /500	**28**	0,25	0,001
WTX06F025050009	250 / 9 /500	**28**	0,25	0,001
WTX07F025050009	250 / 9 /500	**28**	0,25	0,001
WTX08F025050009	250 / 9 /500	**28**	0,25	0,001
WTX09F025050009	250 / 9 /500	**28**	0,25	0,001
WTX10F025050009	250 / 9 /500	**28**	0,25	0,001
WTX11F025050009	250 / 9 /500	**28**	0,25	0,001
WTX12F025050009	250 / 9 /500	**28**	0,25	0,001
WTX13F025050009	250 / 9 /500	**28**	0,25	0,001
WTX14F025050009	250 / 9 /500	**28**	0,25	0,001
WTX15F025050009	250 / 9 /500	**28**	0,25	0,001
WTX16F025050009	250 / 9 /500	**28**	0,25	0,001
WTX17F025050009	250 / 9 /500	**28**	0,25	0,001
WTX18F025050009	250 / 9 /500	**28**	0,25	0,001
WTX19F025050009	250 / 9 /500	**28**	0,25	0,001
WTX20F025050009	250 / 9 /500	**28**	0,25	0,001
WTX21F025050009	250 / 9 /500	**28**	0,25	0,001
WTX22F025050009	250 / 9 /500	**28**	0,25	0,001
WTX23F025050009	250 / 9 /500	**28**	0,25	0,001
WTX24F025050009	250 / 9 /500	**28**	0,25	0,001

EXAMPLE SETS




Singular slatted wall panel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX01L008050009	83,3 / 9 / 500	**11**	0,09	0,0003

Double slatted wall panel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX02L016050009	166,7 / 9 / 500	**21**	0,17	0,001

Square slatted wall panel



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX03L050050009	500 / 9 / 500	**59**	0,5	0,002

Glue



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WTX01	0 / 0 / 0	**62**	0	0,0

AcuTexo

STRUCTURE

–Acoustic column made of chipboard, metal, honeycomb cardboard and felt.
–rPET and PET nonwoven fabric, 9 mm thick, 2000 g/m².
–Acoustic filling with fabric scraps and felt.

EQUIPMENT


–Acoustic column equipped with +-10 mm leveling feet. Power circle available only in the lowest column as an option.
–Possibility to add metal hooks to all columns as an option.


ACOUSTIC PROPERTIES

–Sound absorption class – C in accordance with PN-EN ISO 354:2005.
–Sound absorption coefficient (αw) – 0.65.


ADDITIONAL INFORMATION


–Due to the filling type, slight variations in the weight of the product may occur.
–Maximum hook load: 2 kg.
–It is inadvisable to lean or sit on the column - this may cause a fall, damage or injury.
–Colors according to MARO offer.






Acoustic column





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ATXT033031094	300 / 300 / 940	**338**	8.0	0.097
ATXT033031134	300 /300 /1340	**395**	10.0	0.137
ATXT033031174	300 / 300 / 1740	**460**	12.0	0.178

Hook




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AP20	53 / 25 / 100	**12**	0,05	0.0001

IX. Seating

In our portfolio of comfortable modern seats, you will find Favv ottomans and SafeSpot acoustic sofas with partitions available in various configuration options.
These products are perfect for both offices and public spaces. Thanks to their arrangement flexibility, it is possible to create spaces that foster concentration, teamwork and relaxation.


Seating

Favv ottoman




SafeSpot -system of acoustic sofas


2-person sofa




3-person sofa




4-person sofa




L-shaped 2-person sofa




L-shaped 4-person sofa




L-shaped 6-person sofa




U-shaped 5-person sofa




U-shaped 6-person sofa




Box 2x2 with TV wall and table



Box 2x3 with TV wall and table



Box 2x4 with TV wall and table




Febo chair


Chair on legs



Chair on runners




Chair on castors




SitiQ sofa


Modular sofa with metal frame - example modules



Modular sofa with upholstered base - example modules



Ixu ottoman



Favv ottoman


STRUCTURE

- Ottoman made of recycled chipboard, honeycomb cardboard and felt.
- rPET and PET nonwoven fabric, 9 mm thick, 2000 g/m².
- Grooves made with CNC machine.
- All the production components are recycled or recyclable.

EQUIPMENT

- Ottoman equipped with adjustable feet with leveling option or castors fi 36 mm in diameter.
- Ottoman height depends on its base type.

Favv ottoman



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FAV053050045	530 / 504 / 450	**470**	9.0	0.10
FAV053050046	530 / 504 / 460	**494**	9.0	0.10
FAV053050065	530 / 504 / 650	**597**	10.5	0.15
FAV053050066	530 / 504 / 660	**617**	10.5	0.15
FAV086050045	860 / 504 / 450	**772**	12.5	0.14
FAV086050046	860 / 504 / 460	**792**	12.5	0.14

SafeSpot

by Studio Rygalik

STRUCTURE


- Upholstered modules (straight and curved) made of panel board.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Structure made of powder-coated, metal profiles mounted to upholstered modules with dedicated brackets.
- Upholstered modules are filled with a combination of materials with acoustic properties. Inside: sound-absorbing properties, outside: sound-insulating properties.

EQUIPMENT

- Possibility to order a netbox (1x electric socket 230V and 2x USB with charging function) as an option with a surcharge.
- Feet padded with felt.
- SafeSpot Box sets are equipped with a table made up of a powder-coated frame and a top made of 18mm thick board coated on both sides with melamine resin, finished with 2 mm thick ABS/PP plastic edge with 3 mm.
- Box-type sofa systems are equipped with a VESA-compatible TV mounting bracket. The maximum TV size is 40 inches.


ADDITIONAL INFORMATION


- Dimensions are approximate and may vary depending on the selected fabric.
- Colors according to MARO offer.



Surcharge
Price
EUR
+338


2-person sofa






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST2SS1O1W1	1490 / 760 / 1500	**3598**	85	1.8
ST2SS2O2W2	1490 / 760 / 1500	**3994**	85	1.8
ST2SS3O3W3	1490 / 760 / 1500	**5845**	85	1.8

3-person sofa




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST3SS1O1W1	2180 / 760 / 1500	**4158**	115	2.5
ST3SS2O2W2	2180 / 760 / 1500	**4573**	115	2.5
ST3SS3O3W3	2180 /760 / 1500	**7410**	115	2.5


4-person sofa



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST4SS1O1W1	2870 / 760 / 1500	**5870**	145	3.3
ST4SS2O2W2	2870 / 760 / 1500	***6749***	145	3.3
ST4SS3O3W3	2870 / 760 / 1500	**10827**	145	3.3


L-shaped 2-person sofa






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST2LS1O1W1	1490 / 1490 / 1500	**5254**	127	2.7
ST2LS2O2W2	1490 / 1490 / 1500	**5831**	127	2.7
ST2LS3O3W3	1490 / 1490 / 1500	**8358**	127	2.7


L-shaped 6-person sofa






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST6LS1O1W1	2870 / 2870 / 1500	**8570**	297	6.3
ST6LS2O2W2	2870 / 2870 / 1500	**9854**	297	6.3
ST6LS3O3W3	2870 / 2870 / 1500	**15482**	297	6.3


L-shaped 4-person sofa






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST4LS1O1W1	2180 / 2180 / 1500	**6071**	212	4.5
ST4LS2O2W2	2180 / 2180 / 1500	**6860**	212	4.5
ST4LS3O3W3	2180 / 2180 / 1500	**10597**	212	4.5

U-shaped 5-person sofa




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST5US1O1W1	2180 / 2180 / 1500	**9563**	298	6.3
ST5US2O2W2	2180 / 2180 / 1500	**11345**	298	6.3
ST5US3O3W3	2180 / 2180 / 1500	**17044**	298	6.3

U-shaped 6-person sofa




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ST6US1O1W1	2870 / 2180 / 1500	**10810**	340	7.2
ST6US2O2W2	2870 / 2180 / 1500	**13511**	340	7.2
ST6US3O3W3	2870 / 2180 / 1500	**19267**	340	7.2

Box 2x2 with TV wall and table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ST2US1O1W1	2180 / 1490 / 1500	**7776**	213	4.5
ST2US2O2W2	2180 / 1490 / 1500	**9021**	213	4.5
ST2US3O3W3	2180 / 1490 / 1500	**12376**	213	4.5

Box 2x4 with TV wall and table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ST4US1O1W1	2180 / 2870 / 1500	**12620**	383	8.1
ST4US2O2W2	2180 / 2870 / 1500	**16393**	383	8.1
ST4US3O3W3	2180 / 2870 / 1500	**22642**	383	8.1

Box 2x3 with TV wall and table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ST3US1O1W1	2180 / 2180 / 1500	**9087**	298	6.3
ST3US2O2W2	2180 / 2180 / 1500	**10900**	298	6.3
ST3US3O3W3	2180 / 2180 / 1500	**15698**	298	6.3

Febo chair

STRUCTURE

- Frame made of 20 mm diameter powder-coated bent tubing.
- Seat and backrest available in three options:
  - Seat and backrest made of 12 mm thick varnished beech plywood,
  - Seat and backrest made of thermoformed rPET and PET felt, density 2000 g/m², approx. 18 mm thick,
  -Upholstered seat and backrest made of plywood, foam, and upholstery fabric.

EQUIPMENT

- Tubing ends fitted with black plastic caps and/or glides.
- Universal black plastic castors, 55 mm diameter, suitable for different floor types

ADDITIONAL INFORMATION

- Frames on sled bases and 4 legs, stackable.
- The chair is a piece of furniture designed for seating. It meets the requirements of European standards for safety, stability and strength.
- For four-legged chairs, stackable up to 4 pieces.
- Colors according to MARO offer.

SAMPLE SETS



Febo chair on legs



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Plywood				
FEBS1P047053082	473 / 536 / 820	**283**	3,7	0,31
1st grp.				
FEB1T1P04705308	473 / 536 / 820	**288**	5,7	0,31
2nd grp.				
FEB2T1P04705308	473 / 536 / 820	**309**	5,7	0,31
3rd grp.				
FEB3T1P04705308	473 / 536 / 820	**357**	5,7	0,31
Felt				
FEBF1P047053082	473 / 536 / 820	**299**	3,5	0,31

Febo chair on runners



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Plywood				
FEBS1P046053082	466 / 533 / 820	**313**	5,5	0,31
1st grp.				
FEB1T1P04605308	466 / 533 / 820	**318**	6,5	0,31
2nd grp.				
FEB2T1P04605308	466 / 533 / 820	**339**	6,5	0,31
3rd grp.				
FEB3T1P04605308	466 / 533 / 820	**387**	6,5	0,31
Felt				
FEBF1P046053082	466 / 533 / 820	**329**	4,3	0,31

Febo chair on castors



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Plywood				
FEBS1P049053082	490 / 533 / 820	**341**	6,7	0,31
1st grp.				
FEB1T1P04905308	490 / 533 / 820	**346**	7,7	0,31
2nd grp.				
FEB2T1P04905308	490 / 533 / 820	**367**	7,7	0,31
3rd grp.				
FEB3T1P04905308	490 / 533 / 820	**415**	7,7	0,31
Felt				
FEBF1P049053082	490 / 533 / 820	**357**	5,5	0,31

SitiQ sofa with metal frame

STRUCTURE

- Upholstered modules (straight and curved) made of panel board. Chipboard with reduced formaldehyde emission, E1 standard.
- Frame made of 20 mm diameter powder-coated bent tubing.
- Between the base and the seat there is a 25 mm thick decorative item made of chipboard coated on both sides with melamine resin, finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Seat and backrest made of chipboard, upholstery cardboard, two types of foam and wadding.
- Table modules made of 20 mm diameter steel tubing and powder-coated metal profiles. Decorative elements and tops are made of chipboard coated on both sides with melamine resin and finished with 2 mm ABS/PP plastic edging with 2 mm radius.

EQUIPMENT


- Armrest for end modules as an option with a surcharge. All modules can be equipped with a netbox with a surcharge.


ADDITIONAL INFORMATION

–Modules joined and screwed together.

- Colors according to MARO offer.


Straight module






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ101070070045	700 / 700 / 450	**460**	20	0,15
	2nd grp. SQ102070070045	700 / 700 / 450	**499**	20	0,15
	3rd grp. SQ103070070045	700 / 700 / 450	**613**	20	0,15
With backrest	1st grp. SQ101070070045	700 / 700 / 450	**693**	28	0,34
	2nd grp. SQ102070070045	700 / 700 / 450	**773**	28	0,34
	3rd grp. SQ103070070045	700 / 700 / 450	**1010**	28	0,34


45-degree curved module







	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ111061070045	610 / 700 / 450	**474**	15	0,15
	2nd grp. SQ112061070045	610 / 700 / 450	**505**	15	0,15
	3rd grp. SQ113061070045	610 / 700 / 450	**597**	15	0,15
With internal backrest	1st grp. SQ111061070045	610 / 700 / 450	**1024**	22	0,34
	2nd grp. SQ112061070045	610 / 700 / 450	**1136**	22	0,34
	3rd grp. SQ113061070045	610 / 700 / 450	**1474**	22	0,34
With external backrest	1st grp. SQ111061070045	610 / 700 / 450	**983**	17	0,34
	2nd grp. SQ112061070045	610 / 700 / 450	**1096**	17	0,34
	3rd grp. SQ113061070045	610 / 700 / 450	**1433**	17	0,34

22.5-degree curved module









	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ121061070045	610 / 700 / 450	**442**	16	0,15
	2nd grp. SQ122061070045	610 / 700 / 450	**471**	16	0,15
	3rd grp. SQ123061070045	610 / 700 / 450	**555**	16	0,15
With internal backrest	1st grp. SQ121061070045	610 / 700 / 450	**929**	23	0,34
	2nd grp. SQ122061070045	610 / 700 / 450	**1029**	23	0,34
	3rd grp. SQ123061070045	610 / 700 / 450	**1329**	23	0,34
With external backrest	1st grp. SQ121061070045	610 / 700 / 450	**924**	18	0,34
	2nd grp. SQ122061070045	610 / 700 / 450	**1034**	18	0,34
	3rd grp. SQ123061070045	610 / 700 / 450	**1364**	18	0,34


End module






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	1st grp. SQ131070070045	700 / 700 / 450	**480**	20	0,15
	2nd grp. SQ132070070045	700 / 700 / 450	**522**	20	0,15
	3rd grp. SQ133070070045	700 / 700 / 450	**650**	20	0,15


Free-standing module






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	1st grp. SQ141070070045	700 / 700 / 450	**480**	20	0,15
	2nd grp. SQ142070070045	700 / 700 / 450	**522**	20	0,15
	3rd grp. SQ143070070045	700 / 700 / 450	**650**	20	0,15


Straight module - table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
SQ15070070045	700 / 700 / 315	**334**	11,5	0,06


Straight module - end table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
SQ16070070045	700 / 700 / 315	**334**	11,5	0,06

Straight module – free-standing table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
SQ17070070045	700 / 700 / 315	**334**	11,5	0,06

SitiQ sofa with upholstered base

STRUCTURE

- Upholstered modules (straight and curved) made of panel board. Chipboard with reduced formaldehyde emission, E1 standard.
- Base made of chipboard, upholstery cardboard, foam and wadding.
- Between the base and the seat there is a 25 mm thick decorative item made of chipboard coated on both sides with melamine resin, finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Seat and backrest made of chipboard, upholstery cardboard, two types of foam and wadding.
- Table modules are made of chipboard, upholstery cardboard, foam, and wadding. Decorative elements and tops are made of chipboard coated on both sides with melamine resin and finished with 2 mm ABS/PP plastic edging with 2 mm radius.

EQUIPMENT


- Straight modules can be equipped with a netbox with a surcharge.


ADDITIONAL INFORMATION

–Modules connected with alligator clips. Modules available with and without backrest.

- Colors according to MARO offer.


Straight module






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ201070070045	700 / 700 / 450	**567**	26	0,22
	2nd grp. SQ202070070045	700 / 700 / 450	**650**	26	0,22
	3rd grp. SQ203070070040	700 / 700 / 450	**898**	26	0,22
With backrest	1st grp. SQ201070070045	700 / 700 / 450	**800**	34	0,39
	2nd grp. SQ202070070045	700 / 700 / 450	**924**	34	0,39
	3rd grp. SQ203070070045	700 / 700 / 450	**1295**	34	0,39


45-degree curved module







	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ211061070045	610 / 700 / 450	**596**	18	0,22
	2nd grp. SQ212061070045	610 / 700 / 450	**669**	18	0,22
	3rd grp. SQ213061070045	610 / 700 / 450	**884**	18	0,22
With internal backrest	1st grp. SQ211061070045	610 / 700 / 450	**1146**	26	0,39
	2nd grp. SQ212061070045	610 / 700 / 450	**1300**	26	0,39
	3rd grp. SQ213061070045	610 / 700 / 450	**1761**	26	0,39
With external backrest	1st grp. SQ211061070045	610 / 700 / 450	**1105**	21	0,39
	2nd grp. SQ212061070045	610 / 700 / 450	**1260**	21	0,39
	3rd grp. SQ213061070045	610 / 700 / 450	**1720**	21	0,39

22.5-degree curved module










	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Without backrest	1st grp. SQ221061070045	610 / 700 / 450	**524**	22	0,22
	2nd grp. SQ222061070045	610 / 700 / 450	**583**	22	0,22
	3rd grp. SQ223061070045	610 / 700 / 450	**759**	22	0,22
With internal backrest	1st grp. SQ221061070045	610 / 700 / 450	**1011**	29	0,39
	2nd grp. SQ222061070045	610 / 700 / 450	**1141**	29	0,39
	3rd grp. SQ223061070045	610 / 700 / 450	**1533**	29	0,39
With external backrest	1st grp. SQ221061070045	610 / 700 / 450	**1006**	25	0,39
	2nd grp. SQ222061070045	610 / 700 / 450	**1146**	25	0,39
	3rd grp. SQ223061070045	610 / 700 / 450	**1568**	25	0,39

End module










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp. SQ231070070045	700 / 700 / 450	**597**	26	0,22
2nd grp. SQ232070070045	700 / 700 / 450	**684**	26	0,22
3rd grp. SQ233070070045	700 / 700 / 450	**945**	26	0,22

Free-standing module










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp. SQ241070070045	700 / 700 / 450	**597**	27	0,22
2nd grp. SQ242070070045	700 / 700 / 450	**684**	27	0,22
3rd grp. SQ243070070045	700 / 700 / 450	**945**	27	0,22

Straight module - table










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp. SQ251070070045	700 / 700 / 315	**451**	22	0,15
2nd grp. SQ252070070045	700 / 700 / 315	**495**	22	0,15
3rd grp. SQ253070070045	700 / 700 / 315	**629**	22	0,15

Straight module - end table










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp. SQ261070070045	700 / 700 / 315	**451**	21	0,15
2nd grp. SQ262070070045	700 / 700 / 315	**495**	21	0,15
3rd grp. SQ263070070045	700 / 700 / 315	**629**	21	0,15

Straight module – free-standing table







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp. SQ271070070045	700 / 700 / 315	**451**	23	0,15
2nd grp. SQ272070070045	700 / 700 / 315	**495**	23	0,15
3rd grp. SQ273070070045	700 / 700 / 315	**629**	23	0,15

Ixu

STRUCTURE

- Frame made of 20 mm diameter powder-coated bent tubing.
- Ottoman carcass made of chipboard with reduced formaldehyde emission, E1 standard and honeycomb cardboard.

FINISH

- Felt finish: rPET and PET nonwoven fabric, 9 mm thick, 2000 g/m².
- Upholstered finish: recycled foam, wadding and fabric from MARO collection.


EQUIPMENT

- Ottoman equipped with castors ∅ 36 mm in diameter.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Ixu - upholstered ottoman



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.				
IX1T040074044	400 / 740 / 445	**553**	12,5	0,132
2nd grp.				
IX2T040074044	400 / 740 / 445	**596**	12,5	0,132
3rd grp.				
IX3T040074044	400 / 740 / 445	**716**	12,5	0,132

Ixu - pufa filcowa



Kod produktu	Wymiary W / D / H	Cena netto PLN	Waga Kg	Obj. m³
IXF040074044	400 / 740 / 445	**558**	13,2	0,132

Storage

-pedestals

Storage / Pedestals

TOP Plus mobile pedestals


Width: 428 mm
Depth: 600 mm
Height: 540 mm



Drawer heights HE
3-6



Drawer heights HE
3-3-3




Drawer heights HE
1-2-6




Drawer heights HE
1-2-3-3

Width: 428 mm
Depth: 800 mm
Height: 540 mm



Drawer heights HE
1-2-6



Drawer heights HE
1-2-3-3

TOP Premium mobile pedestals

Width: 428 mm
Depth: 600 mm
Height: 540 mm




Drawer heights HE
1-2-6




Drawer heights HE
1-2-3-3

Width: 428 mm
Depth: 800 mm
Height: 540 mm




Drawer heights HE
1-2-6



Drawer heights HE
1-2-3-3


Width: 328 mm
Depth: 600 mm
Height: 540 mm




Drawer heights HE
3-3-3

TOP Plus add-on pedestals

Width: 428 mm
Depth: 600 mm
Height: 740 mm




Drawer heights HE
1-3-3-3-3




Drawer heights HE
1-3-3-6

Width: mm
Depth: 800 mm
Height: 740 mm

428




Drawer heights HE
1-3-3-3-3




Drawer heights HE
1-3-3-6

TOP Premium add-on pedestals

Width: 428 mm
Depth: 600 mm
Height: 740 mm




Drawer heights HE
1-3-3-3-3




Drawer heights HE
1-3-3-6

Width: 428 mm
Depth: 600 mm
Height: 740 mm




Drawer heights HE
1-3-3-3-3




Drawer heights HE
1-3-3-6

Nano pedestals

Width: 250 mm
Depth: 410 mm
Height: 550 mm




Width: 500 mm
Depth: 250 mm
Height: 625 mm



Cargo pedestals


Underdesk

Width: 428 mm
Depth: 800 mm
Height: 630 mm




Add-on

Width: 428 mm
Depth: 800 mm
Height: 740 mm




High

Width: 428 mm
Depth: 800 mm
Height: 1090 mm



High with drawer

Width: 428 mm
Depth: 800 mm
Height: 1090 mm




Storage / Pedestals

Mobile pedestal with tambour door

Width:
600 mm

Depth:
420 mm

Height:
1090 mm




Pedestal with tambour door

Width:
600 mm

Depth:
420 mm

Height:
1090 mm



Pedestals / Equipment

Lock


Central lock with removable cylinder and two numbered keys, one foldable key as standard.

Possibility to choose identical lock as in the cabinets of your choice.

Handles

TOP pedestals are equipped with handlebars. Pedestals with tambour doors and Cargo pedestals are equipped with B1 handles as standard. It is possible to change the handles.

SPACING : 128 mm




HANDLE A1




HANDLE B1

SPACING: 64 mm




HANDLE C1



HANDLE E1

SPACING : 192 mm




HANDLE Z1


Drawers

- Metal and composite black drawers, 500 mm or 700 mm long suitable for transverse, longitudinal and diagonal dividers.
- All drawers (except TOP Plus pencil drawer) are equipped with ball runners.
- Slides with soft close automatic mechanism are equipped with decelerating function and automatic self closing mechanism.
- Soft close automatic mechanism is equipped with cylindrical roller bearings and toothed belt. This helps stabilize the drawers when pulled out and loaded.
- 200 N. All drawers are equipped with a safety mechanism, preventing from simultaneous opening of more than one drawer.
- 1HE pencil drawers are equipped with 100% extension slide, 2 and 3HE drawers are equipped with 80% extension slide. Standard extension of 6HE drawers depends on the pedestal model (see information below). Max load: 200 N.
- 6HE pedestals with drawers are equipped with a file hanger insert as standard.


Drawer accessories




PENCIL TRAY DRAWER



TRAVERSE AND LONGITUDINAL DIVIDERS




DIAGONAL DIVIDERS




SUSPENSION FILES DRAWER

TOP Plus pedestal



- Top Plus pedestal pencil tray drawer is made of plastic. It is on sliding guides.
- 6HE drawers in TOP Plus pedestals are equipped with 80% extension slide.
- Counterweight as an option with a surcharge.
- 6HE drawer is equipped with a file hanger insert as standard, max load 200 N.

TOP Premium pedestal




- Top Premium pedestal pencil tray drawer is made of plastic. It is on ball runners with soft close automatic mechanism.
- TOP Premium pedestals are equipped with full extension slide for 6HE drawers with counterweight, suspension files drawers max load 450 N.

Pedestals / Accessories


TOP pedestals accessories

RT88




PENCIL TRAY DRAWER

UTN06/UTN07/ UTN08/UTN010



UPHOLSTERED PAD

RT85/RT86




DRAWER DIVIDERS

RT87



DIAGONAL DRAWER DIVIDER

UC13



RACK FOR SUSPENSION FILES


ZAM03



LOCKS


Cargo pedestals accessories

UC10




BOTTOM DRAWER INSERT

UC12




VERTICAL DIVIDERS FOR BINDERS

UW13




ROUND CABLE OUTLET

UTN08/UTN09/ UTN083



UPHOLSTERED PAD

RT85/RT86




DRAWER DIVIDERS

RT87



DIAGONAL DRAWER DIVIDER

UC13



RACK FOR HANGING FOLDERS

TOP pedestals

Drawing - total height
Table - carcass height

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass, floor and front are made of 18 mm thick chipboard.
- Top made of 25 mm thick board as standard.
- Top made of 18 mm thick board as an option - pedestal 7 mm lower.
- 25 mm thick board back wall.

EQUIPMENT

- TOP pedestals are equipped with a side slat that serves as a bumper.

DRAWERS

- Drawers with soft close mechanism with ball bearing slides.
- Type of pencil tray drawer depends on the pedestal model:
  - In TOP Plus pedestals - plastic pencil tray drawer on sliding guides.
  - In TOP Premium pedestals - plastic pencil tray drawer on ball bearing slides with soft close automatic mechanism.
- 6HE drawer type depends on the pedestal type:
  - In TOP Plus pedestal - partial extension slide (80%), file hanger insert, counterweight as standard.
  - Counterweight as an option with a surcharge + 54EUR
  - In TOP Premium pedestals - full extension slide (100%), file hanger insert, counterweight as standard.

LOCK

- Central lock with removable cylinder and two numbered keys, one foldable key.
- Possibility to choose identical lock as in the cabinets of your choice, see technical description of cabinets.

HEIGHT

MOBILE PEDESTALS 540 mm

- Mobile pedestals are equipped with castors Ø 36 mm in diameter.


ADD-ON PEDESTALS 740 mm


- Add-on pedestals are equipped with leveling feet.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

TOP mobile pedestal 3-3-3






Plus

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Side slat **RP01X**	428 / 600 / 494	**483**	27	0,14
Handle A1/ B1/ C1 **RP01P**	428 / 600 / 494	**506**	27	0,14
Handle Z1 **RP01G**	428 / 600 / 494	**530**	27	0,14

TOP mobile pedestal 3-6






Plus

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Side slat **RP02X**	428 / 600 / 494	**464**	25	0,14
Handle A1/ B1/ C1 **RP02P**	428 / 600 / 494	**481**	25	0,14
Handle Z1 **RP02G**	428 / 600 / 494	**499**	25	0,14

TOP mobile pedestal 3-3-3 Premium







Premium

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Side slat **RMF01X**	328 / 600 / 494	**467**	25	0.09
Handle A1/ B1/ C1 **RMF01P**	328 / 600 / 494	**491**	25	0.09
Handle Z1 **RMF01G**	328 / 600 / 494	**528**	25	0.09


Drawing - total height
Table - carcass height

TOP mobile pedestal 1-2-6





Plus/ Premium





Plus/ Premium

	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Side slat				
Plus	RP12X	428 / 600 / 494	**490**	26	0,14
Plus	RP22X	428 / 800 / 494	**535**	33	0,18
Premium	RM12X	428 / 600 / 494	**686**	35	0,14
Premium	RM22X	428 / 800 / 494	**738**	42	0,18
	Handle A1/ B1/ C1				
Plus	RP12P	428 / 600 / 494	**511**	26	0,14
Plus	RP22P	428 / 800 / 494	**556**	34	0,18
Premium	RM12P	428 / 600 / 494	**709**	35	0,14
Premium	RM22P	428 / 800 / 494	**760**	42	0,18
	Handle Z1				
Plus	RP12G	428 / 600 / 494	**537**	26	0,14
Plus	RP22G	428 / 800 / 494	**583**	34	0,18
Premium	RM12G	428 / 600 / 494	**747**	35	0,14
Premium	RM22G	428 / 800 / 494	**791**	42	0,18


Drawing - total height
Table - carcass height

TOP mobile pedestal 1-2-3-3






Plus/ Premium




Plus/ Premium


	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Side slat				
Plus	RP11X	428 / 600 / 494	**513**	27	0,14
Plus	RP21X	428 / 800 / 494	**554**	36	0,18
Premium	RM11X	428 / 600 / 494	**615**	31	0,14
Premium	RM21X	428 / 800 / 494	**653**	40	0,18
	Handle A1/ B1/ C1				
Plus	RP11P	428 / 600 / 494	**541**	28	0,14
Plus	RP21P	428 / 800 / 494	**584**	36	0,18
Premium	RM11P	428 / 600 / 494	**644**	31	0,14
Premium	RM21P	428 / 800 / 494	**685**	41	0,18
	Handle Z1				
Plus	RP11G	428 / 600 / 494	**578**	28	0,14
Plus	RP21G	428 / 800 / 494	**619**	36	0,18
Premium	RM11G	428 / 600 / 494	**683**	31	0,14
Premium	RM21G	428 / 800 / 494	**720**	41	0,18

TOP add-on pedestals 1-3-3-3-3






Plus/ Premium




Plus/ Premium


	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Side slat				
Plus	RP43X	428 / 600 / 711	**610**	35	0,20
Plus	RP33X	428 / 800 / 711	**658**	46	0,27
Premium	RM43X	428 / 600 / 711	**679**	39	0,20
Premium	RM34X	428 / 800 / 711	**737**	51	0,27
	Handle A1/ B1/ C1				
Plus	RP43P	428 / 600 / 711	**645**	35	0,20
Plus	RP33P	428 / 800 / 711	**696**	46	0,27
Premium	RM43P	428 / 600 / 711	**713**	39	0,20
Premium	RM34P	428 / 800 / 711	**773**	52	0,27
	Handle Z1				
Plus	RP43G	428 / 600 / 711	**684**	36	0,20
Plus	RP33G	428 / 800 / 711	**742**	47	0,27
Premium	RM43G	428 / 600 / 711	**757**	40	0,20
Premium	RM34G	428 / 800 / 711	**818**	52	0,27

TOP add-on pedestals 1-3-3-6





Plus/ Premium



Plus/ Premium

	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Side slat				
Plus	RP44X	428 / 600 / 711	**596**	33	0,20
Plus	RP34X	428 / 800 / 711	**649**	43	0,27
Premium	RM44X	428 / 600 / 711	**770**	37	0,20
Premium	RM35X	428 / 800 / 711	**819**	48	0,27
	Handle A1/ B1/ C1				
Plus	RP44P	428 / 600 / 711	**625**	34	0,20
Plus	RP34P	428 / 800 / 711	**680**	44	0,27
Premium	RM44P	428 / 600 / 711	**799**	37	0,20
Premium	RM35P	428 / 800 / 711	**847**	48	0,27
	Handle Z1				
Plus	RP44G	428 / 600 / 711	**774**	34	0,20
Plus	RP34G	428 / 800 / 711	**825**	44	0,27
Premium	RM44G	428 / 600 / 711	**834**	37	0,20
Premium	RM35G	428 / 800 / 711	**883**	48	0,27

Pedestals with tambour doors

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass and floor are made of 18 mm thick chipboard.
- Top made of 25 mm thick board as standard.
- Top made of 18 mm thick board as an option - pedestal 7 mm lower.
- 8 mm thick board back wall as standard, 18 mm thick board as an option with a surcharge.
- Right-sided tambour door available in black or aluminum color.

EQUIPMENT

- B1 handles as standard. A1, C1 or side slat as an option with no surcharge. Z1 handles as an option with a surcharge.
- Pedestals are equipped with a lock with a removable cylinder with two numbered keys.
- Possibility to choose identical lock as in the cabinets of your choice.

ADDITIONAL EQUIPMENT

- White board inside drawer with full extension slide - RK 96.
- 25 or 18 mm thick top (to be specified when ordering) on plinths H: 60 mm, powder-coated or chromium-plated.

HEIGHT


- Pedestal height with no add-on top: 1090 mm (with add-on top +60 mm).
- Pedestals with tambour doors are equipped with castors 75 mm in diameter, front castors equipped with brakes.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Drawing - total height
Table - carcass height

Mobile pedestal with tambour door




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RK71	600 / 420 / 1000	**834**	36	0,296

Pedestal with tambour door on feet




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RK72	600 / 420 / 1000	**834**	36	0,296

Add-on top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RK95	600 / 420 / 18	**328**	2	0,004

Inside drawer



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RK96	600 / 420 / 100	**87**	2	0,004

Cargo pedestals

STRUCTURE


- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass, floor and front are made of 18 mm thick chipboard.
- Top made of 25 mm thick board as standard.
- Top made of 18 mm thick board as an option pedestal 7 mm lower.

EQUIPMENT

DRAWERS

- Metal drawer on slides with soft close automatic mechanism.
- Drawer on extra castor.
- Metal sheet mounted on the right, possibility to mount it on the left.
- 80% drawer extension slide as standard, 100% extension slide as an option.

Surcharge to pedestal for full extension



	Price EUR
Underdesk	+ 89
Add-on	+ 89
High	+ 179
Inside drawer	+ 267

LOCK

- Central lock with removable cylinder.
- Two numbered keys (one foldable key).
- Possibility to choose identical lock as in the cabinets of your choice, see technical description of cabinets.

ADDITIONAL INFORMATION


- Cargo pedestals are equipped with metal drawers that can be complemented by accessories such as traverse, longitude and diagonal dividers, pencil tray or suspension files insert and metal drawers.
- Possibility to manage cables through the pedestal carcass (2 outlets, cable clamp) as an option with a surcharge + 50 EUR.
- Add-on units dedicated to Cargo pedestals in 3 options.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Drawing - total height
Table - carcass height

Cargo underdesk pedestal/add-on pedestal




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RC23	428 / 800 / 621	**901**	40	0,23
RC41	428 / 800 / 731	**932**	44	0,27

Cargo high pedestal



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RC52	428 / 800 / 1081	**1105**	59	0,39


Cargo high pedestal with inside drawer



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RC64	428 / 800 / 1081	**1345**	60	0,39

Drawing - total height
Table - carcass height

Cargo open add-on unit 1OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PZA080042037	800 / 428 / 370	**167**	16	0,14

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

Nano pedestals

NANO SUSPENED PEDESTAL

-Metal carcass made of 1.2 mm thick sheet metal, powder-coated.
-Bottom shelf made of chipboard with reduced formaldehyde emission, E1 standard.
-Bottom shelf side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
-Metal, powder-coated shelf with partial pullout, with handle hooked to top.
-Lock with removable cylinder, two numbered keys, one foldable key.
- Pencil tray insert for drawer as an option with a surcharge. After fixing it, the drawer is divided into two parts: bottom: space under pencil insert and top: pencil tray.
- Possibility to fix pedestal on the desk left or right side.


NANO MOBILE PEDESTAL

- Metal carcass made of 1.2 mm thick sheet metal, powder-coated.
- Felt organizer in top shelf as standard.
- Bottom shelf padded with felt as standard.
- 9 mm thick felt.
- Possibility to select another metal color for top shelf.

ADDITIONAL INFORMATION


–Colors according to MARO offer.

Nano suspended pedestal



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RN01	250 / 410 / 550	**481**	10	0,06

Nano Mobile pedestal



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NAN050025062	500 / 250 / 625	**436**	12	0.08


Storage

-Sideboards


Storage / Sideboards

Underdesk sideboards

SHELF UNITS




Width: 800 mm
Depth: 420 mm
Height: 663 mm




Width: 1600 mm
Depth: 420 mm
Height: 663 mm


SIDEBOARDS WITH DRAWERS



Width: 800 mm
Depth: 420 mm
Height: 663 mm




Width: 800 mm
Depth: 420 mm
Height: 663 mm




Width: 800 mm
Depth: 420 mm
Height: 663 mm

SIDEBOARDS WITH SLIDING DOORS




Width: 800 mm
Depth: 420 mm
Height: 663 mm




Width: 1600 mm
Depth: 420 mm
Height: 663 mm

DOUBLE-SIDED SIDEBOARDS




Width: 1600 mm
Depth: 420 mm
Height: 663 mm


COMBI SIDEBOARDS




Width: 800 mm
Depth: 420 mm
Height: 663 mm



Width: 1600 mm
Depth: 420 mm
Height: 663 mm



Width: 1600 mm
Depth: 420 mm
Height: 663 mm




Width: 1600 mm
Depth: 420 mm
Height: 663 mm

MOBILE SIDEABOARDS




Width: 800 mm
Depth: 500 mm
Height: 547 mm



Width: 1200 mm
Depth: 600 mm
Height: 547 mm


Add-on sideboards

SHELF UNITS




Width: 800/ 1000/ 1200/ 1600 mm
Depth: 420 mm
Height: 740 mm

SIDEBOARDS WITH HINGED DOORS




Width: 800/ 1000/ 1200 mm
Depth: 420 mm
Height: 740 mm

SIDEBOARDS WITH SLIDING DOORS




Width: 800/ 1000/ 1200/ 1600 mm
Depth: 420 mm
Height: 740 mm

SIDEBOARDS WITH TAMBOUR DOORS



Width: 800/ 1000/ 1200/ 1600 mm
Depth: 420 mm
Height: 740 mm

FILING SIDEBOARDS



Width: 800 mm
Depth: 420 mm
Height: 740 mm

Sideboards / Equipment

Locks

ESPAGNOLETTE LOCK

Cylindric lock with a knob for sideboards with hinged doors. Two- or three-point lock with a removable cylinder either in an espagnolette knob or a handle.

CENTRAL LOCK

Central lock with a removable cylinder for sideboards with drawers, filing and Combi sideboards.


DEAD BOLT LOCK

One-point dead bolt lock with a removable cylinder for sideboards with tambour and sliding doors.

Bases

Sideboards are equipped with feet H:30 mm. Other base types are available with a surcharge.


As standard



Feet

H:30mm


Metal bases H:30 mm are delivered fitted to the product.



Metal base

H:30mm


Metal bases H:70 mm in sideboards ≤ 5OH are delivered fitted to the product.



Metal base


H:70mm

Frames on legs with a round or square cross section H:150 mm are delivered separately with a mounting kit



Leg with round cross section Ø 30 mm


H:150mm



Leg with square cross section 30x30 mm

H:150mm

Board bases H:100 mm in sideboards ≤ 5OH are delivered fitted to the product.




Board base


H:100mm

Handles


SPACING : 128 mm



HANDLE A1




HANDLE B1




HANDLE C1

SPACING : 64 mm



HANDLE E1

SPACING : 192 mm




HANDLE Z1

Sideboards are equipped with B1 handles of 128 mm spacing as standard. A1 or C1 handles of 128 mm spacing as an option with no surcharge. Z1 handles of 192 mm spacing as an option with a surcharge. Side slat depends on the sideboard height.


Accessories

US62 R/L




UNDERDESK DRAWER

UTN08/ UTN09/ UTN083



UPHOLSTERED PAD

RT88



PENCIL TRAY DRAWER

Sideboards

Drawing - total height
Table - carcass height

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Top, floor and fronts made of 18 mm thick board.
- Sideboard carcasses are factory-glued, assembled and delivered as a whole.
- Carcass, top, floor and fronts finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

SHELVES

- Shelves made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.
- All shelves are secured in place - no possibility to accidentally pull shelf out of place.
- Shelves can be mounted every 32 mm.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the sideboard, 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE - UNDERDESK SIDEABOARDS

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm as an option with a surcharge.
- Mobile sideboards on castors 36 mm in diameter.

BASE - ADD-ON SIDEBOARDS

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm or H:70 mm as an option with a surcharge.
- Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling function (as an option with a surcharge).
- Board base H:100 mm as an option with a surcharge.


EQUIPMENT

- Hinged doors are equipped with 110° hinges with soft close automatic mechanism.
- Sliding doors made of 18 mm thick board, cylindrical roller bearings, plastic profiles.
- Drawers are equipped with soft close mechanism with decelerating function and automatic closing (does not apply to PK 19 sideboard).
- All drawers are equipped with a safety mechanism, preventing from simultaneous opening of more than one drawer.
- All sideboards are equipped with a lock with a removable cylinder and two numbered keys, one key is foldable.
- Cabinets with more than one drawer are equipped with a central lock.
- B1 handles as standard. A1 or C1 handles as an option with no surcharge. Z1 handles as an option with a surcharge

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Underdesk sideboards can support desks.

Underdesk shelf unit




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO11	800 / 420 / 633	**206**	21	0,23
PO12	1600 / 420 / 633	**464**	39	0,47

Underdesk sideboard with drawers




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PK12	800 / 420 / 633	**886**	36	0,23
PK13	800 / 420 / 633	**1172**	44	0,23
PK14	800 / 420 / 633	**485**	30	0,23

Underdesk sideboard with sliding doors



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PR11	800 / 420 / 633	**431**	27	0,23
PR12	1600 / 420 / 633	**597**	50	0,47


Double-sided underdesk sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PR13R	1600 / 420 / 633	**737**	55	0,47
PR13L	1600 / 420 / 633	**737**	55	0,47


Drawing - total height
Table - carcass height

Combi underdesk sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PK15R	800 / 420 / 633	**309**	28	0,23
PK15L	800 / 420 / 633	**309**	28	0,23
PK17	1500 / 420 / 633	**818**	51	0,44
PK18R	1600 / 420 / 633	**1445**	68	0,47
PK18L	1600 / 420 / 633	**1445**	68	0,47
PR19R	1600 / 500 / 633	**726**	51	0,55
PR19L	1600 / 500 / 633	**726**	51	0,55

Mobile underdesk sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PK16R	1200 / 600 / 487	**1131**	52	0,42
PK16L	1200 / 600 / 487	**1131**	52	0,42
PK19R	800 / 600 / 487	**561**	43	0,28
PK19L	800 / 600 / 487	**561**	43	0,28


Add-on shelf unit



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO204	800 / 420 / 711	**220**	23	0,26
PO205	1000 / 420 / 711	**278**	31	0,33
PO206	1200 / 420 / 711	**299**	35	0,39
PO207	1600 / 420 / 711	**405**	43	0,52


Drawing - total height
Table - carcass height

Add-on sideboard with hinged doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PD204	800 / 420 / 711	**342**	31	0,26
PD205	1000 / 420 / 711	**411**	39	0,33
PD206	1200 / 420 / 711	**491**	45	0,39

Add-on sideboard with sliding doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PR204	800 / 420 / 711	**380**	30	0,26
PR205	1000 / 420 / 711	**414**	39	0,33
PR206	1200 / 420 / 711	**452**	44	0,39
PR207	1600 / 420 / 711	**577**	56	0,52

Add-on filing sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PK201	800 / 420 / 711	**862**	53	0,26

Sideboard with tambour doors



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PJ204	800 / 420 / 711	**527**	34	0,26
PJ205	1000 / 420 / 711	**583**	40	0,33
PJ206	1200 / 420 / 711	**645**	49	0,39
PJ207	1600 / 420 / 711	**858**	62	0,52


Storage


PRO cabinets with hinged doors, Combi cabinets, shelf units


Storage / PRO cabinets

Filing cabinets P and Z types


2OH



Height:
770 mm


Height:
770 mm


Height:
770 mm


3OH


Height:
1140 mm


Height:
1140 mm


4OH


Height:
1510 mm


Height:
1510 mm


5OH


Height:
1880 mm


Height:
1880 mm


5,5OH


Height:
2050 mm


Height:
2050 mm


6OH



Height:
2250 mm


Height:
2250 mm


Wardrobes P and Z types


4OH



Height:
1510 mm



Height:
1510 mm

5OH



Height:
1880 mm



Height:
1880 mm


Height:
1880 mm



Height:
1880 mm


5,5OH


Height:
2050 mm


Height:
2050 mm

6OH



Height:
2250 mm


Height:
2250 mm

Storage / Combi PRO cabinets

Filing cabinets

2OH



Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
770 mm


3OH



Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
1140 mm


Combi cabinets P and Z types

4OH




Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
1510 mm

5OH




Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
1880 mm

5,5OH



Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
2050 mm

6OH




Width:
800 mm
Depth P:
420 mm
Depth Z:
440 mm
Height:
2250 mm


Storage / PRO self units

Shelf units P and Z types

2OH




Height:
770 mm




Height:
770 mm

3OH




Height:
1140 mm




Height:
1140 mm

4OH




Height:
1510 mm




Height:
1510 mm

5OH




Height:
1880 mm




Height:
1880 mm

5,5OH




Height:
2050 mm




Height:
2050 mm

6OH




Height:
2250 mm



Height:
2250 mm


Corner shelf units

2OH




Width:
420 mm
Depth:
420 mm
Height:
770 mm

3OH




Width:
420 mm
Depth:
420 mm
Height:
1140 mm

4OH




Width:
420 mm
Depth:
420 mm
Height:
1510 mm

5OH




Width:
420 mm
Depth:
420 mm
Height:
1880 mm

5,5OH



Width:
420 mm
Depth:
420 mm
Height:
2050 mm

6OH




Width:
420 mm
Depth:
420 mm
Height:
2250 mm


Storage / PRO Add-on Cabinets and Shelf units

PRO add-on cabine ts with hinged doors

1OH




Height:
370 mm




Height:
370 mm

2OH




Height:
740 mm




Height:
740 mm

3OH




Height:
1110 mm



Height:
1110 mm


PRO add-on corner shelf units

1OH




Width:
420mm
Depth:
420 mm
Height:
370 mm

2OH



Width:
420 mm
Depth:
420 mm
Height:
740 mm


3OH




Width:
420 mm
Depth:
420 mm
Height:
1110 mm

PRO add-on shelf units


1OH



Height:
370 mm




Height:
370 mm




Height:
370 mm

2OH




Height:
740 mm




Height:
740 mm

3OH




Height:
1110 mm




Height:
1110 mm

Add-on shelf units

1OH




Width:
1600 mm
Depth:
420 mm
Height:
198 mm



Width:
1600 mm
Depth:
420 mm
Height:
370 mm

Add-on shelf unit for catalogs

3OH




Width:
800/1200 mm
Depth:
420 mm
Height:
1110 mm


PRO cabinets and shelf units / Equipment

Structure


CABINETS P TYPE




SHELF UNITS P TYPE



CABINETS Z TYPE



SHELF UNITS Z TYPE



Locks

ESPAGNOLETTE LOCK

Cylindric lock with a knob for hinged cabinets (two- or three-point lock with a removable cylinder in an espagnolette knob or with a handle).


CENTRAL LOCK

Central lock with a removable cylinder for cabinets with drawers, filing and Combi cabinets. Other base types available with a surcharge.

Bases

PRO cabinets and shelf units are equipped with feet H:30 mm as standard. Other base types as an option with a surcharge.


As standard



Feet

H:30 mm


Metal bases H:30 mm are delivered fitted to the product.



Metal base

H:30 mm


Metal bases H:70 mm in cabinets ≤ 5OH are delivered fitted to the product. In cabinets 6OH they are delivered separately with a mounting kit.



Metal base


H:70 mm

Frames on legs with a round cross section H:150 mm are delivered separately with a mounting kit.



Leg with round cross--section Ø 30 mm


H:150 mm



Leg with square cross section 30x30 mm

H:150 mm

Panel bases H:100 mm in cabinets ≤ 5OH are delivered fitted to the product. In cabinets 6OH they are delivered separately with a mounting kit




Board base


H:100 mm

Handles

SPACING : 128 mm




ESPAGNOLETTE LOCK



HANDLE A1




HANDLE B1




HANDLE C1

SPACING : 64 mm




HANDLE F1



HANDLE E1

SPACING : 192 mm




HANDLE Z1


Hinged doors are equipped with an espagnolette knob as standard. Other handles as an option with a surcharge. Filing cabinets are equipped with B1 handles as standard. A1 and C1 handles as an option with a surcharge. Z1 handles as an option with a surcharge.

PRO cabinets and shelf units / Accessories


Accessories




GLASS DOORS F OR COMBI CABINETS




TOPS*



CLADDINGS*




PULL OUT SHELF*



UPHOLSTERED PANELS FOR CABINETS*

UP97/UP 98/ UP99




COVERS

UP86




ANGLE IRON


UP87




COUNTERWEIGHT



BOARD SHELF*




METAL SHELF*




METAL SHELF DIVIDER

RT83/R T84



FEET FOR HEIGHT ADJUSTMENT



LOCKS

* Elements adjusted to the dimensions of the cabinets - more information in Accessories chapter

Surcharge

		PRO CABINETS AND SHELF UNITS						
		Back wall change from 8 mm/12 mm t o 18 mm						Top change from 18 mm t o 25 mm
		1OH	2OH	3OH	4OH	5OH	6OH	1OH / 2OH / 3OH / 4OH / 5OH / 6OH
Cabinet width	400	+ 17	+ 22	+ 27	+ 32	+ 37	+ 42	+ 40
	600	+ 20	+ 26	+ 32	+ 38	+ 43	+ 49	+ 40
	800	+ 23	+ 30	+ 36	+ 43	+ 50	+ 56	+ 40
	1000	+ 26	+ 33	+ 41	+ 48	+ 56	+ 63	+ 40
	1200	+ 31	+ 40	+ 49	+ 58	+ 67	+ 77	+ 40
	1600	-	-	-	-	-	-	+ 40
Corner shelf unit		-	-	-	-	-	-	+ 40

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

PRO filing cabinets

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge, available only for P type cabinets - cabinet 7 mm higher.

SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic with 3 mm radius. 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
- Construction shelves marked on drawings.
- Possibility to mount 25 mm thick, metal, powder-coated, black shelves with holes for partition support.
- Flexible space arrangement in the cabinet thanks to drilling span every 32 mm over the whole side height.
- All shelves are secured in place - no possibility to accidentally pull shelf out of place.


BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.


BASE

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm or H:70 mm as an option with a surcharge.
- Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling function (as an option with a surcharge).
- Board base H:100 mm as an option with a surcharge

CABINETS P TYPE



CABINETS Z TYPE




EQUIPMENT

- Cabinets with hinged doors up to 1200 mm wide are equipped with vertical partitions.
- Hinged doors are equipped with a one- or two-point espagnolette lock with a rotating knob. Other handles as an option with a surcharge.
- Hinged doors are equipped with 110o hinges with soft close automatic mechanism.
- 270° hinges as an option with a surcharge.


Drawing - total height
Table - carcass height

Filing cabinet with hinged door 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC040042074	400 / 420 / 710	**282**	19	0,14
	PPC060042074	600 / 420 / 710	**329**	25	0,21
Z type	PZC040044074	400 / 440 / 710	**290**	20	0,14
	PZC060044074	600 / 440 / 710	**337**	26	0,21


Filing cabinet with hinged doors 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC080042074	800 / 420 / 740	**376**	32	0,27
	PPC100042074	1000 / 420 / 740	**423**	37	0,34
	PPC120042074	1200 / 420 / 740	**509**	46	0,41
	PPC080060074	800 / 600 / 740	**592**	45	0,39
Z type	PZC080044074	800 / 440 / 740	**435**	32	0,28
	PZC100044074	1000 / 440 / 740	**482**	38	0,36
	PZC120044074	1200 / 440 / 740	**529**	47	0,43
	PZC080062074	800 / 620 / 740	**612**	46	0,40

Drawing - total height
Table - carcass height


Filing cabinet with hinged door 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC040042111	400 / 420 / 1110	**345**	28	0,20
P type	PPC060042111	600 / 420 / 1110	**402**	36	0,30
Z type	PZC040044111	400 / 440 / 1110	**355**	29	0,21
Z type	PZC060044111	600 / 440 / 1110	**412**	37	0,32


Drawing - total height
Table - carcass height

Filing cabinet with hinged door 4OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC040042148	400 / 420 / 1480	**408**	37	0,27
P type	PPC060042148	600 / 420 / 1480	**475**	48	0,40
Z type	PZC040044148	400 / 440 / 1480	**420**	38	0,28
Z type	PZC060044148	600 / 440 / 1480	**487**	49	0,42

Filing cabinet with hinged doors 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC080042111	800 / 420 / 1110	**460**	45	0,40
P type	PPC100042111	1000 / 420 / 1110	**517**	54	0,50
P type	PPC120042111	1200 / 420 / 1110	**623**	67	0,60
Z type	PZC080044111	800 / 440 / 1110	**532**	46	0,42
Z type	PZC100044111	1000 / 440 / 1110	**589**	55	0,52
Z type	PZC120044111	1200 / 440 / 1110	**647**	68	0,63


Filing cabinet with hinged doors 4OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC080042148	800 / 420 / 1480	**543**	59	0,53
P type	PPC100042148	1000 / 420 / 1480	**611**	70	0,66
P type	PPC120042148	1200 / 420 / 1480	**736**	87	0,79
Z type	PZC080044148	800 / 440 / 1480	**629**	61	0,55
Z type	PZC100044148	1000 / 440 / 1480	**697**	72	0,69
Z type	PZC120044148	1200 / 440 / 1480	**764**	89	0,83

Drawing - total height
Table - carcass height


Filing cabinet with hinged door 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	**PPC040042185**	400 / 420 / 1850	**470**	45	0,33
P type	**PPC060042185**	600 / 420 / 1850	**549**	59	0,50
Z type	**PZC040044185**	400 / 440 / 1850	**484**	46	0,35
Z type	**PZC060044185**	600 / 440 / 1850	**562**	60	0,52


Drawing - total height
Table - carcass height

Filing cabinet with hinged door 5,5OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	**PPC040042202**	400 / 420 / 2020	**499**	49	0,36
P type	**PPC060042202**	600 / 420 / 2020	**582**	63	0,54
Z type	**PZC040044202**	400 / 440 / 2020	**514**	50	0,38
Z type	**PZC060044202**	600 / 440 / 2020	**597**	64	0,57

Filing cabinet with hinged doors 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	**PPC080042185**	800 / 420 / 1850	**627**	73	0,66
P type	**PPC100042185**	1000 / 420 / 1850	**705**	87	0,82
P type	**PPC120042185**	1200 / 420 / 1850	**849**	108	0,98
Z type	**PZC080044185**	800 / 440 / 1850	**726**	74	0,69
Z type	**PZC100044185**	1000 / 440 / 1850	**804**	88	0,86
Z type	**PZC120044185**	1200 / 440 / 1850	**882**	109	1,03


Filing cabinet with hinged doors 5,5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	**PPC080042202**	800 / 420 / 2020	**665**	78	0,72
P type	**PPC100042202**	1000 / 420 / 2020	**748**	92	0,90
P type	**PPC120042202**	1200 / 420 / 2020	**901**	115	1,07
Z type	**PZC080044202**	800 / 440 / 2020	**770**	79	0,75
Z type	**PZC100044202**	1000 / 440 / 2020	**853**	93	0,94
Z type	**PZC120044202**	1200 / 440 / 2020	**936**	116	1,12


Drawing - total height
Table - carcass height

Filing cabinet with hinged door 6OH



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC040042222	400 / 420 / 2220	**533**	54	0,40
P type	PPC060042222	600 / 420 / 2220	**622**	70	0,59
Z type	PZC040044222	400 / 440 / 2220	**549**	55	0,42
Z type	PZC060044222	600 / 440 / 2220	**637**	71	0,62

Filing cabinet with hinged doors 6OH



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPC080042222	800 / 420 / 2220	**710**	87	0,79
P type	PPC1000422221000 / 420 / 2220		**799**	103	0,98
P type	PPC1200422221200 / 420 / 2220		**963**	128	1,18
Z type	PZC080044222	800 / 440 / 2220	**822**	88	0,82
Z type	PZC1000442221000 / 440 / 2220		**911**	104	1,03
Z type	PZC1200442221200 / 440 / 2220		**1000**	130	1,23

PRO wardrobes

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge, available only for P type cabinets - cabinet 7 mm higher.

SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius. 18 mm thick shelves are an option.
- Wardrobes are equipped with a construction shelf at the height of 4OH.
- Wardrobes are equipped with a hanger rail.


BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the wardrobe. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.


BASE

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm or H:70 mm as an option with a surcharge.
- Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling option (as an option with a surcharge).
- Board base H:100 mm as an option with a surcharge.

CABINETS P TYPE



CABINETS Z TYPE



EQUIPMENT


- Hinged doors are equipped with a three-point espagnolette lock with a rotating knob. Other handles as an option with a surcharge.
- Hinged doors are equipped with 110°. 270° hinges as an option with a surcharge.

ADDITIONAL INFORMATION –

Colors according to MARO offer.


Drawing - total height
Table - carcass height

Wardrobe with hinged door 4OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW060042148	600 / 420 / 1480	**470**	38	0,40
Z type	PZW060044148	600 / 440 / 1480	**482**	38	0,42

Wardrobe with hinged doors 4OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW080042148	800 / 420 / 1480	**531**	46	0,53
	PPW120042148	1200 / 420 / 1480	**700**	77	0,79
Z type	PZW080044148	800 / 440 / 1480	**604**	47	0,55
	PZW120044148	1200 / 440 / 1480	**726**	75	0,83


Wardrobe with hinged doors 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW060042185	600 / 420 / 1850	**542**	49	0,50
	PPW060060185	600 / 600 / 1850	**673**	61	0,70
Z type	PZW060044185	600 / 440 / 1850	**557**	50	0,52
	PZW060060185	600 / 600 / 1850	**673**	62	0,73

Drawing - total height
Table - carcass height


Wardrobe with hinged door 6OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW060042222	600 / 420 / 2220	**614**	60	0,59
Z type	PZW060044222	600 / 440 / 2220	**631**	61	0,62


Drawing - total height
Table - carcass height

Wardrobe with hinged doors 6OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW080042222	800 / 420 / 2220	**694**	73	0,79
	PPW120042222	1200 / 420 / 2220	**916**	118	1,18
Z type	PZW080044222	800 / 440 / 2220	**790**	75	0,82
	PZW120044222	1200 / 440 / 2220	**950**	120	1,23

Wardrobe with hinged doors 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW080042185	800 / 420 / 1850	**667**	59	0,66
	PPW080060185	800 / 600 / 1850	**937**	73	0,93
	PPW120042185	1200 / 420 / 1850	**808**	98	0,98
Z type	PZW080044185	800 / 440 / 1850	**697**	61	0,69
	PZW080060185	800 / 600 / 1850	**937**	74	0,96
	PZW120044185	1200 / 440 / 1850	**1078**	99	1,03

Wardrobe with hinged doors 5,5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPW060042202	600 / 420 / 2020	**575**	52	0,54
	PPW060060202	600 / 600 /2020	**714**	54	0,50
	PPW080042202	800 / 420 / 2020	**650**	64	0,72
	PPW080060202	800 / 600 / 2020	**789**	78	1,02
	PPW120042202	1200 / 420 / 2020	**857**	100	1,07
Z type	PZW060044202	600 / 440 / 2020	**591**	54	0,57
	PZW060060202	600 / 600 / 2020	**714**	59	0,59
	PZW080044202	800 / 440 / 2020	**666**	66	0,75
	PZW080060202	800 / 600 / 2020	**789**	80	1,05
	PZW120044202	1200 / 440 / 2020	**889**	103	1,12

Combi and filing cabinets

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Cabinet carcasses are factory-glued, assembled and delivered as a whole.

– 25 mm top as an option with a surcharge, available only for P type cabinets - cabinet 7 mm higher.

SHELVES

– Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius. 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).

– Construction shelves marked on drawings.

BACK WALL

– 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.

– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE


– Feet H:30 mm with leveling option as standard.

– Metal base H:30 mm or H:70 mm as an option with a surcharge.


– Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling function (as an option with a surcharge).

– Board base H:100 mm as an option with a surcharge.

CABINETS P TYPE



CABINETS Z TYPE



EQUIPMENT

– Hinged doors are equipped with a two- or theree-point espagnolette lock with a rotating knob. Other handles as an option with a surcharge.

– Hinged doors are equipped with 110° hinges with soft close automatic mechanism. 270° hinges as an option with a surcharge.

– Filing drawers are equipped with a mechanism preventing simultaneous opening of more than one drawer. A1 or C1 handles as an option with no surcharge. Z1 handles as an option with a surcharge.

– Steel frames for hanging files are equipped with a 105% pull out. Max load: 10 Kg or 25 Kg with a counterweight (with a surcharge).


– Cabinets must be secured with a counterweight or fitted to the wall with a delivered mounting kit.

ADDITIONAL INFORMATION

– Colors according to MARO offer.


Drawing - total height
Table - carcass height

Combi cabinet 4OH with open segment and suspension file drawers or hinged doors



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PK41	800 / 420 / 1480	**945**	58	0,53
	PK44	800 / 420 / 1480	**504**	52	0,53
Z type	ZK41	800 / 440 / 1480	**945**	59	0,55
	ZK44	800 / 440 / 1480	**504**	53	0,55


Combi cabinet 5OH with open segment and suspension file drawers or hinged doors





	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PK51	800 / 420 / 1850	**1015**	68	0,66
	PK55	800 / 420 / 1850	**1273**	73	0,66
	PK52	800 / 420 / 1850	**1074**	79	0,66
	PK56	800 / 420 / 1850	**1382**	80	0,66
	PK54	800 / 420 / 1850	**548**	62	0,66
	PK53	800 / 420 / 1850	**576**	66	0,66
Z type	ZK51	800 / 440 / 1850	**1015**	69	0,69
	ZK55	800 / 440 / 1850	**1273**	74	0,69
	ZK52	800 / 440 / 1850	**1074**	85	0,69
	ZK56	800 / 440 / 1850	**1382**	81	0,69
	ZK54	800 / 440 / 1850	**548**	63	0,69
	ZK53	800 / 440 / 1850	**576**	67	0,69

Drawing - total height
Table - carcass height

Combi cabinet 5.5OH with open segment and suspension file drawers or hinged doors










	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PK51W	800 / 420 / 2020	**1166**	56	0,72
	PK55W	800 / 420 / 2020	**1468**	56	0,72
	PK52W	800 / 420 / 2020	**1234**	69	0,72
	PK56W	800 / 420 / 2020	**1592**	65	0,72
	PK54W	800 / 420 / 2020	**630**	64	0,72
	PK53W	800 / 420 / 2020	**662**	68	0,72
Z type	ZK51W	800 / 440 / 2020	**1166**	71	0,75
	ZK55W	800 / 440 / 2020	**1468**	82	0,75
	ZK52W	800 / 420 / 2020	**1234**	69	0,72
	ZK56W	800 / 420 / 2020	**1592**	65	0,72
	ZK54W	800 / 440 / 2020	**630**	57	0,75
	ZK53W	800 / 440 / 2020	**662**	61	0,75

Drawing - total height
Table - carcass height

Combi cabinet 6OH with open segment and suspension file drawers or hinged doors








	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PK61	800 / 420 / 2220	**1074**	87	0,79
	PK63	800 / 420 / 2220	**652**	76	0,79
	PK64	800 / 420 / 2220	**630**	72	0,79
	PK65	800 / 420 / 2220	**1350**	87	0,79
	PK66	800 / 420 / 2220	**1492**	103	0,79
Z type	ZK61	800 / 440 / 2220	**1074**	80	0,82
	ZK63	800 / 440 / 2220	**652**	80	0,82
	ZK64	800 / 440 / 2220	**630**	95	0,82
	ZK65	800 / 440 / 2220	**1350**	73	0,82
	ZK66	800 / 440 / 2220	**1492**	77	0,82

Filing cabinet 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P	PK21	800 / 420 / 740	**778**	53	0,284
Z	ZK21	801 / 440 / 740	**778**	53	0,284

Filing cabinet 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P	PK36	800 / 420 / 1110	**1167**	68	0,419
Z	ZK36	801 / 440 / 1110	**1167**	68	0,419

Shelf units PRO

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top and floor made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Shelf unit carcasses are factory-glued, assembled and delivered as a whole.

– 25 mm top as an option with a surcharge, available only for P type shelf units - shelf unit 7 mm higher.

SHELVES

–Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic with 3 mm radius.

– 18 mm thick shelves are an option (unavailable for 1000 mm wide shelf units with no vertical partition).

– Construction shelves marked on drawings.

– Possibility to mount 25 mm thick metal, powder-coated, black shelves with holes for partition support.

– Flexible space arrangement in the cabinet thanks to drilling span (every 32 mm) over the whole side height.

– All shelves are secured in place - no possibility to accidentally pull shelf out of place.

BACK WALL

– 8 mm thick back wall is slotted between the sides of the sideboard. 18 mm thick back wall as an option with a surcharge.

– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE

– Feet H:30 mm with leveling option as standard.

– Metal base H:30 mm or H:70 mm as an option with a surcharge.


– Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling function (as an option with a surcharge).

– Board base H:100 mm as an option with a surcharge.

SHELF UNITS TYPU P



SHELF UNITS TYPU Z



EQUIPMENT

– Cabinets over ≤1200 mm wide with hinged doors are equipped with a vertical partition.


– Shelf units over 1200 mm wide are equipped with a vertical partition. 1000 mm wide shelf unit is in two options: with or without partition.

ADDITIONAL INFORMATION –

Colors according to MARO offer.


Drawing - total height
Table - carcass height

Shelf unit 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042074	400 / 420 / 740	**194**	15	0,14
	PPS060042074	600 / 420 / 740	**219**	19	0,21
	PPS080042074	800 / 420 / 740	**243**	24	0,27
	PPS100042074	1000 / 420 / 740	**267**	28	0,34
Z type	PZS040044074	400 / 440 / 740	**201**	16	0,14
	PZS060044074	600 / 440 / 740	**225**	20	0,21
	PZS080044074	800 / 440 / 740	**249**	24	0,27
	PZS100044074	1000 / 440 / 740	**274**	28	0,34


Shelf unit 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042074	1000 / 420 / 740	**267**	31	0,34
	PPS120042074	1200 / 420 / 740	**322**	35	0,41
Z type	PZS100044074	1000 / 440 / 740	**313**	30	0,34
	PZS120044074	1200 / 440 / 740	**337**	34	0,41

Drawing - total height
Table - carcass height


Shelf unit 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042111	400 / 420 / 1110	**252**	22	0,20
	PPS060042111	600 / 420 / 1110	**284**	28	0,30
	PPS080042111	800 / 420 / 1110	**315**	34	0,40
	PPS100042111	1000 / 420 / 1110	**347**	40	0,50
Z type	PZS040044111	400 / 440 / 1110	**260**	23	0,20
	PZS060044111	600 / 440 / 1110	**292**	28	0,30
	PZS080044111	800 / 440 / 1110	**323**	34	0,40
	PZS100044111	1000 / 440 / 1110	**355**	40	0,50


Drawing - total height
Table - carcass height

Shelf unit 4OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042148	400 / 420 / 1480	**310**	29	0,27
	PPS060042148	600 / 420 / 1480	**348**	36	0,40
	PPS080042148	800 / 420 / 1480	**387**	44	0,53
	PPS100042148	1000 / 420 / 1480	**426**	51	0,66
Z type	PZS040044148	400 / 440 / 1480	**320**	29	0,27
	PZS060044148	600 / 440 / 1480	**359**	37	0,40
	PZS080044148	800 / 440 / 1480	**397**	44	0,53
	PZS100044148	1000 / 440 / 1480	**436**	52	0,66

Shelf unit 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042111	1000 / 420 / 1110	**347**	44	0,50
	PPS120042111	1200 / 420 / 1110	**418**	50	0,60
Z type	PZS100044111	1000 / 440 / 1110	**406**	42	0,50
	PZS120044111	1200 / 440 / 1110	**438**	47	0,60


Shelf unit 4OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042148	1000 / 420 / 1480	**426**	58	0,66
	PPS120042148	1200 / 420 / 1480	**513**	65	0,79
Z type	PZS100044148	1000 / 440 / 1480	**499**	54	0,66
	PZS120044148	1200 / 440 / 1480	**538**	61	0,79

Drawing - total height
Table - carcass height


Shelf unit 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042185	400 / 420 / 1850	**367**	36	0,33
	PPS060042185	600 / 420 / 1850	**413**	45	0,50
	PPS080042185	800 / 420 / 1850	**459**	54	0,66
	PPS100042185	1000 / 420 / 1850	**563**	63	0,82
Z type	PZS040044185	400 / 440 / 1850	**379**	36	0,33
	PZS060044185	600 / 440 / 1850	**425**	45	0,50
	PZS080044185	800 / 440 / 1850	**471**	55	0,66
	PZS100044185	1000 / 440 / 1850	**517**	64	0,82


Drawing - total height
Table - carcass height

Shelf unit 5,5OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042202	400 / 420 / 2020	**394**	38	0,36
	PPS060042202	600 / 420 / 2020	**443**	47	0,54
	PPS080042202	800 / 420 / 2020	**492**	56	0,72
	PPS100042202	1000 / 420 / 2020	**542**	66	0,90
Z type	PZS040044202	400 / 440 / 2020	**407**	39	0,36
	PZS060044202	600 / 440 / 2020	**456**	48	0,54
	PZS080044202	800 / 440 / 2020	**505**	57	0,72
	PZS100044202	1000 / 440 / 2020	**555**	66	0,90

Shelf unit 5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042185	1000 / 420 / 1850	**505**	71	0,82
	PPS120042185	1200 / 420 / 1850	**609**	80	0,98
Z type	PZS100044185	1000 / 440 / 1850	**592**	66	0,82
	PZS120044185	1200 / 440 / 1850	**638**	74	0,98


Shelf unit 5,5OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042202	1000 / 420 / 2020	**604**	74	0,90
	PPS120042202	1200 / 420 / 2020	**653**	84	1,07
Z type	PZS100044202	1000 / 440 / 2020	**634**	70	0,90
	PZS120044202	1200 / 440 / 2020	**684**	78	1,07

Drawing - total height
Table - carcass height


Shelf unit 6OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS040042222	400 / 420 / 2220	**425**	42	0,40
	PPS060042222	600 / 420 / 2220	**478**	53	0,59
	PPS080042222	800 / 420 / 2220	**531**	64	0,79
	PPS100042222	1000 / 420 / 2220	**584**	74	0,98
Z type	PZS040044222	400 / 440 / 2220	**439**	43	0,40
	PZS060044222	600 / 440 / 2220	**492**	54	0,59
	PZS080044222	800 / 440 / 2220	**545**	65	0,79
	PZS100044222	1000 / 440 / 2220	**598**	76	0,98


Drawing - total height
Table - carcass height

Corner shelf unit 2OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO21	420 / 420 / 731	**246**	11	0,14

Corner shelf unit 3OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO31	420 / 420 / 1110	**293**	16	0,21

Shelf unit 6OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPS100042222	1000 / 420 / 2220	**651**	84	0,98
	PPS120042222	1200 / 420 / 2220	**705**	95	1,18
Z type	PZS100044222	1000 / 440 / 2220	**685**	78	0,98
	PZS120044222	1200 / 440 / 2220	**738**	87	1,18

Corner shelf unit 4OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO41	420 / 420 / 1480	**362**	21	0,28

Storage / Shelf units PRO


Drawing - total height
Table - carcass height

Corner shelf unit 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
PO51	420 / 420 / 1850	**441**	25	0,35

Corner shelf unit 5,5OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
PO51W	420 / 420 / 2020	**506**	27	0,38

Corner shelf unit 6OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
PO61	420 / 420 / 2220	**543**	30	0,42

PRO Cabinets with drawers

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Top, floor and fronts made of 18 mm thick chipboard.
- Carcasses are factory-glued, assembled and delivered as a whole.
- Carcass, top, floor and fronts finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

DRAWERS

- Drawers equipped with anthracite metal sides, 350/450 mm deep with full extension.
- Drawer slides with soft close automatic mechanism with drawer braking function and automatic closing.
- Full-sided drawers available in two options: low and high – depending on front height.
- All drawers equipped with safety system against simultaneous pullout.
- All drawers equipped with lateral stabilization mechanism, preventing any lateral misalignment.
- Central locking system for all drawers (optional).

BACK WALL

- 8 mm thick back wall recessed into groove between cabinet sides, 18 mm thick back wall as an option with a surcharge.
- Back wall coated on both sides with melamine resin, thanks to which it can stand independently.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Drawing - total height

Table - carcass height

Cabinet with drawers





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
PSH060042037	600 / 420 / 370	**903**	22,2	0,09
PSH090051074	900 / 510 / 740	**968**	54,5	0,34
PSH120061111	1200 / 600 / 1110	**1033**	98,9	0,80

Hinged add-on cabinets

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top and floor made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge, add-on cabinet 7 mm higher.


SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic with 3 mm radius.
- 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
- Construction shelves marked on drawings.


BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

CABINETS P TYPE



CABINETS Z TYPE



EQUIPMENT


- Cabinets with hinged doors from 1200 mm wide are equipped with a vertical partition.
- Hinged doors are equipped with two- or three-point espagonlette locks with a rotating knob. Other handles as an option with a surcharge.
- Add-on cabinets 1OH with handles are not equipped with locks.
- Hinged doors are equipped with 110° hinges with soft close automatic mechanism. 270° hinges as an option with a surcharge.


ADDITIONAL INFORMATION

- Colors according to MARO offer.

Drawing - total height
Table - carcass height

PRO add-on cabinet with hinged doors 1OH






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPD040042037	400 / 420 / 370	**213**	11	0,07
	PPD060042037	600 / 420 / 370	**250**	14	0,10
	PPD080042037	800 / 420 / 370	**286**	18	0,13
	PPD100042037	1000 / 420 / 370	**323**	21	0,17
	PPD120042037	1200 / 420 / 370	**390**	26	0,20
Z type	PZD040044037	400 / 440 / 370	**220**	11	0,07
	PZD060044037	600 / 440 / 370	**256**	14	0,10
	PZD080044037	800 / 440 / 370	**293**	18	0,13
	PZD100044037	1000 / 440 / 370	**329**	22	0,17
	PZD120044037	1200 / 440 / 370	**405**	27	0,20

Storage / PRO add-on cabinets with hinged doors

Drawing - total height
Table - carcass height


PRO add-on cabinet with hinged doors 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPD040042074	400 / 420 / 740	**276**	19	0,13
	PPD060042074	600 / 420 / 740	**323**	25	0,20
	PPD080042074	800 / 420 / 740	**370**	31	0,26
	PPD100042074	1000 / 420 / 740	**417**	37	0,33
	PPD120042074	1200 / 420 / 740	**503**	46	0,39
Z type	PZD040044074	400 / 440 / 740	**284**	19	0,13
	PZD060044074	600 / 440 / 740	**331**	25	0,20
	PZD080044074	800 / 440 / 740	**378**	31	0,26
	PZD100044074	1000 / 440 / 740	**425**	37	0,33
	PZD120044074	1200 / 440 / 740	**523**	46	0,39

Drawing - total height
Table - carcass height

PRO add-on cabinet with hinged doors 3OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPD040042111	400 / 420 / 1110	**339**	28	0,20
	PPD060042111	600 / 420 / 1110	**396**	36	0,29
	PPD080042111	800 / 420 / 1110	**454**	45	0,39
	PPD100042111	1000 / 420 / 1110	**511**	58	0,55
	PPD120042111	1200 / 420 / 1110	**617**	67	0,58
Z type	PZD040044111	400 / 440 / 1110	**349**	28	0,20
	PZD060044111	600 / 440 / 1110	**406**	37	0,29
	PZD080044111	800 / 440 / 1110	**464**	46	0,39
	PZD100044111	1000 / 440 / 1110	**521**	59	0,55
	PZD120044111	1200 / 440 / 1110	**641**	68	0,58

Add-on shelf units

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top and floor made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Cabinet carcasses are factory-glued, assembled and delivered as a whole.

– 25 mm top as an option with a surcharge, available only for P type add-on shelf units, add-on shelf unit 7 mm higher.

SHELVES

– Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic with 3 mm radius. 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).


– Construction shelves marked on drawings.

BACK WALL


– 8 mm thick back wall recessed into the groove between the sides of the shelf unit. 18 mm thick back wall as an option with a surcharge.

– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

ADD-ON SHELF UNIT P TYPE



ADD-ON SHELF UNIT Z TYPE



EQUIPMENT


– 1200 mm wide add-on shelf units are equipped with a vertical partition. 1000 mm wide add-on shelf unit is available in two options with or without a partition.


ADDITIONAL INFORMATION

– Colors according to MARO offer.

Drawing - total height
Table - carcass height

PRO add-on shelf unit 1OH







	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA040042037	400 / 420 / 370	**131**	8	0,07
	PPA060042037	600 / 420 / 370	**148**	11	0,10
	PPA080042037	800 / 420 / 370	**165**	13	0,13
	PPA100042037	1000 / 420 / 370	**182**	16	0,17
Z type	PZA040044037	400 / 440 / 370	**135**	8	0,07
	PZA060044037	600 / 440 / 370	**152**	11	0,10
	PZA080044037	800 / 440 / 370	**169**	13	0,13
	PZA100044037	1000 / 440 / 370	**187**	16	0,17

PRO add-on shelf unit 1OH








	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA100042037	1000 / 420 / 370	**182**	18	0,17
	PPA120042037	1200 / 420 / 370	**221**	20	0,20
Z type	PZA100044037	1000 / 440 / 370	**214**	18	0,17
	PZA120044037	1200 / 440 / 370	**231**	20	0,20

Storage / Add-on shelf units PRO

Drawing - total height
Table - carcass height


PRO add-on shelf unit 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA040042074	400 / 420 / 740	**188**	15	0,13
	PPA060042074	600 / 420 / 740	**213**	19	0,20
	PPA080042074	800 / 420 / 740	**237**	24	0,26
	PPA100042074	1000 / 420 / 740	**261**	28	0,33
Z type	PZA040044074	400 / 440 / 740	**195**	15	0,13
	PZA060044074	600 / 440 / 740	**219**	19	0,20
	PZA080044074	800 / 440 / 740	**243**	24	0,26
	PZA100044074	1000 / 440 / 740	**268**	28	0,33


Drawing - total height
Table - carcass height

PRO add-on shelf unit 3OH




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA040042111	400 / 420 / 1110	**246**	22	0,20
	PPA060042111	600 / 420 / 1110	**278**	28	0,29
	PPA080042111	800 / 420 / 1110	**309**	34	0,39
	PPA100042111	1000 / 420 / 1110	**341**	39	0,49
Z type	PZA040044111	400 / 440 / 1110	**254**	22	0,20
	PZA060044111	600 / 440 / 1110	**286**	28	0,29
	PZA080044111	800 / 440 / 1110	**317**	34	0,39
	PZA100044111	1000 / 440 / 1110	**349**	40	0,49

PRO add-on shelf unit 2OH



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA100042074	1000 / 420 / 740	**261**	31	0,33
	PPA120042074	1200 / 420 / 740	**316**	35	0,39
Z type	PZA100044074	1000 / 440 / 740	**307**	31	0,33
	PZA120044074	1200 / 440 / 740	**331**	35	0,39

PRO add-on shelf unit 3OH





	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
P type	PPA100042111	1000 / 420 / 1110	**341**	44	0,49
	PPA120042111	1200 / 420 / 1110	**412**	50	0,58
Z type	PZA100044111	1000 / 440 / 1110	**400**	45	0,49
	PZA120044111	1200 / 440 / 1110	**432**	50	0,58

Storage / Add-on shelf units PRO

Drawing - total height
Table - carcass height


Single-sided add-on top with glass top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MOX01	1600 / 440 / 198	**987**	35	0,14


Double-sided add-on cabinet 1OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MOX11	1600 / 440 / 370	**405**	24	0,26


Single-sided add-on top 10H






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MOX12	1600 / 440 / 370	**399**	29	0,26

Add-on plant top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NG080042037	800 / 420 / 370	**243**	13	0,13
NG100042037	1000 / 420 / 370	**261**	16	0,17
NG120042037	1200 / 420 / 370	**280**	20	0,20
NG160042037	1600 / 420 / 370	**316**	25	0,26
NG080044037	800 / 440 / 370	**253**	13	0,13
NG100044037	1000 / 440 / 370	**271**	16	0,17
NG120044037	1200 / 440 / 370	**289**	20	0,20
NG160044037	1600 / 440 / 370	**325**	25	0,26

Drawing - total height
Table - carcass height

Corner shelf unit 1OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NO21	420 / 420 / 370	**186**	6	0,07

Corner shelf unit 2OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NO31	420 / 420 / 731	**228**	11	0,14

Corner shelf unit 3OH






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NO41	420 / 420 / 1110	**317**	16	0,21

Add-on cabinet for catalogs 3OH





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
NK38	800 / 420 / 1110	**827**	58	0,39
NK39	1200 / 420 / 1110	**1059**	82	0,58


Storage

-Cabinets with sliding doors

Storage / Cabinets with sliding doors


Cabinets with sliding doors

2OH




Width:
800-1600 every 10 mm
Depth:
380-600 every 10 mm
Height:
740-1100 every 10 mm

3OH



Width:
800-1600 every 10 mm
Depth:
380-600 every 10 mm
Height:
1100-1470 every 10 mm


4OH



Width:
1200-1300 every 10 mm
Depth:
380-600 every 10 mm
Height:
1480-1560 every 10 mm


Double-sided cabinets with sliding doors

2OH



Width:
1200/ 1400/ 1600 mm
Depth:
420 mm
Height:
770 mm


3OH



Width:
1200/ 1400/ 1600 mm
Depth:
420 mm
Height:
1140 mm


Cabinets with single sliding doors

2OH



Width:
1600 mm
Depth:
420 mm
Height:
770 mm


3OH



Width:
1600 mm
Depth:
420 mm
Height:
1140 mm


Add-on cabinets with sliding doors

2OH



Width:
800-1600 every 10 mm
Depth:
380-600 every 10 mm
Height:
740-1100 every 10 mm

3OH



Width:
800-1600 every 10 mm
Depth:
380-600 every 10 mm
Height:
1110-1370 every 10 mm

Cabinets with sliding doors / Equipment

Locks


DEAD BOLT LOCK

One-point dead bolt lock with a removable cylinder for cabinets with tambour and sliding doors.

Bases

Cabinets are equipped with feet H:30 mm. Other base types as an option with a surcharge.


As standard



Feet

H:30mm


Metal bases H:30 mm are delivered fitted to the product.



Metal base

H:30mm


Metal bases H:70 mm in cabinets ≤ 5OH are delivered fitted to the product.



Metal base


H:70mm

Frames on legs with a round cross section H:150 mm are delivered separately with a mounting kit.



Leg with round cross--section Ø 30 mm


H:150mm



Leg with square cross section 30x30 mm

H:150mm

Board bases H:100 mm in cabinets ≤ 5OH are delivered fitted to the product.




Board base


H:100mm

Handles


SPACING : 128 mm



HANDLE A1




HANDLE B1




HANDLE C1

SPACING : 64 mm



HANDLE E1

SPACING : 192 mm



HANDLE Z1

Cabinets with sliding doors are equipped with B1 handles of 128 mm spacing as standard. A1 or C1 handles of 128 mm spacing as an option with no surcharge. Z1 handles as an option with a surcharge. Side slat price depends on the height of the cabinet - table of surcharges.

Cabinets with sliding doors

Drawing - total height
Table - carcass height

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge - cabinet 7 mm higher.

SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius. 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
- Possibility to mount 25 mm thick metal, powder-coated, black shelves with holes for partition support.
- Flexible space arrangement in the cabinet thanks to drilling span (every 32 mm) over the whole side height.
- All shelves are secured in place - no possibility to accidentally pull shelf out of place.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the sideboard. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm or H:70 mm as an option with a surcharge.
- Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling function (as an option with a surcharge).
- Board base H:100 mm as an option with a surcharge.


EQUIPMENT

- Board sliding doors are equipped with roller guides inserted in plastic profiles. Sliding fronts equipped with Soft Close mechanism.
- Dead bolt lock with a removable cylinder.
- B1 handles as standard. A1 or C1 handles as an option with no surcharge. Z1 handles or a metal side slat as an option with a surcharge.
- Cabinets with sliding doors 1200 mm wide are equipped with a vertical partition.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Cabinet with sliding doors 2OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PPP080042074	800 / 420 / 740	**382**	31	0,27
PPP100042074	1000 / 420 / 740	**429**	40	0,34
PPP120042074	1200 / 420 / 740	**476**	45	0,41
PPP160042074	1600 / 420 / 740	**570**	57	0,54

Cabinet with sliding doors 3OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PPP080042111	800 / 420 / 1110	**462**	44	0,40
PPP100042111	1000 / 420 / 1110	**519**	57	0,50
PPP120042111	1200 / 420 / 1110	**576**	65	0,60
PPP160042111	1600 / 420 / 1110	**690**	82	0,80


Cabinet with sliding doors 4OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PPP120042148	1200 / 420 / 1480	**676**	85	0,79


Drawing - total height
Table - carcass height

Double sided cabinetwith sliding door (front and back)2OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PRX20(L)	1200 / 420 / 740	**666**	48	0,41
PRX21(R)	1200 / 420 / 740	**666**	48	0,41
PRX24(L)	1400 / 420 / 740	**749**	54	0,47
PRX25(R)	1400 / 420 / 740	**749**	54	0,47
PRX26(L)	1600 / 420 / 740	**830**	61	0,54
PRX27(R)	1600 / 420 / 740	**830**	61	0,54


Double sided cabinetwith sliding door (front and back)3OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PRX30(L)	1200 / 420 /1110	**803**	68	0,60
PRX31(R)	1200 / 420 /1110	**803**	68	0,60
PRX34(L)	1400 / 420 /1110	**919**	77	0,70
PRX35(R)	1400 / 420 /1110	**919**	77	0,70
PRX36(L)	1600 / 420 /1110	**1038**	86	0,80
PRX37(R)	1600 / 420 /1110	**1038**	86	0,80


Drawing - total height
Table - carcass height

Single sided cabinet with sliding door 2OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PRK27	1600 / 420 / 740	**753**	52	0,54
PRK26	1600 / 420 / 740	**753**	52	0,54

Single sided cabinet with sliding door 3OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PRK37	1600 / 420 / 1110	**818**	73	0,80
PRK36	1600 / 420 / 1110	**818**	73	0,80

Add-on cabinets with sliding doors

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge - add-on unit 7 mm higher.

SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic with 3 mm radius.
- 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
- Possibility to mount 25 mm thick metal, powder-coated, black shelves with holes for partition support.
- Flexible space arrangement in the cabinet thanks to drilling span (every 32 mm) over the whole side height.
- All shelves are secured in place - no possibility to accidentally pull shelf out of place.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

EQUIPMENT


- 18 mm thick board sliding doors are equipped with roller guides inserted in plastic profiles. Sliding fronts equipped with Soft Close mechanism.
- Dead bolt lock with a removable cylinder.
- B1 handles as standard. A1 or C1 handles as an option with no surcharge. Z1 handles or a metal side slat as an option with a surcharge.
- Add-on cabinets with sliding doors from 1200 mm wide are equipped with a vertical partition.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Drawing - total height
Table - carcass height

Add-on cabinet with sliding doors 2OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PSP080042074	800 / 420 / 740	**382**	31	0,26
PSP100042074	1000 / 420 / 740	**429**	39	0,33
PSP120042074	1200 / 420 / 740	**476**	45	0,39
PSP160042074	1600 / 420 / 740	**570**	57	0,52

Add-on cabinet with sliding doors 3OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PSP080042111	800 / 420 / 1110	**462**	44	0,39
PSP100042111	1000 / 420 / 1110	**519**	57	0,49
PSP120042111	1200 / 420 / 1110	**576**	65	0,58
PSP160042111	1600 / 420 / 1110	**690**	82	0,78


Storage

-Cabinets with tambour doors

Storage / Cabinets with tambour doors

Cabinets with tambour doors

2OH




Width:
800/1000/1200/1600 mm

Depth:
420 mm

Height:
770 mm

3OH




Width:
800/1000/1200/1600 mm

Depth:
420 mm

Height:
1140 mm

Add-on cabinets with tambour doors

2OH




Width:
800/1000/1200/1600 mm

Depth:
420 mm

Height:
770 mm

3OH



Width:
800/1000/1200/1600 mm

Depth:
420 mm

Height:
1140 mm

Cabinets with tambour doors / Equipment

Bases

Cabinets are equipped with feet H:30 mm. Other base types as an option with a surcharge.


As standard



Feet

H:30mm


Metal bases H:30 mm are delivered fitted to the product.



Metal base

H:30mm


Metal bases H:70 mm in cabinets ≤ 5OH are delivered fitted to the product.



Metal base


H:70mm

Frames on legs with a round cross section H:150 mm are delivered separately with a mounting kit.



Leg with round cross--section Ø 30 mm


H:150mm



Leg with square cross section 30x30 mm

H:150mm

Board bases H:100 mm in cabinets ≤ 5OH are delivered fitted to the product.




Board base


H:100mm

Handles

SPACING : 128 mm




HANDLE A1




HANDLE B1

SPACING : 64 mm




HANDLE C1



HANDLE E1

SPACING : 192 mm



HANDLE Z1

Locks

DEAD BOLT LOCK

Dead bolt lock with a removable cylinder for cabinets with tambour and sliding doors.

Cabinets with tambour doors

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- 25 mm top as an option with a surcharge - cabinet 7 mm higher.

SHELVES

- Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius. 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
- Possibility to mount 25 mm thick, metal, powder-coated, black shelves with holes for partition support.
- Flexible space arrangement in the cabinet thanks to drilling span (every 32 mm) over the whole side height.
- All shelves are secured in place - no possibility to accidentally pull shelf out of place.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE

- Feet H:30 mm with leveling option as standard.
- Metal base H:30 mm or H:70 mm as an option with a surcharge.
- Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling option (as an option with a surcharge).
- H:100 mm board base as an option with a surcharge.

EQUIPMENT


- Right-sided tambour door in white or aluminum color.
- Dead bolt lock with a removable cylinder.
- B1 handles as standard. A1 or C1 handles as an option with no surcharge.
- Z1 handles as an option with a surcharge.
- 1200 mm wide add-on cabinets with tambour doors are equipped with a vertical partition.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Drawing - total height
Table - carcass height

Cabinet with tambour door 2OH









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PJ24	800 / 420 / 740	**501**	34	0,27
PJ25	1000 / 420 / 740	**550**	41	0,34
PJ26	1200 / 420 / 740	**610**	50	0,41
PJ27	1600 / 420 / 740	**812**	62	0,54

Cabinet with tambour door 3OH







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PJ34	800 / 420 / 1110	**641**	47	0,40
PJ35	1000 / 420 / 1110	**695**	55	0,50
PJ36	1200 / 420 / 1110	**738**	68	0,60
PJ37	1600 / 420 / 1110	**1083**	84	0,80

Add-on cabinets with tambour doors

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.
– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top, floor made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
– Cabinet carcasses are factory-glued, assembled and delivered as a whole.
– 25 mm top as an option with a surcharge - add-on cabinet 7 mm higher.

SHELVES

– Shelves made of 25 mm thick board finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.
– 18 mm thick shelves are an option (unavailable for 1000 mm wide cabinets with no vertical partition).
– Possibility to mount 25 mm thick metal, powder-coated, black shelves with holes for partition support.
– Flexible space arrangement in the cabinet thanks to drilling span (every 32 mm) over the whole side height.
– All shelves are secured in place - no possibility to accidentally pull shelf out of place.

BACK WALL

– 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

EQUIPMENT


– Right-sided tambour door in white or aluminum color.
– Dead bolt lock with a removable cylinder.
– B1 handles as standard. A1 or C1 handles as an option with no surcharge.
– Z1 handles as an option with a surcharge.
– Add-on cabinets with tambour doors from 1200 mm wide are equipped with a vertical partition.

ADDITIONAL INFORMATION

– Colors according to MARO offer.


Drawing - total height
Table - carcass height

Add-on cabinet with tambour door 2OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
NJ24	800 / 420 / 740	**491**	34	0,26
NJ25	1000 / 420 / 740	**536**	41	0,33
NJ26	1200 / 420 / 740	**610**	50	0,39
NJ27	1600 / 420 / 740	**812**	62	0,52

Add-on cabinet with tambour door 3OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
NJ34	800 / 420 / 1110	**629**	47	0,39
NJ35	1000 / 420 / 1110	**695**	55	0,49
NJ36	1200 / 420 / 1110	**738**	67	0,58
NJ37	1600 / 420 / 1110	**1083**	84	0,78

X. Linea

Linea collection includes several types of cabinets distinguished by a simple shape and decorative finish, which is 36-mm thick. The offer features cabinets, regular shelf units as well as double-sided shelf units. The option to fix handles or leave the fronts plain allows to emphasize style and elegance. Linea cabinets are perfect for executive rooms, conference rooms and reception areas.

Cabinets

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, bottom and fronts made of 18 mm thick panel board, finished with 2 mm thick plastic edge (ABS/ PP) and 2 mm radius.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.

SHELVES

- 25 mm thick panel board shelves finished with 2 mm thick plastic edge (ABS/PP) and 3 mm radius.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of cabinet. -Back wall coated on both sides with melamine resin, possibility to use as free-standing.

BASE

- Cabinets equipped with leveling feet +10 mm.

EQUIPMENT

- Possibility to fix knob, lock with handles or push to open system with no lock.


ADD-ON

-Add-on made of 36 mm thick panel board.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Shelf unit 2OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXO201L	1600 / 440 / 821	**1011**	56	0,57
MXO201R	1600 / 440 / 821	**1011**	56	0,57

Filing cabinet 2OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXD202	1600 / 440 / 821	**1416**	95	0,57

Cabinet 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK501L	1600 / 440 / 1931	**1542**	130	1,35
MXK501R	1600 / 440 / 1931	**1542**	130	1,35

Filing cabinet + Shelf unit 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK502L	1600 / 440 / 1931	**1542**	134	1,35
MXK502P	1600 / 440 / 1931	**1542**	134	1,35

Combi cabinet 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK503L	1600 / 440 / 1931	**2111**	170	1,35
MXK503R	1600 / 440 / 1931	**2111**	170	1,35

Cabinet with hinged doors 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXD506	1600 / 440 / 1931	**2396**	180	1,35

Cabinet with add-on unit 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK504L	1600 / 440 / 1931	**2025**	130	1,35
MXK504R	1600 / 440 / 1931	**2025**	130	1,35

Cabinet set 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK507L	3200 / 440 / 1931	**3525**	210	2,7
MXK507P	3200 / 440 / 1931	**3525**	210	2,7

Filing cabinet 5OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXK505L	1600 / 440 / 1931	**2517**	190	2,7
MXK505R	1600 / 440 / 1931	**2517**	190	2,7

Combi sideboard 2OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MXD203L	1600 / 440 / 1931	**2425**	150	1,14
MXD203P	1600 / 440 / 1931	**2425**	150	1,14


Storage

-Classic Lockers

Storage / Classic Lockers

Classic Lockers

3 OH




Width:
800 mm

Depth:
440 mm

Height:
1140 mm

4 OH




Width:
800 mm

Depth:
440 mm

Height:
1510 mm

5 OH



Width:
800 mm


Depth:
440 mm

Height:
1880 mm

Classic Lockers / Equipment

Classic Locker

Lockers are available in one width: 800 mm and in three heights: 3, 4, 5OH. The front can be different color than the carcass. Each front can be different decor. Standard front can be replaced with a front with a posting slot and a shelf for mail.




Surcharge to locker

Dimensions	W	Price EUR
3OH	800	+ 105
4OH	800	+ 139
5OH	800	+ 174

Lock

Lockers are equipped with a one-point dead bolt lock with a removable cylinder as standard. Another solution can be selected with a surcharge.


HANDLE F1



Surcharge to locker

Dimensions	W	Price EUR
3OH	800	+ 76
4OH	800	+ 100
5OH	800	+ 125


BASIC
COMBINATION LOCK



Surcharge to locker

Dimensions	W	Price EUR
3OH	800	+ 389
4OH	800	+ 518
5OH	800	+ 647

PREMIUM
COMBINATION LOCK




Surcharge to locker

Dimensions	W	Price EUR
3OH	800	+ 440
4OH	800	+ 583
5OH	800	+ 726


Front opening

Please note the product code when choosing lockers. The code determines opening direction. Letter L at the end of the code means that all the fronts open to the left and R - to the right side (examples below).


Option 1
e.g.ZL 34



Option 2
e.g.ZL 34L



Option 3
e.g.ZL 34R



The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

Classic Lockers

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top, floor and fronts made of 18 mm thick board as standard finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Locker carcasses are factory-glued, assembled and delivered as a whole.

– Top 25 mm thick as an option with a surcharge - locker 7 mm higher.

SHELVES

– Shelves made of 25 mm thick board in the color of the carcass finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.

– 18 mm thick board shelves (behind the front with a posting slot) in the color of the carcass finished with 2 mm thick ABS/PP plastic edge with 3 mm radius are equipped with a safety mechanism preventing shelf pull out.

BACK WALL

– 8 mm thick back wall recessed into the groove between the sides of the sideboard. 18 mm thick back wall as an option with a surcharge.

– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.


BASE

– Feet H:30 mm with leveling option as standard.

– Metal base H:30 mm or H:70 mm as an option with a surcharge.

– Frame H:150 mm on legs with a round cross section Ø 30 mm or square cross section 30x30 mm with a leveling option (as an option with a surcharge).

– Board base H:100 mm as an option with a surcharge.



EQUIPMENT

– Locker fronts are equipped with a one-point dead bolt lock with a removable cylinder. The lock can be located on the left or right side - to be selected when ordering.

– Other locks available with a surcharge (p.145).

– All doors are equipped with 110° hinges with a soft close automatic mechanism.


ADDITIONAL INFORMATION

– Colors according to MARO offer.

– Each front can be different decor.


Drawing - total height
Table - carcass height

Locker 3OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZL34	800 / 420 / 1110	**791**	53	0,42
ZL34 L	800/ 420 / 1110	**791**	53	0,42
ZL34 R	800 / 420 / 1110	**791**	53	0,42

Locker 4OH



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZL44	800 / 420 / 1480	**985**	70	0,55
ZL44 L	800 / 420 / 1480	**985**	70	0,55
ZL44 R	800 / 420 / 1480	**985**	70	0,55

Locker 5OH




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZL54	800 / 420 / 1850	**1146**	86	0,69
ZL54 L	800 / 420 / 1850	**1146**	86	0,69
ZL54 R	800 / 420 / 1850	**1146**	86	0,69

Storage


-PRO Lockers

PRO Lockers

EXEMPLARY MODULES




EXEMPLARY SETS



PRO Lockers / Equipment

Locker

PRO lockers are made up of modules with sizes customizable in 10 mm increments: height adjusted from 300 mm to 2000 mm, width from 300 mm to 600 mm, depth from 350 to 600 mm. Modules of different heights are stacked on one another and form a column. The modules in one column must be of the same depth and width. Carcass height determines the number of compartments. 2000 mm high carcass must be equipped with at least 2 compartments and can be equipped with 6 compartments at maximum. The smallest carcass height which allows to form 1 module with 1 compartment is 300 mm. The front can be different color than the carcass. Each front can be different decor. Standard front can be replaced with a front with a posting slot and a shelf for mail.




Surcharge for a front with a posting slot and shelf for mail

Price / 1 pc.
EUR
+ 21

Lock

Lockers are equipped with a one-point dead bolt lock with a removable cylinder as standard. Another solution can be selected with a surcharge.




F1 HANDLE	BASIC COMBINATION LOCK	PREMIUM COMBINATION LOCK	CARD KEY	ELECTRONIC LOCK WITH KEYPAD
Surcharge	Surcharge	Surcharge	Surcharge	Surcharge
Price / 1 pc.	Price / 1 pc.	Price / 1 pc.	Price / 1 pc.	Price / 1 pc.
EUR	EUR	EUR	EUR	EUR
+ 15	+ 70	+ 80	+ 200	+ 77


Front opening

Please note the productcode when choosinglockers. The code determines opening direction. Letter L as the third digit in the code means that all the fronts open tothe left and R - to the right side (examples below).

Option 1
e.g. L2**L**F030035100



Option 2
e.g. L2**R**F030035100



The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

PRO Lockers

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability - 1st class.

– Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

– Carcass, top, floor and fronts made of 18 mm thick board as standard finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

– Locker carcasses are factory-glued, assembled and delivered as a whole.

SHELVES

– Shelves made of 25 mm thick board in the color of the carcass finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.

– 18 mm thick board shelves (behind the front with a posting slot) in the color of the carcass finished with 2 mm thick ABS/PP plastic edge with 3 mm radius are equipped with a safety mechanism preventing shelf pull out.

– In lockers with wardrobe modules optional bottom shelf available for 1500-1690 mm or 1850-2000 mm high carcasses. Three bottom shelf height options available: 186 mm / 250 mm / 314 mm.

– Lockers with wardrobe modules equipped as standard with top shelf at height of 1462 mm with 1700-2000 mm high carcass.

BACK WALL

– 8 mm thick back wall recessed into the groove between the sides of the sideboard. 18 mm thick back wall as an option with a surcharge.

– Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

– 8 or 18 mm thick back wall in modules with wardrobe and seat.

BASE

– Feet H:30 mm with leveling option as standard.

EQUIPMENT

– Locker fronts are equipped with a one-point dead bolt lock with a removable cylinder. The lock can be located on the left or right side - to be selected when ordering.

– Other locks available with a surcharge (p.145).

– All doors are equipped with 110° hinges with a soft close automatic mechanism.

– The top and floor of the module are equipped markings facilitating joining modules. The sidewalls feature 2 markings at the top and 2 at the bottom to facilitate joining the columns.

– Locker with wardrobe module equipped with pull-out hanger rail for 420-550 mm deep carcass or rail for 560-600 mm deep carcass.

– 60 mm thick seat module at fixed height of 400 mm, independent of carcass height. 45 mm thick upholstered walls in recess.

ADDITIONAL INFORMATION


– Modules deeper than 420 mm (including 420 mm deep) can be used as self-standing.


– Colors according to MARO offer.

– Each front can be different decor.

Drawing - total height
Table - carcass height


3-compartment locker






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L3LF040042111	400 / 420 / 1110	**482**	29	0,21
L3RF040042111	400 / 420 / 1110	**482**	29	0,21


4-compartment locker






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L4LF040042148	400 / 420 / 1480	**574**	39	0,28
L4RF040042148	400 / 420 / 1480	**574**	39	0,28

5-compartment locker






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L5LF040042185	400 / 420 / 1850	**665**	48	0,35
L5RF040042185	400 / 420 / 1850	**665**	48	0,35

Drawing - total height
Table - carcass height


Locker- wardrobe module






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LWA060042150	600 / 420 / 1500	**348**	36	0.38
LWA060042170	600 / 420 / 1700	**380**	40	0.43
LWA060042200	600 / 420 / 2000	**427**	48	0.50

Locker - seat module






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.				
LUW1075042150	750 / 420 / 1500	**1203**	51	0,46
2nd grp.				
LUW2080042150	800 / 420 / 1500	**1284**	51	0,46
3rd grp.				
LUW3075042150	750 / 420 / 1500	**1541**	51	0,46


Storage

-BookinGO Lockers


Storage / BookinGO lockers


Control panel column - example configurations







Utility columns - example configurations










BookinGO lockers / Equipment

BookinGO locker


BookinGO lockers consist of a control panel column and utility columns, whose dimensions can be adjusted in 10-mm increments. The control panel column is available in the following size ranges: width from 400 to 600 mm, depth from 350 to 600 mm, height from 1100 to 2000 mm. The utility columns can come in the following size ranges: width from 300 to 600 mm, depth from 300 to 600 mm, height from 1100 to 2000 mm. In a single locker setup, the columns must have the same overall dimensions. The control panel column features a touchscreen display, RFID card reader and a QR code reader. The maximum number of compartments in one utility column is 8.
In a single setup, a maximum of 20 utility columns can be set on one side of the control panel column. There might be 1 or 2 fronts in the control panel column and the display position height can be customized. Each utility column front color can be different. BookinGO lockers have side and top cladding. One item of top cladding is dedicated to up to 4 utility columns. The control panel column is always equipped with its own top cladding.




Front opening

Please note the product code when choosing lockers. The code determines opening direction. Letter L as the fourth digit in the code means that all the fronts open to the left and R - to the right side (examples below).

Option 1
e.g.
LS2**L**040040180



Option 2
e.g.
LS2**R**040040180



BookinGO lockers

Drawing - total height
Table - carcass height

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, top, floor and fronts made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Locker carcasses are factory-glued, assembled and delivered as a whole.

SHELVES

- 18 mm thick construction shelves in the color of the carcass finished with 2 mm thick ABS plastic edge with 3 mm radius.

BACK WALL

- 18 mm thick back wall.
- Back wall is coated on both sides with melamine resin.

CLADDING

- Side and top cladding fixed to carcass, locker back wall distanced from the room wall by 20 mm.
- 18 mm thick cladding finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.

BASE

- Feet H:30 mm with leveling option as standard.


EQUIPMENT


- Locker fronts are equipped with electromagnetic locks.
- All doors are equipped with 110° hinges with a soft close automatic mechanism.
- Compartments in control panel column are used only for storing cables to properly connect electronic items with locks in fronts.

ADDITIONAL INFORMATION

- Each front can be different decor.
- The listed prices apply only to individual columns. The lockers are equipped with a dedicated management system which is specified in a separate price list -BookinGO (the prices listed here do not include the system). To request the total price of a full-featured product, please contact your Regional Sales Manager.
- Colors according to MARO offer.


Control panel column






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LS1L040042140	400 / 420 / 1400	**3163**	39	0.28
LS1R040042140	400 / 420 / 1400	**3163**	39	0.28


Utility column






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LU4L030042140	300 / 420 / 1400	**1041**	30	0.21
LU4R030042140	300 / 420 / 1400	**1041**	30	0.21

Example set





XI.

BookinGO

-Office resource management system

This chapter provides you with practical Smart Office solutions: all the essential IT infrastructure required to get the whole company operated. It also features additional elements with which the system can be enhanced at any time.

BookinGO / Office resource management system

BookinGO price list

	PRODUCT	NET PRICE EUR
SOFTWARE	**BookinGO Locker**	
	-BookinGO license - server installation software -remote implementation support -training -integration for the modules -web (browser-based) interface * the price also includes a phone app, mail client plug-in - Microsoft® Outlook add-in, Microsoft® Teams plug-in and Microsoft® Share Point plug-in	**6250-***
	BookinGO Desk	
	-BookinGO license - server installation software -remote implementation support -training -integration for the modules -web (browser-based) interface	**6000,-**
	BookinGO Room	
	-BookinGO license - server installation software -remote implementation support -training -integration for the modules -web (browser-based) interface	**6000,-**
	BookinGO Park	
	-BookinGO license - server installation software -remote implementation support -training -ntegration for the modules -web (browser-based) interface	**6000,-**
	USER ACCESS CHANNELS FOR BOOKINGS (BookinGO Desk / BookinGO Room / BookinG O Park)	
	Phone application	**2 500,-**
	E-mail plug-in - Microsoft® Outlook add-in	**2 500,-**
	Microsoft® Teams plug- in	**2 500,-**
	Microsoft® Share Point plug-in	**2 500,-**
	BOOKABLE RESOURCES	
	BookinGO Desk / BookinGO Room / BookinGO Park (1 unit) - single payment	**75,-**
	BookinGO Locker (locker) - one-time fee	**270,-**
	PLAN/LAYOUT PREPARATION	
	Drawing up of a plan illustrating the office layout and plotting of bookable resources (desks / rooms / parking spaces)	**3 500,-**
	Drawing up of a plan illustrating the locker layout and plotting of bookable resources (lockers)	**2 500,-**
EQUIPMENT	**TOUCH PANELS FOR ROOM BOOKING**	
	Touch panel for room booking (1 unit)	**2 500,-**
	Wall mount for touch panel (1 unit)	**50,-**
	BOOKING KIOSKS FOR ALL RESOURCES	
	Standalone 43" touchscreen kiosk for booking all resources + stand	**Quotation on request**
	EXTERNAL SERVER	
	Preparation of BookinGO service hosting on external server	**1000,- / per month**


Additional information

- System warranty for 2 years. After 2 years, it is possible to extend the warranty period. The fee for the warranty extension is quoted individually. MARO Partner is the guarantor.
- The implementation is carried out remotely by MARO Partner. System performance (SLA) is guaranteed by MARO Partner.
- Configuration of Client systems (e.g., Microsoft®Exchange, Active Directory, etc.) does not constitute a part of the offer and remains the Client's responsibility. The requirements necessary for the integration are included in the system documentation.
- The Client shall provide remote access to the computer/server on which the BookinGO Server software is to be installed for the duration of the implementation and in order to provide warranty for the Software.
- It is possible to install a part of the software on a leased external server. Additional fees apply.
- MARO General Terms and Conditions of Sales apply.

XII. CulinArt - Kitchen system


CulinArt collection of kitchen furniture offers a wide range of solutions to create a functional kitchen space in your office. Thanks to our versatile base, wall and tall cabinets, you can effectively use the available space. With a variety of configuration options, it is possible to adapt the offered solutions to suit different needs. The collection also includes dedicated equipment such as household appliances, sinks, faucets and tables. They do not only facilitate the preparation of meals, but also create a setting fostering team interaction and enhancing overall work efficiency.

Base cabinet, open shelf unit




Width:
600 mm
Depth:
480 mm
Height:
860 mm

Base cabinet with hinged door




Width:
600 mm
Depth:
500 mm
Height:
860 mm

Base cabinet with drawers




Width:
600 mm
Depth:
500 mm
Height:
860 mm

Base cabinet with hinged door and drawer




Width:
600 mm
Depth:
500 mm
Height:
860 mm

Sink base cabinet




Width:
600 mm
Depth:
500 mm
Height:
860 mm

Base waste cabinet




Width:
600 mm
Depth:
500 mm
Height:
860 mm

Base cabinet, dishwasher front




Width:
596 mm
Depth:
18 mm
Height:
754 mm

Base cabinet, refrigerator front




Width:
596 mm
Depth:
18 mm
Height:
754 mm

Wall cabinet, open shelf unit




Width:
600 mm
Depth:
350 mm
Height:
600-800 every mm

Wall cabinet with hinged door




Width:
600 mm
Depth:
370 mm
Height:
600-800 every 10 mm

Wall cabinet (shelf, microwave oven)




Width
600 mm
Depth:
370 mm
Height:
600-800 every 10 mm

Tall kitchen cabinet 1 (hinged door, shelves)



Width:
600 mm
Depth:
540 mm
Height:
2100-2300 every 10 mm

Tall kitchen cabinet 2 (hinged doors, shelves)




Width:
600 mm

Depth:
540 mm

Height:
2100-2300 every 10 mm

Tall kitchen cabinet (2 hinged doors, 1 open front)




Width:
600 mm

Depth:
540 mm

Height:
2100-2300 every 10 mm

Tall kitchen cabinet (hinged door, refrigerator)




Width:
600 mm

Depth:
570 mm

Height:
2100-2300 every 10 mm

Tall kitchen cabinet (hinged doors, refrigerator, shelves)




Width:
600 mm

Depth:
570 mm

Height:
2100-2300 every 10 mm

Tall kitchen cabinet (hinged doors, microwave oven)




Width:
600 mm

Depth:
540 mm

Height:
2100-2300 every 10 mm

Kitchen table




Width:
800/900/1000 mm

Depth:
800/900/1000 mm


Height:
750 mm

CulinArt / Accessories


Accessories




SIDE CLADDING




SINK




FAUCET




REFRIGERATOR



DISHWASHER



MICROWAVE OVEN



LED LIGHTING

Sinks

You can choose a single-bowl sink with or without a drainer (composite), made of granite and acrylic binder in onyx color or a single-bowl sink with a drainer made of stainless steel. Faucet cutout and plug come as standard.

Faucets

Kitchen faucets are made of brass. They are available in a chromium-plated option with a fixed spout and in a black option with a movable pullout spout. Aerator comes as standard.

Refrigerators

Single door built-in refrigerators with a possibility to fix a handle on the left or right side of the front.

Dishwashers

Built-in dishwasher with sliding hinge, adjusted to the height of the carcass with no need to undercut the base.

Microwave ovens

Two types of microwave ovens available.

LED lighting

LED lighting, surface cover, made of plastic, mounted directly to the bottom rim of wall cabinets (invisible mounting). Adjustable light color: multi white from 3500 to 6500 K, voltage 12 V, power 5 W, power supply and power cord included, available in white and black. Main cover with built-in control.

Kitchen modules

STRUCTURE

– Chipboard coated on both sides with melamine resin with increased durability
– Chipboard with reduced formaldehyde emission, E1standard.

CARCASS

– Top, floor and fronts made of 18 mm thick panel board.
– Cabinet carcasses are factory-glued, assembled and delivered as a whole.
– Carcass, top and floor finished with 0.8 mm thick ABS/PP plastic edge.
– Fronts finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

SHELVES

– Shelves made of 18 mm thick panel board finished with 0.8 mm thick ABS/PP plastic edge.
– Shelves with mechanism preventing accidental pullout.
– Shelf position adjustable every 32 mm.
– Tall cabinets feature fixed construction shelves.

DRAWERS

– Metal drawers, anthracite color, 450 mm deep, full extension.
– Drawer slides with soft-close automatic mechanism and drawer braking function.
– Full-sided drawers available in two options: low and high - depending on the front height.

BACK WALL

– 8 mm thick back wall recessed into the groove between the sides of the cabinet, coated on both sides with melamine resin. Sink cabinet features a construction beam.

BASE

– Panel board base, H:100 mm, finished with seal, fixed to cabinet feet, made of plastic, black.
– Cabinet feet adjustable 90-120mm.

TOP


– 38 mm thick postforming top, 600 mm deep, made of chipboard and decorative laminate.

WALL PANEL

– Wall panel made of 8 mm thick chipboard, coated on both sides with laminate.
– Wall panel colors are the same as top colors.

EQUIPMENT

– Hinged doors equipped with 110 hinges with soft-close mechanism.
– Base cabinets feature edge handles, wall cabinets with extended front edge by 20 mm (fronts with no handle).



ADDITIONAL INFORMATION

– Wall kitchen cabinets fixed to suspension rail.
– Each cabinet sold with 2 furniture hooks.
– Tops are certified for hygiene.
– Microwave oven is not included.
– Refrigerator is not included.
– Colors according to MARO offer.


Drawing - total height
Table - carcass height

Base cabinet, open shelf unit




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01D060048076	600 / 480 /760	**290**	26.5	0.24

Base cabinet with hinged door




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL02D060048076	600 / 480 /760	**331**	29.0	0.25

Base cabinet with drawers



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
3 drawers				
CUL03D060048076	600 / 480 /760	**705**	46.0	0.25
4 drawers				
CUL03D060048076	600 / 480 /760	**822**	46.0	0.25


Base cabinet with hinged door and drawer



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL04D060048076	600 / 480 /760	**507**	32.5	0.25


Drawing - total height
Table - carcass height

Sink base cabinet




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL05D060048076	600 / 480 /760	**560**	19	0.25

Base waste cabinet




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL06D060048076	600 / 480 /760	**612**	23.0	0.25

Base cabinet, dishwasher front




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL07D060002075	596 / 18 / 754	**174**	5.5	0.01

Base cabinet, refrigerator front



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL08D060002075	596 / 18 / 754	**230**	5.5	0.01


Wall cabinet, open shelf unit



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01U060035060	600 / 350 / 600	**234**	16.0	0.12
CUL01U060035080	600 / 350 / 800	**264**	20.0	0.16


Drawing - total height
Table - carcass height

Wall cabinet with hinged door




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL02U060033060	600 / 350 / 600	**284**	20.0	0.11
CUL02U060033080	600 / 350 / 800	**321**	25.0	0.15

Wall cabinet (shelf, microwave oven)




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL03U060035060	600 / 350 / 600	**314**	20,0	0,11
CUL03U060035080	600 / 350 / 800	**344**	25,0	0,15

Tall kitchen cabinet 1 (hinged door, shelves)



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01H060052200	600 / 520 / 2000	**692**	71.0	0.62
CUL01H060052220	600 / 520 / 2200	**738**	78.0	0.68


Tall kitchen cabinet 2 (hinged door, shelves)



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL02H060052200	600 / 520 / 2000	**732**	71.0	0.62
CUL02H060052220	600 / 520 / 2200	**778**	78.0	0.68


Drawing - total height
Table - carcass height

Tall kitchen cabinet (2 hinged doors, 1 open front)




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL06H060052200	600 / 520 / 2000	**707**	65.0	0.62
CUL06H060052220	600 / 520 / 2200	**753**	71.5	0.68

Tall kitchen cabinet (hinged door, refrigerator)




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL03H060055200	600 / 550 / 2000	**692**	52.0	0.62
CUL03H060055220	600 / 550 / 2200	**738**	57.0	0.68

Tall kitchen cabinet (hinged doors, refrigerator, shelves)



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL04H060055200	600 / 550 / 2000	**732**	66.0	0.62
CUL04H060055220	600 / 550 / 2200	**778**	73.0	0.68


Tall kitchen cabinet (hinged doors, microwave oven)



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1 microwave oven				
CUL05H060052200	600 / 520 / 2000	**707**	68.0	0.62
2 microwave ovens				
CUL05H060052200	600 / 520 / 2000	**707**	68.0	0.62


Drawing - total height
Table - carcass height

Board base / Base with gable vent




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01B060002010	600 / 18 / 100	**39**	0.72	0.001

Kitchen top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01T060060004	600 / 600 / 38	**43**	9.0	0.13
CUL01T200060004	2000 / 600 / 38	**143**	30.0	0.04
CUL01T360060004	3600 / 600 / 38	**258**	54.0	0.08

Kitchen wall panel



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUL01P060001060	600 / 8 / 600	**59**	2.1	0.002
CUL01P200001060	2000 / 8 / 600	**197**	7.0	0.009
CUL01P360001060	3600 / 8 / 600	**355**	12.6	0.017

Side cladding



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Side cladding - tall cabinet				
CUL01S058002229	600 x 18 x 2300	**121**	16.0	0.013
Side cladding - base cabinet				
CUL01S058002085	583 x 18 x 855	**67**	6.0	0.008
Side cladding - wall cabinet				
CUL01S037002062	380 x 18 x 620	**39**	3.0	0.004

Kitchen table

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 25 mm thick panel board tops.

FRAME

- Steel tubes Ø 32 mm, 1.5 mm thick, powder-coated.

HEIGHT

- Fixed height: 750 mm, levelling feet +10 mm.

ADDITIONAL INFORMATION

- Tops are certified for hygiene.
- Colors according to MARO offer.

Kitchen table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
CUT080080075	800 / 800 / 750	**269**	13.8	0.48
CUT090090075	900 / 900 / 750	**281**	16.5	0.61
CUT100100075	1000 / 1000 / 750	**294**	19.4	0.75

XII. Ario


Ario is a collection of executive furniture with exceptional finishes. Standard offer includes not only straight executive desks with fixed or adjustable height, but also desks with conference extensions and desks supported on sideboards. Ario collection is complemented by a wide range of innovative items of equipment of cabinets and showcases units such as a TV cabinet and a minibar showcase.

Ario


Straight executive desks




Executive desks with conference extensions




Executive desks supported on sideboards




Executive desks with electric height adjustment




Executive desks with conference extensions supported on sideboards




Underdesk sideboards




Pedestals




Conference tables




Occasional tables




TV cabinet




Minibar showcase





Showcases





Ario / Colors



















LEATHER | GLASS / BOARD / LEATHER | GLASS

Please note that natural materials - veneer, s i n t e r and natural leather are distinguished by its unique properties such as: color variation in one element, lining or irregular grain, micro cracks and holes. These are not their disadvantages, but advantages. T hey make elements made of natural components inimitable and decorative. Additionally, veneer is not resistant to heat and changes its color when exposed to sunlight. Such complaints will not be taken into consideration. If you order the product again, it may be different shade. The client takes note of this. More information can be found in „MARO furniture care and maintenance" manual.


Ario / Colors


				Top	Table insert	Glass insert	Leather insert	Decorative slat	Frame	External leg	Internal leg	Modesty panel	Carcass / Back panel	Showcase and cabinets fronts	Side cladding	Top cladding	Niche	Glass shelf	Foot
STANDARD	Melamine UNI	**STD 1**	White		•						•	•	•	•			•		
		STD 3	Gray		•						•	•	•				•		
		STD 4	Beige		•						•	•	•				•		
		STD 7	Graphite		•						•	•	•	•			•		
		STD 8	Black		•						•	•	•				•		
	Melamine	**STD 15**	Natural Oak	•	•					•		•		•	•	•	•		
		STD 17	Walnut Brown	•	•					•		•		•	•	•	•		
STANDARD	Metal	**M 01**	Aluminium						•										
		M 02	White						•										
		M 03	Beige						•										
		M 04	Black						•										
		M 05	Graohite						•										
PREMIUM*	HPL	**FX1**	Fenix White																
		FX2	Fenix Black																
	Sinter	**ST 1**	Nero Greco	•						•		•		•	•	•			
		ST 2	Noir Desir	•						•		•		•	•	•			
		ST 3	Bianco Venato	•						•		•		•	•	•			
	Veneer	**VR 4**	Burundi Mahogany	•						•		•		•	•	•			
		VR 5	Brazilian Rosewood	•						•		•		•	•	•			
		VR 6	Flader Oak	•						•		•		•	•	•			
	Leather	**LE1**	Braun		•		•												
		LE2	Graphite		•		•												
		LE3	Black		•		•												
STANDARD	Decor		Brushed aluminium					•											•
	Glass	**GL 01**	Opti Białe															•	
		GL 02	Satinato																
		GL03	Opti Czarne															•	
		GL 04	Białe Lacobel		•	•						•		•		•	•		
		GL 05	Czarne Lacobel		•	•						•		•		•	•		


Ario / Equipment

Cable channel

Each desk from Ario collection is equipped with a fold-down cable channel as standard. The channel is powder-coated in the color of the frame.









Modesty panel

The desks can be equipped with modesty panels with a surcharge:
- 18 mm thick melamine board,
- 19 mm thick veneer board,
- 18 mm thick melamine board in the internal color of the desk (UNI) + polished stone 12 mm (from the outer part of the desk),
- 18 mm thick melamine board in the internal colorof the desk (UNI) + Lacobel Glass 4 mm (from the outer part of the desk).


Modesty panel for desk




Modesty panel for desk supported on sideboard



Modesty panel for desk with conference extension



Modesty panel for desk with conference extension supported on sideboard




			MODESTY PANELS			
			Board	Glass	Veneer	Sinter
STRAIGHT DESK	Desks width	2000	ZP21	ZL21	ZF21	ZS21
		2200	ZP31	ZL31	ZF31	ZS31
DESK SUPPORTED ON SIDEBOARD	Desks width	2000	ZP22	ZL22	ZF22	ZS22
		2200	ZP32	ZL32	ZF32	ZS32
DESK WITH CONFERNCE EXTENSION	Desks width	2000	ZP21	ZL21	ZF21	ZS21
		2200	ZP31	ZL31	ZF31	ZS31
DESK Z WITH CONFERENCE EXTENSION SUPPORTED ON SIDEBOARD	Desks width	2000	ZP22	ZL22	ZF22	ZS22
		2200	ZP32	ZL32	ZF32	ZS32

Ario / Equipment

Control panel for electric desks


Ario desks are equipped with control panels as standard.

- Easy of use thanks to up and down buttons.
- Function of saving three positions.
- LED display.
- Mounted under the top.
- Black color.



Anti-collision sensor

Each Ario desk with electric height adjustment is equipped with an anti-collision sensor as standard.




Induction charger

- Fast charger.
- Works with all phone models equipped with Qi technology.
- Charger integrated into the top of the sideboard, charger type: top-mounted.
- Black charging spot, other elements in titanium color.

Push to Open system


Ario pedestals and underdesk sideboards can be equipped with a Push to Open system or a remote-controlled electronic lock. Both are equipped with a mechanism preventing simultaneous opening of more than one drawer.

Push to Open system



T1 handle in brushed aluminum color is optional for all Ario furniture. This does not apply to pedestals and underdesk sideboards with electronic locks which are equipped with T1 handles as standard.


Handle T1




Drawer equipment

Drawers in pedestals and underdesk sideboards in Ario collection are equipped with pencil drawers, longitudinal, transverse and diagonal dividers or a frame for hanging folders.


Pencil drawer




Traverse and longitudinal dividers



Diagonal dividers



Suspension files drawer



Executive desks

STRUCTURE

TOP AND LEGS
- Supporting structure of the desk (top and legs) is made of 36 mm thick board with HPL cladding.
- Decorative slat of the top and legs is available only in brushed aluminum color.
- Internal part of the top and legs (excluding the external part of the leg mounted to the edge of the top) in the color available for UNI melamine.

FRAME
- Supporting structure of the table (top and legs) is made of board. Tops are based on a steel frame ensuring rigidity.
- Powder-coated frame.

CLADDINGS
- Tops - outer side - made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.
- External leg (connected to the edge of the top) - external side made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.

INSERTS
- Desks can be equipped with inserts made of 12 mm thick Lacobel glass or melamine board finished with natural leather.
- Desk with conference extension is equipped with a 100 mm wide glass insert.

EQUIPMENT

- Metal, powder-coated, fold-down cable channel mounted under the top as standard.

MODESTY PANEL - as an option with a surcharge
- made of 18 mm thick melamine board,
- made of 19 mm thick veneer board,
- made of 18 mm thick melamine board in the same color as the internal part of the desk (UNI) + polished stone 12 mm,
- made of 18 mm thick melamine board in the same color as the internal part of the desk (UNI) + Lacobel glass 4 mm.


HEIGHT

- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Straight executive desk




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR03	2000 / 1000 / 750	3546	160	0,300
AR04	2200 / 1000 / 750	3797	170	0,300
Natural veneer				
ARF203	2000 / 1000 / 750	7627	160	0,300
ARF204	2200 / 1000 / 750	8007	170	0,300
Quartz sinter				
ARS203	2000 / 1000 / 750	11399	250	0,300
ARS204	2200 / 1000 / 750	12097	265	0,300

Straight executive desk with glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR13	2000 / 1000 / 750	4658	175	0,300
AR14	2200 / 1000 / 750	5012	185	0,300
Natural veneer				
ARF213	2000 / 1000 / 750	8647	175	0,300
ARF214	2200 / 1000 / 750	9211	185	0,300
Quartz sinter				
ARS213	2000 / 1000 / 750	12101	250	0,300
ARS214	2200 / 1000 / 750	12914	265	0,300

Executive desk with conference extension, glass insert and leather insert 1/3




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR23	2000 / 1000 / 750	6032	175	0,300
AR24	2200 / 1000 / 750	6385	185	0,300
Natural veneer				
ARF223	2000 / 1000 / 750	10202	175	0,300
ARF224	2200 / 1000 / 750	10770	185	0,300
Quartz sinter				
ARS223	2000 / 1000 / 750	13152	245	0,300
ARS224	2200 / 1000 / 750	13969	260	0,300

Executive desk with conference extension, glass insert and leather insert 1/3




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR19R	3400 / 1000 / 750	7831	265	0,680
AR10R	3600 / 1000 / 750	8332	285	0,720
Natural veneer				
ARF219R	3400 / 1000 / 750	11523	265	0,680
ARF210R	3600 / 1000 / 750	12221	285	0,720
Quartz sinter				
ARS219R	3400 / 1000 / 750	14749	325	0,680
ARS210R	3600 / 1000 / 750	15688	340	0,720

Executive desk with conference extension and glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR69R	3400 / 1000 / 750	6456	265	0,680
AR60R	3600 / 1000 / 750	6959	285	0,720
Natural veneer				
ARF269R	3400 / 1000 / 750	11220	265	0,680
ARF260R	3600 / 1000 / 750	11917	285	0,720
Quartz sinter				
ARS269R	3400 / 1000 / 750	15790	325	0,680
ARS260R	3600 / 1000 / 750	16731	340	0,720

Executive desk with conference extension, glass insert and leather insert 2/3




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR29R	3400 / 1000 / 750	8755	265	0,680
AR20R	3600 / 1000 / 750	9256	285	0,720
Natural veneer				
ARF229R	3400 / 1000 / 750	12122	265	0,680
ARF220R	3600 / 1000 / 750	12860	285	0,720
Quartz sinter				
ARS229R	3400 / 1000 / 750	14826	325	0,680
ARS220R	3600 / 1000 / 750	15816	340	0,720

Executive desk supported on sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR07R	2000 / 1000 / 750	2912	145	0,300
AR08R	2200 / 1000 / 750	3063	155	0,300
Natural veneer				
ARF207R	2000 / 1000 / 750	5975	145	0,300
ARF208R	2200 / 1000 / 750	6325	155	0,300
Quartz sinter				
ARS207R	2000 / 1000 / 750	8949	195	0,300
ARS208R	2200 / 1000 / 750	9551	210	0,300

Executive desk with glass insert supported on sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR17R	2000 / 1000 / 750	4025	145	0,300
AR18R	2200 / 1000 / 750	4277	155	0,300
Natural veneer				
ARF217R	2000 / 1000 / 750	6995	145	0,300
ARF218R	2200 / 1000 / 750	7458	155	0,300
Quartz sinter				
ARS217R	2000 / 1000 / 750	9660	195	0,300
ARS218R	2200 / 1000 / 750	10377	210	0,300

Executive desk with glass insert and leather insert 1/3 supported on sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR27R	2000 / 1000 / 750	5434	145	0,300
AR28R	2200 / 1000 / 750	5686	155	0,300
Natural veneer				
ARF227R	2000 / 1000 / 750	8314	145	0,300
ARF228R	2200 / 1000 / 750	8780	155	0,300
Quartz sinter				
ARS227R	2000 / 1000 / 750	10791	195	0,300
ARS228R	2200 / 1000 / 750	11507	210	0,300

Executive desk with glass insert and leather insert 2/3 supported on sideboard.




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR37R	2000 / 1000 / 750	6406	145	0,300
AR38R	2200 / 1000 / 750	6657	155	0,300
Natural veneer				
ARF237R	2000 / 1000 / 750	8563	145	0,300
ARF238R	2200 / 1000 / 750	8922	155	0,300
Quartz sinter				
ARS237R	2000 / 1000 / 750	10099	195	0,300
ARS238R	2200 / 1000 / 750	10584	210	0,300

Executive desk with conference extension and glass insert supported on sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR39R	3400 / 1000 / 750	5719	230	0,680
AR30R	3600 / 1000 / 750	6223	245	0,720
Natural veneer				
ARF239R	3400 / 1000 / 750	8167	230	0,680
ARF230R	3600 / 1000 / 750	8862	245	0,720
Quartz sinter				
ARS239R	3400 / 1000 / 750	10634	275	0,680
ARS230R	3600 / 1000 / 750	11567	290	0,720

Executive desk with conference extension, glass insert, leather insert 1/3 supported on sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR49R	3400 / 1000 / 750	7093	230	0,680
AR40R	3600 / 1000 / 750	7595	245	0,720
Natural veneer				
ARF249R	3400 / 1000 / 750	9226	230	0,680
ARF240R	3600 / 1000 / 750	9928	245	0,720
Quartz sinter				
ARS249R	3400 / 1000 / 750	11108	275	0,680
ARS240R	3600 / 1000 / 750	12048	290	0,720

Executive desk with conference extension, glass insert and leather insert 2/3 supported on sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AR59R	3400 / 1000 / 750	8019	230	0,680
AR50R	3600 / 1000 / 750	8522	245	0,720
Natural veneer				
ARF259R	3400 / 1000 / 750	12327	230	0,680
ARF250R	3600 / 1000 / 750	13060	245	0,720
Quartz sinter				
ARS259R	3400 / 1000 / 750	16253	275	0,680
ARS250R	3600 / 1000 / 750	17256	290	0,720

Modesty panel for executive desks



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
ZP21	1800/18/360	417	1	0,003
ZP22	1450/18/360	358	1	0,003
ZP23	1250/18/360	316	1	0,003
ZP31	2000/18/360	455	1	0,003
ZP32	1650/18/360	413	1	0,003
Glass				
ZL21	1800/30/360	903	9	0,003
ZL22	1450/30/360	792	7	0,003
ZL23	1250/30/360	708	6	0,003
ZL31	2000/30/360	958	10	0,003
ZL32	1650/30/360	876	8	0,003
Natural veneer				
ZF21	1800/19/360	998	1	0,003
ZF22	1450/19/360	889	1	0,003
ZF23	1250/19/360	853	1	0,003
ZF31	2000/19/360	1043	1	0,003
ZF32	1650/19/360	927	1	0,003
Quartz sinter				
ZS21	1800/30/360	1746	9	0,003
ZS22	1450/30/360	1556	7	0,003
ZS23	1250/30/360	1493	6	0,003
ZS31	2000/30/360	1823	10	0,003
ZS32	1650/30/360	1619	8	0,003

Executive desks with electric height adjustment

STRUCTURE

TOP AND LEGS

- Supporting structure of the desk (top and legs) is made of 36 mm thick board with HPL cladding.
- Decorative slat of the top and legs are available only in brushed aluminum color.
- Inner part of the top is in the color of UNI melamine board.

FRAME

- Self-supporting structure with powder-coated steel frame.

CLADDINGS

- Tops - internal side - made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.
- Leg of the desk with electric height adjustment covered on both sides -12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.

INSERTS

- Desks can be equipped with inserts made of 12 mm thick Lacobel glass or melamine board finished with natural leather.

EQUIPMENT

- Three-piece electric columns with 50x80 mm cross section.
- Control panel with LED display in black color with a memory function saving 3 heights.
- Black control panel.
- Anti-collision sensor.
- Inductive charger on the top of the sideboard.
- A hole in the top serves as a cable outlet.

MODESTY PANEL - as an option with a surcharge

- made of 18 mm thick melamine board,
- made of 19 mm thick veneer board,
- made of 18 mm thick melamine board in the same color as the internal part of the desk (UNI) + polished stone 12 mm,
- made of 18 mm thick melamine board in the same color as the internal part of the desk (UNI) + Lacobel glass 4 mm.


HEIGHT ADJUSTMENT

- Electric height adjustment: 750 mm - 1250 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Desk with electric height adjustment integrated with sideboard




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AE03L	2000 / 1000 /750-1250	7945	169	0,400
AE04L	2200 / 1000 /750-1250	8097	178	0,440
Natural veneer				
AEF103R	2000 / 1000 /750-1250	12122	169	0,400
AEF104L	2200 / 1000 /750-1250	12470	178	0,440
Quartz sinter				
AES103L	2000 / 1000 /750-1250	15873	248	0,400
AES104L	2200 / 1000 /750-1250	16473	264	0,440

Desk with electric height adjustment with glass insert integrated with sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AE13L	2000 / 1000 /750-1250	9059	169	0,400
AE14L	2200 / 1000 /750-1250	9310	178	0,440
Natural veneer				
AEF113L	2000 / 1000 /750-1250	13171	169	0,400
AEF114L	2200 / 1000 /750-1250	13637	178	0,440
Quartz sinter				
AES113L	2000 / 1000 /750-1250	16671	248	0,400
AES114L	2200 / 1000 /750-1250	17391	264	0,440

Desk with electric height adjustment with glass insert and leather insert 1/3 integrated with sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AE23L	2000 / 1000 /750-1250	10432	169	0,400
AE24L	2200 / 1000 /750-1250	10683	178	0,440
Natural veneer				
AEF123L	2000 / 1000 /750-1250	14744	169	0,400
AEF124L	2200 / 1000 /750-1250	15213	178	0,440
Quartz sinter				
AES223L	2000 / 1000 /750-1250	17820	248	0,400
AES224L	2200 / 1000 /750-1250	18538	264	0,440

Underdesk sideboards

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass and back wall made of 18 mm thick board in UNI color.
- Claddings mounted to the carcass are made of 12 mm thick melamine board, 13 mm thick veneer board or 12 mm thick quartz sinter.
- Carcass, top and fronts are finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Sideboard carcasses are factory-glued, assembled and delivered as a whole.


EQUIPMENT


- Sideboards (except for the section with drawers) have space at the back to manage cables from the inside of the sideboard to the top through outlets.
- Maintenance segment door with no handles, Push to Open system. No access to utility segment from maintenance segment side.
- Hinged doors and front drawers equipped with electronic locks and T1 handles in brushed aluminum color as standard.
- Hinged doors and front drawers can be equipped with Push to Open system as an option with no surcharge.
- Black, metal drawers equipped with full extension system and Soft Close Automatic mechanism (does not apply to the version with Push to Open system).
- Top pencil drawer 1HE.
- Drawers are equipped with traverse dividers RT 85 - 2 pcs., longitudinal dividers RT 86 - 1 pc., and diagonal d ividers RT 87 - 5 pcs.
- Models with T1 handles are equipped with a remote controlled electronic lock which simultaneously locks all the fronts. Low battery is signaled with a sound.
- Inductive charger is mounted 950 mm from the underdesk edge of the sideboard and 200 mm fr om the in ternal edge as standard.
- Glass top cladding as an option.
- Space for cable management at the back of the sideboard.
- Sideboard for desk support with cable outlet and inductive charger as standard.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Sideboard for desk support I






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AW01R	1738 / 604 / 632	3297	120	0,640
front- Natural veneer				
AW01R	1738 / 604 / 632	6672	120	0,640
Glass top cladding as an option / AW01		+1013		
CARCASS CLADDING - VENEER				
Front - Melamine				
AWF01R	1738 / 604 / 632	5540	120	0,640
front- Natural veneer				
AWF01R	1738 / 604 / 632	9485	120	0,640
Glass top cladding as an option with no surcharge		+0		
CARCASS CLADDING - QUARTZ SINTER				
Front - Melamine				
AWS01R	1738 / 604 / 632	7923	160	0,640
front- Natural veneer				
AWS01R	1738 / 604 / 632	11804	160	0,640
Glass top cladding as an option with no surcharge		+0		

Sideboard for desk support II





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AW02R	2166 / 604 / 632	3728	140	0,820
front- Natural veneer				
AW02R	2166 / 604 / 632	7761	140	0,820
Glass top cladding as an option / AW01		+1 155		
CARCASS CLADDING - VENEER				
front - Melamine				
AWF02R	2166 / 604 / 632	5823	140	0,820
front- Natural veneer				
AWF02R	2166 / 604 / 632	12466	140	0,820
Glass top cladding as an option with no surcharge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
AWS02R	2166 / 604 / 632	10487	190	0,820
front- Natural veneer				
AWS02R	2166 / 604 / 632	15110	190	0,820
Glass top cladding as an option with no surcharge		+0		

Mobile pedestals

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass and back wall are made of 18 mm thick chipboard in UNI color.
- Claddings mounted to the carcass are made of 12 mm thick melamine board, 13 mm thick veneer board or 12 mm thick polished stone.
- Carcass, top and fronts finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Pedestal carcasses are factory-glued, assembled and delivered as a whole.
- Drawer fronts are made of 18 mm thick melamine board or 19 mm thick veneer board.
- Castors are covered.

EQUIPMENT

- Pedestals are equipped with 2 or 3 drawers and a pencil drawer.
- 500 mm long, black, metal drawers are equipped with double walls covering ball runners.
- Drawers equipped with electronic locks and T1 handles in brushed aluminum color as standard.
- Drawers equipped with Push to Open system as an option.
- Models with T1 handles are equipped with a remote controlled electronic lock which simultaneously locks all the fronts. Low battery is signaled with a sound.
- Models with T1 handlesare equipped with a soft close automatic mechanism with the function of drawer decelerating and automatic closing. This helps to stabilize the drawers when loaded.

PEDESTAL AK 01

- Drawers are equipped with dividers: traverse RT 85 – 2 pcs., longitudinal RT 86 – 1 pc. and diagonal RT 87 – 5 pcs.


PEDESTAL AK 02

- Drawers are equipped with dividers: traverse RT 85 – 1 pc., longitudinal RT 86 – 1 pc., a suspension files insert.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Mobile underdesk pedestal 1-2-3-3



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AK01	454 / 622 / 557	**1986**	37	0,16
front- Natural veneer				
AK01	454 / 622 / 557	**2849**	37	0,16
CARCASS CLADDING - VENEER				
front - Melamine				
AKF01	454 / 622 / 557	**3706**	37	0,16
front- Natural veneer				
AKF01	454 / 622 / 557	**4170**	37	0,16
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
AKS01	454 / 622 / 557	**4344**	60	0,16
front- Natural veneer				
AKS01	454 / 622 / 557	**5982**	60	0,16

Mobile underdesk pedestal 1-2-6



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AK02	454 / 622 / 557	**1986**	37	0,16
front- Natural veneer				
AK02	454 / 622 / 557	**2984**	37	0,16
CARCASS CLADDING - VENEER				
front - Melamine				
AKF02	454 / 622 / 557	**3706**	37	0,16
front- Natural veneer				
AKF02	454 / 622 / 557	**4255**	37	0,16
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
AKS02	454 / 622 / 557	**4344**	60	0,16
front- Natural veneer				
AKS02	454 / 622 / 557	**6059**	60	0,16

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

Conference tables

STRUCTURE

TOP AND LEGS

- Supporting structure of the desk (top and legs) is made of 36 mm thick board with HPL cladding.
- Decorative slat of the top and legs are available only in brushed aluminum color.
- Internal side of the top and legs in UNI color.
- All legs are equipped with integrated vertical cable channels.

FRAME

- Supporting structure of the table (top and legs) is made of HPL board. Tops are based on a steel frame ensuring rigidity.
- Powder-coated frame.

CLADDINGS

- Tops - internal side - made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.

INSERTS

- Tables can be equipped with inserts made of 12 mm thick melamine board, 12 mm thick Lacobel glass or melamine board finished with natural leather.

EQUIPMENT

- Tables are equipped with horizontal, fold-down cable channels.
- Possibility to fix netboxin glass or sinter top part as an option with a surcharge.


HEIGHT

- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Ario one-piece conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT11	2000 / 1000 / 750	**3409**	126	0,400
AT12	2400 / 1000 / 750	**3613**	144	0,480
Natural veneer				
ATF211	2000 / 1000 / 750	**6891**	126	0,400
ATF212	2400 / 1000 / 750	**7259**	144	0,480
Quartz sinter				
ATS211	2000 / 1000 / 750	**10498**	177	0,400
ATS212	2400 / 1000 / 750	**11133**	205	0,480

Ario two-piece conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT21	4000 / 1200 / 750	**4871**	229	0,960
Natural veneer				
ATF221	4000 / 1200 / 750	**11496**	229	0,960
Quartz sinter				
ATS221	4000 / 1200 / 750	**18665**	332	0,960

Ario conference table extension




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT22	1400 / 1200 / 750	**2661**	90	0,370
AT23	2000 / 1200 / 750	**3117**	120	0,400
Natural veneer				
ATF222	1400 / 1200 / 750	**4461**	90	0,370
ATF223	2000 / 1200 / 750	**5604**	120	0,400
Quartz sinter				
ATS222	1400 / 1200 / 750	**6294**	120	0,370
ATS223	2000 / 1200 / 750	**8362**	162	0,400

Ario one-piece conference table with board insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT31	2600 / 1400 / 750	5686	203	0,730
AT32	3200 / 1400 / 750	6440	235	0,900
Natural veneer				
ATF231	2600 / 1400 / 750	10220	203	0,730
ATF232	3200 / 1400 / 750	11849	235	0,900
Quartz sinter				
ATS231	2600 / 1400 / 750	13861	287	0,730
ATS232	3200 / 1400 / 750	16550	337	0,900

Ario one-piece conference table with glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AG31	2600 / 1400 / 750	6648	212	0,730
AG32	3200 / 1400 / 750	7448	245	0,900
Natural veneer				
AGF231	2600 / 1400 / 750	11178	212	0,730
AGF232	3200 / 1400 / 750	12853	245	0,900
Quartz sinter				
AGS231	2600 / 1400 / 750	14795	296	0,730
AGS232	3200 / 1400 / 750	17530	350	0,900

Ario one-piece conference table with glass and leather inserts




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AH31	2600 / 1400 / 750	7920	212	0,730
AH32	3200 / 1400 / 750	8720	245	0,900
Natural veneer				
AHF231	2600 / 1400 / 750	9597	212	0,730
AHF232	3200 / 1400 / 750	11286	245	0,900
Quartz sinter				
AHS231	2600 / 1400 / 750	10718	258	0,730
AHS232	3200 / 1400 / 750	13483	307	0,900

Ario two-piece conference table with board insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT41	4000 / 1400 / 750	6679	315	1,120
AT42	5200 / 1400 / 750	7136	374	1,460
Natural veneer				
ATF241	4000 / 1400 / 750	14423	315	1,120
ATF242	5200 / 1400 / 750	16625	374	1,460
Quartz sinter				
ATS241	4000 / 1400 / 750	20730	435	1,120
ATS242	5200 / 1400 / 750	25132	535	1,460

Ario two-piece conference table with glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AG41	4000 / 1400 / 750	7474	330	1,120
AG42	5200 / 1400 / 750	8304	400	1,460
Natural veneer				
AGF241	4000 / 1400 / 750	15247	330	1,120
AGF242	5200 / 1400 / 750	17796	400	1,460
Quartz sinter				
AGS241	4000 / 1400 / 750	21596	453	1,120
AGS242	5200 / 1400 / 750	26286	560	1,460

Extension for Ario two-piece conference table with board insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT51	1400 / 1400 / 750	3219	113	0,400
AT52	2000 / 1400 / 750	3256	149	0,560
Natural veneer				
ATF251	1400 / 1400 / 750	5691	113	0,400
ATF252	2000 / 1400 / 750	6594	149	0,560
Quartz sinter				
ATS251	1400 / 1400 / 750	7682	155	0,400
ATS252	2000 / 1400 / 750	9657	204	0,560

Ario two-piece conference table with glass and leather inserts



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AH41	4000 / 1400 / 750	8747	330	1,120
AH42	5200 / 1400 / 750	9576	400	1,460
Natural veneer				
AHF241	4000 / 1400 / 750	14466	330	1,120
AHF242	5200 / 1400 / 750	17005	400	1,460
Quartz sinter				
AHS241	4000 / 1400 / 750	19168	410	1,120
AHS242	5200 / 1400 / 750	23822	517	1,460

Extension for Ario two-piece conference table with glass insert



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AG51	1400 / 1400 / 750	3387	122	0,400
AG52	2000 / 1400 / 750	3416	158	0,560
Natural veneer				
AGF251	1400 / 1400 / 750	5858	122	0,400
AGF252	2000 / 1400 / 750	6752	158	0,560
Quartz sinter				
AGS251	1400 / 1400 / 750	7845	164	0,400
AGS252	2000 / 1400 / 750	9814	217	0,560

Occasional tables

STRUCTURE

TOP AND LEGS

- Supporting structure of the desk (top and legs) is made of 36 mm thick board with HPL cladding.
- Decorative slat of the top and legs is available only in brushed aluminum color.
- Internal side of the top and legs (excluding the outer part of the leg mounted to the edge of the top) in UNI color.

FRAME

- Supporting structure of the table (top and legs) is made of board. Tops are based on steel frame ensuring rigidity.
- Powder-coated frame.

CLADDINGS

- Tops - external side - made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.
- Leg connected to the edge of the top - external side - made of 12 mm thick HPL board of wood texture, 13 mm thick veneer board or 12 mm thick polished stone.


HEIGHT

- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Ario occasional table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT61	1200 / 1200 / 750	3273	129	1,080
Natural veneer				
ATF261	1200 / 1200 / 750	4899	129	1,080
Quartz sinter				
ATS261	1200 / 1200 / 750	6453	165	1,080

Ario straight occasional table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT71	1000 / 700 / 450	1950	89	0,320
AT72	1200 / 700 / 450	2035	96	0,380
AT73	1400 / 700 / 450	2137	104	0,440
Natural veneer				
ATF271	1000 / 700 / 450	3656	89	0,320
ATF272	1200 / 700 / 450	3829	96	0,380
ATF273	1400 / 700 / 450	4028	104	0,440
Quartz sinter				
ATS271	1000 / 700 / 450	4651	125	0,320
ATS272	1200 / 700 / 450	5023	137	0,380
ATS273	1400 / 700 / 450	5414	149	0,440

Ario occasional table supported on sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Melamine board				
AT81	1000 / 800 / 450	2244	74	0,360
AT82	1200 / 800 / 450	2337	81	0,430
AT83	1400 / 800 / 450	2428	89	0,500
Natural veneer				
ATF281	1000 / 800 / 450	3895	74	0,360
ATF282	1200 / 800 / 450	4087	81	0,430
ATF283	1400 / 800 / 450	4282	89	0,500
Quartz sinter				
ATS281	1000 / 800 / 450	5023	102	0,360
ATS282	1200 / 800 / 450	5399	114	0,430
ATS283	1400 / 800 / 450	5779	126	0,500

TV cabinet

STRUCTURE

CARCASS

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass made of 18 mm thick board in UNI color.
- Carcass finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass factory-glued, assembled and delivered as a whole.

BACK WALL

- 18 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

CLADDINGS

- Side and top claddings are available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.
- Glass top cladding as an option.
- Fronts for hinged doors are available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.


EQUIPMENT

- Showcase with extra space for a TV set behind the storage space.
- Equipped with a column with electric height adjustment, TV mounting bracket and a remote control for operating the column, power cord approx. 1.5 m with Schuko plug.
- Max. dimensions of the TV set - 65". The TV set is not included.
- One remote control can operate a TV cabinet and a lift in Ario minibar showcase.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Ario TV cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC51	1738 / 442 / 1078	5787	155	0,850
front- Natural veneer				
AC51	1738 / 442 / 1078	8366	155	0,850
front- Quartz sinter				
AC51	1738 / 442 / 1078	9723	198	0,850
Glass top cladding as an option / AW01		+863		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF51	1738 / 442 / 1078	7976	155	0,850
front- Natural veneer				
ACF51	1738 / 442 / 1078	10579	155	0,850
front- Quartz sinter				
ACF51	1738 / 442 / 1078	12073	198	0,850
Glass top cladding as an option with no surcharge		+ 0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS51	1738 / 442 / 1078	9458	218	0,850
front- Natural veneer				
ACS51	1738 / 442 / 1078	12052	218	0,850
front- Quartz sinter				
ACS51	1738 / 442 / 1078	13651	262	0,850
Glass top cladding as an option with no surcharge		+ 0		

Minibar showcase

STRUCTURE

CARCASS

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass is made of 18 mm thick board in UNI color.
- Carcass is finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcasses are factory-glued, assembled and delivered as a whole.


BACK WALL

- 18 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which the showcase can stand independently.

CLADDINGS

- Side and top claddings are available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.
- Glass top cladding as an option.
- Fronts for hinged doors available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.

- EQUIPMENT
- - Showcase with free space dedicated to a refrigerator located on the left. The refrigerator is not included.
- Max. dimensions of a refrigerator:



width: 490 mm
height: 520 mm
depth: 500 mm


- Lift is located on the right (Ario Minibar Showcase I) or in the center and on the right (Ario Minibar Showcase II). It allows to access easily a coffee machine, kettle, tableware and drinks.
- Lift is equipped with an electrical socket which allowsto plug in electrical appliances, LED light and anti collision system, power cord with a Schuko plug.
- The front covering the segment of the showcase with the lift fulfills only decorative function.
- Remote control for height adjustment with up and down buttons.
- One remote control can operate the lift in Ario minibar showcase and a TV cabinet.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Minibar showcase Ario

Minibar showcase I



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine AC61	1738 / 654 / 1078	5661	205	1,250
front- Natural veneer AC61	1738 / 654 / 1078	8239	205	1,250
front- Quartz sinter AC61	1738 / 654 / 1078	9600	246	1,250
Glass top cladding as an option / AC 61		+863		
CARCASS CLADDING - VENEER				
front - Melamine ACF61	1738 / 654 / 1078	9383	205	1,250
front- Natural veneer ACF61	1738 / 654 / 1078	12001	205	1,250
front- Quartz sinter ACF61	1738 / 654 / 1078	13290	246	1,250
Glass top cladding as an option with no surcharge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine ACS61	1738 / 654 / 1078	12312	267	1,250
front- Natural veneer ACS61	1738 / 654 / 1078	15033	267	1,250
front- Quartz sinter ACS61	1738 / 654 / 1078	16366	308	1,250
Glass top cladding as an option with no surcharge		+0		

Showcases

STRUCTURE

CARCASS

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass made of 18 mm thick board in UNI color.
- Carcass finished with 2 mm thick ABS/PP plastic with 2 mm radius.
- Carcasses factory-glued, assembled and delivered as a whole.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which the showcase can stand independently.

CLADDINGS

- Side and top claddings are available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.
- Glass top cladding as an option.
- Fronts available in three options:
  - 12 mm thick melamine board of wood texture.
  - 13 mm thick veneer board.
  - 12 mm thick polished stone.

EQUIPMENT

- Showcases need to be affixed to a wall. Mounting kit delivered.

SHOWCASES WITH BACK PANEL AND GLASS SHELF

- Showcases equipped with white, warm LED light directed upwards with a switch.
- Power cord approx. 1.5 m, Schuko plug.

MEDIUM SHOWCASES WITH NICHES


- Back of the niche with a 4 mm Lacobel glass panel.
- White warm LED light with a switch.
- Power cord approx. 1.5 m, Schuko plug.


ADDITIONAL INFORMATION

- Colors according to MARO offer.

Ario S I showcase









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine AC11	1738 / 442 / 728	3530	100	0,560
front- Natural veneer AC11	1738 / 442 / 728	5461	100	0,560
front- Quartz sinter AC11	1738 / 442 / 728	6118	128	0,560
Glass top cladding as an option		+863		
CARCASS CLADDING - VENEER				
front - Melamine ACF11	1738 / 442 / 728	5650	100	0,560
front- Natural veneer ACF11	1738 / 442 / 728	7586	100	0,560
front- Quartz sinter ACF11	1738 / 442 / 728	8266	128	0,560
Glass top cladding as an option with no surcharge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine ACS11	1738 / 442 / 728	6832	140	0,560
front- Natural veneer ACS11	1738 / 442 / 728	11172	140	0,560
front- Quartz sinter ACS11	1738 / 442 / 728	13723	163	0,560
Glass top cladding as an option with no surcharge		+0		


Showcase S I - Ario with glass shelf






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC12	1738 / 442 / 728	5803	125	0,600
front- Natural veneer				
AC12	1738 / 442 / 728	7743	125	0,600
front- Quartz sinter				
AC12	1738 / 442 / 728	8332	153	0,600
Glass top cladding as an option		+863		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF12	1738 / 442 / 728	8503	125	0,600
front- Natural veneer				
ACF12	1738 / 442 / 728	9864	125	0,600
front- Quartz sinter				
ACF12	1738 / 442 / 728	10486	153	0,600
Glass top cladding as an op tion with no sur charge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS12	1738 / 442 / 728	10228	160	0,600
front- Natural veneer				
ACS12	1738 / 442 / 728	11074	160	0,600
front- Quartz sinter				
ACS12	1738 / 442 / 728	11737	190	0,600
Glass top cladding as an option with no surcharge		+0		


Ario S II showcase






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC13	2594 / 442 / 728	4698	148	0,840
front- Natural veneer				
AC13	2594 / 442 / 728	7441	148	0,840
front- Quartz sinter				
AC13	2594 / 442 / 728	8327	190	0,840
Glass top cladding as an option / AC 62		+1226		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF13	2594 / 442 / 728	7220	148	0,840
front- Natural veneer				
ACF13	2594 / 442 / 728	9996	148	0,840
front- Quartz sinter				
ACF13	2594 / 442 / 728	10877	190	0,840
Glass top cladding as an option with no surcharge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS13	2594 / 442 / 728	8881	194	0,840
front- Natural veneer				
ACS13	2594 / 442 / 728	11783	194	0,840
front- Quartz sinter				
ACS13	2594 / 442 / 728	12709	235	0,840
Glass top cladding as an option with no surcharge		+0		

Showcase S II - Ario with glass shelf





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC16	2594 / 442 / 728	7309	190	0,900
front- Natural veneer				
AC16	2594 / 442 / 728	10065	190	0,900
front- Quartz sinter				
AC16	2594 / 442 / 728	10852	225	0,900
Glass top cladding as an option / AC 62		+1226		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF16	2594 / 442 / 728	10424	190	0,900
front- Natural veneer				
ACF16	2594 / 442 / 728	12607	190	0,900
front- Quartz sinter				
ACF16	2594 / 442 / 728	13411	225	0,900
Glass top cladding as an option with no surcharge		+0		


CARCASS CLADDING - QUARTZ SINTER


front - Melamine

ACS16	2594 / 442 / 728	12881	235	0,900
front- Natural veneer				
ACS16	2594 / 442 / 728	14332	235	0,900
front- Quartz sinter				
ACS16	2594 / 442 / 728	15201	272	0,900

Glass top cladding as an option with no surcharge + 0

Open showcase M - Ario





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³

CARCASS CLADDING - MELAMINE

front A- Melamine/ front B- Melamine

AC01	2594 / 442 / 1078	4921	196	1,240
front A- Melamine/ front B- Natural veneer				
AC01	2594 / 442 / 1078	6475	210	1,240
front A- Melamine/ front B- Quartz sinter				
AC01	2594 / 442 / 1078	7439	210	1,240
front A- Melamine/ front B- Glass				
AC01	2594 / 442 / 1078	6012	167	1,240
front A- Natural veneer/ front B- Melamine				
AC01	2594 / 442 / 1078	6716	167	1,240
front A- Natural veneer/ front B- Natural veneer				
AC01	2594 / 442 / 1078	front 8267	183	1,240
A- Natural veneer/ front B- Quartz sinter				
AC01	2594 / 442 / 1078	9233	183	1,240
front A- Natural veneer/ front B- Glass				
AC01	2594 / 442 / 1078	7801	167	1,240
front A- Quartz sinter/ front B- Melamine				
AC01	2594 / 442 / 1078	8007	167	1,240
front A- Quartz sinter/ front B- Fornir				
AC01	2594 / 442 / 1078	9532	183	1,240
front A- Quartz sinter/ front B- Quartz sinter				
AC01	2594 / 442 / 1078	10433	183	1,240
front A- Quartz sinter/ front B- Glass				
AC01	2594 / 442 / 1078	9035	196	1,240

Glass top cladding as an op tion / AC 62 +1226

CARCASS CLADDING - VENEER

front A- Melamine/ front B- Melamine

ACF01	2594 / 442 / 1078	7986	196	1,240
front A- Melamine/ front B- Natural veneer				
ACF01	2594 / 442 / 1078	9533	210	1,240
front A- Melamine/ front B- Quartz sinter				
ACF01	2594 / 442 / 1078	10535	210	1,240
front A- Melamine/ front B- Glass				
ACF01	2594 / 442 / 1078	9067	167	0,000
front A- Natural veneer/ front B- Melamine				
ACF01	2594 / 442 / 1078	9784	167	1,240
front A- Natural veneer/ front B- Natural veneer				
ACF01	2594 / 442 / 1078	front 11325	183	1,240
A- Natural veneer/ front B- Quartz sinter				
ACF01	2594 / 442 / 1078	12326	183	1,240
front A- Natural veneer/ front B- Glass				
ACF01	2594 / 442 / 1078	10859	167	1,240
front A- Quartz sinter/ front B- Melamine				
ACF01	2594 / 442 / 1078	11100	167	1,240
front A- Quartz sinter/ front B- Fornir				
ACF01	2594 / 442 / 1078	13946	183	1,240
front A- Quartz sinter/ front B- Quartz sinter				
ACF01	2594 / 442 / 1078	16461	183	1,240
front A- Quartz sinter/ front B- Glass				
ACF01	2594 / 442 / 1078	12136	196	1,240

Glass top cladding as an op tion with no sur charge + 0


CARCASS CLADDING - QUARTZ SINTER

front A- Melamine/ front B- Melamine

ACS01	2594 / 442 / 1078	9934	248	1,240
front A- Melamine/ front B- Natural veneer				
ACS01	2594 / 442 / 1078	11423	264	1,240
front A- Melamine/ front B- Quartz sinter				
ACS01	2594 / 442 / 1078	12356	264	1,240
front A- Melamine/ front B- Glass				
ACS01	2594 / 442 / 1078	10926	220	1,240
front A- Natural veneer/ front B- Melamine				
ACS01	2594 / 442 / 1078	16526	220	1,240
front A- Natural veneer/ front B- Natural veneer				
ACS01	2594 / 442 / 1078	14795	235	1,240
front A- Natural veneer/ front B- Quartz sinter				
ACS01	2594 / 442 / 1078	16495	235	1,240
front A- Natural veneer/ front B- Glass				
ACS01	2594 / 442 / 1078	14281	220	1,240
front A- Quartz sinter/ front B- Melamine				
ACS01	2594 / 442 / 1078	13570	220	1,240
front A- Quartz sinter/ front B- Fornir				
ACS01	2594 / 442 / 1078	17994	235	1,240
front A- Quartz sinter/ front B- Quartz sinter				
ACS01	2594 / 442 / 1078	17980	235	1,240
front A- Quartz sinter/ front B- Glass				
ACS01	2594 / 442 / 1078	13978	248	1,240


Glass top cladding as an option with no surcharge + 0

Ario M I showcase




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC21	1738 / 442 / 1078	3994	123	0,840
front- Natural veneer				
AC21	1738 / 442 / 1078	6548	123	0,840
front- Quartz sinter				
AC21	1738 / 442 / 1078	7951	165	0,840
Glass top cladding as an option / AC 62		+863		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF21	1738 / 442 / 1078	6405	123	0,840
front- Natural veneer				
ACF21	1738 / 442 / 1078	8976	123	0,840
front- Quartz sinter				
ACF21	1738 / 442 / 1078	10406	165	0,840
Glass top cladding as an op tion with no sur charge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS21	1738 / 442 / 1078	7958	165	0,840
front- Natural veneer				
ACS21	1738 / 442 / 1078	10594	165	0,840
front- Quartz sinter				
ACS21	1738 / 442 / 1078	12073	208	0,840
Glass top cladding as an option with no surcharge		+0		


Ario M II showcase



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC22	2594 / 442 / 1078	5225	180	1,260
front- Natural veneer				
AC22	2594 / 442 / 1078	9055	180	1,260
front- Quartz sinter				
AC22	2594 / 442 / 1078	11189	245	1,260
Glass top cladding as an option / AC 62		+1226		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF22	2594 / 442 / 1078	8041	180	1,260
front- Natural veneer				
ACF22	2594 / 442 / 1078	11909	180	1,260
front- Quartz sinter				
ACF22	2594 / 442 / 1078	14051	245	1,260
Glass top cladding as an op tion with nosur charge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS22	2594 / 442 / 1078	10070	230	1,260
front- Natural veneer				
ACS22	2594 / 442 / 1078	14026	230	1,260
front- Quartz sinter				
ACS22	2594 / 442 / 1078	16238	296	1,260
Glass top cladding as an option with no surcharge		+0		


Ario L I showcase






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC31 front- Natural veneer	882 / 442 / 1578	2613	90	0,620
AC31 front- Quartz sinter	882 / 442 / 1578	4415	90	0,620
AC31	882 / 442 / 1578	5743	125	0,620
Glass top cladding as an option / AC 62		+529		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF31 front- Natural veneer	882 / 442 / 1578	5005	90	0,620
ACF31 front- Quartz sinter	882 / 442 / 1578	6827	90	0,620
ACF31	882 / 442 / 1578	8196	125	0,620
Glass top cladding as an op tion with no sur charge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS31 front- Natural veneer	882 / 442 / 1578	6611	135	0,620
ACS31 front- Quartz sinter	882 / 442 / 1578	8441	135	0,620
ACS31	882 / 442 / 1578	9848	170	0,620
Glass top cladding as an option with no surcharge		+0		


Ario L II showcase





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC32 front- Natural veneer	1738 / 442 / 1578	3921	160	1,210
AC32 front- Quartz sinter	1738 / 442 / 1578	7394	160	1,210
AC32	1738 / 442 / 1578	9960	225	1,210
Glass top cladding as an option / AC 62		+863		
CARCASS CLADDING - VENEER				
front - Melamine				
ACF32 front- Natural veneer	1738 / 442 / 1578	6713	160	1,210
ACF32 front- Quartz sinter	1738 / 442 / 1578	10225	160	1,210
ACF32	1738 / 442 / 1578	12814	225	1,210
Glass top cladding as an op tion with no sur charge		+0		
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS32 front- Natural veneer	1738 / 442 / 1578	8782	210	1,210
ACS32 front- Quartz sinter	1738 / 442 / 1578	12333	210	1,210
ACS32	1738 / 442 / 1578	15001	280	1,210
Glass top cladding as an option with no surcharge		+0		


Showcase L - Ario with niche




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front A- Melamine/ front B- Melamine				
AC33R/L	2594 / 442 / 1578	6045	265	1,800
front A- Melamine/ front B- Natural veneer				
AC33R/L	2594 / 442 / 1578	7839	265	1,800
front A- Melamine/ front B- Quartz sinter				
AC33R/L	2594 / 442 / 1578	9114	295	1,800
front A- Melamine/ front B- Glass				
AC33R/L	2594 / 442 / 1578	7115	295	1,800
front A- Natural veneer/ front B- Melamine				
AC33R/L	2594 / 442 / 1578	9493	265	1,800
front A- Natural veneer/ front B- Natural veneer				
AC33R/L	2594 / 442 / 1578	11307	265	1,800
front A- Natural veneer/ front B- Quartz sinter				
AC33R/L	2594 / 442 / 1578	12618	295	1,800
front A- Natural veneer/ front B- Glass				
AC33R/L	2594 / 442 / 1578	10567	295	1,800
front A- Quartz sinter / front B- Melamine				
AC33R/L	2594 / 442 / 1578	11875	315	1,800
front A- Quartz sinter / front B- Fornir				
AC33R/L	2594 / 442 / 1578	13725	315	1,800
front A- Quartz sinter / front B- Quartz sinter				
AC33R/L	2594 / 442 / 1578	15066	345	1,800
front A- Quartz sinter / front B- Glass				
AC33R/L	2594 / 442 / 1578	12935	345	1,800
Glass top cladding as an option / AC 62		+1226		
CARCASS CLADDING - VENEER				
front A- Melamine/ front B- Melamine				
ACF33R/	2594 / 442 / 1578	9188	265	1,800
front A- Melamine/ front B- Natural veneer				
ACF33R/	2594 / 442 / 1578	11018	265	1,800
front A- Melamine/ front B- Quartz sinter				
ACF33R/L	2594 / 442 / 1578	12420	295	1,800
front A- Melamine/ front B- Glass				
ACF33R/L	2594 / 442 / 1578	10264	295	1,800
front A- Natural veneer/ front B- Melamine				
ACF33R/L	2594 / 442 / 1578	12675	265	1,800
front A- Natural veneer/ front B- Natural veneer				
ACF33R/L	2594 / 442 / 1578	14537	265	1,800
front A- Natural veneer/ front B- Quartz sinter				
ACF33R/L	2594 / 442 / 1578	15904	295	1,800
front A- Natural veneer/ front B- Glass				
ACF33R/L	2594 / 442 / 1578	13750	295	1,800
front A- Quartz sinter / front B- Melamine				
ACF33R/L	2594 / 442 / 1578	15236	315	1,800
front A- Quartz sinter / front B- Fornir				
ACF33R/L	2594 / 442 / 1578	17073	315	1,800
front A- Quartz sinter / front B- Quartz sinter				
ACF33R/L	2594 / 442 / 1578	18459	345	1,800
front A- Quartz sinter / front B- Glass				
ACF33R/L	2594 / 442 / 1578	16290	345	1,800
Glass top cladding as an option with no surcharge		+0		

CARCASS CLADDING - QUARTZ SINTER				
front A- Melamine/ front B- Melamine				
ACS33R/L	2594 / 442 / 1578	11504	325	1,800
front A- Melamine/ front B- Natural veneer				
ACS33R/L	2594 / 442 / 1578	13310	325	1,800
front A- Melamine/ front B- Quartz sinter				
ACS33R/L	2594 / 442 / 1578	14783	360	1,800
front A- Melamine/ front B- Glass				
ACS33R/L	2594 / 442 / 1578	12536	360	1,800
front A- Natural veneer/ front B- Melamine				
ACS33R/L	2594 / 442 / 1578	14931	325	1,800
front A- Natural veneer/ front B- Natural veneer				
ACS33R/L	2594 / 442 / 1578	16748	325	1,800
front A- Natural veneer/ front B- Quartz sinter				
ACS33R/L	2594 / 442 / 1578	18214	360	1,800
front A- Natural veneer/ front B- Glass				
ACS33R/L	2594 / 442 / 1578	15973	360	1,800
front A- Quartz sinter / front B- Melamine				
ACS33R/L	2594 / 442 / 1578	17601	375	1,800
front A- Quartz sinter / front B- Fornir				
ACS33R/L	2594 / 442 / 1578	19416	375	1,800
front A- Quartz sinter / front B- Quartz sinter				
ACS33R/L	2594 / 442 / 1578	20854	410	1,800
front A- Quartz sinter / front B- Glass				
ACS33R/L	2594 / 442 / 1578	18630	410	1,800
Glass top cladding as an option with no surcharge		+0		


Showcase for documents XL I - Ario






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC41	1738 / 442 / 2078	4665	200	1,610
front- Natural veneer				
AC41	1738 / 442 / 2078	8938	200	1,610
front- Quartz sinter				
AC41	1738 / 442 / 2078	12518	286	1,610
CARCASS CLADDING - VENEER				
front - Melamine				
ACF41	1738 / 442 / 2078	7987	200	1,610
front- Natural veneer				
ACF41	1738 / 442 / 2078	12306	200	1,610
front- Quartz sinter				
ACF41	1738 / 442 / 2078	15891	286	1,610
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS41	1738 / 442 / 2078	10671	265	1,610
front- Natural veneer				
ACS41	1738 / 442 / 2078	15040	265	1,610
front- Quartz sinter				
ACS41	1738 / 442 / 2078	18722	352	1,610


Showcase for documents and clothes XL I - Ario






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine				
AC42	1738 / 442 / 2078	4665	200	1,610
front- Natural veneer				
AC42	1738 / 442 / 2078	8938	200	1,610
front- Quartz sinter				
AC42	1738 / 442 / 2078	12518	286	1,610
CARCASS CLADDING - VENEER				
front - Melamine				
ACF42	1738 / 442 / 2078	7987	200	1,610
front- Natural veneer				
ACF42	1738 / 442 / 2078	12306	200	1,610
front- Quartz sinter				
ACF42	1738 / 442 / 2078	15891	286	1,610
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine				
ACS42	1738 / 442 / 2078	10671	265	1,610
front- Natural veneer				
ACS42	1738 / 442 / 2078	15040	265	1,610
front- Quartz sinter				
ACS42	1738 / 442 / 2078	18722	352	1,610


Showcase for documents XL II - Ario






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine AC43	2594 / 442 / 2078	6246	290	2,380
front- Natural veneer AC43	2594 / 442 / 2078	12598	290	2,380
front- Quartz sinter AC43	2594 / 442 / 2078	17929	420	2,380
CARCASS CLADDING - VENEER				
front - Melamine ACF43	2594 / 442 / 2078	9829	290	2,380
front- Natural veneer ACF43	2594 / 442 / 2078	14027	290	2,380
front- Quartz sinter ACF43	2594 / 442 / 2078	17179	420	2,380
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine ACS43	2594 / 442 / 2078	12852	365	2,380
front- Natural veneer ACS43	2594 / 442 / 2078	19338	365	2,380
front- Quartz sinter ACS43	2594 / 442 / 2078	24814	495	2,380

Showcase for documents and clothes XL II - Ario







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front - Melamine AC444	2594 / 442 / 2078	6246	290	2,38
front- Natural veneer AC444	2594 / 442 / 2078	12598	290	2,38
front- Quartz sinter AC444	2594 / 442 / 2078	17929	420	2,38
CARCASS CLADDING - VENEER				
front - Melamine ACF444	2594 / 442 / 2078	9829	290	2,38
front- Natural veneer ACF444	2594 / 442 / 2078	14027	290	2,38
front- Quartz sinter ACF444	2594 / 442 / 2078	17179	420	2,38
CARCASS CLADDING - QUARTZ SINTER				
front - Melamine ACS444	2594 / 442 / 2078	12852	365	2,38
front- Natural veneer ACS444	2594 / 442 / 2078	19338	365	2,38
front- Quartz sinter ACS444	2594 / 442 / 2078	24814	495	2,38

Showcase for documents XL III - Ario









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front A- Melamine/ front B- Melamine				
AC455	2166 / 442 / 2078	5877	255	2,000
front A- Melamine/ front B- Natural veneer				
AC455	2166 / 442 / 2078	7107	255	2,000
front A- Melamine/ front B- Quartz sinter				
AC455	2166 / 442 / 2078	8122	275	2,000
front A- Melamine/ front B- Glass				
AC455	2166 / 442 / 2078	7159	275	2,000
front A- Natural veneer/ front B- Melamine				
AC455	2166 / 442 / 2078	11534	255	2,000
front A- Natural veneer/ front B- Natural veneer				
AC455	2166 / 442 / 2078	12636	255	2,000
front A- Natural veneer/ front B- Quartz sinter				
AC455	2166 / 442 / 2078	13769	275	2,000
front A- Natural veneer/ front B- Glass				
AC455	2166 / 442 / 2078	11433	275	2,000
front A- Quartz sinter / front B- Melamine				
AC455	2166 / 442 / 2078	13689	340	2,000
front A- Quartz sinter / front B- Fornir				
AC455	2166 / 442 / 2078	14927	340	2,000
front A- Quartz sinter / front B- Quartz sinter				
AC455	2166 / 442 / 2078	15761	365	2,000
front A- Quartz sinter / front B- Glass				
AC455	2166 / 442 / 2078	14956	365	2,000
CARCASS CLADDING - VENEER				
front A- Melamine/ front B- Melamine				
ACF455	2166 / 442 / 2078	9396	255	2,000
front A- Melamine/ front B- Natural veneer				
ACF455	2166 / 442 / 2078	10639	255	2,000
front A- Melamine/ front B- Quartz sinter				
ACF455	2166 / 442 / 2078	11694	275	2,000
front A- Melamine/ front B- Glass				
ACF455	2166 / 442 / 2078	10685	275	2,000
front A- Natural veneer/ front B- Melamine				
ACF455	2166 / 442 / 2078	13711	255	2,000
front A- Natural veneer/ front B- Natural veneer				
ACF455	2166 / 442 / 2078	14825	255	2,000
front A- Natural veneer/ front B- Quartz sinter				
ACF455	2166 / 442 / 2078	16039	275	2,000
front A- Natural veneer/ front B- Glass				
ACF455	2166 / 442 / 2078	14999	275	2,000
front A- Quartz sinter / front B- Melamine				
ACF455	2166 / 442 / 2078	17272	340	2,000
front A- Quartz sinter / front B- Fornir				
ACF455	2166 / 442 / 2078	18508	340	2,000
front A- Quartz sinter / front B- Quartz sinter				
ACF455	2166 / 442 / 2078	19340	365	2,000
front A- Quartz sinter / front B- Glass				
ACF455	2166 / 442 / 2078	18539	365	2,000

CARCASS CLADDING - QUARTZ SINTER				
front A- Melamine/ front B- Melamine				
ACS455	2166 / 442 / 2078	12307	325	2,000
front A- Melamine/ front B- Natural veneer				
ACS455	2166 / 442 / 2078	13544	325	2,000
front A- Melamine/ front B- Quartz sinter				
ACS455	2166 / 442 / 2078	14636	346	2,000
front A- Melamine/ front B- Glass				
ACS455	2166 / 442 / 2078	13575	346	2,000
front A- Natural veneer/ front B- Melamine				
ACS455	2166 / 442 / 2078	16676	325	2,000
front A- Natural veneer/ front B- Natural veneer				
ACS455	2166 / 442 / 2078	17799	325	2,000
front A- Natural veneer/ front B- Quartz sinter				
ACS455	2166 / 442 / 2078	19016	346	2,000
front A- Natural veneer/ front B- Glass				
ACS455	2166 / 442 / 2078	17947	346	2,000
front A- Quartz sinter / front B- Melamine				
ACS455	2166 / 442 / 2078	20346	413	2,000
front A- Quartz sinter / front B- Natural veneer				
ACS455	2166 / 442 / 2078	21575	413	2,000
front A- Quartz sinter / front B- Quartz sinter				
ACS455	2166 / 442 / 2078	22425	432	2,000
front A- Quartz sinter / front B- Glass				
ACS455	2166 / 442 / 2078	21600	432	2,000

Showcase for documents and clothes XL III - Ario





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CARCASS CLADDING - MELAMINE				
front A- Melamine/ front B- Melamine				
AC46	2166 / 442 / 2078	5877	255	2,000
front A- Melamine/ front B- Natural veneer				
AC46	2166 / 442 / 2078	7107	255	2,000
front A- Melamine/ front B- Quartz sinter				
AC46	2166 / 442 / 2078	8122	275	2,000
front A- Melamine/ front B- Glass				
AC46	2166 / 442 / 2078	7159	275	2,000
front A- Natural veneer/ front B- Melamine				
AC46	2166 / 442 / 2078	10140	255	2,000
front A- Natural veneer/ front B- Natural veneer				
AC46	2166 / 442 / 2078	11255	255	2,000
front A- Natural veneer/ front B- Quartz sinter				
AC46	2166 / 442 / 2078	12460	275	2,000
front A- Natural veneer/ front B- Glass				
AC46	2166 / 442 / 2078	11433	275	2,000
front A- Quartz sinter / front B- Melamine				
AC46	2166 / 442 / 2078	14853	340	2,000
front A- Quartz sinter / front B- Natural veneer				
AC46	2166 / 442 / 2078	16098	340	2,000
front A- Quartz sinter / front B- Quartz sinter				
AC46	2166 / 442 / 2078	16902	365	2,000
front A- Quartz sinter / front B- Glass				
AC46	2166 / 442 / 2078	14956	365	2,000
CARCASS CLADDING - VENEER				
front A- Melamine/ front B- Melamine				
ACF46	2166 / 442 / 2078	9396	255	2,000
front A- Melamine/ front B- Natural veneer				
ACF46	2166 / 442 / 2078	10639	255	2,000
front A- Melamine/ front B- Quartz sinter				
ACF46	2166 / 442 / 2078	11694	275	2,000
front A- Melamine/ front B- Glass				
ACF46	2166 / 442 / 2078	10685	275	2,000
front A- Natural veneer/ front B- Melamine				
ACF46	2166 / 442 / 2078	13711	255	2,000
front A- Natural veneer/ front B- Natural veneer				
ACF46	2166 / 442 / 2078	14825	255	2,000
front A- Natural veneer/ front B- Quartz sinter				
ACF46	2166 / 442 / 2078	16039	275	2,000
front A- Natural veneer/ front B- Glass				
ACF46	2166 / 442 / 2078	20567	275	2,000
front A- Quartz sinter / front B- Melamine				
ACF46	2166 / 442 / 2078	17272	340	2,000
front A- Quartz sinter / front B- Fornir				
ACF46	2166 / 442 / 2078	18508	340	2,000
front A- Quartz sinter / front B- Quartz sinter				
ACF46	2166 / 442 / 2078	19340	365	2,000
front A- Quartz sinter / front B- Glass				
ACF46	2166 / 442 / 2078	18539	365	2,000

CARCASS CLADDING - QUARTZ SINTER				
front A- Melamine/ front B- Melamine				
ACS46	2166 / 442 / 2078	12307	325	2,000
front A- Melamine/ front B- Natural veneer				
ACS46	2166 / 442 / 2078	13544	325	2,000
front A- Melamine/ front B- Quartz sinter				
ACS46	2166 / 442 / 2078	14636	346	2,000
front A- Melamine/ front B- Glass				
ACS46	2166 / 442 / 2078	front 17389	346	2,000
A- Natural veneer/ front B- Melamine				
ACS46	2166 / 442 / 2078	front 16676	325	2,000
A- Natural veneer/ front B- Natural veneer				
ACS46	2166 / 442 / 2078	front 17799	325	2,000
A- Natural veneer/ front B- Quartz sinter				
ACS46	2166 / 442 / 2078	19016	346	2,000
front A- Natural veneer/ front B- Glass				
ACS46	2166 / 442 / 2078	26880	346	2,000
front A- Quartz sinter / front B- Melamine				
ACS46	2166 / 442 / 2078	20346	413	2,000
front A- Quartz sinter / front B- Fornir				
ACS46	2166 / 442 / 2078	21575	413	2,000
front A- Quartz sinter / front B - Quartz sinter				
ACS46	2166 / 442 / 2078	22425	432	2,000
front A- Quartz sinter / front B- Glass				
ACS46	2166 / 442 / 2078	21600	432	2,000

XIV. Eleganza


Eleganza collection combines elegance, quality, and functionality. It was created to address the need for modern design and to create an office where functionality and style intertwine.

The collection includes electric desks with adjustable height supported on sideboards, credenza units and conference tables.


The felt finish gives them a light character.

Eleganza


Executive desk supported on sideboards




Underdesk sideboard




Conference table





Showcase



Eleganza desk with electric height adjustment supported on sideboard

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made exclusively of 18 mm thick panel board.
- Top with rounded corners, radius R 60 mm as standard.

FRAME

- Self-supporting powder-coated steel structure.
- Foot supporting column made of sheet metal, powder-coated, covered with two-segment felt lining. Felt - rPET and PET nonwoven fabric - approx. 9 mm thick, 2000 g/m².


EQUIPMENT

- Three-piece electric columns with 50x80 mm cross-section.
- SUPERIOR control panel as standard. PREMIUM control panel as an option with a surcharge.
- Black control panel.
- Inductive charger in sideboard top.
- fi 80 mm outlet, centrally located, as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MAR O offer .

Desk with electric height adjustment integrated with sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ELB180100074	1800 / 1000 / 625-1275	**1883**	62	0,12
ELB190100074	1900 / 1000 / 625-1275	**1897**	65	0,12
ELB200100074	2000 / 1000 / 625-1275	**1913**	70	0,12
ELB210100074	2100 / 1000 / 625-1275	**1929**	73	0,13
ELB220100074	2200 / 1000 / 625-1275	**1945**	77	0,13
ELB230100074	2300 / 1000 / 625-1275	**1958**	81	0,13
ELB240100074	2400 / 1000 / 625-1275	**1967**	84	0,13

Sideboard for desk support

STRUCTURE


- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Carcass and shelves made of 18 mm thick panel board.
- Sliding fronts made of 18 mm thick board or felt – rPET and PET nonwoven fabric – approx. 18 mm thick, 2000 g/m².
- Felt cladding – rPET and PET nonwoven fabric – approx. 9 mm thick, 2000 g/m², or 8 mm thick chipboard cladding mounted on the carcass back wall.
- Felt cladding mounted on the carcass sides - rPET and PET nonwoven fabric - approx. 9 mm thick, 2000 g/m².
- Anthracite drawers, 450 mm deep, with full extension, anthracite metal sides, drawer bottom and back made of 16 mm panel board.
- Drawer guides with soft-close mechanism equipped with drawer braking function and automatic closing.

ADDITIONAL INFORMATION

– Colors according to MARO offer.

Sideboard for desk support





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front - board / Back board - board				
ELP220060067	2200 / 600 / 670	**2651**	165	0,94
Front - felt / Back board - board				
ELP220060067	2200 / 600 / 670	**2799**	165	0,94
Front - board / Back board - felt				
ELP220060067	2200 / 600 / 670	**2799**	165	0,94
Front - felt / Back board - felt				
ELP220060067	2200 / 600 / 670	**2947**	165	0,94

Conference table

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Tops made exclusively of 18 mm thick panel board.
- Top with rounded corners R 60 mm as standard. Tables with barrel-shaped tops available as an option with a surcharge.
- Cable outlets as standard in felt legs.

FRAME

– Frame made of powder-coated rectangular profile, 50x25 mm.
- Legs made of chipboard, honeycomb cardboard and and felt. rPET and PET nonwoven fabric – 9 mm thick, 2000 g/m².


HEIGHT

– Fixed height 760 mm, leveling feet +/-5 mm.

ADDITIONAL INFORMATION


– Colors according to MARO offer.

One-piece conference table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ELS180100075	1800 / 1000 / 750	**1346**	66	0,29
ELS210130075	2100 / 1300 / 750	**1549**	79	0,38
ELS240160075	2400 / 1600 / 750	**1752**	108	0,45

Two-piece conference table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
EL S280100075	2800 / 1000 / 750	**2271**	103	0,44
EL S380130075	3800 / 1300 / 750	**2609**	135	0,52
EL S480160075	4800 / 1600 / 750	**2947**	190	0,68

Showcase

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.


CARCASS


– Carcass and fronts made of 18 mm thick panel board.
- Sideboard carcasses are factory-glued, assembled and delivered as a whole.
- Carcass and fronts finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Felt cladding – rPET and PET nonwoven fabric – approx. 9 mm thick, 2000 g/m², or 8 mm thick chipboard cladding mounted on the carcass back wall.
- Felt cladding mounted on the carcass sides - rPET and nonwoven fabric - approx. 9 mm thick, 2000 g/m².

ADDITIONAL INFORMATION

– Colors according to MARO offer.

Showcase





Code produit	Dimensions L / P / H	Prix HT EUR	Poids kg	Vol. m3
Front - board				
ELK143046037	1430 / 460 / 370	**1605**	62	0,37
Front - felt				
ELK143046037	1430 / 460 / 370	**1797**	62	0,37
Front - board				
ELK163046037	1630 / 460 / 370	**1657**	68	0,42
Front - felt				
ELK163046037	1630 / 460 / 370	**1849**	68	0,42
Front - board				
ELK183046037	1830 / 460 / 370	**1861**	74	0,47
Front - felt				
ELK183046037	1830 / 460 / 370	**2053**	74	0,47
Front - board				
ELK143046074	1430 / 460 / 740	**1725**	96	0,60
Front - felt				
ELK143046074	1430 / 460 / 740	**1973**	96	0,60
Front - board				
ELK163046074	1630 / 460 / 740	**1785**	105	0,69
Front - felt				
ELK163046074	1630 / 460 / 740	**2033**	105	0,69
Front - board				
ELK183046074	1830 / 460 / 740	**2085**	114	0,78
Front - felt				
ELK183046074	1830 / 460 / 740	**2333**	114	0,78
Front - board				
ELK143046111	1430 / 460 / 1110	**1861**	130	0,85
Front - feutre				
ELK143046111	1430 / 460 / 1110	**2165**	130	0,85
Front - board				
ELK163046111	1630 / 460 / 1110	**2009**	142	0,97
Front - feutre				
ELK163046111	1630 / 460 / 1110	**2313**	142	0,97


XV. sirio

Sirio collection features individual and team desks as well as conference and occasional tables. Cabinets and showcases complement the collection - everything you need to completely furnish your office.


The furniture's distinctive feature is a unique, slim shape of legs. A wide range of sideboards for desks support helps to adapt the space to your needs.

Sirio


Straight desks




Conference tables




Occasional tables




Sideboards for desk support



Cabinets




Showcases



Sirio / Features


Cabinets and showcases - details

Self feed drills




Shelves with a mechanism preventing accidental pull out.

Leg




Powder-coated with chromium plated foot.

Drawer




With Soft Close Automatic mechanism and Push to Open system as standard. Graphite drawer interior.

Handle C1




In mat chromium color, 128 mm wide, Push to Open system as an option with no surcharge.

Decorative inlay




White or graphite

Glass shelf




12 mm thick glass shelf for back panel as standard.

Back panel




Made of 18 mm thick board enabling to mount a glass shelf.

Chromium plated feet inlays



H= 30 mm

Glass top cladding




Glass top cladding on credenza

Desk supported on sideboard - layout options

Sideboard width: 800 x 1600 mm


Option 1

Flush mounted with sideboard




Option 2

Desk recessed by 100 mm Applies to 800 m deep desks




Option 3

Desk recessed by 100 mm and sideboard moved back by 70 mm. Applies to 800 mm deep desks.




Sirio / Accessories


Partition screen



BOARD PARTITION SCREEN




UPHOLSTERED PARTITION SCREEN




BOARD PARTITION SCREEN WITH UPHOLSTERED PANEL

Modesty panels




BOARD MODESTY PANEL



PERFORATED MODESTY PANEL


Vertical cable management

UW 14/UW 15



SPRING CABLE CHANNEL


UW02



FLEXIBLE CABLE CHANNEL


Netboxes

UW 36 / UW 35P / UW 35D / UW 34P / UW 34U / UW 34Da




POWER CIRCLE S/M

UW50/ UW 42 /UW5541/ UW5542 / UW5584/UW5585/ UW5142/UW5163/UW5164/ UW5242/ UW5263/UW5264/ UW5341/ UW5352




NETBOX

Horizontal cable management




FIXED CABLE CHANNEL




FOLD-DOWN CABLE CHANNEL

DD 91



COMB CABLE CLASP


UW04/UW 05



CABLE CLASP


Cable outlets

UW 13 / WD01




ROUND CABLE OUTLET

Scallop cut-out UW 16




Rectangular UW 17



ERGONOMIC OUTLET


UW 28 / UW 281



ALUMINUM CABLE OUTLET

Complementary accessories

US62 R/L



UNDERDESK DRAWER

Sirio / Accessories

Complementary elements for custom Sirio desks

			PARTITION SCREEN							HORIZONTAL CABLE MANAGEMENT		MODESTY PANELS	
			Board partition screen	Upholstered partition screen			Upholstered panel for board partition			Fixed cable channel	Fold-down cable channel	Board modesty panel	Perforated modesty panel
				1st Group	2nd Group	3rd Group	1st Group	2nd Group	3rd Group				
DESKS SIRIO	Desks width	**1200**	UZP118 143,-	UY1P118 257,-	UY2P118 293,-	UY3P118 437,-	UT1P110 130,-	UT2P110 149,-	UT3P110 222,-	DDS060 40,-	DDU060 56,-	ZRP080 100,-	ZRM080 201,-
		1400	UZP138 152,-	UY2P138 274,-	UY2P138 312,-	UY3P138 466,-	UT1P130 141,-	UT2P130 160,-	UT3P130 239,-	DDS080 43,-	DDU080 61,-	ZRP100 102,-	ZRM100 207,-
		1600	UZP158 161,-	UY1P158 290,-	UY2P158 331,-	UY3P158 494,-	UT1P150 151,-	UT2P150 172,-	UT3P150 257,-	DDS100 47,-	DDU100 67,-	ZRP120 104,-	ZRM120 213,-
		1800	UZP178 171,-	UY1P178 307,-	UY2P178 350,-	UY3P178 522,-	UT1P170 161,-	UT2P170 184,-	UT3P170 274,-	DDS120 51,-	DDU120 72,-	ZRP140 106,-	ZRM140 219,-
		2000	UZP198 180,-	UY1P198 323,-	UY2P198 369,-	UY3P198 550,-	UT1P190 172,-	UT2P190 196,-	UT3P190 292,-	DDS140 54,-	DDU140 77,-	ZRP160 107,-	ZRM160 225,-
TEAM DESK SUPPORTED ON SIDEBOARD SIRIO	Desks width	**1200**	-	-	-	-	-	-	-	DDS040 36,-	DDU040 51,-	ZRP060 98,-	ZRM060 195,-
		1400	-	-	-	-	-	-	-	DDS060 40,-	DDU060 56,-	ZRP080 100,-	ZRM080 201,-
		1600	-	-	-	-	-	-	-	DDS080 43,-	DDU080 61,-	ZRP100 102,-	ZRM100 207,-
		1800	-	-	-	-	-	-	-	DDS100 47,-	DDU100 67,-	ZRP120 104,-	ZRM120 213,-
		2000	-	-	-	-	-	-	-	DDS120 51 ,-	DDU120 72,-	ZRP140 106,-	ZRM140 219,-
TEAM DESKS SIRIO	Desks width	**1600**	UZ 1600SI 161,-	UY16001SI 300,-	UY16002SI 300,-	UY16003SI 417,-	UT1P150 151,-	UT2P150 172,-	UT3P150 257,-	DDS100 47,-	DDU100 67,-	-	-
		1800	UZ 1800SI 170,-	UY18001SI 311,-	UY18002SI 311,-	UY18003SI 435,-	UT1P170 161,-	UT2P170 184,-	UT3P170 274,-	DDS120 51,-	DDU120 72,-	-	-
		2000	UZ 2000S 177,-	UY20001SI 326,-	UY20002SI 326,-	UY20003SI 455,-	UT1P190 172,-	UT2P190 196,-	UT3P190 292,-	DDS140 54,-	DDU140 77,-	-	-

Desks

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 18 mm thick board as standard.
- 25 mm thick board top as an option with no surcharge, desk 7 mm higher.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with two beams.

ADDITIONAL EQUIPMENT

- Metal, powder-coated in the color of the frame, fixed or fold-down cable channel affixed under the top as standard.
- Plastic cable clasp.
- Possibility to mount a fixed or fold-down cable channel to the desk supported on sideboard and straight desk with double top supported on sideboard.


HEIGHT


- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Straight desk






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SIB120060075	1200 / 600 / 750	**741**	22	0,09
SIB140080075	1400 / 800 / 750	**893**	28	0,12
SIB160080075	1600 / 800 / 750	**936**	31	0,13
SIB180080075	1800 / 800 / 750	**978**	34	0,14
SIB200080075	2000 / 800 / 750	**1021**	36	0,14
SIB180090075	1800 / 900 / 750	**1033**	36	0,15
SIB200100075	2000 / 1000 / 750	**1130**	42	0,18
Chromium-plated legs				
SIBC120060075	1200 / 600 / 750	**1271**	27	0,09
SIBC140080075	1400 / 800 / 750	**1423**	33	0,12
SIBC160080075	1600 / 800 / 750	**1465**	36	0,13
SIBC180080075	1800 / 800 / 750	**1508**	39	0,14
SIBC200080075	2000 / 800 / 750	**1550**	41	0,14
SIBC180090075	1800 / 900 / 750	**1562**	41	0,15
SIBC200100075	2000 / 1000 / 750	**1660**	47	0,18


Straight desk supported on sideboard






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SIG160080075	1600 / 800 / 750	**923**	28	0,13
SIG180080075	1800 / 800 / 750	**965**	31	0,14
SIG200080075	2000 / 800 / 750	**1008**	33	0,14
Chromium-plated legs				
SIGC160080075	1600 / 800 / 750	**1207**	31	0,13
SIGC180080075	1800 / 800 / 750	**1250**	33	0,14
SIGC200080075	2000 / 800 / 750	**1292**	36	0,14

Team desk - straight



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SIG51	1600 / 1600 / 750	**1402**	57	0,25
SIG61	1800 / 1600 / 750	**1490**	62	0,27
SIG71	2000 / 1600 / 750	**1577**	67	0,28
Chromium-plated legs				
SIG51C	1600 / 1600 / 750	**1910**	62	0,25
SIG61C	1800 / 1600 / 750	**1997**	67	0,27
SIG71C	2000 / 1600 / 750	**2084**	72	0,28

Extension



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SIP21	1000 / 600 / 750	**621**	16	0,08
Chromium-plated legs				
SIP21C	1000 / 600 / 750	**872**	19	0,08

Team desk - supported on sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SIG53	1600 / 1600 / 750	**1283**	53	0,25
SIG63	1800 / 1600 / 750	**1464**	58	0,27
SIG73	2000 / 1600 / 750	**1561**	64	0,28
Chromium-plated legs				
SIG53C	1600 / 1600 / 750	**1517**	56	0,25
SIG63C	1800 / 1600 / 750	**1547**	62	0,27
SIG73C	2000 / 1600 / 750	**1812**	67	0,28

Underdesk sideboards

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Top, floor and fronts made of 18 mm thick board.
- Sideboard carcasses are factory-glued, assembled and delivered as a whole.
- Carcass, top, floor and fronts are finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

SHELVES

- Shelves made of 18 mm thick board, finished with 2 mm thick ABS/PP plastic with 3 mm radius.
- All shelves are equipped with a safety mechanism preventing accidental pull out.
- Possibility to reposition shelves every 32 mm.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet. 18 mm thick back wall as an option with a surcharge.
- Back wall is coated on both sides with melamine resin, thanks to which it can stand independently.

BASE - UNDERDESK SIDEBOARDS

- Feet H=30 mm with leveling option as standard.
- Metal base H=30 mm as an option with a surcharge.
- Mobile sideboards on castors 35 mm in diameter.


EQUIPMENT

- Hinged doors are equipped with 110° hinges with soft close automatic mechanism.
- 18 mm thick board sliding doors, roller guides inserted in plastic profiles. Sliding fronts are equipped with soft close automatic mechanism.
- Drawer slides are equipped with soft close automatic mechanism with the function of drawer decelerating and automatic closing (does not apply to PK 16 sideboard).
- All drawers are equipped with a system preventing simultaneous pull out of several drawers.
- All sideboards are equipped with locks with removable cylinders and two numbered keys, one foldable key.
- Sideboards with more than one drawer are equipped with a central lock.
- A1, B1, C1 handles of 128 mm spacing as standard.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Underdesk shelf unit




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PO11	800 / 420 / 633	**206**	21	0,23
PO12	1600 / 420 / 633	**464**	39	0,47

Underdesk sideboard with sliding doors




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PR11	800 / 420 / 633	**431**	27	0,23
PR12	1600 / 420 / 633	**597**	50	0,47

Double-sided underdesk sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PR13R	1600 / 420 / 633	**737**	55	0,47
PR13L	1600 / 420 / 633	**737**	55	0,47

Combi underdesk sideboard



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PK15R	800 / 420 / 633	**309**	28	0,23
PK15L	800 / 420 / 633	**309**	28	0,23
PK18R	1600 / 420 / 633	**1445**	68	0,47
PK18L	1600 / 420 / 633	**1445**	68	0,47
PR19R	1600 / 500 / 633	**726**	51	0,55
PR19L	1600 / 500 / 633	**726**	51	0,55

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

Conference tables

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 18 mm thick board as standard.
- Top made of 25 mm thick board as an option.
- Some tables available with glass inserts - Opti black or 8 mm thick Satinato glass or with board insert.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT

- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Straight conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI310	2000 / 1000 / 750	**1210**	42	0,18
SI320	2400 / 1000 / 750	**1375**	48	0,19
SI330	3200 / 1000 / 750	**2320**	61	0,24
SI340	4000 / 1000 / 750	**2575**	74	0,26
Chromium-plated legs				
SI310C	2000 / 1000 / 750	**1705**	47	0,18
SI320C	2400 / 1000 / 750	**1836**	53	0,19
SI330C	3200 / 1000 / 750	**3009**	75	0,24
SI340C	4000 / 1000 / 750	**3264**	87	0,26

Barrel-shaped conference table - full top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI640	2000 / 1000 / 750	**1614**	40	0,17
SI660	2400 / 1100 / 750	**2268**	50	0,20
SI670	3200 / 1100 / 750	**2835**	64	0,26
SI680	4000 / 1100 / 750	**3203**	78	0,28
Chromium-plated legs				
SI640C	2000 / 1000 / 750	**2095**	46	0,17
SI660C	2400 / 1100 / 750	**2268**	55	0,20
SI670C	3200 / 1100 / 750	**3525**	78	0,26
SI680C	4000 / 1100 / 750	**3893**	91	0,28

Barrel-shaped conference table with glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI641	2000 / 1000 / 750	**2577**	126	0,18
SI661	2400 / 1100 / 750	**3249**	136	0,22
SI671	3200 / 1100 / 750	**5131**	104	0,28
SI681	4000 / 1100 / 750	**5554**	117	0,30
Chromium-plated legs				
SI641C	2000 / 1000 / 750	**3040**	131	0,18
SI661C	2400 / 1100 / 750	**3249**	141	0,22
SI671C	3200 / 1100 / 750	**5131**	123	0,28
SI681C	4000 / 1100 / 750	**5554**	137	0,30

Multi-piece conference table with board insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI905	3000 / 1600 / 750	**3102**	111	0,35
SI906	3600 / 1600 / 750	**4303**	127	0,39
Chromium-plated legs				
SI905C	3000 / 1600 / 750	**4025**	121	0,35
SI906C	3600 / 1600 / 750	**4303**	137	0,39

Multi-piece conference table with glass insert




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI907	3000 / 1600 / 750	**3525**	114	0,35
SI908	3600 / 1600 / 750	**3865**	131	0,39
Chromium-plated legs				
SI907C	3000 / 1600 / 750	**4447**	124	0,35
SI908C	3600 / 1600 / 750	**4787**	141	0,39

Media table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI910	2400 / 1600 / 750	**2761**	93	0,31
SI911	3000 / 1600 / 750	**3053**	109	0,33
Chromium-plated legs				
SI910C	2400 / 1600 / 750	**3914**	106	0,31
SI911C	3000 / 1600 / 750	**4275**	122	0,33

Table with geometric top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Powder-coated legs				
SIS173173074	1730 / 1730 / 743	**2186**	75	0,36
Chromium-plated legs				
SISC173173074	1730 / 1730 / 743	**2186**	75	0,36

Occasional tables

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 18 mm thick board as standard.
- Top made of 25 mm thick board as an option.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side of the station) joined with beams.


HEIGHT

- Fixed height 750 mm or 500 mm, le veling feet +10 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Square occasional table




Product Code	Dimensions W / D / H	Price EU	Weight Kg	Vol. m³
Powder-coated legs				
SI400	1000 / 1000 / 750	**961**	27	0,13
SI410	1400 / 1400 / 750	**1040**	45	0,21
SI420	1600 / 1600 / 750	**1195**	56	0,25
Chromium-plated legs				
SI400C	1000 / 1000 / 750	**1423**	32	0,13
SI410C	1400 / 1400 / 750	**1503**	51	0,21
SI420C	1600 / 1600 / 750	**1657**	61	0,25

Round occasional table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI100	800 / 800 / 750	**954**	18	0,10
SI110	1000 / 1000 / 750	**1162**	22	0,13
SI120	1400 / 1400 / 750	**1299**	34	0,21
Chromium-plated legs				
SI100C	800 / 800 / 750	**1413**	23	0,10
SI110C	1000 / 1000 / 750	**1622**	27	0,13
SI120C	1400 / 1400 / 750	**1760**	39	0,21


Triangular occasional table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI810	2120 / 2120 / 750	**3226**	76	0,21
Chromium-plated legs				
SI810C	2120 / 2120 / 750	**3226**	83	0,21

Sirio / Occasional tables


Round, shaped occasional table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI140	2400 / 2400 / 750	**3653**	96	0,21
Chromium-plated legs				
SI140C	2400 / 2400 / 750	**4563**	102	0,21

Oval occasional table with glass top









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Powder-coated legs				
SI601	1000 / 1000 / 750	**2014**	43	0,13
Chromium-plated legs				
SI601C	1000 / 1000 / 750	**2473**	49	0,13

Low round occasional table







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Board top + Powder-coated legs				
SI200	800 / 800 / 500	**995**	18	0,07
Board top + Chromium-plated legs				
SI200C	800 / 800 / 500	**1453**	12	0,06
Glass top + Powder-coated legs				
SI201	800 / 800 / 500	**3969**	15	0,07
Glass top + Chromium-plated legs				
SI201C	800 / 800 / 500	**2242**	9	0,06

Mobile tables

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 18 mm thick board as standard. Top made of 25 mm thick board as an option (7 mm higher table)

FRAME

- Table on braked castors Ø 75 mm in diameter.
- Brakes ensure rigidity and safety for the users.
- Self-supporting steel structure comprising of welded elements (legs forming the side of the table and frame).


HEIGHT

- Fixed hight: 750 mm, no adjustment possibility due to the use of castors (75 mm in diameter).

ADDITIONAL INFORMATION

- Elements enabling joining the tables: clasps - 2 pcs., knobs - 4 pcs. as standard.
- Colors according to MARO offer.

Mobile table with geometric top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Board top as standard+ Powder-coated legs				
SIS173173075	1730 / 1730 / 750	**1938**	75	0,36
Board top as standard + Chromium-plated legs				
SISC173173075	1730 / 1730 /750	**2348**	75	0,36

Cabinets

STRUCTURE

CARCASS

- 18 mm thick board carcass in UNI color.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- Carcass finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which the cabinet can stand independently.


EQUIPMENT

- All shelves are equipped with a mechanism preventing accidental pull out.
- Possibility to manage the space individually thanks to hole spacing (every 32 mm) over the entire height of sides.
- Drawer with Soft Close Automatic mechanism and Push to Open system as standard (does not apply to the filing cabinet and the filing–wardrobe cabinet).
- Hinged doors are equipped with C1 handles as standard. Push to Open system as an option with no surcharge.
- White or graphite decorative inlay between the modules.
- Cabinets are based on 200 mm high, powder coated legs or chromium plated legs as an option with a surcharge.
- Cabinets for documents and cabinets for documents and clothes are equipped with feet H=30 mm with chromium plated covers as standard.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Sirio low cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS20	900 / 420 / 462	**1535**	21	0,23

Surcharge for glass shelves in open segment 12 mm (2pcs.) + 687
Surcharge for chromium plated leg (1pc.) +97


Sirio low closed cabinet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS21	900 / 420 / 462	**1709**	23	0,23

Surcharge for chromium plated leg (1pc.) +97


Sirio low cabinet with drawer





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS31	900 / 420 / 673	**2868**	26	0,23

Surcharge for chromium plated leg (1pc.) +97

Sirio medium cabinet with closed top segment and drawer









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
CUS43	900 / 420 / 948	**2272**	35	0,25
Surcharge for chromium plated leg (1pc.)		+97		

Sirio high cabient with open top segment









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS71	900 / 420 / 1422	**4083**	103	0,93

Surcharge for glass shelves in open segment 12 mm (2pcs.) +687
Surcharge for chromium plated leg (1pc.) +97

Sirio high cabient with open middle segment










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS72	900 / 420 / 1422	**4083**	103	0,93

Surcharge for glass shelves in open segment 12 mm (2pcs.) **+ 687**
Surcharge for chromium plated leg (1pc.) **+ 97**

Sirio high cabinet










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS73	900 / 420 / 1422	**2518**	96	0,93

Sirio cabinet for documents and clothes










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS74	900 / 420 / 1850	**2275**	103	0,93

Sirio cabinet for documents







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUS77	900 / 420 / 1850	**2183**	103	0,93

Showcases

STRUCTURE

CARCASS

- 18 mm thick board carcass in UNI color.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Showcase carcasses are factory-glued, assembled and delivered as a whole.
- Carcass finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which the cabinet can stand independently.


EQUIPMENT

- All shelves are equipped with a mechanism preventing accidental pull out.
- Possibility to manage the interior space individually thanks to hole spacing (every 32 mm) over the entire height of sides.
- Hinged doors are equipped with C1 handles as standard. Push to Open system as an option with no surcharge.
- Showcases based on 200 mm high, powder coated legs, or chromium plated legs as an option with a surcharge.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Sirio narrow executive showcase




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAS01	936 / 442 / 462	**1883**	83	0,90
Surcharge for back panel with glass shelf		+ 97		
Surcharge for chromium plated leg (1pc.)				

Sirio narrow executive showcase with open segment




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAS02	1386 / 442 / 462	**2224**	94	0,92
Surcharge for back panel with glass shelf		+ 962		
Surcharge for 12 mm glass shelf in open unit		+ 350		
Surcharge for chromium plated leg (1pc.)				

Sirio medium executive showcase



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAS05	1836 / 442 / 462	**2490**	106	0,95
Surcharge for back panel with glass shelf		+ 1 236		
Surcharge for chromium plated leg (1pc.)		+ 97		

Sirio wide executive showcase with open segment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAS09	2286 / 442 / 462	**3018**	101	0,96
Surcharge for back panel with glass shelf		+ 1478		
Surcharge for 12 mm glass shelf in open unit		+ 97		
Surcharge for chromium plated leg (1pc.)				

XVI. Toris


Toris is a collection of furniture with geometrical, simple form. It features executive desks, conference and occasional tables.

Executive desks can be supported on pedestals, sideboards or executive add-on tables. It is also possible to match two different colors/decors for the inner and outer sides of board legs and top.

Toris


Executive desks

Executive desk




H: 750 mm

Add-on unit for executive desk




H: 750 mm

Executive desk for support




H: 750 mm

Modesty panel for desks



H: 360 mm

Executive add-on desk



H: 638 mm

Pedestal


Pedestal for desk support



H: 638 mm

Underdesk sideboard


Sideboard for desk support



H: 638 mm


Tables

Rectangular conference table




H: 750 mm

Barrel-shaped conference table




H: 750 mm

Two-piece rectangular conference table




H: 750 mm

Two-piece barrel-shaped conference table




H: 750 mm

Extension module for conference table



H: 750 mm

Occasional table




H: 500 mm

Toris / Features


Cladding

The structure of Toris furniture enables to use different colors on the esternal and internal side of the furniture.




Decorative slat

Decorative slat made of brushed aluminum between the top and panel leg.




Graining



In two-piece tops continuous graining as standard.
Minor displacement possible.


Cable channel in c onference table leg




The leg of Toris conference table is equipped with a board cable channel.

Desk supported on sideboard

The hinged door segment of the executive desk supported on sideboard can be accessed from both sides. There are four door mounting options.






Toris / Accessories


Vertical cable management

UW14/UW 15




SPRING CABLE CHANNEL

UW02




FLEXIBLE CABLE CHANNEL

UW18




ADD-ON CABLE CHANNEL

Horizontal cable management




FIXED CABLE CHANNEL



FOLD-DOWN CABLE CHANNEL


DD91



COMB CABLE CLASP


Cable outlets

UW13/ WD01



ROUND CABLE OUTLET


UW28/UW 281



ALUMINUM CABLE OUTLET


Netboxes

UW36/UW 35P/ UW35D/UW 34P/ UW34U/UW 34Da



POWER CIRCLE S/M


UW50/UW42 /UW5541/ UW5542 /UW5584/UW5585/ UW5142/UW5163/UW5164/ UW5242/ UW5263/UW5264/ UW5341/ UW5352



NETBOX


Complementary accessories

US62R/L



UNDERDESK DRAWER

UW25/UW 24



PC HOLDER WITH PERFORATED PANEL

Executive desks

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Decorative slat made of brushed aluminum between the top and panel leg.
- Internal part of the desk can be different color/decor than the external part.

FRAME

- Steel structure comprising of welded elements ensuring rigidity.
- 36 mm thick board legs affixed to the top as standard.


ADDITIONAL EQUIPMENT

- Horizontal cable management: powder-coated fixed or fold-down cable channel affixed under the top as standard, plastic cable clasp.
- Vertical cable management: flexible, plastic, two-piece, metal cable channel, cable outlets and netboxes.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Executive desk




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT03	1800 / 900 / 750	**2114**	85	0,21
TT04	2000 / 900 / 750	**2259**	91	0,23
TT05	2200 / 900 / 750	**2356**	96	0,24

Add-on unit for executive desks




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT25	1000 / 600 / 750	**874**	35	0,09

Executive desk for support




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT12	1600 / 900 / 750	**1643**	64	0,17
TT13	1800 / 900 / 750	**1732**	69	0,18
TT14	2000 / 900 / 750	**1827**	74	0,20
TT15	2200 / 900 / 750	**1924**	80	0,22

Add-on desk for executive desk support



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT20	1700 / 600 / 638	**1291**	56	0,15

Board modesty panel for executive desks



Product Code			Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Modesty panels for regular executive desks						
Width	1800	TD04	1600/18/360	**166**	8	0,02
	2000	TD05	1800/18/360	**179**	9	0,02
	2200	TD06	2000/18/360	**195**	10	0,02
Modesty panels for supported executive desks						
Width	1950	TD02	1200/18/360	**151**	6	0,01
	2150	TD03	1400/18/360	**157**	7	0,02
	2350	TD04	1600/18/360	**166**	8	0,02


Cabinets and pedestals

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Side edges finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Carcass, floor and front made of 18 mm thick board.
- 18 mm thick board top as standard. 18 mm thick extra claddings (top and side) affixed to the carcass.
- 18 mm thick back wall.
- Back wall is coated on both sides with melamine resin, thanks to which the cabinet can stand independently.

SIDEBOARD FOR EXECUTIVE DESK SUPPORT


- Double-sided opening.
- Cabinet accessed from both sides - segment with hinged doors and a shelf unit accessible from both sides.
- 4 mounting configurations of hinged doors with Push to Open system (no locks).
- Drawers are equipped with C1 handles and a central lock with a removable cylinder and two numbered keys as standard, one foldable key.



ADDITIONAL INFORMATION

- Colors according to MARO offer.


Pedestal for executive desk support







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TK01	466 / 754 / 638	**1122**	3	0,24

Sideboard for executive desk support







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TP02L	1638 / 464 / 638	**1967**	16	0,52
TP02R	1638 / 464 / 638	**1967**	16	0,52

The above stated prices do not include VAT. Orders? Visit www.shop.maro.pl

Conference tables

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Tops made of 36 mm thick board as standard.
- Continuous graining in two-piece tops as standard.
- Decorative slat made of brushed aluminum between top and panel leg.
- Inner side of the table can be different color/decor than its external part.

FRAME

- Steel structure comprising of welded elements ensuring rigidity.
- 100 mm thick panel legs affixed to the frame as standard.


HEIGHT


- Fixed height 750 mm, leveling feet +10 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


Rectangular conference table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT31	2000 / 1000 / 750	**2114**	113	0,22
TT32	2400 / 1000 / 750	**2291**	127	0,25


Barrel-shaped conference table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT61	2000 / 1000 / 750	**2634**	109	0,22
TT62	2400 / 1000 / 750	**2987**	123	0,25

Two-piece Rectangular conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT41	4000 / 1200 / 750	**4674**	282	0,43

Middle extension module for conference tables



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT46	1200 / 1420 / 750	**1485**	126	0,000
TT47	1200 / 2020 / 750	**1758**	148	0,000

Two-piece barrel-shaped conference table



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
TT63	4000 / 1200 / 750	**5209**	262	0,43

Occasional tables

TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Tops made of 36 mm thick board as standard.
- Internal side of the table can be different color/decor than its outer part.
- Decorative slat made of brushed aluminum between top and panel leg.

FRAME

- Steel structure comprising of welded elements ensuring rigidity of the table.
- 36 mm thick panel legs affixed to the frame as standard.

HEIGHT

- Fixed height 500 mm, le veling feet +10 mm.


ADDITIONAL INFORMATION

- Colors according to MARO offer.

Straight occasional table







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
TT40	700 / 700 / 500	**1084**	36	0,08
TT45	1200 / 700 / 500	**1135**	47	0,12

XVII.

AXY-Line


AXY-Line is a collection of conference and executive furniture. It features both large and smaller conference tables. The tables can be based on different types of legs A-, X- and Y-shaped.

A wide range of tops and dimensions makes this collection a perfect solution for any office. Cabinets and showcases complete the collection.


AXY-Line

Frame


A-shaped leg
H: 750mm



X-shaped leg
H: 750mm




Y-shaped leg
H: 750mm




A-shaped leg
H: 500mm



A-shaped leg
H: 1100mm




Conference tables




AXY-Line


Occasional tables



Low occasional tables



High occasional tables




Extension module for conference tables





AXY-Line

Showcases



Cabinets






AXY-Line / Features

Frame

AXY-Line A


1. System leg A welded on the inside, made of rectangular profile 20x60 mm.
2. Powder-coated, metal undertop beams made of 45x45 mm profiles.



Outer leg A Inner leg A

AXY-Line X


1. System leg X welded on the inside, made of rectangular profile 20x60 mm.
2. Powder-coated, metal undertop beams made of 45x45 mm profiles.




Outer leg X Inner leg X

AXY-Line Y

1. System leg X welded on the inside, made of rectangular profile 20x60 mm.
2. Powder-coated, metal undertop beams made of 45x45 mm profiles.




Outer leg Y Inner leg Y




Cabinets and showcases - de tails

Shelf




Shelves with a mechanism preventing accidental pull out

Leg




Powder-coated leg

Drawer




With Soft Close Automatic mechanism and Push to Open system as standard. Graphite drawer interior.

Handle C1




In mat chromium color, 128 mm wide, Push to Open system as an option with no surcharge.

Decorative inlay




White or graphite decorative inlay

Glass shelf




12 mm thick glass shelf for back panel as standard.

Back panel



Made of 18 mm thick board. Possibility to hang a glass shelf

Cokół




Metal base
H= 30 mm


AXY-Line / Equipment

Cable channel

AXY-Line tables can be equipped with vertical and horizontal cable channels adjusted to every table type.

Cabel channels are extra paid. Please specify the location of a cable channel or netbox while ordering.







Netbox


Possibility to select and mount a netbox to every AXY-Line table.


ONE-PIECE TOP






TWO-PIECE TOP






Graining



In two-piece tops continuous graining as standard.
Minor displacement possible.


Chromium plated feet




All AXY-Line tables are equipped with chromium plated feet with leveling function +/- 5 mm.

AXY-Line / Accessories

Horizontal cable management




FIXED CABLE CHANNEL



FOLD-DOWN CABLE CHANNEL


DD91



COMB CABLE CLASP


Vertical cable management

UW14/UW 15



SPRING CABLE CHANNEL


UW02



FLEXIBLE CABLE CHANNEL


Cable outlets

UW13/ WD01



ROUND CABLE OUTLET


UW28/UW 281



ALUMINUM CABLE OUTLET


Netboxes

UW36/UW 35P/ UW35D/UW 34P/ UW34U/UW 34Da



POWER CIRCLE S/M


UW50/UW 42 /UW5541/ UW5542 / UW5584/UW5585/ UW5142/UW5163/UW5164/ UW5242/ UW5263/UW5264/ UW5341/ UW5352



NETBOX

Complementary accessories

US62 R/L



UNDERDESK DRAWER

Conference tables

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 25 mm thick board.

FRAME

- 3 base types: A-shaped leg, X-shaped leg, Y-shaped leg.
- System leg welded on the inside.
- Metal, undertop beams made of 45x45 mm profiles.
- Powder-coated frame.

AXY-Line A



- A-shaped system leg made of rectangular profile 60x20 mm.

AXY-Line X



- X-shaped system leg made of rectangular profile 60x20 mm.

AXY-Line Y



- Y-shaped system leg made of rectangular profile 60x20 mm.


HEIGHT

- Fixed height 750 mm, leveling feet +/- 5 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Conference tables with rectangular tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MAA181075	1800 / 1000 / 750	**1148**	57	0,39
	MAA181275	1800 / 1200 / 750	**1239**	64	0,46
	MAA181475	1800 / 1400 / 750	**1330**	71	0,54
	MAA201075	2000 / 1000 / 750	**1196**	61	0,40
	MAA201275	2000 / 1200 / 750	**1287**	69	0,47
	MAA201475	2000 / 1400 / 750	**1378**	76	0,55
	MAA221075	2200 / 1000 / 750	**1244**	65	0,41
	MAA221275	2200 / 1200 / 750	**1335**	74	0,48
	MAA221475	2200 / 1400 / 750	**1426**	82	0,56
	MAA241075	2400 / 1000 / 750	**1291**	70	0,42
	MAA241275	2400 / 1200 / 750	**1382**	79	0,50
	MAA241475	2400 / 1400 / 750	**1474**	87	0,58
AXY-LineX	MAX181075	1800 / 1000 / 750	**1268**	59	0,39
	MAX181275	1800 / 1200 / 750	**1362**	68	0,47
	MAX181475	1800 / 1400 / 750	**1456**	75	0,55
	MAX201075	2000 / 1000 / 750	**1306**	64	0,40
	MAX201275	2000 / 1200 / 750	**1400**	73	0,48
	MAX201475	2000 / 1400 / 750	**1494**	81	0,57
	MAX221075	2200 / 1000 / 750	**1344**	68	0,41
	MAX221275	2200 / 1200 / 750	**1438**	78	0,49
	MAX221475	2200 / 1400 / 750	**1532**	86	0,58
	MAX241075	2400 / 1000 / 750	**1382**	72	0,42
	MAX241275	2400 / 1200 / 750	**1476**	83	0,51
	MAX241475	2400 / 1400 / 750	**1570**	92	0,59
AXY-Line Y	MAY181075	1800 / 1000 / 750	**1268**	59	0,39
	MAY181275	1800 / 1200 / 750	**1362**	68	0,47
	MAY181475	1800 / 1400 / 750	**1456**	75	0,55
	MAY201075	2000 / 1000 / 750	**1306**	64	0,40
	MAY201275	2000 / 1200 / 750	**1400**	73	0,48
	MAY201475	2000 / 1400 / 750	**1494**	81	0,57
	MAY221075	2200 / 1000 / 750	**1344**	68	0,41
	MAY221275	2200 / 1200 / 750	**1438**	78	0,49
	MAY221475	2200 / 1400 / 750	**1532**	86	0,58
	MAY241075	2400 / 1000 / 750	**1382**	72	0,42
	MAY241275	2400 / 1200 / 750	**1476**	83	0,51
	MAY241475	2400 / 1400 / 750	**1570**	92	0,59

Conference tables with rectangular tops and rounded corners




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MBA181075	1800 / 1000 / 750	**1305**	57	0,39
	MBA181275	1800 / 1200 / 750	**1403**	64	0,46
	MBA181475	1800 / 1400 / 750	**1501**	71	0,54
	MBA201075	2000 / 1000 / 750	**1339**	61	0,40
	MBA201275	2000 / 1200 / 750	**1437**	69	0,47
	MBA201475	2000 / 1400 / 750	**1535**	76	0,55
	MBA221075	2200 / 1000 / 750	**1374**	66	0,41
	MBA221275	2200 / 1200 / 750	**1472**	74	0,48
	MBA221475	2200 / 1400 / 750	**1570**	82	0,56
	MBA241075	2400 / 1000 / 750	**1408**	70	0,42
	MBA241275	2400 / 1200 / 750	**1506**	79	0,50
	MBA241475	2400 / 1400 / 750	**1604**	88	0,58
AXY-Line X	MBX181075	1800 / 1000 / 750	**1423**	60	0,39
	MBX181275	1800 / 1200 / 750	**1520**	69	0,47
	MBX181475	1800 / 1400 / 750	**1617**	76	0,55
	MBX201075	2000 / 1000 / 750	**1465**	64	0,40
	MBX201275	2000 / 1200 / 750	**1562**	74	0,48
	MBX201475	2000 / 1400 / 750	**1660**	81	0,57
	MBX221075	2200 / 1000 / 750	**1508**	68	0,41
	MBX221275	2200 / 1200 / 750	**1605**	79	0,49
	MBX221475	2200 / 1400 / 750	**1702**	87	0,58
	MBX241075	2400 / 1000 / 750	**1550**	73	0,42
	MBX241275	2400 / 1200 / 750	**1647**	84	0,51
	MBX241475	2400 / 1400 / 750	**1745**	92	0,59
AXY-Line Y	MBY181075	1800 / 1000 / 750	**1423**	60	0,39
	MBY181275	1800 / 1200 / 750	**1520**	69	0,47
	MBY181475	1800 / 1400 / 750	**1617**	76	0,55
	MBY201075	2000 / 1000 / 750	**1465**	64	0,40
	MBY201275	2000 / 1200 / 750	**1562**	74	0,48
	MBY201475	2000 / 1400 / 750	**1660**	81	0,57
	MBY221075	2200 / 1000 / 750	**1508**	68	0,41
	MBY221275	2200 / 1200 / 750	**1605**	79	0,49
	MBY221475	2200 / 1400 / 750	**1702**	87	0,58
	MBY241075	2400 / 1000 / 750	**1550**	73	0,42
	MBY241275	2400 / 1200 / 750	**1647**	84	0,51
	MBY241475	2400 / 1400 / 750	**1745**	92	0,59

Tables with barrel-shaped tops



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MCA181075	1800 / 1000 / 750	**1282**	53	0,33
	MCA201075	2000 / 1000 / 750	**1343**	58	0,34
	MCA221075	2200 / 1000 / 750	**1404**	62	0,35
	MCA241075	2400 / 1000 / 750	**1464**	66	0,36
AXY-Line X	MCX181075	1800 / 1000 / 750	**1268**	55	0,32
	MCX201075	2000 / 1000 / 750	**1306**	60	0,33
	MCX221075	2200 / 1000 / 750	**1344**	64	0,34
	MCX241075	2400 / 1000 / 750	**1382**	68	0,35
AXY-Line Y	MCY181075	1800 / 1000 / 750	**1268**	55	0,32
	MCY201075	2000 / 1000 / 750	**1306**	60	0,33
	MCY221075	2200 / 1000 / 750	**1344**	64	0,34
	MCY241075	2400 / 1000 / 750	**1382**	68	0,35


Tables with oval tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MDA181075	1800 / 1000 / 750	**1302**	52	0,33
	MDA201075	2000 / 1000 / 750	**1336**	56	0,34
	MDA221075	2200 / 1000 / 750	**1370**	61	0,35
	MDA241075	2400 / 1000 / 750	**1405**	65	0,36
AXY-Line X	MDX181075	1800 / 1000 / 750	**1422**	55	0,32
	MDX201075	2000 / 1000 / 750	**1458**	59	0,33
	MDX221075	2200 / 1000 / 750	**1493**	64	0,34
	MDX241075	2400 / 1000 / 750	**1528**	68	0,35
AXY-Line Y	MDY181075	1800 / 1000 / 750	**1422**	55	0,32
	MDY201075	2000 / 1000 / 750	**1458**	59	0,33
	MDY221075	2200 / 1000 / 750	**1493**	64	0,34
	MDY241075	2400 / 1000 / 750	**1528**	68	0,35

AXY-Line / Conference tables


Conference tables with rectangular tops






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MAA321075	3200 / 1000 / 750	**2057**	97	0,75
	MAA321275	3200 / 1200 / 750	**2172**	109	0,89
	MAA321475	3200 / 1400 / 750	**2286**	121	1,04
	MAA401075	4000 / 1000 / 750	**2174**	115	0,79
	MAA401275	4000 / 1200 / 750	**2289**	129	0,94
	MAA401475	4000 / 1400 / 750	**2403**	144	1,09
	MAA481075	4800 / 1000 / 750	**2291**	132	0,83
	MAA481275	4800 / 1200 / 750	**2405**	149	0,99
	MAA481475	4800 / 1400 / 750	**2520**	166	1,15
AXY-Line X	MAX321075	3200 / 1000 / 750	**2244**	101	0,75
	MAX321275	3200 / 1200 / 750	**2359**	116	0,91
	MAX321475	3200 / 1400 / 750	**2473**	128	1,07
	MAX401075	4000 / 1000 / 750	**2362**	119	0,79
	MAX401275	4000 / 1200 / 750	**2477**	136	0,96
	MAX401475	4000 / 1400 / 750	**2591**	151	1,13
	MAX481075	4800 / 1000 / 750	**2480**	136	0,83
	MAX481275	4800 / 1200 / 750	**2595**	156	1,01
	MAX481475	4800 / 1400 / 750	**2709**	173	1,18
AXY-Line Y	MAY321075	3200 / 1000 / 750	**2244**	101	0,75
	MAY321275	3200 / 1200 / 750	**2359**	116	0,91
	MAY321475	3200 / 1400 / 750	**2473**	128	1,07
	MAY401075	4000 / 1000 / 750	**2362**	119	0,79
	MAY401275	4000 / 1200 / 750	**2477**	136	0,96
	MAY401475	4000 / 1400 / 750	**2591**	151	1,13
	MAY481075	4800 / 1000 / 750	**2480**	136	0,83
	MAY481275	4800 / 1200 / 750	**2595**	156	1,01
	MAY481475	4800 / 1400 / 750	**2709**	173	1,18

Conference tables with rectangular tops and rounded corners







Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MBA321075	3200 / 1000 / 750	**2288**	98	0,75
	MBA321275	3200 / 1200 / 750	**2406**	109	0,89
	MBA321475	3200 / 1400 / 750	**2523**	122	1,04
	MBA401075	4000 / 1000 / 750	**2408**	115	0,79
	MBA401275	4000 / 1200 / 750	**2526**	130	0,94
	MBA401475	4000 / 1400 / 750	**2644**	144	1,09
	MBA481075	4800 / 1000 / 750	**2528**	133	0,83
	MBA481275	4800 / 1200 / 750	**2646**	150	0,99
	MBA481475	4800 / 1400 / 750	**2764**	167	1,15
AXY-Line X	MBX321075	3200 / 1000 / 750	**2481**	102	0,75
	MBX321275	3200 / 1200 / 750	**2599**	117	0,91
	MBX321475	3200 / 1400 / 750	**2717**	129	1,07
	MBX401075	4000 / 1000 / 750	**2603**	119	0,79
	MBX401275	4000 / 1200 / 750	**2720**	137	0,96
	MBX401475	4000 / 1400 / 750	**2838**	151	1,13
	MBX481075	4800 / 1000 / 750	**2724**	137	0,83
	MBX481275	4800 / 1200 / 750	**2842**	157	1,01
	MBX481475	4800 / 1400 / 750	**2960**	174	1,18
AXY-Line Y	MBY321075	3200 / 1000 / 750	**2481**	102	0,75
	MBY321275	3200 / 1200 / 750	**2599**	117	0,91
	MBY321475	3200 / 1400 / 750	**2717**	129	1,07
	MBY401075	4000 / 1000 / 750	**2603**	119	0,79
	MBY401275	4000 / 1200 / 750	**2720**	137	0,96
	MBY401475	4000 / 1400 / 750	**2838**	151	1,13
	MBY481075	4800 / 1000 / 750	**2724**	137	0,83
	MBY481275	4800 / 1200 / 750	**2842**	157	1,01
	MBY481475	4800 / 1400 / 750	**2960**	174	1,18

AXY-Line / Conference tables


Conference tables with barrel-shaped tops






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MCA321275	3200 / 1200 / 750	**2336**	108	0,78
	MCA321475	3200 / 1400 / 750	**2458**	120	0,92
	MCA401275	4000 / 1200 / 750	**2461**	128	0,82
	MCA401475	4000 / 1400 / 750	**2583**	143	0,98
	MCA481275	4800 / 1200 / 750	**2585**	148	0,87
	MCA481475	4800 / 1400 / 750	**2707**	165	1,03
AXY-Line X	MCX321275	3200 / 1200 / 750	**2427**	116	0,78
	MCX321475	3200 / 1400 / 750	**2545**	128	0,94
	MCX401275	4000 / 1200 / 750	**2549**	136	0,83
	MCX401475	4000 / 1400 / 750	**2666**	151	1,00
	MCX481275	4800 / 1200 / 750	**2670**	156	0,88
	MCX481475	4800 / 1400 / 750	**2788**	173	1,05
AXY-Line Y	MCY321275	3200 / 1200 / 750	**2427**	115	0,78
	MCY321475	3200 / 1400 / 750	**2545**	127	0,94
	MCY401275	4000 / 1200 / 750	**2549**	135	0,83
	MCY401475	4000 / 1400 / 750	**2666**	150	1,00
	MCY481275	4800 / 1200 / 750	**2670**	155	0,88
	MCY481475	4800 / 1400 / 750	**2788**	172	1,05

Conference tables with oval tops






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MDA321275	3200 / 1200 / 750	**2519**	106	0,77
	MDA321475	3200 / 1400 / 750	**2645**	118	0,92
	MDA401275	4000 / 1200 / 750	**2637**	126	0,82
	MDA401475	4000 / 1400 / 750	**2763**	141	0,97
	MDA481275	4800 / 1200 / 750	**2756**	146	0,87
	MDA481475	4800 / 1400 / 750	**2882**	163	1,03
AXY-Line X	MDX321275	3200 / 1200 / 750	**2720**	110	0,78
	MDX321475	3200 / 1400 / 750	**2850**	125	0,94
	MDX401275	4000 / 1200 / 750	**2843**	130	0,83
	MDX401475	4000 / 1400 / 750	**2973**	148	1,00
	MDX481275	4800 / 1200 / 750	**2966**	150	0,88
	MDX481475	4800 / 1400 / 750	**3096**	170	1,05
AXY-Line Y	MDY321275	3200 / 1200 / 750	**2720**	110	0,78
	MDY321475	3200 / 1400 / 750	**2850**	119	0,94
	MDY401275	4000 / 1200 / 750	**2843**	130	0,83
	MDY401475	4000 / 1400 / 750	**2973**	142	1,00
	MDY481275	4800 / 1200 / 750	**2966**	150	0,88
	MDY481475	4800 / 1400 / 750	**3096**	164	1,05

AXY-Line / Conference tables - extension module

Extension modules for AXY-Line A* conference tables




*Extension module for tables with rectangular tops and straight and rounded corners

AXY-Line A

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MPA141075	1400 / 1000 / 750	**1084**	41	0,37
MPA141275	1400 / 1200 / 750	**1117**	46	0,44
MPA141475	1400 / 1400 / 750	**1150**	51	0,51
MPA161075	1600 / 1000 / 750	**1126**	45	0,38
MPA161275	1600 / 1200 / 750	**1159**	51	0,45
MPA161475	1600 / 1400 / 750	**1192**	57	0,52
MPA201075	2000 / 1000 / 750	**1210**	54	0,40
MPA201275	2000 / 1200 / 750	**1243**	61	0,47
MPA201475	2000 / 1400 / 750	**1276**	68	0,55

Extension modules for AXY-Line X* conference tables




*Extension module for tables with rectangular tops and straight and rounded corners

AXY-Line X

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MPX141075	1400 / 1000 / 750	**1114**	42	0,37
MPX141275	1400 / 1200 / 750	**1136**	48	0,45
MPX141475	1400 / 1400 / 750	**1159**	53	0,53
MPX161075	1600 / 1000 / 750	**1179**	46	0,38
MPX161275	1600 / 1200 / 750	**1201**	53	0,46
MPX161475	1600 / 1400 / 750	**1224**	59	0,54
MPX201075	2000 / 1000 / 750	**1308**	55	0,40
MPX201275	2000 / 1200 / 750	**1331**	63	0,49
MPX201475	2000 / 1400 / 750	**1353**	70	0,57

Extension modules for AXY-Line Y* conference tables




*Extension module fortables with rectangular tops and straight and rounded corners

AXY-Line Y

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MPY141075	1400 / 1000 / 750	**1114**	42	0,37
MPY141275	1400 / 1200 / 750	**1136**	48	0,45
MPY141475	1400 / 1400 / 750	**1159**	53	0,53
MPY161075	1600 / 1000 / 750	**1179**	46	0,38
MPY161275	1600 / 1200 / 750	**1201**	53	0,46
MPY161475	1600 / 1400 / 750	**1224**	59	0,54
MPY201075	2000 / 1000 / 750	**1308**	55	0,40
MPY201275	2000 / 1200 / 750	**1331**	63	0,49
MPY201475	2000 / 1400 / 750	**1353**	70	0,57

AXY-Line / Conference tables - extension module

Extension modules f or AXY-Line A* conference tables




*Extension module for tables with barrel-shaped or oval tops

AXY-Line A

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MNA141075	1400 / 1000 / 750	**1089**	41	0,37
MNA141275	1400 / 1200 / 750	**1119**	46	0,44
MNA141475	1400 / 1400 / 750	**1148**	51	0,51
MNA161075	1600 / 1000 / 750	**1156**	45	0,38
MNA161275	1600 / 1200 / 750	**1186**	51	0,45
MNA161475	1600 / 1400 / 750	**1216**	57	0,52
MNA201075	2000 / 1000 / 750	**1291**	54	0,40
MNA201275	2000 / 1200 / 750	**1321**	61	0,47
MNA201475	2000 / 1400 / 750	**1350**	68	0,55

Extension modules for AXY-Line X* conference tables




*Extension module for tables with barrel-shaped or oval tops

AXY-Line X

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MNX141075	1400 / 1000 / 750	**1095**	42	0,37
MNX141275	1400 / 1200 / 750	**1124**	48	0,45
MNX141475	1400 / 1400 / 750	**1153**	53	0,53
MNX161075	1600 / 1000 / 750	**1160**	46	0,38
MNX161275	1600 / 1200 / 750	**1189**	53	0,46
MNX161475	1600 / 1400 / 750	**1217**	59	0,54
MNX201075	2000 / 1000 / 750	**1290**	55	0,40
MNX201275	2000 / 1200 / 750	**1319**	63	0,49
MNX201475	2000 / 1400 / 750	**1347**	70	0,57

Extension modules for AXY-Line Y* conference tables



*Extension module for tables with barrel-shaped or oval tops

AXY-Line Y

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
MNY141075	1400 / 1000 / 750	**1095**	42	0,37
MNY141275	1400 / 1200 / 750	**1124**	48	0,45
MNY141475	1400 / 1400 / 750	**1153**	53	0,53
MNY161075	1600 / 1000 / 750	**1160**	46	0,38
MNY161275	1600 / 1200 / 750	**1189**	53	0,46
MNY161475	1600 / 1400 / 750	**1217**	59	0,54
MNY201075	2000 / 1000 / 750	**1290**	55	0,40
MNY201275	2000 / 1200 / 750	**1319**	63	0,49
MNY201475	2000 / 1400 / 750	**1347**	70	0,57

Occasional tables

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Tops made of 25 mm thick board.

FRAME

- 3 base types: A-shaped leg, X-shaped leg, Y-shaped leg.
- System leg welded on the inside.
- Metal, undertop beams made of 45x45 mm profiles.
- Powder-coated frame.

AXY-Line A



- A-shaped system leg made of rectangular profile 60x20 mm.

AXY-Line X



- X-shaped system leg made of rectangular profile 60x20 mm.

AXY-Line Y



- Y-shaped system leg made of rectangular profile 60x20 mm.


HEIGHT

- Fixed height 750 mm, leveling feet +/- 5 mm.
- Fixed height 500 mm, leveling feet +/- 5 mm.
- Fixed height 1100 mm, leveling feet +/- 5 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Occasional tables with square tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MAA101075	1000 / 1000 / 750	**1246**	39	0,34
	MAA121275	1200 / 1200 / 750	**1287**	49	0,42
	MAA141475	1400 / 1400 / 750	**1331**	59	0,51
AXY-Line X	MAX101075	1000 / 1000 / 750	**1355**	43	0,35
	MAX121275	1200 / 1200 / 750	**1313**	53	0,43
	MAX141475	1400 / 1400 / 750	**1355**	63	0,52
AXY-Line Y	MAY101075	1000 / 1000 / 750	**1355**	38	0,35
	MAY121275	1200 / 1200 / 750	**1313**	53	0,43
	MAY141475	1400 / 1400 / 750	**1355**	58	0,52

Occasional tables with square tops and rounded corners




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MBA101075	1000 / 1000 / 750	**1394**	39	0,34
	MBA121275	1200 / 1200 / 750	**1435**	49	0,42
	MBA141475	1400 / 1400 / 750	**1478**	60	0,51
AXY-Line X	MBX101075	1000 / 1000 / 750	**1456**	44	0,35
	MBX121275	1200 / 1200 / 750	**1499**	55	0,43
	MBX141475	1400 / 1400 / 750	**1542**	66	0,53
AXY-Line Y	MBY101075	1000 / 1000 / 750	**1456**	44	0,35
	MBY121275	1200 / 1200 / 750	**1499**	55	0,43
	MBY141475	1400 / 1400 / 750	**1542**	66	0,53

Occasional tables with round tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MOA101075	1000 / 1000 / 750	**1394**	34	0,29
	MOA121275	1200 / 1200 / 750	**1435**	40	0,36
	MOA141475	1400 / 1400 / 750	**1478**	48	0,45
AXY-Line X	MOX101075	1000 / 1000 / 750	**1456**	36	0,28
	MOX121275	1200 / 1200 / 750	**1499**	42	0,37
	MOX141475	1400 / 1400 / 750	**1542**	50	0,46
AXY-Line Y	MOY101075	1000 / 1000 / 750	**1456**	30	0,28
	MOY121275	1200 / 1200 / 750	**1499**	45	0,37
	MOY141475	1400 / 1400 / 750	**1542**	51	0,46

Low occasional tables with rectangular tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MAA128050	1200 / 800 / 500	**817**	26	0,21
	MAA148050	1400 / 800 / 500	**843**	26	0,21
	MAA168050	1600 / 800 / 500	**868**	28	0,22

Low occasional tables with square tops




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MAA080850	800 / 800 / 500	**769**	18	0,19
	MAA101050	1000 / 1000 / 500	**797**	24	0,25
	MAA121250	1200 / 1200 / 500	**825**	31	0,31

High occasional tables - AXY-Line A



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	MAA101011	1000 / 1000 / 1100	**1289**	43	0,49
	MAA121211	1200 / 1200 / 1100	**1332**	51	0,59
	MAA141411	1400 / 1400 / 1100	**1374**	61	0,71
AXY-Line A	MAA141011	1400 / 1000 / 1100	**1132**	56	0,52
	MAA161011	1600 / 1000 / 1100	**1165**	56	0,52
	MAA161211	1600 / 1200 / 1100	**1253**	62	0,62
	MAA181011	1800 / 1000 / 1100	**1200**	60	0,53
	MAA181211	1800 / 1200 / 1100	**1287**	67	0,63
	MAA201011	2000 / 1000 / 1100	**1302**	64	0,54
	MAA201211	2000 / 1200 / 1100	**1321**	72	0,64

Low occasional tables with round tops



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AXY-Line A	MOA080850	800 / 800 / 500	**867**	15	0,15
	MOA101050	1000 / 1000 / 500	**895**	20	0,21
	MOA121250	1200 / 1200 / 500	**923**	25	0,27

Showcases

STRUCTURE

CARCASS

- 18 mm thick board carcass.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Showcase carcasses are factory-glued, assembled and delivered as a whole.
- Carcass finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.


EQUIPMENT

- All shelves are equipped with a mechanism preventing accidental pull out.
- Possibility to manage the interior space individually thanks to hole spacing (every 32 mm) over the entire height of sides.
- Hinged doors are equipped with C1 handles as standard. Push to Open system as an option with no surcharge.
- White or graphite decorative inlay between the modules of the showcase.
- Showcases based on 200 mm high, powder-coated legs.

ADDITIONAL INFORMATION

- Colors according to MARO offer.


AXY-Line narrow executive showcase



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAX01	900 / 442 / 468	**1495**	17	0,10

Surcharge for back panel with glass shelf


AXY-Line narrow executive showcase with open segment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAX02	1350 / 442 / 468	**1768**	19	0,10

Surcharge for back panel with glass shelf
Surcharge for 12 mm glass shelf in open unit


AXY-Line narrow executive showcase



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAX05	1800 / 442 / 468	**1980**	20	0,10

Surcharge for back panel with glass shelf

AXY-Line wide executive showcase with open segment



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CAX09	2250 / 442 / 468	**2396**	22	0,10

Surcharge for back panel with glass shelf
Surcharge for 12 mm glass shelf in open unit

Cabinets

STRUCTURE

CARCASS

- 18 mm thick board carcass.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Cabinet carcasses are factory-glued, assembled and delivered as a whole.
- Carcass finished with 2 mm thick ABS/PP plastic with 2 mm radius.

BACK WALL

- 8 mm thick back wall recessed into the groove between the sides of the cabinet.
- Back wall is coated on both sides with melamine resin, thanks to which the cabinet can stand independently.

EQUIPMENT


- All shelves are equipped with a mechanism preventing accidental pull out.
- Possibility to manage the space individually thanks to hole spacing (every 32 mm) over the entire height of sides.
- Shelf with Soft Close Automatic mechanism and Push to Open system as standard.
- Hinged doors are equipped with C1 handles as standard. Push to Open system as an option with no surcharge.
- White or graphite decorative inlay between the modules.
- Cabinets are based on 200 mm high, powder-coated legs.
- Cabinets for documents and cabinets for documents and clothes are equipped with powder-coated bases H=30 mm.


ADDITIONAL INFORMATION


- Colors according to MARO offer.

Drawing - total height
Table - carcass height

AXY-Line low, open cabinet










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX20	900 / 420 / 450	**1218**	17	0,10

Surcharge forglass shelves in open segmen t 12 mm(2pcs)

AXY-Line low, closed cabinet










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX21	900 / 420 / 450	**1358**	17	0,10

AXY-Line low cabinet with drawer









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX31	900 / 420 / 661	**2277**	18	0,11


AXY-Line / Cabinets

Drawing - total height
Table - carcass height

AXY-Line medium cabinet










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX43	900 / 420 / 936	**1804**	18	0,10

AXY-Line high cabinet









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX73	900 / 420 / 1422	**1908**	20	0,11

AXY-Line high cabinetwith open top segment










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX71	900 / 420 / 1422	**3243**	20	0,11

Surcharge forglass shelves inopen segmen t 12mm (2pcs.)

AXY-Line cabinet fordocuments and clothes










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX74	900 / 420 / 1850	**1806**	20	0,11

AXY-Line high cabinetwith open middle segment









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX72	900 / 420 / 1422	**3243**	20	0,11

Surcharge forglass shelves inopen segmen t 12mm (2pcs.)

AXY-Line cabinet fordocuments








Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
CUX77	900 / 420 / 1850	**1733**	20	0,11

XVIII. L-Line


L-Line tables collection is a vast set of conference and occasional tables that can help to organize any meeting.

L-Line


Frames




H: 740 mm



H: 740 mm




H: 740 mm



H: 500mm



H: 740mm




H: 1050mm

Tops



W:2000/
2400 mm

D:1000mm




W:
3200/4000/
4800mm

D: 1000 mm



W:2000/
2400 mm

D: 1200 mm




W:
3200/4000/
4800mm

D: 1200 mm



W:2000/
2400 mm

D: 1400 mm



W:
3200/4000/
4800mm

D: 1400 mm



Ø 800 mm



Ø 800 mm



Ø 800 mm



W:800 mm
D: 800 mm



W:800 mm
D: 800 mm




W:700 mm
D: 700 mm



W:2000/
2400 mm

D: 1000/
1050 mm




W:
3200/4000/
4800mm

D: 1000 mm



W:2000/
2400 mm

D: 1200 mm




W:
3200/4000/
4800mm

D: 1200 mm



W:2000/
2400 mm

D: 1400 mm



W:
3200/4000/
4800mm

D: 1400 mm




W:1400 mm
D: 1400 mm




W:1600 mm
D: 1600 mm

Conference tables




Occasional tables




L-Line / Features

Graining



In two-piece tops continuous graining as standard.
Minor displacement possible.

Foot




Powder-coated feet as standard. Chromium plated feet as an option with a surcharge.


Cables are managed through table legs as standard

L-Line / Accessories and surcharges

Cable management




FIXED CABLE CHANNEL




FOLD-DOWN CABLE CHANNEL

DD 91




COMB CABLE CLASP

UW 14/UW 15



SPRING CABLE CHANNEL


UW 02



FLEXIBLE CABLE CHANNEL


Cable outlets

UW 13 / WD01



ROUND CABLE OUTLET


UW 28 / UW 281



ALUMINUM CABLE OUTLET


Netboxes

UW 36 / UW 35P / UW 35D / UW 34P / UW 34U / UW 34Da



POWER CIRCLE S/M

UW50/ UW42 /UW5541/ UW5542 / UW5584/UW5585/ UW5142/UW5163/UW5164/ UW5242/ UW5263/UW5264/ UW5341/ UW5352



NETBOX

Surcharges

		CONFERENCE TABLES L-LINE			OCCASIONAL TABLES L-LINE
		L-Line chromium plated feet (1 pcs)	L-Line chromium plated feet (2 pcs)	L-Line chromium plated feet (3 pcs)	Cross foot
Table depth	1000	+ 170	+ 338	+ 505	+ 303
	1200	+ 202	+ 405	+ 606	
	1400	+ 244	+ 488	+ 731	

Conference tables

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 25 mm thick board.

FRAME

- Self-supporting steel structure comprising of welded elements (legs forming the side or the center of the station) joined with beams whose number depends on the table depth.
- Column made of 65x65 mm profile with a square cross section.
- Depending on the top depth, the leg is equipped with one or two columns.
- Columns are joined with a foot.
- Powder-coated feet as standard. Chromium plated feet as an option with a surcharge.

HEIGHT

- Fixed height 740 mm, leveling feet +/- 5 mm.


EQUIPMENT

- Cable management through a leg.
- Horizontal cable management: powder-coated fixed or fold-down cable channel or plastic cable clasp as an option with a surcharge.
- Vertical cable management: flexible cable channel or plastic spring as an option with a surcharge.
- Plastic cable outlets and netboxes as an option with a surcharge.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Please specify the location of additional items such as extension modules and netboxes while ordering

Conference table with rectangular top




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L203	2000 / 1000 / 740	**804**	42	0,20
L243	2400 / 1000 / 740	**1261**	50	0,22
L204	2000 / 1200 / 740	**1097**	54	0,24
L244	2400 / 1200 / 740	**1555**	64	0,27
L205	2000 / 1400 / 740	**1388**	65	0,28
L245	2400 / 1400 / 740	**1847**	77	0,31


Conference table with barrel-shaped top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L200	2000 / 1000 / 740	**1322**	48	0,20
L240	2400 / 1000 / 740	**1415**	56	0,22
L201	2000 / 1200 / 740	**1604**	61	0,24
L241	2400 / 1200 / 740	**2050**	70	0,27
L202	2000 / 1400 / 740	**1887**	74	0,28
L242	2400 / 1400 / 740	**2333**	86	0,31


Two-piece conference table with rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L324	3200 / 1000 / 740	**1698**	80	0,27
L404	4000 / 1000 / 740	**1925**	96	0,30
L484	4800 / 1000 / 740	**2248**	111	0,33


Two-piece conference table with barrel-shaped top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L325	3200 / 1000 / 740	**2070**	76	0,27
L405	4000 / 1000 / 740	**2383**	92	0,30
L485	4800 / 1000 / 740	**2383**	108	0,33


Two-piece conference table with rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L321	3200 / 1200 / 740	**2019**	100	0,32
L401	4000 / 1200 / 740	**2265**	118	0,36
L481	4800 / 1200 / 740	**2606**	137	0,40


Two-piece conference table with barrel-shaped top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L323	3200 / 1200 / 740	**2285**	96	0,32
L403	4000 / 1200 / 740	**2631**	115	0,36
L483	4800 / 1200 / 740	**2976**	133	0,40


Two-piece conference table with rectangular top






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L320	3200 / 1400 / 740	**2556**	122	0,38
L400	4000 / 1400 / 740	**2992**	146	0,42
L480	4800 / 1400 / 740	**3446**	169	0,46

Two-piece conference table with barrel-shaped top







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L322	3200 / 1400 / 740	**2636**	118	0,38
L402	4000 / 1400 / 740	**3093**	142	0,42
L482	4800 / 1400 / 740	**3572**	165	0,46

L-Line / Conference tables


Square conference table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L140	1400 / 1400 / 740	**1626**	56	0,25


Square conference table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L160	1600 / 1600 / 740	**1773**	71	0,30

Extension module for conference tables



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L926	1400 / 1000 / 740	**893**	34	0,12
L923	2000 / 1000 / 740	**964**	46	0,15
L925	1400 / 1200 / 740	**1080**	42	0,14
L921	2000 / 1200 / 740	**1179**	56	0,18
L924	1400 / 1400 / 740	**1374**	52	0,17
L920	2000 / 1400 / 740	**1473**	70	0,21

* Impossible to order modules to the tables ordered earlier.

L-Line E

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 25 mm thick chipboard top.

FRAME

- Self-supporting steel structure bolted with two undertop beams.
- T-shaped legs with rectangular cross-section 50x80 mm.

HEIGHT ADJUSTMENT

- Electric height adjustment within range: 625 - 1275 mm.
- Movement speed: 80 mm/s.
- SUPERIOR control panel for L-Line E table as standard.
- PREMIUM control panel for L-Line E table as an option.


CABLE MANAGEMENT

- Fold-down cable channel as standard.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Anti-collision sensor as standard.
- For additional elements such as: partitions, cable outlets and PC-holders, please specify mounting position.
- Possibility to select a chromium-plated foot as an option with a surcharge.

One-piece conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LLEP200090074	2000 / 900 / 625-1275	**2085**	68	0,29
LLEP220100074	2200 / 1000 / 625-1275	**2111**	77	0,35
LLEP240120074	2400 / 1200 / 625-1275	**2150**	92	0,46

Two-piece conference table




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LLEP400090074	4000 / 900 / 625-1275	**3205**	132	0,52
LLEP440100074	4400 / 1000 / 625-1275	**3218**	150	0,62
LLEP480120074	4800 / 1200 / 625-1275	**3294**	179	0,88

One-piece conference table with barrel-shaped top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LLEB200090074	2000 / 900 / 625-1275	**2105**	68	0,29
LLEB220100074	2200 / 1000 / 625-1275	**2131**	77	0,35
LLEB240120074	2400 / 1200 / 625-1275	**2170**	92	0,46

Two-piece conference table with barrel-shaped top



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LLEB400090074	4000 / 900 / 625-1275	**3242**	132	0,52
LLEB440100074	4400 / 1000 / 625-1275	**3280**	150	0,62
LLEB480120074	4800 / 1200 / 625-1275	**3332**	179	0,88

Occasional tables

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top made of 25 mm thick board.

FRAME

- Leg with square cross section profile 70x70.
- Column with cross base.
- Powder-coated cross feet. Chromium plated cross feet as an option with a surcharge.


HEIGHT

- Fixed height 740 mm, leveling feet +/- 5 mm.
- Fixed height 500 mm, leveling feet +/- 5 mm.
- Fixed height 1050 mm, leveling feet +/- 5 mm.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Round occasional table with cross foot




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L101	800 / 800 / 500	**624**	17	0,10
L102	800 / 800 / 740	**635**	18	0,10
L103	800 / 800 / 1050	**695**	19	0,11

Square occasional table with cross foot



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L112	800 / 800 / 500	**571**	20	0,10
L110	800 / 800 / 740	**585**	21	0,10

Square occasional table with cross foot



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
L111	700 / 700 / 1050	**593**	20	0,09

XIX. Amara

Amara tables are ideal for conference rooms as well as executive offices. Their universal design allows them to be used both as a workstation and meeting place. There are several configuration options and two table types - symmetrical and asymmetrical. The collection is available in the full range of MARO color scheme.

Conference table

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Top finished with 2 mm thick plastic edge (ABS/ PP) and 2 mm radius.
- Tops made of 25 mm thick panel board.

FRAME

- Frame made of metal profiles with rectangular cross-section 60x30 mm joined with a metal base.
- Powder-coated.

HEIGHT


- Fixed height: 740 mm.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Symmetrical conference table






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QLTS61	1800 / 1000 / 740	**2022**	58,94	0,001
QLTS71	2000 / 1000 / 740	**2101**	65,49	0,001
QLTS81	2200 / 1000 / 740	**2181**	72,04	0,002
QLTS91	2400 / 1000 / 740	**2261**	78,59	0,002
QLTS62	1800 / 1200 / 740	**2335**	64,79	0,002
QLTS72	2000 / 1200 / 740	**2412**	71,99	0,002
QLTS82	2200 / 1200 / 740	**2487**	79,19	0,002
QLTS92	2400 / 1200 / 740	**2564**	86,39	0,002
QLTS63	1800 / 1400 / 740	**2635**	70,64	0,002
QLTS73	2000 / 1400 / 740	**2707**	78,49	0,002
QLTS83	2200 / 1400 / 740	**2780**	86,34	0,002
QLTS93	2400 / 1400 / 740	**2852**	94,19	0,002
QLTS64	1800 / 1600 / 740	**2923**	76,49	0,002
QLTS74	2000 / 1600 / 740	**2996**	84,99	0,002
QLTS84	2200 / 1600 / 740	**3086**	93,49	0,003
QLTS94	2400 / 1600 / 740	**3141**	101,99	0,003

Asymmetrical conference table





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
QLT61	1800 / 1000 / 740	**2022**	58,94	0,001
QLT71	2000 / 1000 / 740	**2101**	65,49	0,001
QLT81	2200 / 1000 / 740	**2181**	72,04	0,002
QLT91	2400 / 1000 / 740	**2261**	78,59	0,002
QLT62	1800 / 1200 / 740	**2335**	64,79	0,002
QLT72	2000 / 1200 / 740	**2412**	71,99	0,002
QLT82	2200 / 1200 / 740	**2487**	79,19	0,002
QLT92	2400 / 1200 / 740	**2564**	86,39	0,002
QLT63	1800 / 1400 / 740	**2365**	70,64	0,002
QLT73	2000 / 1400 / 740	**2707**	78,49	0,002
QLT83	2200 / 1400 / 740	**2780**	86,34	0,002
QLT93	2400 / 1400 / 740	**2852**	94,19	0,002
QLT64	1800 / 1600 / 740	**2923**	76,49	0,002
QLT74	2000 / 1600 / 740	**2996**	84,99	0,002
QLT84	2200 / 1600 / 740	**3068**	93,49	0,003
QLT94	2400 / 1600 / 740	**3141**	101,99	0,003


XX.

Fineze

Fineze is a wide collection of shelf units that can be used not only in executive rooms, but also
in other areas of an office. Fineze features shelf units of different shapes, self-standing and wall-fixed. A wide range of colors of both melamine boards and metal elements allows you to match the finishes of the shelves to the existing office design. The most demanding ones will appreciate a model which, thanks to the shelves made of glass orquartz sinter , will fit perfectly into extraordinary interiors.


Shelf units

Fineze Box




Width:
700 mm
Depth:
420 mm
Height:
2000 mm

Fineze Case




Width:
900 mm
Depth:
400 mm
Height:
2000 mm

Fineze Case 2




Width:
900 mm
Depth:
380 mm
Height:
2000 mm

Fineze Classic




Width:
1300 mm
Depth:
420 mm
Height:
1990 mm

Fineze P




Width:
900 mm
Depth:
380 mm
Height:
2000 mm

Fineze T




Width:
1200 mm
Depth:
440 mm
Height:
1990 mm

Fineze Tri




Width:
2320 mm
Depth:
390 mm
Height:
2400 mm

Fineze X




Width:
1300 mm
Depth:
420 mm
Height:
2000 mm

Fineze X2




Width:
1200 mm
Depth:
392 mm
Height:
1990 mm

Fineze Y




Width:
1100 mm
Depth:
350 mm
Height:
2000 mm

Fineze 2L



Width:
1000 mm
Depth:
420 mm
Height:
1990 mm


Fineze III



Width:
900 mm
Depth:
366 mm
Height:
2000 mm

Shelf units

Fineze U



Width:
440/844/1248/1652/2056/2460 mm

Depth:
360 mm

Height:
1911/2254 mm

Shelf units

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Max. shelf load: 10 kg.

Fineze Box

- 18 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 20x20 mm profiles.
- Carcass height: 2000 mm + leveling feet Ø 20 mm +10 mm.


Fineze Case


- Carcass, top, floor, fronts and shelves made of 18 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 20x20 mm profile.
- Carcass height: 2000 mm+leveling feet 2x Ø 60 mm and 2x Ø 20 mm +10 mm.
- Cabinet with Push to Open door and 110 ° hinges with soft close automatic mechanism.
- STANDARD and TREND group colors available for panel boards and metals.

Fineze Case 2

- 12 mm thick glass(standard) or quartz sinter shelves (surcharge).
- Powder-coated frame made of 20x20 mm profile.
- Carcass, top, floor, back wall and fronts made of 18 mm thick chipboard finished with 2 mm thick ABS plastic edge and 2 mm radius.
- Cabinet with Push to Open door and 110° hinges with soft close automatic mechanism.
- Carcass height: 2000 mm+ leveling feet 2x Ø 20 mm +10 mm.
- Shelf unit fixed to wall. Mounting kit delivered.
- STANDARD and TREND group colors available for panel boards and metals.


Fineze Box






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN7042200B	700 / 420 / 2000	996	42	0,64


Fineze Case






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN9040200C	900 / 400/ 2000	1072	47	0,78

Fineze Case 2





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN9038200C	700 / 380/ 2000	1301	28	0,002
Surcharge for quartz sinter shelves		+177		


* Carcass height

Fineze / Shelf units

Fineze Classic

- 25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
– Frame made of 60x20 mm profile.
- Carcass height: 1990 mm+ leveling feet Ø 60 mm +10 mm.
- Only STANDARD group colors available for panel boards. Metals available in STANDARD and TREND group colors.

Fineze Classic




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN13042199C	1300 / 420 / 1990	**936**	67	0,21

Fineze P

–Carcass, top, floor, back wall and shelves made of 18 mm thick chipboard finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
–Carcass height: 2000 mm + leveling feet Ø20 mm +10 mm.
–STANDARD and TREND group colors available for panel boards.

Fineze P




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN9038200P	900 /380 / 2000	**523**	43	0,74

Fineze T

–25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
–Powder-coated frame made of 5 mm thick sheet metal and 60x20 mm profile.
–Carcass height: 1990 mm + leveling feet Ø 60 mm +10 mm.
–Only STANDARD group colors available for panel boards. Metals available in STANDARD and TREND group colors.

Fineze T




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN12044199T	1200 /440 / 1990	**1007**	76	0,002

* Carcass height

Fineze Tri

- 25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 4 mm thick sheet metal.
- Carcass height: 2400 mm+ rubber self-adhesive feet.
- Shelf unit fixed to wall. Mounting kit delivered.
- Only STANDARD group colors available for panel boards. Metal elements available in STANDARD and TREND group colors.

Fineze Tri




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN23238240T	2320 / 390 / 2400	**1474**	88	0,002

Fineze X

- 25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 20x20 mm profiles.
- Carcass height: 2000 mm + leveling feet Ø 20 mm +10 mm.
- Only STANDARD group colors available for panel boards. Metals available in STANDARD and TREND group colors.

Fineze X




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN13042200X	1300 /420 /2000	799	60	0,212

Fineze X2

- 25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 6 mm thick sheet metal.
- Carcass height: 2000 mm +transparent silicone profile feet 2 mm.
- Only STANDARD group colors available for panel boards. Metals available in STANDARD and TREND group colors.

Fineze X2



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN12039199X	1200 /392 /1990	**1897**	132	1,010


* Carcass height

Fineze / Shelf units

Fineze Y

- Chipboard shelves 18 mm (3 top pcs.) and 25 mm (2 bottom pcs.) thick. Only STANDARD group colors available.
- Powder-coated metal frame.
- Shelves suspended on steel cords.
- Carcass height: 2000 mm + leveling feet Ø 60 mm +10 mm with chromium-plated covers.
- Shelf unit fixed to wall. Mounting kit delivered.
- Only STANDARD group colors available for panel boards. Metal elements available in STANDARD and TREND group colors.

Fineze Y




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN11035200Y	1100 / 350 / 2000	1379	48	0,85

Fineze 2L

- 25 mm thick chipboard shelves finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Powder-coated frame made of 8 mm thick sheet metal.
- Carcass height: 1990 mm + transparent silicone profile feet 2 mm.
- Only STANDARD group colors available for panel boards. Metals available in STANDARD and TREND group colors.

Fineze 2L




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN10046199L	1000 /460 /1990	1462	163	0,90

Fineze III

- Carcass and shelves made of 18 mm thick chipboard finished with 2 mm thick ABS/PP plastic edge and 2 mm radius.
- Floor made of 25 mm thick chipboard finished with 2 mm thick ABS/PP plastic edge and 3 mm radius
- Carcass height: 2000 mm +eveling feet Ø 60 mm – +10 mm.
- Shelf unit fixed to wall. Mounting kit delivered. Only STANDARD group colors available for panel boards. Metal elements available in STANDARD and TREND group colors.

Fineze III




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
FN9037200F	900 /366 / 2000	513	30	0,72

* Carcass height

Fineze U

- Carcass made of 36 mm thick panel board, shelves made of 18 mm thick panel board finished with 2 mm thick plastic edge (ABS/PP) and 2 mm radius.
- Possibility to adjust the width in increments, every 404 mm.
- Carcass height 5OH 1911 mm + leveling feet in adjustment range +10 mm.
- Carcass height 6OH 2554 mm + leveling feet in adjustment range +10 mm.

Fineze U



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
MXO751	440 / 360 / 1911	**825**	0,30	41,47
MXO752	844 / 360 / 1911	**1475**	0,58	57,56
MXO753	1248 / 360 / 1911	**2126**	0,85	73,66
MXO754	1652 / 360 / 1911	**2776**	1,13	89,76
MXO755	2056 / 360 / 1911	**3427**	1,41	105,86
MXO756	2460 / 360 / 1911	**4077**	1,69	121,96
MXO761	440 / 360 / 2254	**907**	0,35	48,79
MXO762	844 / 360 / 2254	**1623**	0,68	67,78
MXO763	1248 / 360 / 2254	**2337**	1,01	86,77
MXO764	1652 / 360 / 2254	**3053**	1,34	105,75
MXO765	2056 / 360 / 2254	**3768**	1,66	124,74
MXO766	2460 / 360 / 2254	**4483**	1,99	143,73


XXI.

Lusso


Lusso is a collection featuring a large selection of occasional tables in various shapes and finishes. The offer includes tables with metal, melamine board, glass and quartz sinter tops. The right choice of materials and colors will make the tables fit in with the existing designs. This is a proposal for plenty of office areas such as a lobby, waiting room, cafeteria or executive rooms.

Occasional tables

Lusso 1




Width:
450 mm
Depth:
450 mm
Height:
500 mm



Width:
450 mm
Depth:
450 mm
Height:
500 mm




Width:
450 mm
Depth:
450 mm
Height:
500 mm



Width:
450 mm
Depth:
450 mm
Height:
500 mm



Width:
450 mm
Depth:
450 mm
Height:
500 mm



Width:
450 mm
Depth:
450 mm
Height:
500 mm



Width:
505 mm
Depth:
505 mm
Height:
500 mm

Lusso 2



Width:
505 mm
Depth:
505 mm
Height:
500 mm



Width:
700 mm
Depth:
700 mm
Height:
500 mm




Width:
900 mm
Depth:
900 mm
Height:
500 mm



Width:
900 mm
Depth:
900 mm
Height:
500 mm




Width:
900 mm
Depth:
900 mm
Height:
350 mm




Width:
900 mm
Depth:
900 mm
Height:
350 mm


Lusso 3




Width:
810 mm
Depth:
810 mm
Height:
451 mm




Width:
670 mm
Depth:
670 mm
Height:
451 mm



Width:
600 mm
Depth:
600 mm
Height:
405 mm




Width:
1200 mm
Depth:
700 mm
Height:
305 mm




Width:
1200 mm
Depth:
1200 mm
Height:
305 mm

Occasional tables


Lusso 4



Width:
900 mm
Depth:
900 mm
Height:
400 mm




Width:
1200 mm
Depth:
1200 mm
Height:
400 mm




Width:
1200 mm
Depth:
800 mm
Height:
400 mm


Lusso 5




Width:
900 mm
Depth:
900 mm
Height:
400 mm




Width:
900 mm
Depth:
900 mm
Height:
400 mm




Width:
1400 mm
Depth:
500 mm
Height:
400 mm



Width:
1600 mm
Depth:
550 mm
Height:
400 mm



Width:
2000 mm
Depth:
650 mm
Height:
400 mm



Width:
2000 mm
Depth:
650 mm
Height:
400 mm

Lusso 6



Width:
435 mm
Depth:
320 mm
Height:
680 mm


Lusso 1

STRUCTURE


- Blat wykonany z blachy o grubości 3 mm. Frames made of 4 mm, 5 mm or 6 mm thick sheet metal and Ø 25, Ø 28 and Ø 32 profiles.
- Feet made of 5 mm thick sheet metal, no adjustment.
- Top made of 3 mm thick sheet metal.

COLORS

- Metals available in STANDARD and TREND group colors.




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAA045045050	450 / 450 / 500	345	7	0,13




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAB045045050	450 / 450 / 500	410	9	0,13


Lusso / Occasional tables




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAE045045050	450 / 450 / 500	345	6	0,13




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAI050050050	505 /505 /500	537	6	0,16



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAF045045050	450 / 450/ 500	465	12	0,13



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAG045045050	450 /450 / 500	432	8	0,13



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUAH045045050	450 / 450 / 500	436	7	0,13


Lusso 2

STRUCTURE


–5 mm thick sheet metal frames.
–Feet made of 5 mm thick sheet metal, no adjustment.
–Optional glass top (12 mm),quartz sinter top
–(12 mm)(option) or melamine board top (18 mm) (standdard).

COLORS


- Metals available in STANDARD and TREND group colors.
- Melamine boards available in STANDARD and TREND group colors.
- Glass available in Black Lacobel or White Lacobel colors.
- Quartz sinter colors according to MARO offer.




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUBA050050050	500 / 500 / 506	641	8	0,16
Surcharge for glass	500 /500 /500	+121	13	
Surcharge for quartz sinter top		+417	13	



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUBB070070050	700 / 700 / 506	756	10	0,30
Surcharge for glass	700 / 700 /500	+288	17	
Surcharge for quartz sinter top		+852	17	




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUBA090090050	900 / 900 / 506	772	15	0,48
Surcharge for glass	900 / 900 /500	+594	30	
Surcharge for quartz sinter top		+1532	30	




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUBB090090050	900 / 900 / 506	802	14	0,48
Surcharge for glass	900 / 500 / 500	+595	25	
Surcharge for quartz sinter top		+1533	25	

Lusso / Occasional tables



Product Code	Dimensions	Price	Weight	Vol.
LUBA090090035	900 / 900 / 356	**736**	14	0,35
Surcharge for glass	900 / 900 / 350	**+594**	29	
Surcharge for quartz sinter top		**+1532**	29	



Product Code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
LUBB090090035	900/ 900 / 356	**716**	13	0,35
Surcharge for glass top	900 / 900 / 350	**+ 595**	24	
Surcharge for quartz sinter top		**+ 1533**	24	


Lusso 3

STRUCTURE


–Frames made of 2 mm or 3 mm thick sheet metal.
–Feet made of 5 mm thick sheet metal, no adjustment.
–Optional glass top (Lacobel - 12 mm oquartz sinter top (12 mm) (option).

COLORS


- Metals available in STANDARD and TREND group colors.
- Glass available in Black Lacobel or White Lacobel colors.
- Quartz sinter colors according to MARO offer.



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUCB081081045	810 / 810 / 451	**1170**	30	0,368
Surcharge for quartz sinter top		**+764**		





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUCA067067045	670 /670 / 451	**752**	28	0,295
Surcharge for quartz sinter top		**+616**		




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUCA060060040	600 / 600 / 405	**714**	22	0,221
Surcharge for quartz sinter top		**+491**		


Lusso / Occasional tables





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUCC120070030	1200/ 700 / 305	**1047**	33	0,372
Surcharge for quartz sinter top		**+1157**		





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUCD120120030	1200 / 1200 / 305	**2041**	42	0,561
Surcharge for quartz sinter top		**+1663**		


Lusso 4

STRUCTURE


–5 mm thick sheet metal frames.
–Feet made of 5 mm thick sheet metal, no adjustment.
–Optional glass top (12 mm),quartz sinter top
–(12 mm) (option) or melamine board top (18 mm) (standard).

COLORS


- Metals available in STANDARD and TREND group colors.
- Melamine boards available in STANDARD and TREND group colors.
- Glass available in Black Lacobel or White Lacobel colors.
- Quartz sinter colors according to MARO offer.



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUDA090090040	900 / 900 / 406	1163	15	0,62
Surcharge for glass top	900 / 900 /400	+596	29	
Surcharge for quartz sinter top		+1544	29	



Product Code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
LUDB120120040	1200 / 1200 /406	1195	17	0,108
Surcharge for glass top	1200 / 1200/400	+1178	34	
Surcharge for quartz sinter top		+2843	34	



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUDA120080040	1200 / 800 / 406	1004	29	0,73
Surcharge for glass top	1200 / 800 /400	+437	40	
Surcharge for quartz sinter top		+1760	40	


Lusso 5

STRUCTURE


–5 mm thick sheet metal frames.
–Feet made of 5 mm thick sheet metal, no adjustment.
–Optional glass top (12 mm),quartz sinter top
–(12 mm)(option) or melamine board top (18 mm) (standard).

COLORS


- Metals available in STANDARD and TREND group colors.
- Melamine boards available in STANDARD and TREND group colors.
- Glass available in Black Lacobel or White Lacobel colors.
- Quartz sinter colors according to MARO offer.



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUEB090090040	900 / 900 / 406	**666**	11	0,32
Surcharge for glass top	900 / 900 / 400	**+610**	23	
Surcharge for quartz sinter top		**+1583**	23	




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUEA090090040	900 / 900 / 406	**666**	11	0,32
Surcharge for glass top	900 / 900 /400	**+610**	23	
Surcharge for quartz sinter top		**+1583**	23	




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
LUEC140050040	1400/ 500 / 406	**612**	10,2	0,28
Surcharge for glass top	1400 / 500 /400	**+599**	19,8	
Surcharge for quartz sinter top		**+1515**	19,8	


Lusso / Occasional tables



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LUEC160055040	1600/ 550 / 406	**635**	11,8	**0,36**
Surcharge for glass top	1600 / 550 /400	**+854**	24	
Surcharge for quartz sinter top		**+2199**	24	




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LUEC200065040	2000/ 650 / 406	**650**	17,4	0,52
Surcharge for glass top	2000 /650 /400	**+1050**	35,7	
Surcharge for quartz sinter top		**+2710**	35,7	



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LUED200065040	2000/ 650 / 406	**986**	27,8	0,52
Surcharge for glass top	2000 / 650 /400	**+1714**	58,7	
Surcharge for quartz sinter top		**+3884**	58,7	

Lusso 6



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
LUPO042032068	435 / 320 / 680	**229**	6,5	0,01

STRUCTURE

–Base made of 8 mm thick sheet metal and Ø 20mm profiles, powder-coated.
- Top made of chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Chipboard with reduced formaldehyde emission, E1 standard.

COLORS

–Metal: STANDARD and TREND groups.
Tops: full MARO color scheme.

ADDITIONAL INFORMATION:

–Base is equipped with plastic caps to prevent surface scratches.

XXII. Emel


Emel is a collection of reception counters with exceptional finishes. It features straight and curved reception counters that enable to build multi-piece set-ups. The reception counters are covered with HPL laminate and are available in different finishes: plain front (with or without a base), front with a decorative profile (with or without a base) or front with LED ambient light.

Additionally, board or Satinato or Black Opti glass add-on counter tops are available. A wide range of accessories enables to create an ergonomic work station with esthetically managed cables.

Emel

Standalone curved reception counters

R: 1600 mm
90°




H: 970 mm

R: 1600 mm
45°



H: 970 mm


R: 1600 mm
45°



Internal

H: 970 mm


R: 1600 mm
45°



Low

H:740 mm

R: 3000 mm
45°



H: 970 mm


R: 3000 mm
45°




Internal

H: 970 mm

Straight reception counters




H: 970 mm



Low reception counter


H:740 mm

Multi-element straight reception counters




Front element

H: 970 mm




Front element L/P

H: 970 mm




Middle element

H: 970 mm



Side closing element L/ P

H: 970 mm




Side add-on element L/ P


H: 970 mm

Add-on tops for curved reception counters


R: 1600 mm
90°



R: 1600 mm
45°




R: 1600 mm
45°




External

R: 3000 mm
45°




R: 3000 mm
45°



Internal


Add-on top for straight reception counter

Straight reception counters




Add-on tops for multi-element straight reception counters


Front element L/P




Middle element



Side closing element




Side add-on element



Emel


Standalone curved illuminated reception counters

R: 1600 mm
90°




H: 970 mm

R: 3000 mm
45°




H: 970 mm

Straight illuminated reception counter




H: 970 mm

Straight illuminated multi-element reception counters




Front element

H: 970 mm




Front element L/P

H: 970 mm




Middle element

H: 970 mm



Side closing element

H: 970 mm




Side add-on element


H: 970 mm

Add-on tops for illuminated curved reception counters

R: 1600 mm
90°




R: 3000 mm
45°




Add-on tops for illuminated straight reception counters


Straight reception counters




Front element




Front element L/P




Middle element



Side closing element




Side add-on element




Optional elements - add-on tables

Add-on table for straight reception counter




H:820 mm

Add-on table for curved reception counter



H:820 mm


Add-on table for curved reception counter





H:820 mm

Emel / Exemplary sets


Set 1










Set 2










Set 3










Set 4









Set 5










Emel / Exemplary sets


Set 6










Set 7










Set 8










Set 9









Set 10








Emel / Equipment

Front types


Emel 1

Plain reception counters without bases




Emel 2

Plain reception counters with bases




Emel 3

Reception counters with decorative profiles




Emel 4

Reception counters with decorative profiles and bases




Emel 5

Illuminated reception counters




Reception counters - de tails

Add-on top




Board or glass

Outlet




Scallop cut-out

Illuminated front




Illuminated profile in Emel 5 reception counter

Front with decorative profile




Decorative profiles in brushed aluminum color in Emel 3 and Emel 4 reception counters

Base




Decorative base in brushed aluminum color in Emel 2 and Emel 4 reception counters

Dimensions of curved reception counter presented in cross section



Dimensions of straight reception counter presented in cross section




Additional information

1. The color of HPL laminate for the front part of the front, the inner part of the front and add-on top can be chosen independently.
2. There is a possibility to change the length of the elements of: straight reception counters - surcharge+ 15 EUR curved reception counters - surcharge: + 40%EUR to the price of the most similar element.
3. Note that the radii in curved reception
4. Panel legs can be replaced by metal ones in sets - it does not change the price of the reception counter.

Emel / Accessories


Vertical cable management

UW 02




FLEXIBLE CABLE CHANNEL

UW 14/UW 15



SPRING CABLE CHANNEL


UW 18



ADD-ON CABLE CHANNEL


Horizontal cable management

DD 91




COMB CABLE CLASP

DL01/ DL 02



FIXED CABLE CHANNEL FOR STRAIGHT RECEPTION COUNTER


DL 03



FIXED CABLE CHANNEL FOR CURVED RECEPTION COUNTER

Netboxes


UW 36 / UW 35P / UW 35D / UW 34P/ UW 34U / UW 34Da



POWER CIRCLE S/M/ L


Complementary accessories

UW 20




PC HOLDER

UW 25/ UW 24




PC HOLDER WITH PERFORATED PANEL

UW 21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER


Standalone curved reception counters

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Elliptic ergonomic outlet as standard.

RECEPTION COUNTER FRONT

- Skeleton construction covered with 0.8 mm thick HPL laminate.
- Fronts are equipped with leveling feet +10 mm.
- The elements of reception counters are connected with Lamello screw joiners.



ADD-ON TOP

- All low Emel reception counters can be equipped with add-on tops (as an option with a surcharge) affixed on 70 mm high chromium-plated plinths Ø 60 mm in diameter.
- Add-on tops are available in two options: board and glass.
- 12 mm thick glass add-on tops are finished with Satinato or Black Opti Glass.
- 12 mm thick board add-on tops covered with 0.8 mm thick HPL laminate with 2 mm thick ABS/PP plastic edge with 2 mm radius.


ADDITIONAL EQUIPMENT

- Horizontal cable channels for curved reception counters affixed to the inner side of the fronts or under the work top or flexible cable channels affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- Bases and decorative elements of reception counters are available only in brushed aluminum color.
- Due to technology, the sets of reception counters are produced as an inseparable whole and it is impossible to order additional elements later.
- While placing your order, please specify the position of the reception counter (drawing) and the colors of: the fronts (outer, inner), work top, metal elements. While selecting an add-on top, please specify the type (glass or board) and finish (Black Opti or Satinato) or the color of add-on top and its edge.


Curved reception counter R: 1600 mm 90°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML10	2263/ 780 / 960	2477	61	0,04
Emel 2	ML01	2263/ 780 / 960	2991	61	0,04
Emel 3	ML11	2263 / 780 / 960	3096	61	0,04
Emel 4	MK01	2263/ 780 / 960	3669	63	1,93

Surcharge for HPL board add-on top 2387 mm +1005
Surcharge for glass add-on top 2387 mm +2126

Curved reception counter R: 1600 mm 45°




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML52	1224 / 780 / 960	2345	38	1,06
Emel 2	ML32	1224 / 780 / 960	2817	38	0,04
Emel 3	ML42	1224 / 780 / 960	2863	38	0,04
Emel 4	MK02	1224 / 780 / 960	3502	38	0,04

Surcharge for HPL board add-on top 1280 mm +684
Surcharge for glass add-on top 1280 mm +1026

Emel / Standalone curved reception counters


Curved reception counter R: 1600 mm 45°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML55	1762/ 780 / 960	2406	45	1,51
Emel 2	ML35	1762 / 780 / 960	2900	45	1,51
Emel 3	ML45	1762 / 780 / 960	2930	45	1,51
Emel 4	MK03	1762 / 780 / 960	3588	45	1,51


Surcharge for HPL board add-on top 1280 mm +684
Surcharge for glass add-on top 1280 mm +1026

Curved reception counter R: 1600 mm 45°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML50	1380 / 980 / 960	2215	40	1,43
Emel 2	ML30	1380 / 980 / 960	2667	40	1,48
Emel 3	ML40	1380 / 980 / 960	2712	40	1,48
Emel 4	MK04	1380 / 980 / 960	3293	40	1,48


Curved reception counter R: 3000 mm 45°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML51	2296 / 780 / 960	2462	65	1,97
Emel 2	ML31	2296 / 780 / 960	2966	65	1,97
Emel 3	ML41	2296 / 780 / 960	3006	65	1,97
Emel 4	MK05	2296 / 780 / 960	3678	65	1,95

Surcharge for HPL board add-on top 2351 mm +900
Surcharge for glass add-on top 2351 mm +1 997

Curved reception counter R: 3000 mm 45°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	ML54	2816 / 780 / 960	2704	73	2,40
Emel 2	ML34	2816 / 780 / 960	3226	73	2,40
Emel 3	ML44	2816 / 780 / 960	3312	73	2,40
Emel 4	MK06	2816 / 780 / 960	3969	73	2,40

Surcharge for HPL board add-on top 2351 mm +900
Surcharge for glass add-on top 2351 mm +1 997


Standalone straight reception counters

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Scallop cut-out as standard.

RECEPTION COUNTER FRONT

- Skeleton construction covered with 0.8 mm thick HPL laminate.
- Fronts are equipped with leveling feet +10 mm.
- The elements of reception counters are connected with Lamello screw joiners.



ADD-ON TOP

- All low Emel reception counters can be equipped with add-on tops (as an option with a surcharge) affixed on 70 mm high chromium-plated plinths Ø 60 mm in diameter.
- Add-on tops are available in two finishes: board and glass.
- 12 mm thick glass add-on tops are finished with Satinato or Black Opti Glass.
- 12 mm thick board add-on tops covered with 0.8 mm thick HPL laminate with 2 mm thick ABS/PP plastic edge with 2 mm radius.


ADDITIONAL EQUIPMENT

- Horizontal cable channels for the fronts of straight reception counters affixed to the inner side of the fronts or under the work top or flexible cable channels affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- Bases and decorative elements of reception counters are available in brushed aluminum color.
- Due to technology, the sets of reception counters are produced as an inseparable whole and it is impossible to later order additional elements.
- While placing your order, please specify the position of the reception counter (drawing) and the colors of: the fronts (outer, inner), work top, metal elements. While selecting an add-on top, please specify the type (glass or board) and finish (Black Opti or Satinato) or the color of add-on top and its edge.

High straight reception counter





Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	ML59 ML04 ML18 MK07	800 / 780 / 960 800 / 780 / 960 800 / 780 / 960 800 / 780 / 960	1205 1485 1516 1878	32 32 32 32	0,71 0,71 0,71 0,71
Surcharge for HPL board add-on top 785 mm Surcharge for glass add-on top 785 mm			+476 +529		
Emel 1 Emel 2 Emel 3 Emel 4	ML58 ML03 ML17 MK08	1200 / 780 / 960 1200 / 780 / 960 1200 / 780 / 960 1200 / 780 / 960	1370 1605 1724 2134	41 41 41 41	1,04 1,04 1,04 1,04
Surcharge for HPL board add-on top 1185 mm Surcharge for glass add-on top 1185 mm			+529 +713		
Emel 1 Emel 2 Emel 3 Emel 4	ML57 ML02 ML16 MK09	1600 / 780 / 960 1600 / 780 / 960 1600 / 780 / 960 1600 / 780 / 960	1578 1941 1983 2456	50 50 50 50	1,38 1,38 1,38 1,38
Surcharge for HPL board add-on top 1585 mm Surcharge for glass add-on top 1585 mm			+584 +881		
Emel 1 Emel 2 Emel 3 Emel 4	ML91 ML82 ML81 MK10	2000 / 780 / 960 2000 / 780 / 960 2000 / 780 / 960 2000 / 780 / 960	1689 1988 2116 2622	61 61 61 61	1,73 1,73 1,73 1,73
Surcharge for HPL board add-on top 1985 mm Surcharge for glass add-on top 1985 mm			+618 +1092		
Emel 1 Emel 2 Emel 3 Emel 4	ML56 ML36 ML46 MK11	2400 / 780 / 960 2400 / 780 / 960 2400 / 780 / 960 2400 / 780 / 960	1773 2156 2225 2727	69 69 69 69	2,06 2,06 2,06 2,06
Surcharge for HPL board add-on top 2385 mm Surcharge for glass add-on top 2385 mm			+695 +1200		


Emel / Standalone straight reception counters


Low straight reception counter

Low H:740 mm









Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	ML73 ML83 ML93 MK12	800 / 980 /740 800 / 980 /740 800 / 980 /740 800 / 980 /740	1142 1416 1448 1805	35 35 35 35	0,88 0,88 0,88 0,88
Emel 1 Emel 2 Emel 3 Emel 4	ML74 ML84 ML94 MK13	1200 / 980 /740 1200 / 980 /740 1200 / 980 /740 1200 / 980 /740	1291 1595 1633 2032	46 46 46 46	1,30 1,30 1,30 1,30
Emel 1 Emel 2 Emel 3 Emel 4	ML75 ML85 ML95 MK14	1600 / 980 /740 1600 / 980 /740 1600 / 980 /740 1600 / 980 /740	1473 1826 1870 2331	56 56 56 56	1,71 1,71 1,71 1,71
Emel 1 Emel 2 Emel 3 Emel 4	ML76 ML86 ML96 MK15	2000 / 980 /740 2000 / 980 /740 2000 / 980 /740 2000 / 980 /740	1578 1960 2000 2493	69 69 69 69	2,15 2,15 2,15 2,15
Emel 1 Emel 2 Emel 3 Emel 4	ML77 ML87 ML97 MK16	2400 / 980 /740 2400 / 980 /740 2400 / 980 /740 2400 / 980 /740	1643 2018 2083 2083	79 79 79 79	2,56 2,56 2,56 2,56


Multi-element reception counters

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Work top affixed to front at the height of 740 mm.
- Scallop cut-out as standard.

RECEPTION COUNTER FRONT

- Skeleton construction covered with 0.8 mm thick HPL laminate.
- Fronts are equipped with leveling feet +10 mm.
- The elements of reception counters are connected with Lamello screw joiners.



ADD-ON TOP

- All low Emel reception counters can be equipped with add-on tops (as an option with a surcharge) affixed on 70 mm high chromium-plated plinths Ø 60 mm in diameter.
- Add-on tops are available in two options: board and glass.
- 12 mm thick glass add-on tops are finished with Satinato or Black Opti Glass.
- 12 mm thick board add-on tops covered with 0.8 mm thick HPL laminate with 2 mm thick plastic edge with 2 mm radius.


ADDITIONAL EQUIPMENT

- Horizontal cable channels for the fronts of straight reception counters affixed to the inner side of the fronts or under the work top or flexible cable channel affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- Bases and decorative elements of reception counters are available only in brushed aluminum color.
- Due to technology, the se ts of reception counters are produced as an inseparable whole and it is impossible to order additional elements later.
- While placing your order, please specify the position of the reception counter (drawing) and the colors of: the fronts (outer, inner), work top, metal elements. While selecting an add-on top, please specify the type (glass or board) and finish (Black Opti or Satinato) or the color of add-on top and its edge.


Straight reception counter - front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	MP01 MC31 MR61 MK17	1600 / 780 / 960 1600 / 780 / 960 1600 / 780 / 960 1600 / 780 / 960	1588 1943 2098 2570	37 37 37 37	0,21 0,21 0,21 0,21
Surcharge for HPL board add-on top 1798 mm Surcharge for glass add-on top 1798 mm			+627 +1072		
Emel 1 Emel 2 Emel 3 Emel 4	MP02 MC32 MR62 MK18	2000 / 780 / 960 2000 / 780 / 960 2000 / 780 / 960 2000 / 780 / 960	1697 2081 2229 2741	48 48 48 48	0,26 0,26 0,26 0,26
Surcharge for HPL board add-on top 2198 mm Surcharge for glass add-on top 2198 mm			+705 +1262		
Emel 1 Emel 2 Emel 3 Emel 4	MP03 MC33 MR63 MK19	2400 / 780 / 960 2400 / 780 / 960 2400 / 780 / 960 2400 / 780 / 960	1788 2183 2342 5732	57 57 57 57	0,31 0,31 0,31 0,31
Surcharge for HPL board add-on top 2598 mm Surcharge for glass add-on top 2598 mm			+760 +1442		


Emel / Straight multi-element reception counters

Straight reception counter - left front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	MP04 MC34 MR64 MK20	1600 / 780 / 960	1590 1930 2026 2478	38	0,21
Surcharge for HPL board add-on top 1798 mm			+610		
Surcharge for glass add-on top 1798 mm			+972		
Emel 1 Emel 2 Emel 3 Emel 4	MP05 MC35 MR65 MK21	2000 / 780 / 960	1700 2070 2156 2644	49	0,26
Surcharge for HPL board add-on top 2198 mm			+686		
Surcharge for glass add-on top 2198 mm			+1123		
Emel 1 Emel 2 Emel 3 Emel 4	MP06 MC36 MR66 MK22	2400 / 780 / 960	1789 2169 2268 2774	58	0,31
Surcharge for HPL board add-on top 2598 mm			+739		
Surcharge for glass add-on top 2598 mm			+1279		

Straight reception counter - right front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	MP07 MC37 MR67 MK23	1600 / 780 / 960	1590 1930 2026 2478	38	0,21
Surcharge for HPL board add-on top 1798 mm			+610		
Surcharge for glass add-on top 1798 mm			+972		
Emel 1 Emel 2 Emel 3 Emel 4	MP08 MC38 MR68 MK24	2000 / 780 / 960	1700 2070 2156 2644	49	0,26
Surcharge for HPL board add-on top 2198 mm			+686		
Surcharge for glass add-on top 2198 mm			+1123		
Emel 1 Emel 2 Emel 3 Emel 4	MP09 MC39 MR69 MK25	2400 / 780 / 960	1789 2169 2268 2774	58	0,31
Surcharge for HPL board add-on top 2598 mm			+739		
Surcharge for glass add-on top 2598 mm			+1279		

Straight reception counter - left side closing element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	MP15 MC45 MR75 MK31	800 / 780 / 960	1128 1381 1399 1726	10	0,07
Surcharge for HPL board add-on top 972 mm			+463		
Surcharge for glass add-on top 972 mm			+600		


Straight reception counter - right side closing element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1 Emel 2 Emel 3 Emel 4	MP16 MC46 MR76 MK32	800 / 780 / 960	1128 1381 1399 1726	10	0,07
Surcharge for HPL board add-on top 972 mm			+463		
Surcharge for glass add-on top 972 mm			+600		


Emel / Straight multi-element reception counters

Straight reception counter - middle front element




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 1	MP10	800 / 780 / 960	**1205**	21	0,11
Emel 2	MC40	800 / 780 / 960	**1453**	21	0,11
Emel 3	MR70	800 / 780 / 960	**1474**	21	0,11
Emel 4	MK26	800 / 780 / 960	**1801**	21	0,11
Surcharge for HPL board add-on top 785 mm			+476		
Surcharge for glass add-on top 785 mm			+529		
Emel 1	MP11	1200 / 780 / 960	**1370**	30	0,16
Emel 2	MC41	1200 / 780 / 960	**1651**	30	0,16
Emel 3	MR71	1200 / 780 / 960	**1679**	30	0,16
Emel 4	MK27	1200 / 780 / 960	**2052**	30	0,16
Surcharge for HPL board add-on top 1185 mm			+529		
Surcharge for glass add-on top 1185 mm			+733		
Emel 1	MP12	1600 / 780 / 960	**1578**	39	0,21
Emel 2	MC42	1600 / 780 / 960	**1904**	39	0,21
Emel 3	MR72	1600 / 780 / 960	**1927**	39	0,21
Emel 4	MK28	1600 / 780 / 960	**2358**	39	0,21
Surcharge for HPL board add-on top 1585 mm			+584		
Surcharge for glass add-on top 1585 mm			+861		
Emel 1	MP13	2000 / 780 / 960	**1689**	50	0,26
Emel 2	MC43	2000 / 780 / 960	**2035**	50	0,26
Emel 3	MR73	2000 / 780 / 960	**2059**	50	0,26
Emel 4	MK29	2000 / 780 / 960	**2517**	50	0,26
Surcharge for HPL board add-on top 1985 mm			+686		
Surcharge for glass add-on top 1985 mm			+1123		
Emel 1	MP14	2400 / 780 / 960	**1773**	59	0,31
Emel 2	MC44	2400 / 780 / 960	**2137**	59	0,31
Emel 3	MR74	2400 / 780 / 960	**2167**	59	0,31
Emel 4	MK30	2400 / 780 / 960	**2649**	59	0,31
Surcharge for HPL board add-on top 2385 mm			+695		
Surcharge for glass add-on top 2385 mm			+1200		

Straight reception counter - left side add-on element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Work top depth 500					
Emel 1	MP17	1600 / 780 / 960	**1526**	31	0,18
Emel 2	MC47	1600 / 780 / 960	**1852**	31	0,18
Emel 3	MR77	1600 / 780 / 960	**1877**	31	0,18
Emel 4	MK33	1600 / 780 / 960	**2302**	31	0,18
Work top depth 700					
Emel 1	MP18	1600 / 780 / 960	**1536**	31	0,18
Emel 2	MC48	1600 / 780 / 960	**1863**	31	0,18
Emel 3	MR78	1600 / 780 / 960	**1888**	31	0,18
Emel 4	MK34	1600 / 780 / 960	**2314**	31	0,18
Surcharge for HPL board add-on top 1772 mm			+584		
Surcharge for glass add-on top 1772 mm			+972		
Work top depth 500					
Emel 1	MP19	2000 / 780 / 960	**1638**	42	0,23
Emel 2	MC49	2000 / 780 / 960	**1988**	42	0,23
Emel 3	MR79	2000 / 780 / 960	**2005**	42	0,23
Emel 4	MK35	2000 / 780 / 960	**2467**	42	0,23
Work top depth 700					
Emel 1	MP20	2000 / 780 / 960	**1647**	42	0,23
Emel 2	MC50	2000 / 780 / 960	**1999**	42	0,23
Emel 3	MR80	2000 / 780 / 960	**2015**	42	0,23
Emel 4	MK36	2000 / 780 / 960	**2476**	42	0,23
Surcharge for HPL board add-on top 2172 mm			+635		
Surcharge for glass add-on top 2172 mm			+1123		
Work top depth 500					
Emel 1	MP21	2400 / 780 / 960	**1726**	51	0,28
Emel 2	MC51	2400 / 780 / 960	**2086**	51	0,28
Emel 3	MR81	2400 / 780 / 960	**2116**	51	0,28
Emel 4	MK40	2400 / 780 / 960	**2524**	51	0,28
Work top depth 700					
Emel 1	MP22	2400 / 780 / 960	**1734**	51	0,28
Emel 2	MC52	2400 / 780 / 960	**2099**	51	0,28
Emel 3	MR82	2400 / 780 / 960	**2125**	51	0,28
Emel 4	MK41	2400 / 780 / 960	**2532**	51	0,28
Surcharge for HPL board add-on top 2572 mm			+691		
Surcharge for glass add-on top 2572 mm			+1279		

Straight reception counter - right side add-on element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Work top depth 500					
Emel 1	MP23	1600 / 780 / 960	**1526**	42	1,37
Emel 2	MC53	1600 / 780 / 960	**1852**	42	1,37
Emel 3	MR83	1600 / 780 / 960	**1877**	42	1,37
Emel 4	MK42	1600 / 780 / 960	**2302**	42	1,37
Work top depth 700					
Emel 1	MP24	1600 / 780 / 960	**1536**	42	1,37
Emel 2	MC54	1600 / 780 / 960	**1863**	42	1,37
Emel 3	MR84	1600 / 780 / 960	**1888**	42	1,37
Emel 4	MK43	1600 / 780 / 960	**2314**	42	1,37
Surcharge for HPL board add-on top 1772 mm			+584		
Surcharge for glass add-on top 1772 mm			+972		
Work top depth 500					
Emel 1	MP25	2000 / 780 / 960	**1628**	53	1,72
Emel 2	MC55	2000 / 780 / 960	**1988**	53	1,72
Emel 3	MR85	2000 / 780 / 960	**2005**	53	1,72
Emel 4	MK44	2000 / 780 / 960	**2467**	53	1,72
Work top depth 700					
Emel 1	MP26	2000 / 780 / 960	**1647**	53	1,72
Emel 2	MC56	2000 / 780 / 960	**1999**	53	1,72
Emel 3	MR86	2000 / 780 / 960	**2015**	53	1,72
Emel 4	MK45	2000 / 780 / 960	**2476**	53	1,72
Surcharge for HPL board add-on top 2172 mm			+635		
Surcharge for glass add-on top 2172 mm			+1123		
Work top depth 500					
Emel 1	MP27	2400 / 780 / 960	**1726**	61	2,05
Emel 2	MC57	2400 / 780 / 960	**2086**	61	2,05
Emel 3	MR87	2400 / 780 / 960	**2116**	61	2,05
Emel 4	MK46	2400 / 780 / 960	**2524**	61	2,05
Work top depth 700					
Emel 1	MP28	2400 / 780 / 960	**1734**	61	2,05
Emel 2	MC58	2400 / 780 / 960	**2099**	61	2,05
Emel 3	MR88	2400 / 780 / 960	**2125**	61	2,05
Emel 4	MK47	2400 / 780 / 960	**2532**	61	2,05
Surcharge for HPL board add-on top 2572 mm			+691		
Surcharge for glass add-on top 2572 mm			+1279		

Illuminated reception counters

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Scallop cut-out as standard.

RECEPTION COUNTER FRONT

- Skeleton construction covered with 0.8 mm thick HPL laminate.
- Fronts are equipped with leveling feet +10 mm.
- The elements of reception counters are connected with Lamello screw joiner

Emel 5



Straight illumination

Emel 5



Curved illumination

AMBIENT LIGHTENING

- The fronts of the reception counters are equipped with white LED light in white plastic profiles.

ADD-ON TOP

- All low Emel reception counters can be equipped with add-on tops (as an option with a surcharge) affixed on 70 mm high chromium-plated plinths Ø 60 mm in diameter.
- Add-on tops are available in two options: board and glass.
- 12 mm thick glass add-on tops are finished with Satinato or Black Opti Glass.
- 12 mm thick board add-on tops covered with 0.8 mm thick HPL laminate with 2 mm thick plastic edge with 2 mm radius.


ADDITIONAL EQUIPMENT

- Horizontal cable channels for the fronts of straight and curved reception counters affixed to the inner side of the fronts or under the work top or flexible cable channels affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Bases and decorative elements of reception counters are available only in brushed aluminum color.
- Due to technology, the sets of reception counters are produced as an inseparable whole and it is impossible to order additional elements later.
- While placing your order, please specify the position of the reception counter (drawing) and the colors of: the fronts (outer, inner), work top, metal elements. While selecting an add-on top, please specify the type (glass or board) and finish (Black Opti or Satinato) or the color of add-on top and its edge.

Curved reception counter with illuminated front
R: 1600 mm 90°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	ML21	2263 / 780 / 960	7423	68	0,04
Surcharge for HPL board add-on top 2387 mm			+ 1005		
Surcharge for glass add-on top 2387 mm			+ 2126		


Curved reception counter with illuminated front
R: 3000 mm 45°



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	ML20	2296 / 780 / 960	7176	71	0,04
Surcharge for HPL board add-on top 2351 mm			+ 900		
Surcharge for glass add-on top 2351 mm			+ 1997		


Emel / Multi-element illuminated reception counters

Straight reception counter with illuminated front




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML24**	800 / 780 / 960	3603	24	0,11
Surcharge for HPL board add-on top 800 mm			+476		
Surcharge for glass add-on top 800 mm			+529		
Emel 5	**ML22**	1600 / 780 / 960	4831	44	0,21
Surcharge for HPL board add-on top 1600 mm			+584		
Surcharge for glass add-on top 1600 mm			+861		
Emel 5	**ML25**	2400 / 780 / 960	5993	67	0,31
Surcharge for HPL board add-on top 2400 mm			+695		
Surcharge for glass add-on top 2400 mm			+1200		

Straight reception counter - front element




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML05**	1760 / 780 / 960	4831	46	0,23
Surcharge for HPL board add-on top 1760 mm			+634		
Surcharge for glass add-on top 1760 mm			+1082		
Emel 5	**ML09**	2560 / 780 / 960	5993	68	0,33
Surcharge for HPL board add-on top 2560 mm			+759		
Surcharge for glass add-on top 2560 mm			+1311		

Straight reception counter - left front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML15**	1680 / 780 / 960	4834	45	0,22
Surcharge for HPL board add-on top 1772 mm			+613		
Surcharge for glass add-on top 1772 mm			+976		
Emel 5	**ML19**	2480 / 780 / 960	5999	68	0,32
Surcharge for HPL board add-on top 2572 mm			+749		
Surcharge for glass add-on top 2572 mm			+984		


Straight reception counter - right front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML26**	1680 / 780 / 960	4834	45	0,22
Surcharge for HPL board add-on top 1680 mm			+613		
Surcharge for glass add-on top 1680 mm			+976		
Emel 5	**ML29**	2480 / 780 / 960	5999	68	0,32
Surcharge for HPL board add-on top 2480 mm			+749		
Surcharge for glass add-on top 2480 mm			+984		


Emel / Multi-element illuminated reception counters

Straight reception counter - middle front element



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML24**	800 / 780 / 960	3603	24	0,11
Surcharge for HPL board add-on top 785 mm			+476		
Surcharge for glass add-on top 785 mm			+529		
Emel 5	**ML22**	1600 / 780 / 960	4831	44	0,21
Surcharge for HPL board add-on top 1585 mm			+584		
Surcharge for glass add-on top 1585 mm			+861		
Emel 5	**ML25**	2400 / 780 / 960	5993	67	0,31
Surcharge for HPL board add-on top 2384 mm			+695		
Surcharge for glass add-on top 2384 mm			+1200		


Straight reception counter - left side add-on element





Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Work top depth 500					
Emel 5	**ML47**	1600 / 780 / 960	4777	36	0,18
Work top depth 700					
Emel 5	**ML48**	1600 / 780 / 960	4798	36	0,18
Surcharge for HPL board add-on top 1772 mm			+584		
Surcharge for glass add-on top 1772 mm			+972		
Work top depth 500					
Emel 5	**ML98**	2400 / 780 / 960	5940	59	0,28
Work top depth 700					
Emel 5	**ML99**	2400 / 780 / 960	5958	59	0,28
Surcharge for HPL board add-on top 2572 mm			+691		
Surcharge for glass add-on top 2572 mm			+1279		


Emel / Multi-element illuminated reception counters

Straight reception counter - right side add-on element











Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Work top depth 500					
Emel 5	**ML68**	1600 / 780 / 960	4777	49	1,37
Work top depth 700					
Emel 5	**ML69**	1600 / 780 / 960	4798	49	1,37
Surcharge for HPL board add-on top 1772 mm			+584		
Surcharge for glass add-on top 1772 mm			+972		
Work top depth 500					
Emel 5	**ML70**	2400 / 780 / 960	5940	72	2,05
Work top depth 700					
Emel 5	**ML71**	2400 / 780 / 960	5958	72	2,05
Surcharge for HPL board add-on top 2572 mm			+691		
Surcharge for glass add-on top 2572 mm			+1279		

Straight reception counter - left side closing element









Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML37**	800 / 780 / 960	3563	10	0,07
Surcharge for HPL board add-on top 972 mm			+476		
Surcharge for glass add-on top 972 mm			+600		

Straight reception counter - right side closing element







Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Emel 5	**ML38**	800 / 780 / 960	3563	10	0,07
Surcharge for HPL board add-on top 972 mm			+476		
Surcharge for glass add-on top 972 mm			+600		


Additional elements

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Elliptic ergonomic outlet as standard.

RECEPTION COUNTER FRONT

- Skeleton construction covered with 0.8 mm thick HPL laminate.
- Fronts are equipped with leveling feet +10 mm.
- The elements of reception counters are connected with Lamello screw joiners.




ADDITIONAL EQUIPMENT

- Horizontal cable channels for the fronts of straight reception counters affixed to the inner side of the fronts or under the work top or flexible cable channel affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MARO offer.
- Bases and dec orative elements of reception counters are available only in brushed aluminum color.
- Due to technology, the se ts of reception counters are produced as an inseparable whole and it is impossible to order additional elements later.
- While placing your order, please specify the position of the reception counter (drawing) and the colors of: the fronts (outer, inner), work top, metal elements. While selecting an add-on top, please specify the type (glass or board) and finish (Black Opti or Satinato) or the color of add-on top and its edge.


Left add-on desk for straight reception counter*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m^3
ML63	1500 / 500 / 820	707	5	0,00

*Add-on desk is compatible with all straight reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)


Add-on table for straight reception counter right*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m^3
ML62	1500/ 500 / 820	707	5	0,67

*Add-on desk is compatible with all straight reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)


Left add-on desk for curved reception counter R:3000 45°*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
ML61	1500 / 780 / 960	754	(4)	0,70

* Add-on desk is compatible with all curved reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)


Right add-on desk for curved reception counter R:3000 45°*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
ML60	1500 / 780 / 960	754	(4)	0,67

* Add-on desk is compatible with all curved reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)


Left add-on desk for curved reception counter R:1600 90°*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
ML65	1500 / 500 / 820	725	13	0,68

* Add-on desk is compatible with all curved reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)

Right add-on desk for curved reception counter R:1600 90°*



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
ML64	1500 / 500 / 820	725	20	0,69

* Add-on desk is compatible with all curved reception counters with all types of fronts (Emel 1, Emel 2, Emel 3, Emel 4, Emel 5)

XXIII. Vero

Vero collection comprises of high reception counters (1100 mm high) and low reception counters (740 mm high). The reception counter can suit any space type thanks to straight and curved modules. Vero collection enables to create a reception counter in one (monofront) or two (duofront) colors.


Monofronts are available in four options: plain fronts with no base, plain fronts in brushed aluminum color, fronts with decorative profiles with no base or fronts with decorative profile and a base.

All duofronts are equipped with decorative profiles and are available with or without a base.

Vero


High reception counters

High straight reception counters




H:1100 mm

High corner reception counter



H:1100 mm


High curved reception counter



H:1100 mm


Low reception counters

Low straight reception counter



H:740 mm

Low corner reception counter



H:740 mm


Low curved reception counter



H:740 mm

Narrow reception counters


Narrow reception counter




H:1100 mm

Vero / Equipment

Monofront




Duofront



Monofront - front types


Mono 1

Plain reception counters with no base




Mono 2

Reception counters with decorative profile and no base




Mono 3

Plain reception counters with a base



Mono 4


Reception counters with decorative profile and a base



Duofront - Front types


Duo 1

Reception counters with decorative profile and no base




Duo 2

Reception counters with decorative profile and a base




Details

Carcass




Add-on top + sides

Outlet




Corner outlet

Illuminated front




White LED ambient light

Front with decorative profile




Decorative profiles in brushed aluminum color

Base




Decorative base in brushed aluminum color

PD 39 cabinet



Flush mounted to the front of the reception counter

Monitor shelf




Cut-out in the work top with monitor shelf


Vero / Equipment

Leg types


Recessed metal leg




Metal corner leg




Metal leg




Panel leg



Dimensions of high reception counter presented in cross section




Dimensions of low reception counter presented in cross section



Monitor shelf

As an option with a surcharge for high straight counters from 1600 mm wide - cut-out in the work top 520x200 mm, on the right/left or in the center of the top, shelf with adjustable height mounted under the top. selecting a shelf does not exclude corner outlet.



Surcharge


Price

+ 316 EUR

Vero / Accessories


Vertical cable management

UW 02




FLEXIBLE CABLE CHANNEL

UW 14/UW 15



SPRING CABLE CHANNEL


UW 18



ADD-ON CABLE CHANNEL


Horizontal cable management

DD 91




COMB CABLE CLASP

DL01/DL 02



FIXED CABLE CHANNEL FOR STRAIGHT RECEPTION COUNTER


DL 03



FIXED CABLE CHANNEL FOR CURVED RECEPTION COUNTER

Netboxes


UW 36 / UW 35P / UW 35D / UW 34P/ UW 34U / UW 34Da



POWER CIRCLE S/M/ L


Complementary accessories

UW 20




PC HOLDER

UW 25/ UW 24




PC HOLDER WITH PERFORATED PANEL

UW 21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER


Reception counter

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick work top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Work top affixed to front at the height of 740 mm.
- Scallop cut-out as standard.
- Monitor shelf as an option with a surcharge for high straight reception counters from 1600 mm wide, cut-out in the work top on the right/left side or the center, shelf with adjustable height. Monitor shelf does not exclude corner outlet.

RECEPTION COUNTER FRONT

- In curved reception counters skeleton structure is covered with 0.8 mm HPL laminate. Front in straight reception counters is made of 18 mm thick board.
- Fronts are equipped with leveling feet +10 mm.
- 18 mm thick base in brushed aluminum color.
- The elements of reception counters are connected with Lamello screw joiners.



AMBIENT LIGHTENING

- All add-on tops for Vero high reception counters can be equipped with white LED ambient light illuminating the front from the inner side. Surcharges are specified next to the products.

ADD-ON TOP + SIDES

- 25 mm thick board top and sides coated on both sides with melamine resin finished with 2 mm thick plastic edge with 2 mm radius.


ADDITIONAL EQUIPMENT

- Horizontal cable channels for straight reception counters affixed to the inner side of the fronts or under the work top or flexible cable channel affixed under the work top as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MAR O offer .
- While placing your order, please specify the color of the fr top/counter top, sides and metal elements.
- Due to technology, the se ts of reception counters are produced as an inseparable whole and it is impossible to later order additional elements.


High straight reception counter H: 1100 mm



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG11	800 / 800 / 1100	786	35	0,34
Mono 2	VP11	800 / 800 / 1100	942	35	0,34
Mono 3	VG13	800 / 800 / 1100	914	35	0,34
Mono 4	VP13	800 / 800 / 1100	1072	35	0,34
Duo 1	VD11	800 / 800 / 1100	914	35	0,34
Duo 2	VD13	800 / 800 / 1100	1044	35	0,34
Surcharge for ambient lightening LED			+336		
Mono 1	VG31	1200 / 800 / 1100	870	46	0,50
Mono 2	VP31	1200 / 800 / 1100	1078	46	0,50
Mono 3	VG33	1200 / 800 / 1100	1043	47	0,50
Mono 4	VP33	1200 / 800 / 1100	1251	47	0,50
Duo 1	VD31	1200 / 800 / 1100	1044	46	0,50
Duo 2	VD33	1200 / 800 / 1100	1228	47	0,50
Surcharge for ambient lightening LED			+376		
Mono 1	VG41	1400 / 800 / 1100	916	52	0,59
Mono 2	VP41	1400 / 800 / 1100	1148	52	0,59
Mono 3	VG43	1400 / 800 / 1100	1110	53	0,59
Mono 4	VP43	1400 / 800 / 1100	1340	53	0,59
Duo 1	**VD41**	1400 / 800 / 1100	1110	52	0,59
Duo 2	**VD43**	1400 / 800 / 1100	1314	53	0,59
Surcharge for ambient lightening LED			+400		
Mono 1	VG51	1600 / 800 / 1100	964	58	0,67
Mono 2	VP51	1600 / 800 / 1100	1218	58	0,67
Mono 3	VG53	1600 / 800 / 1100	1176	59	0,67
Mono 4	VP53	1600 / 800 / 1100	1431	59	0,67
Duo 1	VD51	1600 / 800 / 1100	1176	58	0,67
Duo 2	VD53	1600 / 800 / 1100	1402	59	0,67
Surcharge for ambient lightening LED			+417		
Mono 1	VG71	2000 / 800 / 1100	1056	70	0,83
Mono 2	VP71	2000 / 800 / 1100	1356	70	0,83
Mono 3	VG73	2000 / 800 / 1100	1304	71	0,83
Mono 4	VP73	2000 / 800 / 1100	1604	71	0,83
Duo 1	VD71	2000 / 800 / 1100	1305	70	0,83
Duo 2	VD73	2000 / 800 / 1100	1577	71	0,83
Surcharge for ambient lightening LED			+502		


Vero / Reception counter

High corner reception counter H: 1100 mm




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG81	800 / 800 / 1100	1402	45	0,78
Mono 2	VP81	800 / 800 / 1100	1807	45	0,78
Mono 3	VG84	800 / 800 / 1100	1737	46	0,78
Mono 4	VP84	800 / 800 / 1100	2146	46	0,78
Duo 1	VD81	800 / 800 / 1100	1742	45	0,78
Duo 2	VD84	800 / 800 / 1100	2099	46	0,78
Surcharge for ambient lightening LED			+517		

High corner reception counter H: 1100 mm



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG80	800 / 800 / 1100	1763	43	0,79
Mono 2	VP80	800 / 800 / 1100	2153	43	0,79
Mono 3	VG83	800 / 800 / 1100	2086	63	0,79
Mono 4	VP83	800 / 800 / 1100	2475	63	0,79
Duo 1	VD80	800 / 800 / 1100	2087	43	0,79
Duo 2	VD83	800 / 800 / 1100	2455	63	0,79
Surcharge for ambient lightening LED			+518		


Low straight reception counter H: 740 mm



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG15	800 / 800 / 740	613	27	0,53
Mono 2	VP15	800 / 800 / 740	739	27	0,53
Mono 3	VG14	800 / 800 / 740	739	27	0,53
Mono 4	VP14	800 / 800 / 740	870	27	0,53
Mono 1	VG35	1200 / 800 / 740	696	35	0,78
Mono 2	VP35	1200 / 800 / 740	869	35	0,78
Mono 3	VG34	1200 / 800 / 740	872	36	0,78
Mono 4	VP34	1200 / 800 / 740	1044	36	0,78
Mono 1	VG45	1400 / 800 / 740	742	40	0,90
Mono 2	VP45	1400 / 800 / 740	940	40	0,90
Mono 3	VG44	1400 / 800 / 740	730	40	0,90
Mono 4	VP44	1400 / 800 / 740	1134	40	0,90
Mono 1	VG55	1600 / 800 / 740	789	44	1,03
Mono 2	VP55	1600 / 800 / 740	1001	44	1,03
Mono 3	VG54	1600 / 800 / 740	1001	45	1,03
Mono 4	VP54	1600 / 800 / 740	1216	45	1,03
Mono 1	VG75	2000 / 800 / 740	872	53	1,28
Mono 2	VP75	2000 / 800 / 740	1123	53	1,28
Mono 3	VG74	2000 / 800 / 740	1134	54	1,28
Mono 4	VP74	2000 / 800 / 740	1384	54	1,28


Vero / Reception counter

Low corner reception counter H: 740 mm



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG91	800 / 800 / 740	1281	30	0,22
Mono 2	VP91	800 / 800 / 740	1495	30	0,22
Mono 3	VG95	800 / 800 / 740	1431	30	0,22
Mono 4	VP95	800 / 800 / 740	1643	30	0,22

Low curved reception counter H:740 mm




Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	**VG90**	800 / 800 / 740	1394	36	0,52
Mono 2	**VP90**	800 / 800 / 740	1642	36	0,52
Mono 3	**VG94**	800 / 800 / 740	1737	36	0,52
Mono 4	**VP94**	800 / 800 / 740	1991	36	0,52

Narrow reception counter



Product code		Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
Mono 1	VG12	800 / 320 / 1100	620	28	0,32
Mono 2	VP12	800 / 320 / 1100	775	28	0,32
Mono 3	VG16	800 / 320 / 1100	742	29	0,32
Mono 4	VP16	800 / 320 / 1100	900	29	0,32
Duo 1	VD12	800 / 320 / 1100	743	28	0,32
Duo 2	VD16	800 / 320 / 1100	879	29	0,32
Surcharge for ambient lightening LED			+336		
Mono 1	VG52	1600 / 320 / 1100	789	46	0,62
Mono 2	VP52	1600 / 320 / 1100	1043	46	0,62
Mono 3	VG56	1600 / 320 / 1100	1001	46	0,62
Mono 4	VP56	1600 / 320 / 1100	1256	46	0,62
Duo 1	VD52	1600 / 320 / 1100	1005	46	0,62
Duo 2	VD56	1600 / 320 / 1100	1247	46	0,62
Surcharge for ambient lightening LED			+417		

Countertop cabinet



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
PD39	320 / 800 / 1100	604	28	0,32

XXIV. Nivero

Nivero reception counter is a combination of functionality and modern design. Thanks to integrated underdesk sideboards and and top-mounted shelf units, it makes a well-organized work station.


The front of the counter can be in one or two colors. It is possible to add a welcome inscription made of polished steel over the decorative profile. An add-on top with LED ambient light located in the center of the counter is an additional decoration. The add-on top can also be located on the left or right side.

Nivero reception counter can be equipped with numerous accessories depending on the user's individual needs.


Nivero

Reception counter


Nivero with add-on top on the left*



Nivero with add-on top in the center



Nivero with add-on top on the right




* Looking at the front


Nivero / Equipment


Welcome inscription*

Welcome inscription (H: 110 mm) made of polished steel: Witamy/Welcome/Willkommen/ Bienvenue on the front of the reception counter on the left or right side - as an option with a surcharge available only for 2200 mm and 2400 mm wide reception counters.



1. Inscription height: H: 110 mm
2. Location - right or left






*Option with a surcharge.

Monitor shelf*

520x200 mm cut-out in the work top located on the right or left side or in the center of the top and a shelf with adjustable height affixed under the top as an option with a surcharge. Monitor shelf excludes an ergonomic outlet.




1. Shelf dimensions 520x200 mm
2. Location - right, left or center

*Option with a surcharge.


Details

Monitor shelf




Cut-out in the work top with monitor shelf

Illuminated add-on top




White LED ambient light

Welcome inscription




Welcome inscription made of polished steel Witamy/ Welcome/ Willkommen

Decorative profile



Decorative profile in brushed aluminum color


Outlet



Nivero / Accessories


Vertical cable management

UW 02




FLEXIBLE CABLE CHANNEL

UW 14/UW 15



SPRING CABLE CHANNEL


UW 18



ADD-ON CABLE CHANNEL


Horizontal cable management

DD 91



COMB CABLE CLASP


DL01/ DL 02



FIXED CABLE CHANNEL FOR STRAIGHT RECEPTION COUNTER

Netboxes


UW 36 / UW 35P / UW 35D / UW 34P/ UW 34U / UW 34Da



POWER CIRCLE S/M/ L


Complementary accessories

UW 20




PC HOLDER

UW 25/ UW 24




PC HOLDER WITH PERFORATED PANEL

UW 21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER

More details p. 374.

Reception counter

RECEPTION COUNTER FRONT

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 18 mm thick board as standard.
- Possibility to select two decors for the front as an option with no surcharge.
- Polished steel decorative profile as standard.
- Welcome inscription (H:110 mm) made of polish steel:
- Witamy/ Welcome/Willkommen/ Bienvenue as an option with a surcharge, available for 2200 mm and 2400 mm wide counters.

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick work top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Two round ergonomic outlets as standard.
- Monitor shelf: cut-out in the top on the right/left or in the center and shelf affixed under the top with adjustable height as an option with a surcharge.

SIDE PANELS

- 12 mm thick side panels.
- Integrated underdesk sideboards and top-mounted shelf units on both sides on the inner part of the reception counter.


ADD-ON TOP

- Nivero reception counters are equipped with add-on tops with integrated white, cold LED ambient light as standard.
- Add-on top is located in the center of the counter as standard. It can optionally be located on the right or left.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Nivero reception counter



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
NI01	1800 / 850 / 1265	**3923**	200	1,28
NI02	2000 / 850 / 1265	**4057**	205	1,30
NI03	2200 / 850 / 1265	**4211**	210	1,31
NI04	2400 / 850 / 1265	**4300**	216	1,32

XXV. Axer

Axer is a collection of reception counters that are distinguished by minimalist and geometric forms. Multiple set-up options of one or two U- or L-shaped add-on tops provide a wide range of arrangement possibilities.


Reception counters with decorative profiles can additionally be equipped with welcome inscriptions. Another decorative element of Axer L type reception counter is eye-catching ambient LED lightening of the base.

A wide range of accessories enables to make a functional and ergonomic work space.


Axer

Axer reception counters L type


Axer typ L



Axer typ 2x L




Axer typ 2x L




Axer reception counters L type

Axer typ U



Axer typ 2x U




Axer / Equipment

Axer reception counter L type

Add-on top L type


Reception counter L type




Axer reception counter U type

Add-on top U type


Reception counter U type




Reception counter dimensions presented in cross section




Add-on top fitting





1. The part of the add-on top based on the counter must be at least 600 mm long.
2. The distance between an add-on top and a carcass needs to be within 350 mm and 1500 mm.
3. 1+2 total length of add-on top - max. 2400 mm. Add-on top must be mounted at least in the half of the depth of the counter.
4. Side add-on top needs to be based on the counter with its total width.




Axer / Equipment


Welcome inscription*

Witamy/Welcome/Willkommen/ Bienvenue -welcome inscription (H: 110 mm) made of polished steel on the front of the reception counter on the left or right side - as an option with a surcharge.

Axer L



Axer U




1. Inscription height H: 110 mm
2. Location -right, left

*Option with a surcharge.

Monitor shelf*

520x200 mm cut-out in the work top located on the right or left side or in the center of the top and a shelf with adjustable height affixed under the top as an option with a surcharge. Monitor shelf excludes an ergonomic outlet.




1. Shelf dimensions 520x200 mm
2. Location - right, left or center

*Option with a surcharge.


Details

MONITOR SHELF



Cut-out in the work top with monitor shelf

OUTLET




Ergonomic outlet

WELCOME INSCRIPTION



Welcome inscription made of polished steel Witamy/ Welcome/ Willkommen

DECORATIVE PROFILE




Decorative profile in brushed aluminum color

Axer / Accessories


Vertical cable management

UW 02




FLEXIBLE CABLE CHANNEL

UW 14/UW 15



SPRING CABLE CHANNEL


UW 18



ADD-ON CABLE CHANNEL


Horizontal cable management

DD91



COMB CABLE CLASP


DL01/DL 02



FIXED CABLE CHANNEL FOR STRAIGHT RECEPTION COUNTER

Netboxes


UW 36 / UW 35P / UW 35D / UW 34P/ UW 34U / UW 34Da



POWER CIRCLE S/M/L


Complementary accessories

UW 20




PC HOLDER

UW 25/ UW 24




PC HOLDER WITH PERFORATED PANEL

UW 21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER

Reception counter

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 25 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Elliptic ergonomic outlet as standard.
- Monitor shelf, cut-out in the work top on the right/left side or the center and a shelf with adjustable height as an option with a surcharge. Monitor shelf excludes ergonomic outlet.

RECEPTION COUNTER FRONT

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 2 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 25 mm thick board as standard.
- Decorative profile made of polished steel as standard.
  _ Welcome inscription (H:110 mm) Witamy/ Welcome/Willkommen/ Bienvenue made of polished steel on the left or right as an option with a surcharge available for 2200 mm and 2400 mm wide reception counters.

ADD-ON TOPS

- Reception counter with L type add-on top is equipped with a base with LED ambient light.
- U type add-on top is equipped with leveling feet as standard.
- L- and U-type add-on tops are made of 36 mm thick board coated on both sides with melamine resin.
- The surfaces are joined with an elegant diagonal cutting.
- It can be mounted anywhere on the counter top taking into account the construction limitations described at the beginning of the chapter.
- Add-on top can be screwed to the carcass in any position taking into account the construction limitations presented at the beginning of the chapter.


PANEL LEGS

- Panel legs are made of 25 mm thick board.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Reception counter Axer L




Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
AXL16	1600 / 800 / 1010	**1498**	81	0,19
AXL18	1800 / 800 / 1010	**1629**	88	0,19
AXL20	2000 / 800 / 1010	**1747**	97	0,19

Reception counterAxer U




Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
AXU16	1600 / 800 / 1010	**1244**	75	0,19
AXU18	1800 / 800 / 1010	**1351**	81	0,19
AXU20	2000 / 800 / 1010	**1475**	89	0,19

Add-on top L



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
AYL14	1400 / 400 / 1050	**621**	29	0,10
AYL16	1600 / 400 / 1050	**675**	31	0,10
AYL18	1800 / 400 / 1050	**796**	33	0,10
AYL20	2000 / 400 / 1050	**849**	36	0,10
AYL22	2200 / 400 / 1050	**920**	38	0,10
AYL24	2400 / 400 / 1050	**1022**	40	0,12

Add-on top U



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
AYU14	1400 / 400 / 1050	**693**	47	0,14
AYU16	1600 / 400 / 1050	**768**	51	0,14
AYU18	1800 / 400 / 1050	**857**	56	0,14
AYU20	2000 / 400 / 1050	**966**	60	0,16
AYU22	2200 / 400 / 1050	**1035**	64	0,16
AYU24	2400 / 400 / 1050	**1116**	68	0,16


XXVI. Sinto

Sinto reception counter is distinguished by its simple and universal form of a geometric shape. The front of the counter is appealing not only thanks to top class materials, but also LED ambient light. Sinto reception counter is based on a metal frame with a square cross section. An add-on top is made of HPL board. Glass add-on top is available as well.

Thanks to compact size, Sinto reception counter fits perfectly into larger and smaller spaces.

Sinto

Sinto reception counter



Total width:
2000/ 2200/ 2400 mm


Depth:
850 mm

Height:
1100 mm

Sinto / Equipment

Ambient front lightening

Add-on tops of Sinto reception counters can be equipped with white LED ambient light illuminating the front from on the inside. Surcharges are presented below.




Indeks	Price EUR
SIN 01	+ 368
SIN 02	+ 417
SIN 03	+ 482

Surcharge

Monitor shelf

520x200 mm cut-out in the work top located on the right or left side or in the center of the top and a shelf with adjustable height affixed under the top as an option with a surcharge. Monitor shelf excludes an ergonomic outlet.




Dimensions W / D	Price EUR
520/ 200	+ 316

Surcharge

Add-on top

Sinto reception counter is equipped with 12 mm thick board add-on top based on metal frame. 10 mm thick glass add-on top with Lacobel finish in white or black color as an option with a surcharge.




Indeks	Price EUR
SIN 01	+ 1035
SIN 02	+ 1144
SIN 03	+ 1237

Surcharge

Sinto / Accessories


Vertical cable management

UW02




FLEXIBLE CABLE CHANNEL

UW14/UW 15



SPRING CABLE CHANNEL


UW18



ADD-ON CABLE CHANNEL


Horizontal cable management

DD91



COMB CABLE CLASP


DL01/DL 02



FIXED CABLE CHANNEL FOR STRAIGHT RECEPTION COUNTER

Netboxes


UW 36 / UW 35P / UW 35D / UW 34P/ UW 34U / UW 34Da



POWER CIRCLE S/M / L


Complementary accessories

UW20




PC HOLDER

UW 25/ UW 24




PC HOLDER WITH PERFORATED PANEL

UW21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER

Reception counter

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 18 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Scallop cut-out as standard.
- Monitor shelf, cut-out in the work top on the right/ left side or the center and a shelf with adjustable height as an option with a surcharge. Monitor shelf excludes ergonomic outlet.

RECEPTION COUNTER FRONT

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- Front and legs made of 18 mm thick board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Frame with a square cross section 20x20 mm.
- Total reception counter height - 1100 mm.


ADD-ON TOP

- Sinto reception counter is equipped with a 12 mm thick board add-on top based on metal frame.
- 10 mm thick glass add-on top with White or Black Lacobel finish as an option with a surcharge.
- White LED ambient lightening illuminating the front on the inside as an option with a surcharge.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Sinto reception counter



Product code	Dimensions W / D / H	Price EUR	Weight kg	Vol. m³
SIN01	2000 / 850 / 1100	2517	64	0,89
Surcharge for glass add-on top 12 mm		+1035		
SIN02	2200 / 850 / 1100	2710	70	0,99
Surcharge for glass add-on top 12 mm		+1144		
SIN03	2400 / 850 / 1100	2825	76	1,07
Surcharge for glass add-on top 12 mm		+1237		

XXVII.

Averto


Averto reception counter will serve exceptionally well as a simple, yet elegant piece in a restricted space. Its classic and functional shape is complemented with a curved, upholstered panel. The counter is offered with the panel on the right as well as on the left. The panel elements of the carcass and top are available in a wide range of colors. A metal frame, located unobtrusively under the carcass, ensures stability.

Thanks to its design, the counter is adapted for the use by people in wheelchairs.


Averto

Averto reception counter

Averto with add-on top on the left*



Averto with add-on top on the right*




* Looking from the perspective of the person sitting behind the counter

Averto / Accessories


Vertical cable management

UW02




FLEXIBLE CABLE CHANNEL

UW14/UW15




SPRING CABLE CHANNEL

UW381T080/UW381T130/
UW382T080/UW382T130




FABRIC CABLE CHANNEL


Horizontal cable management



FOLD-DOWN CABLE CHANNEL




FIXED CABLE CHANNEL



GRID CABLE CHANNEL


DD91



COMB CABLE CLASP


Complementary accessories

UW20




PC HOLDER

UW25/UW24




PC HOLDER WITH PERFORATED PANEL

UW21



PC TROLLEY WITH CASTORS

US62 R/L



UNDERDESK DRAWER

Reception counter

WORK TOP

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 18 mm thick top finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top affixed to front at the height of 740 mm.
- Round outlet Ø 60 in diameter as standard.
- Beams with rectangular profile 40x20 mm.
- Metal elements in STANDARD and TREND group colors.

COUNTER FRONT

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 18 mm thick panel front and legs finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Panel front with vertical graining.


UPHOLSTERED PANEL WITH ADD-ON TOP

- Upholstered panel board.
- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.
- 18 mm thick panels.
- Add-on top brackets made of square profiles 20x20 mm.
- Total counter height: 1150 mm with possibility to raise add-on top with upholstered panel to the height of 1200 mm.
- Graining of the add-on top along the top.

ADDITIONAL INFORMATION

- Colors according to MARO offer.

Averto reception counter



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.	**AV1R100065074**	1000 / 650 / 1150	**811**	50	0.75
	AV1L100065074	1000 / 650 / 1150	**811**	50	0.75
	AV1R140065074	1400 / 650 / 1150	**820**	70	1.04
	AV1L140065074	1400 / 650 / 1150	**820**	70	1.04
	AV1R160065074	1600 / 650 / 1150	**827**	80	1.19
	AV1L160065074	1600 / 650 / 1150	**827**	80	1.19
	AV1R180065074	1800 / 650 /1150	**844**	90	1.34
	AV1L180065074	1800 / 650 / 1150	**844**	90	1.34
2nd grp.	**AV2R100065074**	1000 / 650 / 1150	**846**	50	0.75
	AV2L100065074	1000 / 650 / 1150	**846**	50	0.75
	AV2R140065074	1400 / 650 / 1150	**855**	70	1.04
	AV2L140065074	1400 / 650 / 1150	**855**	70	1.04
	AV2R160065074	1600 / 650 / 1150	**862**	80	1.19
	AV2L160065074	1600 / 650 / 1150	**862**	80	1.19
	AV2R180065074	1800 / 650 / 1150	**879**	90	1.34
	AV2L180065074	1800 / 650 / 1150	**879**	90	1.34
1st grp.	**AV1R100080074**	1000 / 800 / 1150	**858**	55	0.92
	AV1L100080074	1000 / 800 / 1150	**858**	55	0.92
	AV1R140080074	1400 / 800 / 1150	**866**	77	1.28
	AV1L140080074	1400 / 800 / 1150	**866**	77	1.28
	AV1R160080074	1600 / 800 / 1150	**875**	88	1.47
	AV1L160080074	1600 / 800 / 1150	**875**	88	1.47
	AV1R180080074	1800 / 800 / 1150	**894**	99	1.65
	AV1L180080074	1800 / 800 / 1150	**894**	99	1.65
2nd grp.	**AV2R100080074**	1000 / 800 / 1150	**893**	55	0.92
	AV2L100080074	1000 / 800 / 1150	**893**	55	0.92
	AV2R140080074	1400 / 800 / 1150	**901**	77	1.28
	AV2L140080074	1400 / 800 / 1150	**901**	77	1.28
	AV2R160080074	1600 / 800 / 1150	**910**	88	1.47
	AV2L160080074	1600 / 800 / 1150	**910**	88	1.47
	AV2R180080074	1800 / 800 / 1150	**929**	99	1.65
	AV2R180080074	1800 / 800 / 1150	**929**	99	1.65

XXVIII.


Complementary furniture

Complementary furniture

TV STAND

- Frame made of profile 60x30 mm.
- Panel board elements made of 18 mm thick melamine board.
- Feet equipped with castors Ø 75 mm.
- Power strip with 3 sockets (PL, Schuko, UK), computer socket.
- TV bracket according to VESA standard. Possibility to mount TVs with mounting hole spacing ranging from 300x200 mm to 400x400 mm (width x height) on M6 or M8 screws. Dedicated to TVs with a diameter up to 65".

TV stand




Product Code	Dimensions W / D / H	Price EUR	Weigh Kg	Vol. m³
GD19	600 / 700 / 1700	**1375**	50	0,15

LECTERN

- Frame made of 60x30 mm profile.
- Panel board elements made of 18mm thick melamine board.
- Shelves at fixed height: 800mm and 1080mm.

Lectern



Product Code	Dimensions W / D / H	Price EUR	Weigh Kg	Vol. m³
GD20	550 / 600 / 1190	**915**	25	0,09

Waste bin

STRUCTURE

- Chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Chipboard with reduced formaldehyde emission, E1 standard.

CARCASS

- Carcass, floor and fronts made of 18 mm thick panel board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Bin carcasses are factory-glued, assembled and delivered as a whole.
- Top made of 0.6 mm thick sheet metal.

SHELVES

- Shelf supporting plastic container made of 18 mm thick panel board finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Construction shelf supporting plastic container is mounted at fixed height.

BACK WALL

- Back wall is coated on both sides with melamine resin, which allows the bins to be used as standalone pieces.

BASE


- Feet H: 30 mm with leveling option as standard.

EQUIPMENT


- Hinged doors equipped with 110 degree hinges and push to open system.
- 45L plastic container.

ADDITIONAL INFORMATION

- On each top there is a cut-out inscription specifying the type of waste only in English.
- Colors according to MARO offer.




ORGANIC GLASS PLASTIC and METAL



WASTEPAPER GENERAL UNIVERSAL

Waste bin



Product Code	Dimensions W / D / H	Price EUR	Weigh Kg	Vol. m^3
ORGANIC				
RUBB040044078	400 / 440 / 780	**363**	20	0,15
GLASS				
RUBS040044078	400 / 440 / 780	**363**	20	0,15
PLASTIC and METAL				
RUBT040044078	400 / 440 / 780	**363**	20	0,15
WASTEPAPER				
RUBP040044078	400 / 440 / 780	**363**	20	0,15
GENERAL				
RUBZ040044078	400 / 440 / 780	**363**	20	0,15
UNIVERSAL				
RUBU040044078	400 / 440 / 780	**363**	20	0,15

Tavos coat stand

Tavos I coat stand


STRUCTURE


–Vertical profiles with round cross-section Ø 28 mm, crossbars with round cross-section Ø 20 mm.


–Round, metal 8 mm thick base.

–Powder-coated.

Tavos I coat stand







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
TA049049187	490/ 490 / 1870	**259**	17,5	0,45

Tavos II coat stand

STRUCTURE

–Vertical profiles with round cross-section Ø 28 mm.

–Round, metal 8 mm thick base.


–2 mm thick sheet metal inserts.


–Powder-coated.


ADDITIONAL INFORMATION

– Colors according to MARO offer.

Tavos II coat stand







Product Code	Dimensions W / D / H	Price EUR	Weigh Kg	Vol. m^3
TA049050191	490/ 505 / 1912	**535**	16,5	0,46

XIX

Partition screens and modesty panels

Partition screens

UPHLOSTERED PARTITION SCREENS

- Combination of 18 mm thick chipboard with sound-insulating filling insert with 6 mm thick MDF board on both sides.
- Metal, powder-coated elements for affixing partition screens are adjusted to the structure of the desks.
- Sewn cover, thread color similar to the color of the fabric.
- Sound-insulating properties PN-EN ISO 354:2005 i PN ISO 10053:2001:2005).
- Note pinning function.
- Partition screen height over the top: 350 mm, total height: 500 mm.
- Thickness: 30 mm.

BOARD PARTITION SCREEN

- 18 mm thick board coated on both sides with melamine resin.
- Edge made of 2 mm thick ABS/PP plastic with 2 mm radius.
- Metal, powder-coated elements for affixing partition screens are adjusted to the structure of the desks.


UPHOLSTERED PANEL

- 11 mm thick MDF board upholstered with decorative MARO fabric.
- Always affixed to board partition screen.
- Each edge of the panel is located 40 mm from the edge of the board to which it is affixed.
- Note pinning function.

ADDITIONAL INFORMATION


- Colors according to MARO offer.
- Partition screens for bench desks must always be or dered with the desks.

Upholstered partition screen




Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen					
Upholstery GR I	**UY1P078**	780 / 30 /500	**224**	9	0,025
	UY1P098	980 / 30 / 500	**241**	11	0,030
	UY1P118	1180 / 30 / 500	**257**	13	0,035
	UY1P138	1380 / 30 / 500	**274**	16	0,040
	UY1P158	1580 / 30 / 500	**290**	18	0,046
	UY1P178	1780 / 30 / 500	**307**	20	0,051
	UY1P198	1980 / 30 / 500	**323**	22	0,056
Upholstery GR II	**UY2P078**	780 / 30 /500	**256**	9	0,025
	UY2P098	980 / 30 / 500	**274**	11	0,030
	UY2P118	1180 / 30 / 500	**293**	13	0,035
	UY2P138	1380 / 30 / 500	**312**	16	0,040
	UY2P158	1580 / 30 / 500	**331**	18	0,046
	UY2P178	1780 / 30 / 500	**350**	20	0,051
	UY2P198	1980 / 30 / 500	**369**	22	0,056
Upholstery GR III	**UY3P078**	780 / 30 /500	**381**	9	0,025
	UY3P098	980 / 30 / 500	**409**	11	0,030
	UY3P118	1180 / 30 / 500	**437**	13	0,035
	UY3P138	1380 / 30 / 500	**466**	15	0,040
	UY3P158	1580 / 30 / 500	**494**	18	0,046
	UY3P178	1780 / 30 / 500	**522**	20	0,051
	UY3P198	1980 / 30 / 500	**550**	22	0,056
Side partition screen					
Upholstery GR I	UY1B078	780 / 30 /500	**224**	9	0,025
	UY1B098	980 / 30 / 500	**241**	12	0,030
	UY1B118	1180 / 30 / 500	**257**	14	0,035
	UY1B138	1380 / 30 / 500	**274**	16	0,040
Upholstery GR II	UY2B078	780 / 30 /500	**256**	9	0,025
	UY2B098	980 / 30 / 500	**274**	12	0,030
	UY2B118	1180 / 30 / 500	**293**	14	0,035
	UY2B138	1380 / 30 / 500	**312**	16	0,040
Upholstery GR III	UY3B078	780 / 30 /500	**381**	9	0,025
	UY3B098	980 / 30 / 500	**409**	11	0,030
	UY3B118	1180 / 30 / 500	**437**	14	0,035
	UY3B138	1380 / 30 / 500	**466**	16	0,040


Upholstered partition screen - for team desks



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen					
Upholstery GR I	**UY1W120003037**	1200/18/375	208	13	0,035
	UY1W140003037	1400/18/375	224	15	0,040
	UY1W160003037	1600/18/375	241	18	0,046
	UY1W180003037	1800/18/375	258	20	0,051
Upholstery GR II	**UY2W120003037**	1200/18/375	283	13	0,035
	UY2W140003037	1400/18/375	305	15	0,040
	UY2W160003037	1600/18/375	328	18	0,046
	UY2W180003037	1800/18/375	350	20	0,051
Upholstery GR III	**UY3W120003037**	1200/18/375	378	13	0,035
	UY3W140003037	1400/18/375	409	15	0,040
	UY3W160003037	1600/18/375	439	18	0,046
	UY3W180003037	1800/18/375	469	20	0,051


Upholstered partition screen - for Sirio team desks






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen					
GR I	**UY16001SI**	1600/30/500	300	18	0,046
	UY18001SI	1800/30/500	311	20	0,051
	UY20001SI	2000/30/500	326	22	0,056
Upholstery GR II	**UY16002SI**	1600/30/500	300	18	0,046
	UY18002SI	1800/30/500	311	20	0,051
	UY20002SI	2000/30/500	326	22	0,056
GR III	**UY16003SI**	1600/30/500	417	18	0,046
	UY18003SI	1800/30/500	435	20	0,051
	UY20003SI	2000/30/500	455	22	0,056


Board partition screen






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen				
UZP058	580 / 18 / 500	**115**	4	0,020
UZP078	780 / 18 / 500	**124**	5	0,025
UZP098	980 / 18 / 500	**133**	6	0,030
UZP118	1180 / 18 / 500	**143**	8	0,035
UZP138	1380 / 18 / 500	**152**	9	0,040
UZP158	1580 / 18 / 500	**161**	10	0,046
UZP178	1780 / 18 / 500	**171**	11	0,051
UZP198	1980 / 18 / 500	**180**	13	0,056
Side partition screen				
UZB058	580 / 18 / 500	**115**	4	0,020
UZB078	780 / 18 / 500	**124**	6	0,025
UZB098	980 / 18 / 500	**133**	7	0,030
UZB118	1180 / 18 / 500	**143**	8	0,035
UZB138	1380 / 18 / 500	**152**	9	0,040


Board partition screen - for team desks





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen				
UZW120002035	1200/18/350	115	13	0,035
UZW140002035	1400/18/350	122	15	0,040
UZW160002035	1600/18/350	128	18	0,046
UZW180002035	1800/18/350	136	20	0,051


Board partition screen - for Sirio team desks






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UZ1600SI	1600/18/350	161	15	0,040
UZ1800SI	1800/18/350	170	18	0,046
UZ2000SI	2000/18/350	177	20	0,051


Upholstered panel for board partition screens






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front panel					
Upholstery GR I	**UT1P050027**	500 / 11 / 270	**99**	1	0,001
	UT1P070027	700 / 11 / 270	**110**	1	0,002
	UT1P090027	900 / 11 / 270	**120**	2	0,002
	UT1P110027	1100 / 11 / 270	**130**	2	0,003
	UT1P130027	1300 / 11 / 270	**141**	3	0,004
	UT1P150027	1500 / 11 / 270	**151**	3	0,004
	UT1P170027	1700 / 11 / 270	**161**	3	0,005
	UT1P190027	1900 / 11 / 270	**172**	4	0,005
Upholstery GR II	**UT2P050027**	500 / 11 / 270	**113**	1	0,001
	UT2P070027	700 / 11 / 270	**125**	1	0,002
	UT2P090027	900 / 11 / 270	**137**	2	0,002
	UT2P110027	1100 / 11 / 270	**149**	2	0,003
	UT2P130027	1300 / 11 / 270	**160**	3	0,004
	UT2P150027	1500 / 11 / 270	**172**	3	0,004
	UT2P170027	1700 / 11 / 270	**184**	3	0,005
	UT2P190027	1900 / 11 / 270	**196**	4	0,005
Upholstery GR III	**UT3P050027**	500 / 11 / 270	**169**	1	0,001
	UT3P070027	700 / 11 / 270	**186**	1	0,002
	UT3P090027	900 / 11 / 270	**204**	2	0,002
	UT3P110027	1100 / 11 / 270	**222**	2	0,003
	UT3P130027	1300 / 11 / 270	**239**	3	0,004
	UT3P150027	1500 / 11 / 270	**257**	3	0,004
	UT3P170027	1700 / 11 / 270	**274**	3	0,005
	UT3P190027	1900 / 11 / 270	**292**	4	0,005
Side panel					
GR I	UT1P060027	500 / 11 / 270	**102**	1	0,001
	UT1P080027	700 / 11 / 270	**112**	1	0,001
	UT1P100027	900 / 11 / 270	**122**	1	0,001
Upholstery GR II	UT2P060027	500 / 11 / 270	**203**	1	0,002
	UT2P080027	700 / 11 / 270	**223**	1	0,002
	UT2P100027	900 / 11 / 270	**243**	1	0,002
GR III	UT3P060027	500 / 11 / 270	**244**	2	0,002
	UT3P080027	700 / 11 / 270	**268**	2	0,002
	UT3P100027	900 / 11 / 270	**292**	2	0,002


Upholstered panel for board partition screens - for team desks






Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition screen					
Upholstery GR I	**UT1P120027**	1200/18/375	**215**	13	0,035
	UT1P140027	1400/18/375	**225**	15	0,040
	UT1P160027	1600/18/375	**235**	18	0,046
	UT1P180027	1800/18/375	**245**	20	0,051
Upholstery GR II	**UT2P120027**	1200/18/375	**262**	13	0,035
	UT2P140027	1400/18/375	**274**	15	0,040
	UT2P160027	1600/18/375	**287**	18	0,046
	UT2P180027	1800/18/375	**299**	20	0,051
Upholstery GR III	**UT3P120027**	1200/18/375	**451**	13	0,035
	UT3P140027	1400/18/375	**472**	15	0,040
	UT3P160027	1600/18/375	**494**	18	0,046
	UT3P180027	1800/18/375	**515**	20	0,051


Upholstered panel for board partition screens - for Sirio team desks







Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
GR I	**UT1P160027**	1600/11/270	**152**	18	0,046
	UT1P180027	1800/11/270	**162**	20	0,051
Upholstery GR II	**UT2P160027**	1600/11/270	**304**	18	0,046
	UT2P180027	1800/11/270	**324**	20	0,051
		2000/11/270		20	0,051
GR III	**UT3P160027**	1600/11/270	**364**	18	0,046
	UT3P180027	1800/11/270	**388**	20	0,051

Side add-on partition screen







Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery I.	**UX1B089**	890/30/450	410	5	0,019
Upholstery II.	**UX2B089**	890/30/450	468	5	0,019
Upholstery III.	**UX3B089**	890/30/450	697	5	0,019

Partition screens

TEXO PARTITIONS


- Felt partition - rPET and PET non-woven fabric, 9 mm thick (18 mm thick partition), 2000 g/m².
- Patterns cut out with CNC machine.
- Felt partition with a set of two or three powder-coated metal brackets fixing partition to desk.

PATTERNS


01



02




03




04



05



06




07




08




09




10




Texo partition






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front partition				
PFP01078002050	780 / 18 / 500	**180**	1,5	0,007
PFP01198002050	1980 / 18 / 500	**333**	3,9	0,017
PFP02078002050	780 / 18 / 500	**180**	1,5	0,007
PFP02119802050	1980 / 18 / 500	**333**	3,9	0,017
PFP03078002050	780 / 18 / 500	**195**	1,5	0,007
PFP03198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP04078002050	780 / 18 / 500	**195**	1,5	0,007
PFP04198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP05078002050	780 / 18 / 500	**195**	1,5	0,007
PFP05198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP06078002050	780 / 18 / 500	**195**	1,5	0,007
PFP06198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP07078002050	780 / 18 / 500	**195**	1,5	0,007
PFP07198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP08078002050	780 / 18 / 500	**195**	1,5	0,007
PFP08198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP08078002050	780 / 18 / 500	**195**	1,5	0,007
PFP08198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP09078002050	780 / 18 / 500	**195**	1,5	0,007
PFP09198002050	1980 / 18 / 500	**362**	3,9	0,017
PFP10078002050	780 / 18 / 500	**195**	1,5	0,007
PFP10198002050	1980 18 / 500	**362**	3,9	0,017
Side partition				
PFB01058002050	580 / 18 / 500	**154**	1,1	0,005
PFB01158002050	1580 18 / 500	**282**	3,1	0,014
PFB02058002050	580 / 18 / 500	**154**	1,1	0,005
PFB02158002050	1580 / 18 / 500	**282**	3,1	0,014
PFB03058002050	580 / 18 / 500	**167**	1,1	0,005
PFB03158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB04058002050	580 / 18 / 500	**167**	1,1	0,005
PFB04158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB05058002050	580 / 18 / 500	**167**	1,1	0,005
PFB05158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB06058002050	580 / 18 / 500	**167**	1,1	0,005
PFB06158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB07058002050	580 / 18 / 500	**167**	1,1	0,005
PFB07158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB08058002050	580 / 18 / 500	**167**	1,1	0,005
PFB08158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB09058002050	580 / 18 / 500	**167**	1,1	0,005
PFB09158002050	1580 / 18 / 500	**307**	3,1	0,014
PFB01058002050	580 / 18 / 500	**167**	1,1	0,005
PFB10158002050	1580 18 / 500	**307**	3,1	0,014

Texo partition





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Front partition				
PFP01078002035	780 / 18 / 350	**145**	1,0	0,005
PFP01198002035	1980 / 18 / 350	**299**	2,7	0,012
PFP02078002035	780 / 18 / 350	**145**	1,0	0,005
PFP02119802035	1980 / 18 / 350	**299**	2,7	0,012
PFP03078002035	780 / 18 / 350	**158**	1,0	0,005
PFP03198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP04078002035	780 / 18 / 350	**158**	1,0	0,005
PFP04198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP05078002035	780 / 18 / 350	**158**	1,0	0,005
PFP05198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP06078002035	780 / 18 / 350	**158**	1,0	0,005
PFP06198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP07078002035	780 / 18 / 350	**158**	1,0	0,005
PFP07198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP08078002035	780 / 18 / 350	**158**	1,0	0,005
PFP08198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP08078002035	780 / 18 / 350	**158**	1,0	0,005
PFP08198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP09078002035	780 / 18 / 350	**158**	1,0	0,005
PFP09198002035	1980 / 18 / 350	**325**	2,7	0,012
PFP10078002035	780 / 18 / 350	**158**	1,0	0,005
PFP10198002035	1980 / 18 / 350	**325**	2,7	0,012
Side partition				
PFB01058002035	580 / 18 / 350	**119**	0,7	0,003
PFB01158002035	1580 / 18 / 350	**247**	2,2	0,009
PFB02058002035	580 / 18 / 350	**119**	0,7	0,003
PFB02158002035	1580 / 18 / 350	**247**	2,2	0,009
PFB03058002035	580 / 18 / 350	**130**	0,7	0,003
PFB03158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB04058002035	580 / 18 / 350	**130**	0,7	0,003
PFB04158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB05058002035	580 / 18 / 350	**130**	0,7	0,003
PFB05158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB06058002035	580 / 18 / 350	**130**	0,7	0,003
PFB06158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB07058002035	580 / 18 / 350	**130**	0,7	0,003
PFB07158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB08058002035	580 / 18 / 350	**130**	0,7	0,003
PFB08158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB09058002035	580 / 18 / 350	**130**	0,7	0,003
PFB09158002035	1580 / 18 / 350	**269**	2,2	0,009
PFB01058002035	580 / 18 / 350	**130**	0,7	0,003
PFB10158002035	1580 / 18 / 350	**269**	2,2	0,009

Partition screens


S50 PARTITION

– Lightweight upholstered partition made of honeycomb cardboard, foam and decorative fabric from MARO.
– Partition equipped with a set of two or three powder-coated metal brackets fixing partition to desk.

ACOUSTIC PROPERTIES


–Sound absorption class – B in accordance with PN-EN ISO 354:2005.
–Sound absorption coefficient (αw) – 0.80.


S50 partition



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Front partition				
1st grp.	**UK1P078003050**	780 /30 / 500	**199**	1,3	0,015
	UK1P088003050	880 /30 / 500	**204**	1,5	0,017
	UK1P098003050	980 /30 / 500	**210**	1,6	0,019
	UK1P108003050	1080 /30 / 500	**215**	1,8	0,021
	UK1P118003050	1180 /30 / 500	**221**	1,9	0,023
	UK1P128003050	1280 /30 / 500	**226**	2,0	0,025
	UK1P138003050	1380 /30 / 500	**231**	2,3	0,027
	UK1P148003050	1480 /30 / 500	**237**	2,5	0,029
	UK1P158003050	1580 /30 / 500	**242**	2,6	0,031
	UK1P168003050	1680 /30 / 500	**248**	2,8	0,033
	UK1P178003050	1780 /30 / 500	**253**	3,0	0,035
	UK1P188003050	1880 /30 / 500	**258**	3,1	0,037
	UK1P198003050	1980 /30 / 500	**264**	3,3	0,039
2nd grp.	**UK2P078003050**	780 /30 / 500	**243**	1,3	0,015
	UK2P088003050	880 /30 / 500	**249**	1,5	0,017
	UK2P098003050	980 /30 / 500	**256**	1,6	0,019
	UK2P108003050	1080 /30 / 500	**263**	1,8	0,021
	UK2P118003050	1180 /30 / 500	**269**	1,9	0,023
	UK2P128003050	1280 /30 / 500	**276**	2,0	0,025
	UK2P138003050	1380 /30 / 500	**282**	2,3	0,027
	UK2P148003050	1480 /30 / 500	**289**	2,5	0,029
	UK2P158003050	1580 /30 / 500	**296**	2,6	0,031
	UK2P168003050	1680 /30 / 500	**302**	2,8	0,033
	UK2P178003050	1780 /30 / 500	**309**	3,0	0,035
	UK2P188003050	1880 /30 / 500	**315**	3,1	0,037
	UK2P198003050	1980 /30 / 500	**322**	3,3	0,039
	Side partition				
1st grp.	**UK1B058003050**	580 /30 / 500	**188**	0,9	0,012
	UK1B068003050	680 /30 / 500	**194**	1,1	0,014
	UK1B078003050	780 /30 / 500	**199**	1,3	0,016
	UK1B088003050	880 /30 / 500	**204**	1,5	0,018
	UK1B098003050	980 /30 / 500	**210**	1,6	0,020
	UK1B108003050	1080 /30 / 500	**215**	1,8	0,021
	UK1B118003050	1180 /30 / 500	**221**	1,9	0,023
	UK1B128003050	1280 /30 / 500	**226**	2,1	0,025
	UK1B138003050	1380 /30 / 500	**231**	2,3	0,027
	UK1B148003050	1480 /30 / 500	**237**	2,5	0,029
	UK1B158003050	1580 /30 / 500	**242**	2,6	0,031
2nd grp.	**UK2B058003050**	580 /30 / 500	**230**	0,9	0,012
	UK2B068003050	680 /30 / 500	**236**	1,1	0,014
	UK2B078003050	780 /30 / 500	**243**	1,3	0,016
	UK2B088003050	880 /30 / 500	**249**	1,5	0,018
	UK2B098003050	980 /30 / 500	**256**	1,6	0,020
	UK2B108003050	1080 /30 / 500	**263**	1,8	0,021
	UK2B118003050	1180 /30 / 500	**269**	1,9	0,023
	UK2B128003050	1280 /30 / 500	**276**	2,1	0,025
	UK2B138003050	1380 /30 / 500	**282**	2,3	0,027
	UK2B148003050	1480 /30 / 500	**289**	2,5	0,029
	UK2B158003050	1580 /30 / 500	**296**	2,6	0,031

S50 partition





	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
	Front partition				
1st grp.	**UK1P078003035**	780 /30 / 350	**178**	1,3	0,010
	UK1P088003035	880 /30 / 350	**183**	1,5	0,012
	UK1P098003035	980 /30 / 350	**188**	1,6	0,013
	UK1P108003035	1080 /30 / 350	**194**	1,8	0,015
	UK1P118003035	1180 /30 / 350	**199**	1,9	0,016
	UK1P128003035	1280 /30 / 350	**205**	2,0	0,018
	UK1P138003035	1380 /30 / 350	**210**	2,3	0,019
	UK1P148003035	1480 /30 / 350	**215**	2,5	0,020
	UK1P158003035	1580 /30 / 350	**221**	2,6	0,022
	UK1P168003035	1680 /30 / 350	**226**	2,8	0,023
	UK1P178003035	1780 /30 / 350	**232**	3,0	0,025
	UK1P188003035	1880 /30 / 350	**237**	3,1	0,026
	UK1P198003035	1980 /30 / 350	**243**	3,3	0,028
2nd grp.	**UK2P078003035**	780 /30 / 350	**217**	1,3	0,010
	UK2P088003035	880 /30 / 350	**223**	1,5	0,012
	UK2P098003035	980 /30 / 350	**230**	1,6	0,013
	UK2P108003035	1080 /30 / 350	**236**	1,8	0,015
	UK2P118003035	1180 /30 / 350	**243**	1,9	0,016
	UK2P128003035	1280 /30 / 350	**250**	2,0	0,018
	UK2P138003035	1380 /30 / 350	**256**	2,3	0,019
	UK2P148003035	1480 /30 / 350	**263**	2,5	0,020
	UK2P158003035	1580 /30 / 350	**269**	2,6	0,022
	UK2P168003035	1680 /30 / 350	**276**	2,8	0,023
	UK2P178003035	1780 /30 / 350	**283**	3,0	0,025
	UK2P188003035	1880 /30 / 350	**289**	3,1	0,026
	UK2P198003035	1980 /30 / 350	**296**	3,3	0,028
	Side partition				
1st grp.	**UK1B058003035**	580 /30 / 350	**167**	0,9	0,008
	UK1B068003035	680 /30 / 350	**172**	1,1	0,009
	UK1B078003035	780 /30 / 350	**178**	1,3	0,010
	UK1B088003035	880 /30 / 350	**183**	1,5	0,012
	UK1B098003035	980 /30 / 350	**188**	1,6	0,014
	UK1B108003035	1080 /30 / 350	**194**	1,8	0,015
	UK1B118003035	1180 /30 / 350	**199**	1,9	0,016
	UK1B128003035	1280 /30 / 350	**204**	2,1	0,018
	UK1B138003035	1380 /30 / 350	**209**	2,3	0,019
	UK1B148003035	1480 /30 / 350	**215**	2,5	0,020
	UK1B158003035	1580 /30 / 350	**221**	2,6	0,022
2nd grp.	**UK2B058003035**	580 /30 / 350	**204**	0,9	0,008
	UK2B068003035	680 /30 / 350	**210**	1,1	0,009
	UK2B078003035	780 /30 / 350	**217**	1,3	0,010
	UK2B088003035	880 /30 / 350	**223**	1,5	0,012
	UK2B098003035	980 /30 / 350	**230**	1,6	0,014
	UK2B108003035	1080 /30 / 350	**236**	1,8	0,015
	UK2B118003035	1180 /30 / 350	**243**	1,9	0,016
	UK2B128003035	1280 /30 / 350	**250**	2,1	0,018
	UK2B138003035	1380 /30 / 350	**256**	2,3	0,019
	UK2B148003035	1480 /30 / 350	**263**	2,5	0,020
	UK2B158003035	1580 /30 / 350	**269**	2,6	0,022

Modesty panels

BOARD MODESTY PANEL

- 18 mm thick chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Modesty panel finished with 2 mm thick ABS/PP plastic with 2 mm radius.

PERFORATED MODESTY PANEL


- Made of 2 mm thick powder-coated metal sheet.
- Available in two hole options: squares 7x7 mm or Ø 7mm circles.
- While placing your order, please specify the selected type of sof holes.




ADDITIONAL INFORMATION

- Colors according to MARO offer.


Board modesty panel






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front modesty panel				
ZRP040	400 / 18 / 360	**96**	3	0,009
ZRP060	600 / 18 / 360	**98**	4	0,012
ZRP080	800 / 18 / 360	**100**	4	0,015
ZRP100	1000 / 18 / 360	**102**	5	0,019
ZRP120	1200 / 18 / 360	**104**	6	0,022
ZRP140	1400 / 18 / 360	**106**	7	0,025
ZRP160	1600 / 18 / 360	**107**	8	0,028
ZRP180	1800 / 18 / 360	**109**	9	0,031
Side modesty panel				
ZRB040	400 / 18 / 360	**96**	3	0,009
ZRB060	600 / 18 / 360	**98**	4	0,012
ZRB080	800 / 18 / 360	**100**	4	0,015
ZRB100	1000 / 18 / 360	**102**	5	0,019
ZRB120	1200 / 18 / 360	**104**	6	0,022

Perforated modesty panel






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Front modesty panel				
ZRM040	400 / 15 / 360	**189**	2	0,006
ZRM060	600 / 15 / 360	**195**	3	0,008
ZRM080	800 / 15 / 360	**201**	4	0,009
ZRM100	1000 / 15 / 360	**207**	4	0,011
ZRM120	1200 / 15 / 360	**213**	5	0,012
ZRM140	1400 / 15 / 360	**219**	6	0,014
ZRM160	1600 / 15 / 360	**224**	6	0,015
ZRM180	1800 / 15 / 360	**231**	7	0,017
Side modesty panel				
ZRN040	400 / 15 / 360	**189**	2	0,006
ZRN060	600 / 15 / 360	**195**	3	0,008
ZRN080	800 / 15 / 360	**201**	4	0,009
ZRN100	1000 / 15 / 360	**207**	4	0,011
ZRN120	1200 / 15 / 360	**213**	5	0,012

Hanging accessories

HANGING ACCESSSORIES

- All hanging accessories are metal and powder-coated.
- Magnetic boards can only be hung on board partition screens.
- Hanging accessories can be hung in different ways:



- Accessories with AP indexes should be hung directly on board partition screens.
- Accessories with AL indexes should be used with magnetic boards or accessories slats.
- Accessories with WX indexes can be hung on the products from Wariant collection or on upholstered partition screens.
- While placing your order, please specify the purpose of accessories for each product.


ACCESSORIES SLAT

- Slat can be affixed to board partition screen or upholstered partition screen at any height.

ADDITIONAL INFORMATION


- Colors according to MARO offer.

Magnetic board with shelf




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PL20	700 / 40 / 290	**135**	4	0,011
PL30	350 / 40 / 290	**94**	2	0,005

Upholstered panel for magnetic board




	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Upholstery GR I	**PL21**	690 / 11 / 270	**137**	1	0,025
	PL31	340 / 11 / 270	**127**	1	0,025
Upholstery GR II	**PL212**	690 / 11 / 270	**157**	1	0,025
	PL312	340 / 11 / 270	**145**	1	0,025
Upholstery GR III	**PL213**	690 / 11 / 270	**233**	1	0,025
	PL313	340 / 11 / 270	**216**	1	0,025

Slat for accessories




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
PL070	700 / 12 / 70	**72**	1	0,001
PL090	900 / 12 / 70	**77**	2	0,001
PL110	1100 / 12 / 70	**83**	2	0,002
PL130	1300 / 12 / 70	**88**	2	0,002
PL150	1500 / 12 / 70	**94**	3	0,002
PL170	1700 / 12 / 70	**99**	3	0,003
PL190	1900 / 12 / 70	**105**	3	0,003

Metal pocket A4 - vertical




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Hanging accessories **AL01**	240 / 35 / 260	**70**	2	0,007
Hanging accessories for board partition screens **AP01**	240 / 45 / 260	**69**	2	0,007

Metal shelf C5+




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Hanging accessories **AL03**	320 / 35 / 165	**52**	1	0,006
Hanging accessories for board partition screens **AP03**	320 / 35 / 165	**57**	1	0,006

Metal shelf A4




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Hanging accessories **AL02**	320 / 35 / 255	**64**	2	0,007
Hanging accessories for board partition screens **AP02**	320 / 35 / 255	**68**	2	0,007

Metal shelf - small




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Hanging accessories **AL04**	150 / 55 / 165	**43**	1	0,003
Hanging accessories for board partition screens **AP04**	150 / 35 / 140	**41**	1	0,003

Laptop holder




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Hanging accessories **AL09**	250 / 40 / 63	**49**	1	0,002

Workstation ID



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
AP10	350 / 25 / 50	**28**	1	0,001
AP40	340 / 25 / 210	**49**	1	0,007


Organizer 01 - A4 folder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX01	310 / 70 / 210	**97**	1	0,006

* While placing your order, please select the element to which the accessory will be mounted.


Organizer 02 - Pen holder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX02	100 / 70 / 210	**67**	1	0,002

* While placing your order, please select the element to which the accessory will be mounted.


Organizer 03 - Cube



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX03	100 / 100 / 100	**63**	1	0,002

* While placing your order, please select the element to which the accessory will be mounted.


Organizer 04 - Tray



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX04	210 / 30 / 100	**55**	1	0,001

* While placing your order, please select the element to which the accessory will be mounted.


Organizer 05 - Flower pot



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX05	310 / 100 / 100	**59**	1	0,004

* While placing your order, please select the element to which the accessory will be mounted.

Organizer 07 - Mirror



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
WX07	100 / 30 / 310	**96**	1	0,001

* While placing your order, please select the element to which the accessory will be mounted.

XXX.

Cable management

Cable channels and outlets

HORIZONTAL CABLE CHANNELS

- Fixed and fold-down cable channels made of 2 mm thick, powder-coated sheet metal.
- U profile grid cable channels made of steel galvanized grid. Not pained.

COMB CABLE CLASP

- Made of black plastic.
- Available only in one size 110x70x40 mm
- Mounting kit included.

ADD-ON CABLE CHANNEL

- UW18 made of profile, affixed directly to the leg of the of: K-em, FeM or Laco-C, Lano-T desk.
- UW10 made of sheet metal compatible only with the legs of O-eM desks.
- Powder-coated.

FLEXIBLE CABLE CHANNEL

- Silver.
- Dedicated for tables with fixed height 740 mm.
- Mounting kit included.

SPRING CABLE CHANNEL

- Silver or black.
- Dedicated for tables with height adjustment.
- Mounting kit included.

BRAIDED SLEEVE FOR CABLES

- Made of flexible, black, plastic braided sleeve.
- Available in two lengths: 800 mm for desks with fixed height and 1300 mm for desks with adjustable height.

CABLE CLASP

- Made of 2 mm thick, powder-coated sheet metal.
- Fixed size 50x20x40 mm
- Affixed under the top.
- Available in two options: straight and bent.

CABLE OUTLETS

- Rectangular, aluminum outlets are equipped with fold-down covers protected with brushed strips.
- Mounting location depends on the collection.

ROUND OUTLET

- Made of plastic.
- Available in white, gray and black (please specify the color while making your order).
- Mounting location depends on the collection.


CHROMIUM-PLATED ERGONOMIC OUTLET

- Outlet diameter Ø 80 mm.
- Chromium-plated surface.
- Brush seal protecting the outlet.
- Mounting location depends on the collection

FABRIC CABLE CHANNEL

- Affixed to bottom part of the desk top.
- Mounting hook included.
- Zippered.


Fixed cable channel



400/ 600/ 800/ 1000/ 1200/ 1400/ 1600

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
DDS040	400 / 116 / 70	**36**	1	0,01
DDS060	600 / 116 / 70	**40**	1	0,01
DDS080	800 / 116 / 70	**43**	1	0,01
DDS100	1000 / 116 / 70	**47**	2	0,01
DDS120	1200 / 116 / 70	**51**	2	0,01
DDS140	1400 / 116 / 70	**54**	2	0,01
DDS160	1600 / 116 / 70	**58**	3	0,02


Fold-down cable channel



400/ 600/ 800/ 1000/ 1200/ 1400/ 1600

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
DDU040	400 / 156 / 109	**51**	1	0,01
DDU060	600 / 156 / 109	**56**	1	0,01
DDU080	800 / 156 / 109	**61**	1	0,01
DDU100	1000 / 156 / 109	**67**	1	0,01
DDU120	1200 / 156 / 109	**72**	1	0,01
DDU140	1400 / 156 / 109	**77**	2	0,01
DDU160	1600 / 156 / 109	**82**	2	0,01


Grid cable channel



400/ 600/ 800/ 1000/ 1200/ 1400/ 1600


Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
OLS040	400 / 156 / 112	**55**	2	0,01
OLS060	600 / 156 / 112	**58**	2	0,01
OLS080	800 / 156 / 112	**62**	2	0,01
OLS100	1000 / 156 / 112	**66**	2	0,01
OLS120	1200 / 156 / 112	**69**	2	0,01
OLS140	1400 / 156 / 112	**73**	3	0,01
OLS160	1600 / 156 / 112	**77**	3	0,01

Grid cable channel - for team desks




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OLB100	1000 / 406 / 102	**87**	4	0,02
OLB120	1200 / 406 / 102	**92**	4	0,02
OLB140	1400 / 406 / 102	**97**	4	0,02
OLB160	1600 / 406 / 102	**101**	4	0,02


Comb cable clasp



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DD91	110 / 70 / 40	**12**	0	0,00


Cable clasp






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW04	53 / 19 / 40	**24**	0	0,03
UW05	53 / 19 / 40	**24**	0	0,03

Fixed horizontal cable channel - for straight reception counter




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DL01	150 / 800 / 170	**96**	2	0,01
DL02	150 / 1200 / 170	**120**	2	0,01

Fixed horizontal cable channel - for curved reception counter




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
DL03	150 / 800 / 170	**111**	2	0,01

Flexible cable channel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW02	130 / 65 / 780	**92**	1	0,002

Spring cable channel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Silver **UW14**	150 / 150 / 170	**103**	1	0,00
Black **UW15**	150 / 150 / 170	**103**	1	0,00

Add-on cable channel




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
For square or rectangular leg				
UW18	40 / 28 / 550	**50**	1	0,03
For round leg				
UW10	40 / 35 / 550	**50**	0	0,03


Aluminum cable outlet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW28	276 / 120 / 25	**86**	0,3	0,001


Round cable outlet






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW13	80 / 80 / 10	**29**	0,01	0,00
UW1460	60 / 60 / 10	**10**	0,01	0,001
Outlet Ø 80 mm / Chrom e				
WD01	80 / 80 / 10	**73**	0,2	0,002

Narrow aluminum cable outlet



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW281	280 / 80 / 25	**59**	0,3	0,001

Fabric cable channel



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1st grp.	**UW381T080**	40 / 40 / 800	**43**	0,1	0,001
	UW381T130	40 / 40 / 1300	**53**	0,1	0,001
2nd grp.	**UW382T080**	40 / 40 / 800	**58**	0,1	0,001
	UW382T130	40 / 40 / 1300	**77**	0,1	0,001

Netboxes

POWER CIRCLE

– Power circle is a collection of small netboxes which can be used with every desk.

POWER CIRCLE L

– 1x Schuko electric socket, PL/FR, 2xUSB (charging function). 1.25 m long cable.
– 1 x UK socket, 1x USB, 1x RJ
– Made of black plastic.


POWER CIRCLE M


– 1x Schuko electric socket, PL/FR, 1xUSB (charging function). 1.5 m long cable.
– Made of black plastic.

POWER CIRCLE S

– 2 set-up options: 1x Schuko electric socket, PL/FR or 2xUSB (charging function). 1.25 m long cable.
– Made of black plastic.


Power Circle L






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Electrical sockets PL/ FR				
UW33P	83 / 83 / 89	**260**	0.5	0.001
Electrical sockets DE				
UW33D	83 / 83 / 89	**260**	0.5	0.001
Electrical sockets UK				
UW33U	83 / 83 / 89	**210**	0,5	0,001


Power Circle M






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Electrical sockets PL/ FR				
UW34P	71 / 71 / 79	**164**	0.4	0.001
Electrical sockets DE				
UW34D	71 / 71 / 79	**164**	0.4	0.001
Electrical sockets UK				
UW34U	71 / 71 / 79	**62**	0.4	0.001

Power Circle S





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Electrical sockets PL/ FR				
UW35P	57 / 57 / 65	**54**	0.3	0.001
Electrical sockets DE				
UW35D	57 / 57 / 65	**54**	0.3	0.001
Gniazdo 2xUSB				
UW36	57 / 57 / 65	**164**	0.3	0.001

SINGLE-SIDED FOLD-DOWN NETBOX

BASIC SINGLE-SIDED FOLD-DOWN NETBOX

– Case color - alumuminium or black, socket color -black. 2x230V (PL/FR, Schuko), 2 x USB A with charging function, power cable length 3m, black.

MAX SINGLE-SIDED FOLD-DOWN NETBOX

– Netbox available in two sizes: 4-and 8-module in options 2 xelectric sockets and 2 x complementary modules, 3 xelectric sockets and 1 xor 3 x complementary modules, 4 xelectric sockets and 4 xcomplementary modules.
– Electric sockets are always located in the first modules on the left. Complementary modules come with a cover as standard, other modules are available with a surcharge.
– Case color: aluminum, socket and complementary modules color: black. 230V (PL/FR, Schuko, UK, CH). Power cord lenght 3m, black.

SIMPLE NETBOX

SIMPLE NETBOX

– Netbox available in 4-module option, option 2 xelectric sockets and 2 x complementary modules and 6-module option, option 2 x electic sockets and 4 x complementary modules, and 3 x electric sockets and 3 xcomplementary modules.
– Electric sockets are always located in the first modules on the left. Complementary modules come with a cover as standard, other modules are available with a surcharge.
– Frame color -white, black, aluminum, socket and complementary modules color - black, 230V (PL/FR, Schuko, UK, CH), power cord lenght 3m, black.

SIMPLE NETBOX WITH FLAP

– Netbox available in 4-module and 6-module options with 2 xelectric sockets and 2 x complementary modules or 4 x modules color - black, 230V (PL/FR, Schuko, UK, CH), power cord lenght 3m, black electric sockets and 3 xcomplementary modules.
– Electric sockets are always located in the firts modules on the left. Complementary modules come with a cover as standard, other modules are available with a surcharge.
– Frame color: aluminum (standard), white and black (as an option with a surcharge). Socket and complementary module color: black, 230V (PL/FR, Schuko, UK, CH), power cord length 3 m, black.

DESKTOP NETBOX


– Netbox available in 4-module and 5-module options with 3 xelectric sockets and 1 xcomplementary module and 3 xelectric sockets and 2 x complementary modules.
– Electric sockets are always located in the first modules on the left. Complementary modules come with a cover as standard, other modules are available with a surcharge.
– Case color: metal elements - aluminum, plastic elements - black. Socket and complementary modules color: black. 230V (PL/FR, Schuko, UK, CH). Two mounting systems - mounted with angle brackets to countertop (max 50mm) or screwed directly to desk top. Power cord lenght: 3m, black.
– Mounting a netbox excludes the possibility to mount a partition screen due to the power cord.

Surcharge

Complementary modules	Price EUR
RJ45 CAT 6	+ 33
USB 3.0 A/A for data transfer	+ 50
USB 3.1 type-C for data transfer	+ 50
USB A/A with charging function	+ 156
USB A/C with charging function	+ 189
HDMI 1,4	+ 42
HDMI + RJ45 CAT6	+ 64
HDMI + USB 3.0 A type for data transfer	+ 77
HDMI + USB 3.1 C type for data transfer	+ 77
RJ45 CAT6 + RJ45 CAT6	+ 60
USB 3.0 A type for data transfer + USB 3.0 A for data transfer	+ 86
USB 3.1 C type for data transfer + USB 3.0 A type for data transfer	+ 85
USB 3.1 C type for data transfer + USB 3.1 C type for data transfer	+ 85

Complementary modules without device supply cable

Basic single-sided fold-down netbox




Includes:

2 x E lectrical sockets

2xUSB

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
UW50	240 / 120 /73	**85**	0,4	0,002


Max single-sided fold-down netbox*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
4-module				
UW5541	400 / 192 / 106	**1782**	0,5	0,008
UW5542	400 / 192 / 106	**1782**	0,5	0,008
8-module				
UW5584	583 / 192 / 106	**1924**	0,7	0,012
UW5585	583 / 192 / 106	**1924**	0,7	0,012

*The listed prices include netbox configurations with complementary modules including covers. The prices of the complementary modules are listed in the table of surcharges on page 470.


Simple netbox*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
4-module				
UW5142	284 / 73 / 45	**487**	0,18	0,001
6-module				
UW5163	369 / 73 / 45	**620**	0,21	0,001
UW5164	369 / 73 / 45	**620**	0,21	0,001

*The listed prices include netbox configurations with complementary modules including covers. The prices of the complementary modules are listed in the table of surcharges on page 470.


Simple netbox with flap*



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
4-module				
UW5242	300 / 88 / 52	**720**	0,38	0,001
6-module				
UW5263	384 / 88 / 52	**887**	0,48	0,001
UW5264	384 / 88 / 52	**887**	0,48	0,001

*The listed prices include netbox configurations with complementary modules including covers. The prices of the complementary modules are listed in the table of surcharges on page 470.

Desktop netbox*





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
4-module				
UW5341	282 / 74 / 88	**315**	0,46	0,001
5-module				
UW5352	324 /74 /88	**326**	0,53	0,001

*The listed prices include netbox configurations with complementary modules including covers. The prices of the complementary modules are listed in the table of surcharges on page 470.

Complementary modules without device supply cable

Cutout for netbox*





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW31**	A / B / C	**125**	1	0.01

*Surcharge for cutting out the hole

**Cutout edges with no ABS/PP edging.
Cutout available only for netboxes with frames.
Any netbox cutout requires to be consulted with the Sales Department. The exact netbox dimensions need to bespecified.

SLIM PLUG NETBOX


- Metal housing with or without flap. Socket and housing colour: black.
  4 × power sockets (PL, FR, Schuko, UK, CH).


SLIM NETBOX


- Metal housing with or without flap. Socket and housing colour: black.
  2 × power sockets (PL, FR, Schuko, UK, CH), 3 × USB (2 × charging function,
  1 × USB for data transfer), 2 × RJ45, 1 × HDMI.

Complementary modules without device supply cable

Slim Frame Plug netbox (without flap)









Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
UW61P	237 / 69 /42	**263**	0,5	0,0007

Slim Cover Plug netbox (with flap)










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
UW62P	242 / 81 /42	**333**	0,6	0,0007

Slim Frame netbox (without flap)










Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
UW63P	282 / 69 / 42	**466**	0,6	0,0007

Slim Cover netbox (with flap)







Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
UW64P	287 / 81 / 42	**541**	0,7	0,0007

XXXI.

Work organization

Desk accessories

KEYBOARD DRAWER

- Made of black plastic.
- Black ball runners.
- Front drawer edge shaped for the wrists.
- Little storage space for office supplies at the front.

PC-HOLDER

- Made of profile and sheet metal, affixed to the top, powder-coated.
- Black rubber protection.


PC-HOLDER WITH PERFORATED PANEL


- PC-holder made of profile and sheet metal affixed to the top of the desk.
- Types of holes must be specified while making your order.
- Powder-coated.
- Black rubber protection.

PC-TROLLEY

- 25 mm thick chipboard coated on both sides with melamine resin with increased durability - 1st class.
- Base finished with 2 mm thick ABS/PP plastic with 3 mm radius.
- Black castors Ø 36.


Keyboard drawer





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UK07	550 / 230 / 37	**65**	1	0,005


PC-holder



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW20	220 / 160 / 570	**133**	3	0,027


PC-holder with perforated panel





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW24	500 / 250 / 570	**329**	7	0,082
UW25	500 / 250 / 570	**329**	7	0,082

PC-trolley



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UW21	240 / 550 / 70	**81**	3	0,010

Pedestal accessories

UPHOLSTERED PAD

- 60 mm thick polyurethane foam.
- Upholstered decorative fabric from MARO offer.
- Due to technology, the pad must be ordered while placing an order for a pedestal.

DRAWER DIVIDERS

- Two types of drawer dividers are available: traverse and longitudinal.
- Made of black plastic.
- Dedicated for drawers 3HE.
- Longitudinal divider should be ordered together with the traverse divider (see the drawing).

DIAGONAL DRAWER DIVIDER

- Made of black plastic.
- 3 pcs. - 2HE/600
- 4 pcs. - 2HE/800
- 5 pcs. - 3HE/600
- 8 pcs. - 3HE/800

RACK FOR HANGING FOLDERS

- Made of black plastic.
- Dedicated for drawer 6HE.

PENCIL INSERT

- Made of black plastic.

ACCESSORIES FOR CARGO PEDESTAL

- Insert for the bottom drawer made of black sheet metal with slots to affix vertical dividers.
- Vertical dividers for folders are made of black sheet metal, dedicated for bottom drawer inserts (UC 10).


PERSOBOX


- All PERSOBOX elements are made of sheet metal.
- Black powder-coated.
- Shelf (RL 02) and mug holder (RL 03) dedicated only for Persobox insert (RL 01).

ORGATEXO ORGANIZER

- Organizer made of felt – nonwoven rPET and PET fabric, 9 mm thick, weight: 2000 g/m².
- Dividers and handle for moving as standard
- Organizer suitable for 420 mm to 300 mm deep lockers.

Upholstered pad






	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
GR I	UTN06	428 / 600 / 60	**197**	3	0,011
	UTN07	328 / 600 / 60	**117**	3	0,011
	UTN08	428 / 800 / 60	**200**	3	0,011
Upholstery GR II	UTN062	428 / 600 / 60	**392**	3	0,011
	UTN072	328 / 600 / 60	**123**	3	0,011
	UTN082	428 / 800 / 60	**401**	3	0,011
GR III	UTN063	428 / 600 / 60	**471**	3	0,011
	UTN073	328 / 600 / 60	**149**	3	0,011
	UTN083	428 / 800 / 60	**480**	3	0,011


Drawer dividers

Traverse



RT85


Longitudinal



RT86

Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RT85	330 / 60 / 11	**14**	0	0,001
RT86	220 / 60 / 3	**13**	0	0,002


Diagonal drawer divider*




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RT87	325 / 210 / 35	**23**	1	0,004

*Indeks i cena dotyczą jednej przgrody


Rack for hanging folders






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UC13	350 / 350 / 240	**77**	1	0,029


Pencil insert






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
RT88	335 / 196 / 25	**15**	1	0,00

Bottom drawer insert - for Cargo pedestal




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UC10	685 / 330 / 60	**182**	3	0,023


Vertical dividers for binders - for Cargo pedestal



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UC12	300 / 180 / 2	**39**	1	0,002

OrgaTexo organizer





Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
OTEX01	380 / 151/ 251	**109**	0,7	0,036

Locks and keys


OPENING SYSTEMS IN MARO PRODUCTS

- Master key is a universal key for all the locks with removable cylinders.
- Service key for removing the cylinders in open locks. It is impossible to remove a cylinder in closed locks (e.g. in case of losing the key).

LOCKS FOR LOCKERS


- Combination locks with numeric keyboards and locks with cards dedicated for lockers.
- User card - contactless card for locks with Mifare 13.56 Hz. standard.
- Programming card - automatic closing after 5 secs.

Master key




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
System Master key				
ZAM2	0 / 0 / 0	**86**	0	0,001
System Master key for PREMUM combination locks				
ZAM14	0 / 0 / 0	**93**	0	0,001
System Master key for BASIC combination locks				
ZAM18	0 / 0 / 0	**89**	0	0,001

Service key




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZAM1	0 / 0 / 0	**57**	0	0,001

Lock




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Pedestal lock with cylinder and keys				
ZAM3	0 / 0 / 0	**78**	0	0,001
Lock with cylinder and keys for cabinets with sliding doors				
ZAM4	0 / 0 / 0	**89**	0	0,001
Lock with cylinder and keys for cabinets with tambour doors				
ZAM5	0 / 0 / 0	**81**	0	0,001
Lock with cylinder and keys for drawers				
ZAM6	0 / 0 / 0	**85**	0	0,001
Flat case lock with cylinder and keys				
ZAM9	0 / 0 / 0	**74**	0	0,001
Showcase lock with cylinder and keys				
ZAM13	0 / 0 / 0	**95**	0	0,001

Espagnolette lock with knob, cylinder and keys




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM12	0 / 0 / 0	**114**	0	0,001

Flat case lock with no removable cylinder




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM11	0 / 0 / 0	**58**	0	0,001

Espagnolette lock knob with cylinder and keys




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM7	0 / 0 / 0	**95**	0	0,001

BASIC combination lock




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM23	0 / 0 / 0	**75**	0	0,001

Cylinder with two keys




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM8	0 / 0 / 0	**64**	0	0,001

PREMIUM combination lock




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM17	0 / 0 / 0	**182**	0	0,001
ZAM16	0 / 0 / 0	**182**	0	0,001

Pedestal lock with no removable cylinder




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM10	0 / 0 / 0	**60**	0	0,001

Pin for code resetting in PREMIUM combination lock




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
ZAM15	0 / 0 / 0	**78**	0	0,001

User card




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZAM21	0 / 0 / 0	**19**	0	0,001

Programming card



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZAM22	0 / 0 / 0	**66**	0	0,001

Lock with numeric keypad



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
ZAM25	0 / 0 / 0	**89**	0	0,001

Accessories for cabinets and showcases

FEET AND BASES

- PRO cabinets are equipped with feet H:30 mm with adjustable height as standard.
- Extra set of adjustable feet includes a foot with a cover. Foot diameter: 20 mm, height with cover: 55 mm.
- Powder-coated, metal bases.
- 18 mm thick chipboard bases coated on both sides with melamine resin with increased durability - 1st class finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Cabinet height changes depending of the height of the selected base

COVERS

- Available top, side and corner covers.
- 18 mm thick chipboard covers coated on both sides with melamine resin with increased durability - 1st class finished with 2 mm thick ABS/PP plastic edge with 3 mm radius.
- Cover price per running meter.

TOPS

- Tops dedicated for PRO cabinets Z type.
- 18 or 25 mm thick chipboard tops covered with melamine resin with increased durability - 1st class finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Top type 18-8-18 means that 3 types of boards are joined: two 18 mm thick boards on the outside and 8 mm thick board between them. 8 mm board is equipped with graphite or silver 0.8 mm edge.
- Glass top is made of 12 mm thick Satinato or Black Opti glass.
- Top is equipped with 60 mm high plinths, 32 mm in diameter.
- While making your order for a cabinet with EA index top and side cladding, please specify that the top must be 40 mm longer to cover the side claddings.

SIDE CLADDINGS

- 18 mm thick chipboard coated on both sides with melamine resin with increased durability - 1st class finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- Claddings affixed to the sides of the cabinet. Cladding price per a pair of claddings.

GLASS DOORS

- Glass door in a frame made of aluminum profile in aluminum color. Satinato or Black Opti Glass finish.
- Glass door with soft close automatic mechanism.
- Glass doors must be the same height as the selected shelf unit.
- Price per a pair of hinged doors.

PULL OUT SHELF

- 16 mm thick white chipboard coated on both sides with melamine resin with increased durability - 1st class finished with 2 mm thick ABS/PP plastic edge with 2 mm radius.
- 500 mm wide shelf pulled out by 250 mm, affixed between the cabinet and an add-on unit. It needs to be affixed to both the cabinet and add-on unit. Max. load: 5 Kg.


ANGLE IRONS


- Cabinets 4OH need to be secured with a counterweight or fitted to the wall with delivered powder-coated angle irons.

COUNTERWEIGHT

- Powder-coated, black sheet metal. It is necessary to use it with self-standing cabinets and all cabinets with heavy or uneven load.


Set of additional feet for height adjustment






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
RT83(4 Pcs.)	55 / 55 / 80	**39**	1	0,002
RT84(6 Pcs.)	55 / 55 / 120	**56**	1	0,002

Metal base H: 30 mm




		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Base for 420 mm deep cabine ts						
Cabinet width	400	MB040038003	398 / 380 / 30	**63**	1	0,007
	600	MB060038003	598 / 380 / 30	**68**	1	0,010
	800	MB080038003	798 / 380 / 30	**72**	1	0,014
	1000	MB100038003	998 / 380 / 30	**77**	1	0,017
	1200	MB120038003	1198 / 380 / 30	**82**	2	0,021
Base for 600 mm deep cabine ts						
Width	600	MB060058003	598 / 580 / 30	**112**	1	0,015
	800	MB080058003	798 / 580 / 30	**117**	1	0,020

Metal base H: 70 mm




		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Base for 420 mm deep cabine ts						
Cabinet width	400	MB040038007	398 / 380 / 70	**121**	3	0,018
	600	MB060038007	598 / 380 / 70	**127**	3	0,027
	800	MB080038007	798 / 380 / 70	**133**	4	0,035
	1000	MB100038007	998 / 380 / 70	**139**	4	0,044
	1200	MB120038007	1198 / 380 / 70	**145**	5	0,053
Base for 600 mm deep cabine ts						
Width	600	MB060058007	598 / 580 / 70	**147**	3	0,038
	800	MB080058007	798 / 580 / 70	**152**	4	0,050

Metal base
- feet with round cross section Ø 30 mm H: 150 mm




		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Base for 420 mm deep cabine ts						
Cabinet width	400	SU61	380 / 380 / 150	121	3	0,030
	600	SU66	580 / 380 / 150	125	3	0,045
	800	SU62	780 / 380 / 150	126	4	0,059
	1000	SU67	980 / 380 / 150	136	4	0,074
	1200	SU63	1180 / 380 / 150	146	5	0,088
	1600	SU68	1580 / 380 / 150	161	7	0,118
Base for 600 mm deep cabine ts						
Width	600	SU69	580 / 580 / 150	101	4	0,063
	800	SU64	780 / 580 / 150	152	4	0,084
Base for corner cabinets						
		SU65	350 / 450 / 150	120	3	0,030

Board base H: 100 mm



		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Base for 420 mm deep cabine ts						
Cabinet width	400	BB040038	399 / 376 / 100	130	3	0,021
	600	BB060038	599 / 376 / 100	132	4	0,031
	800	BB080038	799 / 376 / 100	140	4	0,040
	1000	BB100038	999 / 376 / 100	146	6	0,050
	1200	BB120038	1199 / 376 / 100	151	6	0,059
Base for 600 mm deep cabine ts						
Width	600	BB060058	599 / 576 / 100	172	4	0,043
	800	BB080058	799 / 576 / 100	177	5	0,056


Metal base
- feet with square cross section 30x30 mm H: 150 mm



		Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Base for 420 mm deep cabine ts						
Cabinet width	400	SU71	380 / 380 / 150	125	3	0,030
	600	SU76	580 / 380 / 150	126	3	0,045
	800	SU72	780 / 380 / 150	128	4	0,059
	1000	SU77	980 / 380 / 150	144	4	0,074
	1200	SU73	1180 / 380 / 150	149	6	0,088
	1600	SU78	1580 / 380 / 150	166	7	0,118
Base for 600 mm deep cabine ts						
Width	600	SU79	580 / 580 / 150	106	4	0,063
	800	SU74	780 / 580 / 150	158	4	0,084
Base for corner cabinets						
		SU75	350 / 450 / 150	126	3	0,045


Cover*

Side cover with base




UP97

Corner cover with base



UP98

Top corner



UP99


Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UP97	100 / 18 / 2600	56	1	0,012
UP98	100 / 100 / 2600	126	3	0,016
UP99	2600 / 18 / 100	56	1	0,012

*Price per running meter.


Top for PRO showcases 18 mm




800/ 1000/ 1200/ 1400/ 1600/
1800/ 2000/ 2200/ 2400




Straight add-on top for cabinets



Overhung straight add-on top for cabinets



Overhung curved add-on top for cabinets*



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Straight add-on top for cabinets					
800	**EAP080044002**	800 / 440 / 18	54	4	0,011
1000	**EAP100044002**	1000 / 440 / 18	62	5	0,013
1200	**EAP120044002**	1200 / 440 / 18	70	7	0,016
1400	**EAP140044002**	1400 / 440 / 18	77	8	0,019
1600	**EAP160044002**	1600 / 440 / 18	85	9	0,021
1800	**EAP180044002**	1800 / 440 / 18	93	10	0,024
2000	**EAP200044002**	2000 / 440 / 18	101	11	0,027
2200	**EAP220044002**	2200 / 440 / 18	109	12	0,029
2400	**EAP240044002**	2400 / 440 / 18	116	13	0,032
Overhung straight add-on top for cabinets					
800	EP31	1000 / 440 / 18	78	5	0,013
1000	EP21	1200 / 440 / 18	87	7	0,016
1200	EP61	1400 / 440 / 18	98	8	0,019
1400	EP41	1600 / 440 / 18	106	9	0,021
1600	EP71	1800 / 440 / 18	115	10	0,024
1800	EP51	2000 / 440 / 18	126	11	0,027
2000	EP81	2200 / 440 / 18	137	12	0,029
2200	EP11	2400 / 440 / 18	145	13	0,032
2400	EP91	2600 / 440 / 18	148	14	0,035
Overhung curved add-on top for cabinets*					
800	EE31	1000 / 500 / 18	98	6	0,016
1000	EE21	1200 / 500 / 18	111	7	0,019
1200	EE61	1400 / 500 / 18	126	9	0,022
1400	EE41	1600 / 500 / 18	136	10	0,025
1600	EE71	1800 / 500 / 18	150	11	0,028
1800	EE51	2000 / 500 / 18	160	12	0,032
2000	EE81	2200 / 500 / 18	171	12	0,029
2200	EE11	2400 / 500 / 18	186	15	0,038
2400	EE91	2600 / 500 / 18	197	16	0,041


Cabinet width

*While placing your order, please select the radius of the corner R: 3 mm or R: 4 mm.


Top for PRO showcases PRO 25 mm




800/ 1000/ 1200/ 1400/ 1600/
1800/ 2000/ 2200/ 2400




Straight add-on top for cabinets



Overhung straight add-on top for cabinets



Overhung curved add-on top for cabinets*



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
Straight add-on top for cabinets					
800	EAP080044003	800 / 440 / 25	62	6	0,011
1000	EAP100044003	1000 / 440 / 25	71	7	0,013
1200	EAP120044003	1200 / 440 / 25	80	9	0,016
1400	EAP140044003	1400 / 440 / 25	88	10	0,019
1600	EAP160044003	1600 / 440 / 25	97	12	0,021
1800	EAP180044003	1800 / 440 / 25	106	13	0,024
2000	EAP200044003	2000 / 440 / 25	116	14	0,027
2200	EAP220044003	2200 / 440 / 25	125	16	0,029
2400	EAP240044003	2400 / 440 / 25	133	17	0,032
Overhung straight add-on top for cabinets					
800	EP32	1000 / 440 / 25	85	7	0,013
1000	EP22	1200 / 440 / 25	98	9	0,016
1200	EP62	1400 / 440 / 25	106	10	0,019
1400	EP42	1600 / 440 / 25	118	12	0,021
1600	EP72	1800 / 440 / 25	127	13	0,024
1800	EP52	2000 / 440 / 25	137	14	0,027
2000	EP82	2200 / 440 / 25	149	16	0,029
2200	EP12	2400 / 440 / 25	158	17	0,032
2400	EP92	2600 / 440 / 25	169	19	0,035
Overhung curved add-on top for cabinets*					
800	EE32	1000 / 500 / 25	110	8	0,016
1000	EE22	1200 / 500 / 25	122	10	0,019
1200	EE62	1400 / 500 / 25	135	12	0,022
1400	EE42	1600 / 500 / 25	150	13	0,025
1600	EE72	1800 / 500 / 25	164	15	0,028
1800	EE52	2000 / 500 / 25	175	16	0,032
2000	EE82	2200 / 500 / 25	191	18	0,035
2200	EE12	2400 / 500 / 25	201	20	0,038
2400	EE92	2600 / 500 / 25	217	21	0,041


Cabinet width

*While placing your order, please select the radius of the corner R: 3 mm or R: 4 mm.


Glass top on plinths for PRO cabinets, straight overhung



800/ 1000/ 1200/ 1400/ 1600/ 1800/ 2000/ 2200/ 2400




Overhung straight add-on top for cabinets




Cabinet width	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m^3
800	ES34	1000 / 440 / 72	580	14	0,013
1000	ES24	1200 / 440 / 72	644	17	0,016
1200	ES64	1400 / 440 / 72	712	1	0,019
1400	ES44	1600 / 440 / 72	876	22	0,021
1600	ES74	1800 / 440 / 72	943	25	0,024
1800	ES54	2000 / 440 / 72	1004	28	0,027
2000	ES84	2200 / 440 / 72	1074	1	0,029
2200	ES14	2400 / 440 / 72	1270	1	0,032
2400	ES94	2600 / 440 / 72	1337	2	0,035

Side claddings for cabinets and shelf units




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Side claddings 2OH PRO				
EO044002074	740 / 440 / 18	103	8	0,001
Side claddings 3OH PRO				
EO044002110	1110 / 440 / 18	132	12	0,001
Side claddings 4OH PRO				
EO044002148	1480 / 440 / 18	161	16	0,001
Side claddings 5OH PRO				
EO044002185	1850 / 440 / 18	190	20	0,001
Side claddings 6OH PRO				
EO044002222	2220 / 440 / 18	219	24	0,001

Glass doors for Combi cabinets




Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Glass doors for Combi 5OH				
* SZ73P	800 / 20 / 1068	338	11	0,001
** SZ73	800 / 20 / 1068	669	11	0,001
Glass doors for Combi 6OH				
* SZ74P	800 / 20 / 1068	327	3	0,046
** SZ74	800 / 20 / 1068	652	3	0,046


Glass doors for shelf units



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Glass doors for shelf units 2OH/800				
* **SZ71P**	800 / 20 / 698	280	2	0,016
** SZ71	800 / 20 / 698	555	2	0,016
Glass doors for shelf units 3OH/800				
* **SZ72P**	800 / 20 / 1068	340	10	0,023
** SZ72	800 / 20 / 1068	676	10	0,023
Glass doors for shelf units 4OH/800				
* **SZ81P**	800 / 20 / 1438	419	14	0,001
** SZ81	800 / 20 / 1438	834	14	0,001
Glass doors for shelf units 5OH/800				
* **SZ82P**	800 / 20 / 1808	501	16	0,001
** SZ82	800 / 20 / 1808	998	16	0,001

Pull out shelf






Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
Pull out shelf for cabinets 800				
UP92	800 / 420 / 18	114	5	0,001
Pull out shelf for cabinets 1000				
UP93	1000 / 420 / 18	118	6	0,001
Pull out shelf for cabinets 1200				
UP94	1200 / 420 / 18	122	7	0,001
Pull out shelf for cabinets 1600				
UP95	1600 / 420 / 18	126	9	0,001

* single-leaf glass doors


** double-leaf glass doors

Board shelf for cabinets and shelf units



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
18 mm shelves for 420 mm thick cabine ts with hinged doors					
Cabinet width 400	SUP036036001	363 / 364 / 18	15	2	0,004
600	SUP056036001	563 / 364 / 18	19	3	0,007
800	SUP076036001	763 / 364 / 18	22	3	0,009
1000	SUP096036001	963 / 364 / 18	26	2	0,006
1200	SUP057036001	572 / 364 / 18	19	3	0,007
18 mm shelves for 600 mm thick cabine ts with hinged doors					
Width 600	SUP056054001	563 / 544 / 18	33	3	0,007
800	SUP076054001	763 / 544 / 18	36	3	0,009
25 mm shelves for 420 mm thick cabine ts with hinged doors					
Cabinet width 400	SUP036036002	363 / 364 / 25	21	2	0,004
600	SUP056036002	563 / 364 / 25	26	3	0,007
800	SUP076036002	763 / 364 / 25	31	5	0,009
1000	SUP096036002	963 / 364 / 25	35	6	0,011
1000	SUP047036002	472 / 364 / 25	23	3	0,006
1200	SUP057036002	572 / 364 / 25	26	3	0,007
25 mm shelves for 600 mm thick cabine ts with hinged doors					
Width 600	SUP056054002	563 / 554 / 25	45	3	0,007
800	SUP076054002	763 / 554 / 25	50	5	0,009
18 mm shelves for cabinets with sliding doors					
Cabinet width 800	SUP076034001	763 / 344 / 18	21	3	0,009
1000	SUP096034001	963 / 344 / 18	24	2	0,005
1200	SUP057034001	572 / 344 / 18	17	2	0,006
25 mm shelves for cabinets with sliding doors					
Cabinet width 800	SUP076034002	763 / 344 / 25	29	4	0,009
1000	SUP096034002	963 / 344 / 25	33	3	0,005
1200	SUP057034002	572 / 344 / 25	24	3	0,006
18 mm shelves for cabinets with tambour doors					
Cabinet width 800	SUP061034001	612 / 344 / 18	18	3	0,007
1000	SUP081034001	812 / 344 / 18	22	3	0,009
1200	SUP076034001	763 / 344 / 18	21	3	0,009
1600	SUP076034001	763 / 344 / 18	21	3	0,007
25 mm shelves for cabinets with tambour doors					
Cabinet width 800	SUP061034002	612 / 344 / 25	25	3	0,007
1000	SUP081034002	812 / 344 / 25	30	5	0,009
1200	SUP076034002	763 / 344 / 25	28	4	0,009
1600	SUP076034002	763 / 344 / 25	28	4	0,007


Metal shelf*



Product Code		Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
25 mm shelves for 420 mm thick cabine ts with hinged doors					
Cabinet width 400	SUM036036	363 / 364 / 25	47	1	0,004
600	SUM056036	563 / 364 / 25	57	2	0,007
800	SUM076036	763 / 364 / 25	66	3	0,009
1000	SUM096036	963 / 364 / 25	76	3	0,011
1000	SUM047036	472 / 364 / 25	52	3	0,011
1200	SUM057036	572 / 364 / 25	57	2	0,007
25 mm shelves for 600 mm thick cabine ts with hinged doors					
Width 600	SUM056054	563 / 554 / 25	88	3	0,009
800	SUM076054	763 / 554 / 25	97	3	0,011
25 mm shelves for cabinets with sliding doors					
Cabinet width 800	SUM076034	763 / 344 / 25	63	2	0,009
1000	SUM047034	472 / 344 / 25	49	2	0,005
1200	SUM057034	572 / 344 / 25	54	2	0,006
25 mm shelves for cabinets with tambour doors					
Cabinet width 800	SUM061034	612 / 344 / 25	55	2	0,007
1000	SUM081034	812 / 344 / 25	65	3	0,009
1200	SUM076034	763 / 344 / 25	63	2	0,009
1600	SUM076034	763 / 344 / 25	63	2	0,007


*With slots to affix vertical dividers

Metal shelf divider (1 pc.)



Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
UP81	328 / 170 / 1	19	0,1	0,001
UP82	348 / 170 / 1	19	0,1	0,001

Upholstered panels for cabinets*



	Product Code	Dimensions W / D / H	Price EUR	Weight Kg	Vol. m³
1OH					
Upholstery GR I	U1T036033	364 / 334 / 11	73	1	0,001
	U1T056033	564 / 334 / 11	84	1	0,002
	U1T076033	764 / 334 / 11	94	2	0,003
	U1T096033	964 / 334 / 11	105	2	0,003
	U1T116033	1164 / 334 / 11	115	3	0,004
Upholstery GR II	U2T036033	364 / 334 / 11	124	1	0,001
	U2T056033	564 / 334 / 11	142	1	0,002
	U2T076033	764 / 334 / 11	160	2	0,003
	U2T096033	964 / 334 / 11	178	2	0,003
	U2T116033	1164 / 334 / 11	196	3	0,004
				4	0,005
2 OH					
Upholstery GR I	U1T036070	364 / 704 / 11	116	2	0,003
	U1T056070	564 / 704 / 11	126	3	0,004
	U1T076070	764 / 704 / 11	137	4	0,005
	U1T096070	964 / 704 / 11	147	5	0,007
	U1T116070	1164 / 704 / 11	157	6	0,008
				8	0,011
Upholstery GR II	U2T036070	364 / 704 / 11	196	2	0,003
	U2T056070	564 / 704 / 11	214	3	0,004
	U2T076070	764 / 704 / 11	232	4	0,005
	U2T096070	964 / 704 / 11	250	5	0,007
	U2T116070	1164 / 704 / 11	268	6	0,008
3 OH					
Upholstery GR I	U1T036107	364 / 1074 / 11	158	3	0,004
	U1T056107	564 / 1074 / 11	169	5	0,006
	U1T076107	764 / 1074 / 11	179	6	0,008
	U1T096107	964 / 1074 / 11	189	8	0,010
	U1T116107	1164 / 1074 / 11	200	9	0,013
Upholstery GR II	U2T036107	364 / 1074 / 11	269	3	0,004
	U2T056107	564 / 1074 / 11	286	5	0,006
	U2T076107	764 / 1074 / 11	304	6	0,008
	U2T096107	964 / 1074 / 11	322	8	0,010
	U2T116107	1164 / 1074 / 11	340	9	0,013
4 OH					
Upholstery GR I	U1T036144	364 / 1444 / 11	201	4	0,005
	U1T056144	564 / 1444 / 11	211	6	0,008
	U1T076144	764 / 1444 / 11	221	8	0,011
	U1T096144	964 / 1444 / 11	232	10	0,014
	U1T116144	1164 / 1444 / 11	242	12	0,017
Upholstery GR II	U2T036144	364 / 1444 / 11	341	4	0,005
	U2T056144	564 / 1444 / 11	359	6	0,008
	U2T076144	764 / 1444 / 11	376	8	0,011
	U2T096144	964 / 1444 / 11	394	10	0,014
	U2T116144	1164 / 1444 / 11	412	12	0,017
5 OH					
Upholstery GR I	U1T036181	364 / 1814 / 11	243	5	0,007
	U1T056181	564 / 1814 / 11	253	8	0,010
	U1T076181	764 / 1814 / 11	264	10	0,014
	U1T096181	964 / 1814 / 11	274	13	0,018
	U1T116181	1164 / 1814 / 11	285	15	0,021
Upholstery GR II	U2T036181	364 / 1814 / 11	413	5	0,007
	U2T056181	564 / 1814 / 11	431	8	0,010
	U2T076181	764 / 1814 / 11	449	10	0,014
	U2T096181	964 / 1814 / 11	466	13	0,018
	U2T116181	1164 / 1814 / 11	484	16	0,021
6OH					
Upholstery GR I	U1T036218	364 / 2184 / 11	285	6	0,008
	U1T056218	564 / 2184 / 11	296	9	0,012
	U1T076218	764 / 2184 / 11	306	12	0,017
	U1T096218	964 / 2184 / 11	317	15	0,021
	U1T116218	1164 / 2184 / 11	327	19	0,026
Upholstery GR II	U2T036218	364 / 2184 / 11	485	6	0,008
	U2T056218	564 / 2184 / 11	503	9	0,012
	U2T076218	764 / 2184 / 11	521	12	0,017
	U2T096218	964 / 2184 / 11	539	15	0,021
	U2T116218	1164 / 2184 / 11	556	19	0,026

*Upholstered panels are mounted to the outside of the back wall of the cabinet. In order to select a panel, please look at the size table next to the product.

Accessories

Accessories

Cabinets and pedestals

			TOP PEDESTALS	CARGO PEDESTALS	OP-LITE PEDESTALS	OP-LITE CABINETS	ARIO PEDESTALS	UNDERDESK SIDEBOARDS	ADD-ON SIDEBOARDS	LOCKERS	PRO CABINETS AND SHELF UNITS	CABINETS WITH SLIDNING DOORS	CABINETS WITH TAMBOUR DOORS
PEDESTAL ACCESSORIES	RT 88	Pencil insert	•			•		•	•		•		
	RT 85 / R T 86	Drawer dividers	•	•			•						
	RT 87	Diagonal divider	•	•			•						
	UC 10	Bottom drawers insert		•									
	UC 12	Vertical dividers for binders		•									
	UC 13	Frame for suspension files	•	•									
	UTN 10/ UTN 11/ UT N 103	Upholstered pad 500											
	UTN 06/ UTN 07/ UT N 063	Upholstered pad 600	•										
	UTN 08/ UTN 09/ UT N 083	Upholstered pad 800	•	•									
KEYS	ZAM 2	Master key								•			
	ZAM 1	Service key								•			
	ZAM 21	User card								•			
	ZAM 22	Programming card								•			
	ZAM 15	Pin for PREMIUM combination lock								•			
	ZAM 14	Master key - PREMIUM								•			
	ZAM 18	Master key - BASIC								•			
	ZAM 26	Reset key for locks with numeric keypads(USB)								•			
LOCKS	ZAM 3	Pedestal lock with cylinder and keys	•	•							•		
	ZAM 4	Lock for cabinets with sliding doors										•	
	ZAM 5	Lock for cabinets with tambour doors and cylinder and keys						•	•				•
	ZAM 6	Lock for drawers with cylinder and keys						•	•		•		
	ZAM 7	Espagnolette lock knob with cylinder and keys									•		
	ZAM 8	Cylinder with two keys	•	•				•	•		•		
	ZAM 9	Flat case lock with cylinder and keys			•			•	•		•		
	ZAM 10	Pedestal lock with no removable cylinder				•							
	ZAM 11	Flat case lock with no removable cylinder									•		
	ZAM 12	Espagnolette lock with knob, cylinder and keys						•	•		•		
	ZAM 23	BASIC combination lock								•	•		
	ZAM 17/16	PREMIUM combination lock								•	•		
	ZAM 13	Showcase lock with cylinder and keys								•	•		
	ZAM 25	Lock with numeric keypad								•	•		
ACCESSORIES FOR CABINETS AND SHOWCASES	SZ 71-95	Glass doors for shelf units and Combi cabinets									•	•	•
	EA... / EP... / EE...	Tops for PRO showcases									•	•	•
	ES 37- 94	Glass top for PRO cabinets									•	•	•
	EO 21-61	Claddings									•	•	•
	RT 83 / R T 84	Adjustable feet with covers									•	•	•
	SU 41-59	Metal base 30 / 70 mm									•	•	•
	SU 61-69	Metal frame for Ø 30 mm H: 150 mm cabinets									•	•	•
	SU 71-79	Metal frame for 30x30 mm cabinets H:150 mm									•	•	•
	SU 31-39	Board base H: 100 mm									•	•	•
	UP 97-99	Covers									•	•	•
	UP 92-95	Pull out shelf for cabinets									•	•	•
	UT....	Upholstered panel for cabinets									•	•	•
	UP 86	Angle iron for fitting cabinets to walls				•					•	•	•
	UP 87	Counterweight									•	•	•
COMPLEMENTARY ACCESSORIES	US 62R/L	Underdesk drawer			•			•	•				
	AL 03 / AP 03	Metal shelf C5+		•	•								
	AL 04 / AP 04	Small metal shelf		•	•								
	AL. 02 / AP 02	Metal shelf A4		•	•								
	UW 13	Round cable outlet Ø80			•								

Accessories

Desks, reception counters and tables

			SYSTEM-EM	SYSTEM-EM TEAM DESKS	LANO-E DESKS	OPLITE	WARIANT
PARTITION SCREEN	UZ...	Board partition screen	•	•	•	•	
	UT...	Upholstered panel for partition screens	•	•	•	•	
	UY...	Upholstered partition screen	•	•	•	•	•
	UYS...	Suspended upholstered partition screen		•			
	UX 89/ UX 90/ UX 91	Side add-on upholstered partition screen	•	•	•	•	
MO-DESTY PANEL	ZR...	Board modesty panel	•	•	•	•	
	ZR...	Perforated modesty panel	•	•	•	•	
COMPLEMENTARY ACCESSORIES	US 62R/L	Underdesk drawer	•	•	•	•	
	UK 07	Keyboard drawer	•	•	•	•	
	UW 20	PC-holder	•	•	•	•	
	UW 25 / UW 24	PC-holder with perforated panel	•	•	•	•	
	UW 21	PC trolley	•	•	•	•	
	DYS1	Set of spacers			•		
ORGANIZATIONAL STRIP	PL 20 / PL 30	Magnetic board with shelf	•	•	•	•	
	PL 21 / PL 31	Upholstered panel for magnetic board	•	•	•	•	
	PL 01-07	Slat for accessories	•	•	•	•	
	PL 964 / PL 1164	Slat for accessories Start US	•	•	•	•	
	AL 03 / AP 03	Metal shelf C5+	•	•	•	•	
	AL 04 / AP 04	Small metal shelf	•	•	•	•	
	AL 01 / AP 01	Metal pocket A4 - vertical	•	•	•	•	
	AL. 02 / AP 02	Metal shelf A4	•	•	•	•	
	AL 09	Laptop holder	•	•	•	•	
	AP 10 / AP 40	Workstation ID	•	•	•	•	
WARIANT ACCESSORIES	WX 01	Organizer 01 - A4 folder	•	•	•	•	•
	WX 02	Organizer 02 - Pen holder	•	•	•	•	•
	WX 03	Organizer 03 - Cube	•	•	•	•	•
	WX 04	Organizer 04 - Tray	•	•	•	•	•
	WX 05	Organizer 05 - Flower pot	•	•	•	•	•
	WX 07	Organizer 07 - Mirror	•	•	•	•	•
	WX 12	Battery	•	•	•		•
	WX 14	PC-holder Wariant					•
VERTICAL CABLE MANAGEMENT	DD...	Fixed cable channel	•	•	•	•	
	DD...	Fold-down cable channel	•	•	•	•	
	OL... / WX...	Grid cable channel	•	•	•	•	•
	DD 91	Cable clasp	•	•	•	•	•
	UW 04 / UW 05	Cable clasp	•	•	•	•	
	DL 01 / DL 02	Horizontal cable channel for straight reception counter					
	DL 03	Vertical cable channel for curved reception counter					
HORIZONTAL CABLE MANAGEMENT	UW 02	Flexible cable channel	•	•		•	•
	UW 14 / UW 15	Spring cable channel	•	•	•	•	•
	UW 18	Add-on cable channel	•	•			
CABLE OUTLETS	UW 1460	Round cable outlet Ø 60				•	
	UW 13	Round cable outlet Ø 80	•	•	•	•	
	WD 01	Round cable outlet Ø 80 chrom					
	UW 16	Scallop cut-out	•	•	•	•	
	UW 17	Longitudinal scallop cut-out	•	•	•	•	
	UW 28	Aluminum cable outlet	•	•	•	•	•
	UW 281	Narrow aluminum cable outlet	•	•	•	•	•
NETBOXES	UW36/ UW35	Power Circle S	•	•	•		
	UW34	Power Circle M	•	•	•		
	UW33	Power Circle L	•	•	•		
	UW50	Basic single-sided fold-down netbox		•			
	UW5541/UW5542/ UW5584/UW5585	Max single-sided fold-down netbox		•			
	UW42	Single-sided fold-down netbox III		•			
	UW5142/UW5163/ UW5164	Simple netbox		•			
	UW5242/ UW5263/UW5264	Simple netbox with flap		•			
	UW5341/UW5352	Desktop netbox		•			
	UW31	Hole fornetbox	•	•	•		

IDEA	STARTUS	ARIO	SIRIO	TORIS	GRAF	AXY-LINE	L-LINE	EMEL	VERO	NIVERO	AXER	SINTO
			•									
			•									
			•									
			•	•	•							
			•	•	•							
			•	•	•			•	•	•	•	•
								•	•	•	•	•
			•	•	•			•	•	•	•	•
								•	•	•	•	•
	•											
	•											
	•											
	•											
	•											
	•											
	•											
	•											
			•	•	•							
			•	•	•							
•			•	•	•	•	•	•	•	•	•	•
•			•									
								•	•	•	•	•
								•	•			
			•	•	•	•	•	•	•	•	•	•
•		•		•	•	•	•	•	•	•	•	•
				•	•			•	•	•	•	•
			•	•	•	•	•	•	•	•	•	•
•			•	•	•	•	•					
					•							
•			•	•	•	•	•					
		•	•	•	•	•	•					
								•	•		•	•
		•	•	•	•	•	•					
		•	•	•	•	•	•					
•		•	•	•	•	•	•	•	•	•	•	•
•		•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•
			•		•	•	•					
			•		•	•	•					
			•		•	•	•					
			•		•	•	•					
			•		•	•	•					
•		•	•	•	•	•	•					

XXXII.

Surcharges

Decors

		SURCHARGE EUR
DECORS	TREND group paint Surcharge	+ 10%
HANDLES	Handle A1, Handle C1, Handle E1	+ 0
	Handle F1, Handle Z1	+ 8

Workstations

			SURCHARGE EU
SYSTEM-EM		Surcharge for sliding top	+206
		Round cable outlet Ø 80	+29
		Ergonomic outlet	+82
SYSTEM-EM		Surcharge for legs of O-em desk supported on sideboard	- 48
		Surcharge for legs of K-em desk supported on sideboard	- 59
		Surcharge for legs of F-em desk supported on sideboard	- 67
		Surcharge for legs of Q-em desk supported on sideboard	- 84
		Surcharge for legs of A-em desk supported on sideboard	- 67
		Surcharge for legs of bench K-em desk supported on sideboard	- 67
		Surcharge for legs of bench F-em desk supported on sideboard	- 80
		Surcharge for legs of bench Q-em desk supported on sideboard	- 99
		Surcharge for legs of bench A-em desk supported on sideboard	- 82
OP-LITE		Round cable outlet Ø 60	+18
		Ergonomic outlet	+79
I-EM SEMINAR TABLES	IR41	Rubber corner	
	IR43	Rubber corner	+ 167
LANO AND LANO-E DESKS		Chromium-plated feet (2pcs) - Rectangular desks	+ 172
		Chromium-plated feet (3pcs) - L-shaped desk	
		Chromium-plated feet (2pcs) - Bench desk	+ 307
			+ 460
			+ 614
WARIANT	WH07, WH10	Dry-wipe board top	+ 406
	WH08, WH11	Dry-wipe board top	+ 447
	WH09, WH12	Dry-wipe board top	+ 528
	WU01	Dry-wipe board	+ 269
	WA01-14	Upholstered top side panel - 1st grp. fabric	+ 124
	WA01-14	Upholstered top side panel - 2nd grp. fabric	+ 193
	WA01-14	Upholstered top side panel - 3rd grp. fabric	+ 223
	WI01-03; WA01-14	Upholstered bottom side panel - 1st grp. fabric	+ 108
	WI01-03; WA01-15	Upholstered bottom side panel - 2nd grp. fabric	+ 165
	WI01-03; WA01-16	Upholstered bottom side panel - 3rd grp. fabric	+ 198
	WM04	Lock for modular cabinets with two drawers	+60
	WH01-12	Rounded front corners of the top	+55
	WY01	Upholstered pad for wardrobe - 1st grp. fabric	+186
		Upholstered pad for wardrobe - 2nd grp. fabric	+372
		Upholstered pad for wardrobe - 3rd grp. fabric	+446

Acoustics

		SURCHARGE EUR
SAFESPOT	Electrification of sofas	**+ 338**

Storage

			SURCHARGE EUR
CARGO PEDESTALS	RC23, RC41	Full extension drawer	+ 89
	RC52, RC64	Full extension drawer	+ 179
	RC64	Full extension top drawer	+ 267
	RC23, RC41, RC52, RC64	Cables managed through carcass (2 x outlet + cable clasp)	+ 68
TOP PEDESTALS		Telescopic full extension for drawer (RT 80)	+ 249
		Counterweight (RT 81)	+ 74
HIGH PEDESTALS WITH TAMBOUR DOORS		Drawer for pedestal with tambour door (RK 96)	+ 87
		Top on plinths for pedestal with tambour door (RK 95)	+ 154
LOCKERS CLASSIC		Surcharge for a front with a posting slot and shelf for mail / 1 pc.	+ 18
		F1 handle / 1 pc.	+ 13
		BASIC combination lock/ 1 pc.	+ 65
		PREMIUM combination lock / 1 pc.	+ 73
PRO SHELF UNITS		Glass doors for shelf units 2 OH 800 mm wide (F2GL080074)	+ 549
		Glass doors for shelf units 3 OH 1000 mm wide (F2GL100111)	+ 813
		*set of	
OP-LITE CABINETS AND SHELF UNITS		Back wall change from 3 mm to 8 mm	+15%

Storage

		SURCHARGE EUR
CABINETS, SHELF UNITS AND PRO COMBI CABINETS	Top change from 18 mm to 25 mm	+ 40
	Back wall change from 8 mm/12 mm to 18 mm	+ 8%
	Hinges change from 110° to 270° (1 pc.)	+ 68
	A1, B1, C1 handle change to Z1 (1 pc.)	+ 20
	Espagnolette knob change to A1, B1 ,C1 (1 pc.)	+ 10
	Espagnolette knob change to Z1 (1 pc.)	+ 20
	A1, B1, C1 handle change to side slat 2OH (740 mm)	+ 61
	A1, B1, C1 handle change to side slat 2OH (770 mm)	+ 61
	A1, B1, C1 handle change to side slat 3OH	+ 61
	A1, B1, C1 handle change to side slat 4OH	+ 61
	Completion of locks with one number	+ 3
PRO CABINETS	Preparation for cabinet joining	+ 38
PRO CABINETS WITH SLIDING DOORS	PREMIUM Soft Close Automatic	+ 87

Executive furniture

			SURCHARGE EUR
SIRIO AND AXY-LINE CABINETS	CUS20, CUS71, CUS72,	Glass shelves 12 mm in open segment	+ 687
SIRIO SHOWCASES	CAS01	Back panel with glass shelf	+ 804
	CAS02	Back panel with glass shelf	+ 962
	CAS05	Back panel with glass shelf	+ 1 236
	CAS09	Back panel with glass shelf	+ 1 478
	CAS02, CAS09,CAX09	Glass shelf in open segment 12 mm	+ 350
	SIRIO SHOWCASES	Chromium-plated leg for Sirio showcases	+ 25
AXY-LINE SHOWCASES	CAX05	Back panel with glass shelf	+ 1 236
	CAX09	Back panel with glass shelf	+ 1 478

Netboxes

			SURCHARGE EUR
NETBOXES	UW5541,UW5542,UW5584,UW5585, UW5142,UW5163,UW5164,UW5242, UW5263,UW5264,UW5341,UW5352	RJ45 CAT 6	+ 34
		USB 3.0 A/A for data transfer/ USB 3.1 type-C for data transfer	+ 52
		USB A/A with charging function	+ 161
		USB A/C with charging function	+ 195
		HDMI 1,4	+ 44
		HDMI + RJ45 CAT6	+ 66
		HDMI + USB 3.0 A type for data transfer	+ 80
		HDMI + USB 3.1 C type for data transfer	+ 80
		RJ45 CAT6 + RJ45 CAT6	+ 62
		USB 3.0 A type for data transfer + USB 3.0 A for data transfer	+ 89
		USB 3.1 C type for data transfer + USB 3.0 A type for data transfer	+ 88
		USB 3.1 C type for data transfer + USB 3.1 C type for data transfer	+ 88
		Cutout for netbox	+ 128

XXXIII.

Finishes Catalog

Melaminy
Melamines
Melamine
Mélamines

Melaminy / Melamines / Melamine / Mélamines



STD1
Biały / White / Weiß / Blanc
MFC 36 - 25 - 18 - 12 - 8 mm
HPL 0,8 mm



STD2
Biały Wysoki Połysk / High Gloss White / Weiß Hochglanz / Blanc haute brillance
HPL 0,8 mm

STD3
Popiel / Gray / Grau / Gris
MFC 25 - 18 - 8 mm
HPL 0,8 mm



STD4
Beżowy / Beige / Beige / Beige
MFC 36 - 25 - 18 - 8 mm
HPL 0,8 mm



STD7
Grafit / Graphite / Graphit / Graphite
MFC 36 - 25 - 18 - 12 - 8 mm
HPL 0,8 mm



STD8
Czarny / Black / Schwarz / Noir
MFC 36 - 25 - 18 - 8 mm
HPL 0,8 mm



STD10
Akacja / Acacia / Akazie / Acacia
MFC 25 - 18 - 8 mm



STD11
Klon Europejski / European Maple / Europäischer Ahorn / Érable européen
MFC 25 - 18 - 8 mm



STD12
Dąb Napolitano / Napolitano Oak / Eiche Natpolitano / Chêne Napolitano
MFC 25 - 18 - 8 mm



STD14
Dąb Amerykański / American Oak / Amerikanische Eiche / Chêne Américain
MFC 36 - 25 - 18 - 8 mm



STD15
Dąb naturalny / Natural Oak / Natureiche / Chêne Naturel
MFC 25 - 18 - 12 - 8 mm
HPL 0,8 mm



STD16
Czereśnia Havana / Cherry Havana / Kirsche Havana / Merisier Havane
MFC 36 - 25 - 18 - 8 mm



STD17
Orzech Brunatny / Walnut Brown / Walnuss Braun / Noyer Brun
MFC 36 - 25 - 18 - 12 - 8 mm
HPL 0,8 mm



STD19
Dąb Artisan / Artisan Oak / Eiche Artisan / Chêne Artisan
MFC 25 - 18 - 8 mm



STD20
Zgaszony niebieski / Muted blue / Blau gedämpft / Bleu atténué
MFC 25 - 18 - 8 mm



STD21
Zieleń trzcinowa / Reed green / Schilfgrün / Vert roseau
MFC 25 - 18 - 8 mm



STD22
Jasny Róż / Blush / Blush / Rose Clair
MFC 25 - 18 - 8 mm



STD23
Kamień Tybet / Tibet Stone / Tibetstein / Pierre du Tibet
MFC 25 - 18 - 8 mm
HPL 0,8 mm



STD24
Buk / Beech / Buche / Hêtre
MFC 25 - 18 - 8 mm

Blaty kuchenne / Kitchen tops / Küchenarbeitsplatten / Plans de travail



EWP01
Łupek / Slate laminate / Schiefer Laminat / Laminé ardoise
38 - 8 mm



EWP02
Trawertyn / Travertine laminate / Travertin Laminat / Laminé travertin
38 - 8 mm



EWP03
Hikora / Hickory laminate / Hickory Laminat / Laminé hickory
38 - 8 mm

Melamines - Product and technical information

PL

Opis techniczny
Płyta wiórowa obustronnie melaminowana, o podwyższonej trwałości - Klasa1.
Płyta o ograniczonej emisji formaldehydu w klasie – E1 E05.

Norma produktu
EN 14322

Klasyfikacja reakcji na ogień
D-s2,d0 zgodnie z normą EN 13986, zależnie od finalnego zastosowania (Grubość: ≥ 9 mm / Gęstość objętościowa: ≥ 600 kg/m³)

Higieniczność i bezpieczeństwo
-Powierzchnia o działaniu antymikrobowym;
-Powierzchnia jest bezpieczna dla zdrowia i dopuszczona do kontaktu z żywnością zgodnie z rozporządzeniem (UE) nr 10/2011;
-Płyta jest zgodna z rozporządzeniem REACH WE 1907/2006.

Certyfikaty
-FSC;
-PEFC;
-Blue Angel;
-Cradle to cradle;
-Qualitätszeichen Holzwerkstoffe;
-DGNB Navigator Label;
-Zgodność UKCA;
-Zgodność CE

Brak próbki wzorcowej (materiał nie nadaje się do dopasowywania kolorów ani do celów kontroli jakości czy testów). Między poszczególnymi partiami produkcyjnymi mogą występować dopuszczalne różnice w odcieniu. Szczegółowe informacje na temat pielęgnacji i czyszczenia dostępne są na stronie maro.eu.

Szczegóły wyceny dostępne są u właściwego RDS (Regionalnego Dyrektora Sprzedaży).

Zamów próbki online na www.maro.eu

EN

Technical Description
Chipboard, double-sided decorative melamine resin coating, with enhanced durability – Class 1. Board with reduced formaldehyde emission – E1 E05.

Product Standard
EN 14322

Fire Reaction Classification
D-s2, d0 in accordance with EN 13986, depending on final application (Thickness: ≥ 9 mm / Bulk density: ≥ 600 kg/m³)

Hygiene and Safety
-Surface with antimicrobial properties;
-The surface is safe for health and approved for food contact in accordance with Regulation (EU) No. 10/2011;
-The board complies with REACH Regulation EC 1907/2006.

Certificates
-FSC;
-PEFC;
-Blue Angel;
-Cradle to Cradle;
-Qualitätszeichen Holzwerkstoffe;
-DGNB Navigator Label;
-UKCA Compliance;
-CE Compliance

No Master samples (not suitable for colour matching and quality control / testing purposes). Commercially acceptable colour shifts may occur between production runs.
For Care and Cleaning instructions please visit www.maro.eu.

For detailed pricing information, please contact your Regional Sales Manager.

Order samples online at www.maro.eu

DE

Technische Beschreibung
Spanplatte, beidseitig mit dekorativem Melaminharz beschichtet, mit erhöhter Haltbarkeit – Klasse 1.
Platte mit reduziertem Formaldehydgehalt – E1 E05.

Produktnorm
EN 14322

Klassifizierung des Brandverhaltens
D-s2, d0 gemäß EN 13986, abhängig von der Endanwendung (Dicke: ≥ 9 mm / Rohdichte: ≥ 600 kg/m³)

Hygiene und Sicherheit
-Antimikrobielle Oberfläche;
-Oberfläche gesundheitlich unbedenklich und für den Kontakt mit Lebensmitteln zugelassen gemäß Verordnung (EU) Nr. 10/2011;
-Die Platte entspricht der REACH-Verordnung EG 1907/2006.

Zertifikate
-FSC;
-PEFC;
-Blue Angel;
-Cradle to cradle;
-Qualitätszeichen Holzwerkstoffe;
-DGNB Navigator Label;
-UKCA-Konformität;
-CE-Konformität

Keine Mustervorlagen (nicht geeignet für Farbangleichung und Qualitätskontrolle / Prüfzwecke). Kommerzielle, akzeptable Farbabweichungen können zwischen Produktionsläufen auftreten.
Pflege- und Reinigungsanweisungen finden Sie unter www.maro.eu.

Für detaillierte Preisinformationen wenden Sie sich bitte an Ihren regionalen Vertriebsleiter.

Bestellen Sie Muster online unter www.maro.eu

FR

Description Technique
Panneau de particules, revêtu sur les deux faces d'une résine mélaminée décorative, avec durabilité accrue – Classe 1.
Panneau à faible émission de formaldéhyde – E1 E05.

Norme Produit
EN 14322

Classification de Réaction au Feu
D-s2, d0 selon la norme EN 13986, selon l'application finale (Épaisseur : ≥ 9 mm / Densité volumique : ≥ 600 kg/m³)

Hygiène et Sécurité
-Surface antimicrobienne;
-Surface sans danger pour la santé et apte au contact alimentaire selon le règlement (UE) n° 10/2011;
-Le panneau est conforme au règlement REACH CE 1907/2006.

Certificats
-FSC;
-PEFC;
-Ange Bleu;
-Cradle to Cradle;
-Qualitätszeichen Holzwerkstoffe;
-Label DGNB Navigator;
-Conformité UKCA;
-Conformité CE

Échantillon non contractuel – non adapté au contrôle qualité ou à l'harmonisation des couleurs. De légères variations de teinte entre les lots sont possibles.
Des informations détaillées sur l'entretien et le nettoyage sont disponibles sur le site maro.eu.

Pour plus de détails sur les prix, veuillez contacter votre Responsable Commercial Régional.

Commandez des échantillons en ligne sur www.maro.eu

Kitchen tops - Product and technical information

PL

Opis techniczny
Surowa płyta wiórowa o grubości 38 mm pokryta jednolitą powłoką laminowaną. Blat postformowany.

Higieniczność i bezpieczeństwo
-Higieniczność i bezpieczeństwo w kontakcie z żywnością;
-Odporność na plamy i działanie światła;
-Odporność na wiele rodzajów środków czyszczących i chemikaliów;
- Antybakteryjne właściwości powierzchni zgodnie z normą ISO 22196.

Certyfikaty
-FSC;
-PEFC;
-EPD

EN

Technical Description
Raw 38 mm thick chipboard covered with a uniform laminated coating. Postformable worktop.

Hygiene and Safety
-Hygienic and safe for food contact;
-Resistant to stains and light;
-Resistant to various cleaning agents and chemicals;
- Antibacterial surface properties in accordance with ISO 22196.

Certificates
-FSC;
-PEFC;
-EPD

DE

Technische Beschreibung
38 mm dicke rohe Spanplatte, beschichtet mit einer einheitlichen Laminatoberfläche. Postformbare Arbeitsplatte.

Hygiene und Sicherheit
-Hygienisch und lebensmittelecht;
-Fleck- und lichtbeständig;
-Beständig gegen viele Reinigungsmittel und Chemikalien;
-Antibakterielle Oberflächeneigenschaften gemäß ISO 22196.

Zertifikate
-FSC;
-PEFC;
-EPD

FR

Description Technique
Panneau de particules brut de 38 mm d'épaisseur recouvert d'un revêtement stratifié uniforme. Plan de travail postformable.

Hygiène et Sécurité
-Hygiène et sécurité pour le contact alimentaire ;
-Résistance aux taches et à la lumière ;
-Résistance à divers produits de nettoyage et produits chimiques ;
- Propriétés antibactériennes de la surface selon la norme ISO 22196.

Certificats
-FSC;
-PEFC;
-EPD

Tkaniny
Fabrics
Stoffe
Tissus

1| Caldo
Select by Lech

Tkaniny / Fabrics / Stoffe / Tissus



LC1




LC2




LC3



LC4



LC5



LC6



LC7



LC8



LC9



LC10



LC11



LC12

100% Polyester
100.000 Martindale cycles




LC13




LC14



LC15



LC16



LC17



LC18



LC19

100% Polyester
100.000 Martindale cycles

Fabrics - Product and technical information

PL

Skład
100% PES

Gramatura
380 g/m² ± 5%

Szerokość
143 cm ± 2 cm

Odporność na ścieranie
(ISO 12947-2:2000+AC:2006+PN-EN 14465:2005+A1:2007)
>100.000 cykl

Odporność koloru na tarcie
(ISO 105 X12:2005)
- Suche 4-5
- Mokre 4-5

Odporność koloru na światło
(ISO 105 B02:2014-11 metoda 2)
4-5

Odporność na pilling
(ISO 12945-2:2002)
5

Trudnozapalność
Tak

Czyszczenie i pielęgnacja



Informujemy, że kolorystyka tkanin może nieznacznie odbiegać od próbek zamieszczonych w katalogach.

Wyniki testów zostały zgromadzone z różnego rodzaju próbek materiałów i reprezentują średnią rezultatów.

Efekt pillingu i mechacenia tkanin powstały podczas uzytkowania mebli jest rzeczą naturalną.

Migracja barwników z tkanin o kolorach intensywnych i ciemnych na jasne jest naturalna i nieunikniona.

EN

Composition
100% PES

Weight
380 g/m² ± 5%

Width
143 cm ± 2 cm

Abrasion Resistance
(ISO 12947-2:2000+AC:2006+PN-EN 14465:2005+A1:2007)
>100.000 cycle

Color fastness to rubbing
(ISO 105 X12:2005)
- Dry 4-5
- Wet 4-5

Color fastness to light
(ISO 105 B02:2014-11 metoda 2)
4-5

Pilling resistance
(ISO 12945-2:2002)
5

Cigarette test
Yes

Cleaning and care:



We inform, that coloring of fabrics can imperceptibly run away from samples placed in catalogues.

Test results were received by various samples and therefore presenting average indicative values.

The effect of pilling of fabrics formed during use of furniture is a natural thing.

The migration of textile dyes with intense colors and dark to bright is natural and inevitable.

DE

Chemische Zusammensetzung
100% PES

Grammatur
380 g/m² ± 5%

Breite
143 cm ± 2 cm

Abriebfestigkeit
(ISO 12947-2:2000+AC:2006+PN-EN 14465:2005+A1:2007)
>100.000 Zykle

Farbechtheit gegen Reiben
(ISO 105 X12:2005)
- Trockenes Reiben 4-5
- Nasses Reiben 4-5

Farbechtheit gegen Licht
(ISO 105 B02:2014-11 Methode 2)
4-5

Pillingbeständigkeit
(ISO 12945-2:2002)
5

Schwerentflammbarkeit
Ja

Reinigung und Pflege



Die Farben der Stoffe können leicht von den Mustern in den Katalogen abweichen.

Die Testergebnisse wurden anhand von verschiedenen Materialproben ermittelt und stellen einen Durchschnittswert dar.

Pilling- und Fusselbildung ist eine natürliche Eigenschaft von Stoffen beim Möbelgebrauch.

Die Migration von Farbstoffen" von intensiv und dunkel gefärbten Stoffen auf helle Stoffe ist natürlich und unvermeidlich.

FR

Composition chimique
100% PES

Poids
380 g/m² ± 5%

Largeur
143 cm ± 2 cm

Résistance à l'abrasion
(ISO 12947-2:2000+AC:2006+PN-EN 14465:2005+A1:2007)
>100.000 cycle

Résistance des couleurs au frottement
(ISO 105 X12:2005)
- sec 4-5
- mouillé 4-5

Résistance des couleurs à la lumière
(ISO 105 B02:2014-11 méthode 2)
4-5

Résistance au boulochage
(ISO 12945-2:2002)
5

Ignifuge
Oui

Nettoyage et entretien



Veuillez noter que les couleurs des tissus peuvent varier légèrement par rapport aux échantillons figurant dans les catalogues.

Les résultats des tests ont été collectés à partir de différents types d'échantillons de matériaux et représentent une moyenne des résultats.

L'effet de boulochage et de peluchage des tissus causé par l'utilisation de meubles est naturel.

La migration des colorants des tissus intenses et foncés vers les tissus clairs est naturelle et inévitable.

Era

Era is a subtle, two tone polyester fabric containing stretch in both directions for ease of upholstery. The baby herringbone weave offers an understated contemporary texture while its colouring technique provides close up intrigue. The palette incorporates playful brights and sophisticated muted tones.

Standard Collection


ERA Camira 2

CE01	CE28
CE08	CE34
CE24	CE35
CE26	CE46

camira



Transition
CSE30



Splitsecond
CSE31



Lifetime
CSE03



Occasion
CSE32



Measure
CSE27



Sequence
CSE25



Span
CSE05



Turn
CSE26



Experience
CSE29



Extent
CSE28



Calendar
CSE19



Date
CSE24




Cycle
CSE06




Phase
CSE17



Prime
CSE09



Allowance
CSE38



Chapter
CSE08



Perennial
CSE12



Range
CSE42




Maturity
CSE40



Notation
CSE36



Rest
CSE37



Aeon
CSE20



Everlasting
CSE10



Stage
CSE15



Period
CSE07



Endurance
CSE34



Timelapse
CSE16



Event
CSE18




Signature
CSE35

Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.



Analogue
CSE33



Futurist
CSE01



Prompt
CSE45



Generation
CSE02



Occurence
CSE23



History
CSE21



Memo
CSE46




Quota
CSE41




Forecast
CSE11




Present
CSE13



Youth
CSE39



Late
CSE43



Elapse
CSE44



Forward
CSE14

Era - Product information


Task seating


Soft seating


Cigarette & Match



Washable


Bleach cleanable


Acoustic



Year guarantee

With Treatment


Curtains


Medium Hazard

Technical information

UK

Composition
100% Polyester

Environment
Certified to STANDARD 100 By OEKO-TEX®
Certified to Indoor Advantage™ Gold
Environmental Product Declaration - Synthetic fabric composition
Non metallic dyestuffs

Width
140 cm minimum

Weight
320 g/m² ±5% (448 g/lin.m ±5%)

Abrasion Resistance*
Heavy duty / 10 year guarantee Independently certified to ≥100,000 Martindale cycles

Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
ASTM E84 Class 1 or A (Adhered)
ASTM E84 Class 1 or A (Un-adhered)
UL 723
With EnviroFlam5:
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette and match)
With FR Treatment (Gorts):
DIN 4102 B1
BS 5867-2: Type B Curtains & Drapes
EN 13773 Class 1
NFPA 701
Note: Flammability performance is dependent on components used; full details are listed within our certificates. Customers must ensure their complete furniture meets the necessary standards. composite tests customers must

Light Fastness
5 (ISO 105 - B02)

Fastness to Rubbing
Wet: 4, Dry: 4 (ISO 105 - X12)

Acoustic Properties
Acoustically transparent, acoustic graphs available upon request.

Bleach Cleanable
ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

Cleaning
Vacuum regularly. Wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning use steam, bleach, alcohol or professionally dry clean. Can be washed at 60°C. Full details can be found in our cleaning and disinfection guide.

*Results from abrasion testing are highly variable and are therefore not a reliable indicator of the wear performance of the fabric. All independent certification is supported by a 10 year durability guarantee. Internally we specify this product at >100,000 cycles which we believe is realistic for repeatability of testing.

The stated technical and environmental performance of a fabric may be affected by the post treatment applied. Product guarantees for the post treatment of fabrics undertaken by Camira are guaranteed for 5 years.

Please note that seam performance is dependent on seam construction, needle and thread type. We recommend that appropriate sewing advice be taken.

Batch to batch shade variations may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

D

Zusammensetzung
100% Polyester

Umweltfreundlich
Nach Zertifikat STANDARD 100 By OEKO-TEX®
Nach Zertifikat Indoor Advantage™ Gold
Umwelt Produktdeklaration – synthetische Stoffe
Nicht schwermetallhaltige Farbstoffe

Breite
140 cm nutzbare Breite

Gewicht
320 g/m² ±5% (448 g/lfd.m ±5%)

Scheuerfestigkeit*
Schwerer Objekteinsatz / 10 Jahre Garantie
Extern zertifiziert mit ≥100,000 Scheuertouren Martindale

Feuersicherung
EN 1021 - 1 (Zigarettentest)
EN 1021 - 2 (Streichholztest)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
ASTM E84 Class 1 or A (Adhered)
ASTM E84 Class 1 or A (Un-adhered)
UL 723
Mit EnviroFlam5:
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK Wohnmöbel Zigarettentest und Streichholztest)
Mit FR (Gorts) ausgerüstet:
DIN 4102 B1
BS 5867-2: Type B Curtains & Drapes
EN 13773 Class 1
NFPA 701
Bemerkung: Die Entflammbarkeit hängt von den verwendeten Komponenten ab ; die Details sind in unseren Zertifikaten beschrieben. Der Kunde muss sicherstellen, dass das gesamte Möbelstück die erforderlichen Normen erfüllt.

Lichtechtheit
5 (ISO 105 - B02)

Reibechtheit
Nass: 4, Trocken: 4 (ISO 105 - X12)

Akustische Eigenschaften
Akustisch durchlässig, akustische Messwerte auf Anfrage.

Chlorbleiche-Beständig
ISO 105 E03 Farbänderung 4 bei einer 1:4 verdünnten Chlor-Lösung

Reinigung
Regelmässig absaugen. Mit einem feuchten Tuch abwischen oder mit einem geeigneten Polstershampoo behandeln. Für eine Grundreinigung bitte Dampf, Chlorbleiche, Alkohol oder professionelle Trockenreinigung verwenden. Kann bei 60°C gewaschen werden. Weitere Informationen finden Sie in unserem Leitfaden zur Reinigung und Desinfektion.

*Ergebnisse von Scheuerfestigkeitsprüfungen sind variabel und kein zuverlässiger Indikator für die Verschleißleistung des Stoffes. Alle neutralen Zertifizierungen werden durch eine 10-Jahres-Garantie unterstützt. Intern spezifizieren wir dieses Produkt mit >100.000 Scheuertouren, um die Wiederholbarkeit der Testergebnisse zu gewährleisten.

Die angegebene technische und ökologische Eigenschaft eines Stoffes kann durch die nachträgliche Ausrüstung beeinflusst werden. Die Garantie für die nachträgliche Ausrüstung von Stoffen durch Camira, beträgt 5 Jahre.

Bitte beachten Sie, dass die Nahtfestigkeit von der Nahtkonstruktion, der Nadel und dem Fadentyp abhängt. Wir empfehlen, eine entsprechende Näh-Beratung in Anspruch zu nehmen.

Handelsübliche Farbabweichungen von Produktionslosen können auftreten. Wir behalten uns das Recht vor, technische Spezifikationen ohne Vorankündigung zu ändern. Nicht eingetragene Designrechte und das Urheberrecht an allen Designs sind das exklusive Eigentum von Camira Fabrics Limited.

F

Composition
100% Polyester

Écologique
Certifié à STANDARD 100 By OEKO-TEX®
Certifié à Indoor Advantage™ Gold
Déclaration environnementale du produit – tissu de composition synthétique
Teintures non métalliques

Largeur
140 cm minimum

Poids
320 g/m² ±5% (448 g/m.l ±5%)

Résistance à l'abrasion*
Usage intense / garantie 10 ans
Certificat indépendant ≥100,000 cycles Martindale

Flammabilité
EN 1021 - 1 (cigarette)
EN 1021 - 2 (allumette)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
ASTM E84 Class 1 or A (Adhered)
ASTM E84 Class 1 or A (Un-adhered)
UL 723
Avec EnviroFlam5:
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domicile cigarette et allumette)
Avec traitement FR (Gorts):
DIN 4102 B1
BS 5867-2: Type B Curtains & Drapes
EN 13773 Class 1
NFPA 701
Notez: Les performances d'inflammabilité dépendent des composants utilisés; tous les détails sont énumérés dans nos certificats. Les clients doivent s'assurer que leur mobilier complet répond aux normes nécessaires.

Solidité à la lumière
5 (ISO 105 - B02)

Solidité au Frottement
Mouillé: 4, Sec: 4 (ISO 105 - X12)

Propriétés Accoustiques
Acoustiquement transparent, graphiques acoustiques disponibles sur demande.

Nettoyable au javel
ISO 105 E03 changement de couleur 4 pour le facteur de dilution 1: 4 solution de chlore

Nettoyage
Passez l'aspirateur régulièrement. Essuyez avec un chiffon humide en utilisant un shampooing/savon pour tissus d'ameublement exclusif. Pour un nettoyage en profondeur, utilisez la vapeur, javel, alcool ou un nettoyage à sec professionnel. Peût être laver à la machine, programme maximum 60°c.Vous trouverez tous les détails dans notre guide de nettoyage et de désinfection.

*Les résultats des tests d'abrasion sont très variables et ne sont donc pas un indicateur fiable des performances d'usure du tissu. Toute certification indépendante est soutenue par une garantie de durabilité de 10 ans. En interne, nous spécifions ce produit à >100.000 cycles qui, selon nous, est réaliste pour la répétabilité des tests.

Les performances techniques et environnementales d'un tissu peuvent être affectées par le post-traitement appliqué. Les garanties de produit pour le post-traitement des tissus entrepris par Camira sont garanties pendant 5 ans.

Veuillez noter que la performance des coutures dépend de la construction des coutures, du type d'aiguille et de fil. Nous recommandons que des conseils de couture appropriés soient pris.

Des variations de teinte de lot à lot peuvent se produire dans les tolérances commerciales. Nous nous réservons le droit de modifier les spécifications techniques sans préavis. Les droits de conception non enregistrés et le droit d'auteur sur tous les dessins sont la propriété exclusive de Camira Fabrics Limited.

ES

Composición
100% Poliéster

Ambiental
Certificado de STANDARD 100 By OEKO-TEX®
Certificado de Indoor Advantage™ Gold
Declaracion Medio Ambiental de Producto – Tejido sintético
Tintes no metálicos

Ancho
140 cm mínimo

Peso
320 g/m² ±5% (448 g/lin.m ±5%)

Resistencia a la abrasión*
Garantía de 10 años con uso intenso independientemente del certificado de ≥100,000 Ciclos Martindale

Inflamabilidad
EN 1021 - 1 (cigarillo)
EN 1021 - 2 (cerilla)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class C, s1, d0
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
ASTM E84 Class 1 or A (Adhered)
ASTM E84 Class 1 or A (Un-adhered)
UL 723
Con EnviroFlam5:
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK doméstico cigarillo y cerilla)
Con tratamiento FR (Gorts):
DIN 4102 B1
BS 5867-2: Type B Curtains & Drapes
EN 13773 Class 1
NFPA 701
Nota: El rendimiento de la Inflamabilidad depende de los componentes usados; todos los detalles se enumeran en nuestros certificados. Los clientes deben asegurarse de que todos sus muebles cumplan con los estándares

Solidez a la luz
5 (ISO 105 - B02)

Solidez al rozamiento
Húmedo: 4, Seco: 4 (ISO 105 - X12)

Acústico Propiedades
Acústicamente transparente, gráficos disponibles bajo petición.

Posibilidad lavado con Lejía
ISO 105 E03 cambio color 4 para un factor de disolución 1:4 solución cloro

Limpieza
Uso aspirador regularmente. Limpiar con un trapo usando jabón y agua o producto limpieza para tapicerías. Para una limpieza más profunda usen vapor, lejía, alcohol o limpieza en seco. Se puede lavar a 60ºC. Los detalles completos se encuentran en nuestra guía de limpieza y desinfección.

*Los resultados de los tests de abrasion son altamente variables, por lo tanto no son un indicador fiable del rendimiento del desgaste del tejido. Todos los certificados externos dan 10 años de garantía. Internamente especificamos el producto a 100,000 ciclos que entendemos como es el método realista para la repetición de los tests.

El rendimiento técnico y medio Ambiental declarado de un tejido puede verse afectado por el tratamiento que se aplique posteriormente. La garantía de producto que ofrecemos en Camira para los tratamientos de los tejidos es de 5 años.

Tengan en cuenta que el rendimiento de las costuras depende de como se haya hecho la misma. Recomendamos que se sigan los consejos de costura o cosido apropiados.

Entre tintadas existe la posibilidad de una variación de color siempre dentro de una tolerancia comercia. Nos reservamos el derecho de modificar las especificaciones técnicas sin previo aviso. Los derechos de diseño no registrados y los derechos de autor son propiedad exclusiva de Camira Fabrics Limited.

CERTIFIED INDOOR AIR QUALITY SCS GLOBAL SERVICES
INDOOR ADVANTAGE GOLD FURNITURE

OEKO TEX® STANDARD 100
11-62664
Shirley
www.oeko-tex.com

VERIFIED by SCS GLOBAL SERVICES
ENVIRONMENTAL PRODUCT DECLARATION
BASED ON LCA

Synergy

Epitomising natural simplicity, Synergy is a wool rich fabric which is at once both irresistibly soft and ultra-high performing. Delicately felted, with a beautifully relaxed drape, the understated aesthetics showcase the intriguing colouration of this considered textile. Featuring exquisite fibre dyed shades and sumptuous piece dyed solids within its palette of 75 colourways, there truly is a tone for every scheme.

Standard Collection

SYNERGY Camira 3
CS08
CS16
CS45
CS46

camira



Bracket
LDS23



Summon
LDS45



Lateral
LDS28



Relate
LDS44



Marry
LDS43



Loop
LDS18



Frame
LDS22



Success
LDS76



Linea
LDS37



Collective
LDS39



Affinity
LDS74



Contribution
LDS75



Work
LDS73



Combo
LDS77



Cordial
LDS78



Congregate
LDS83



Likeness
LDS82



Similar
LDS81



Mutual
LDS84



Global
LDS86



Open
LDS71



Apt
LDS80



Share
LDS85



Values
LDS87



Amiable
LDS79



Fate
LDS07




Compose
LDS72



Medley
LDS36



Together
LDS70



Process
LDS88

Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.



Venture
LDS05



Fellowship
LDS66



Warmth
LDS67



Collaborate
LDS68



Assemble
LDS61



Huddle
LDS65



Order
LDS64



Guild
LDS63



Alike
LDS62



Sync
LDS69



Support
LDS55



Kinship
LDS56



Engage
LDS57



Family
LDS58



Unity
LDS38



Comply
LDS52



Kindness
LDS51



League
LDS50



Group
LDS59



Accord
LDS60



Regard
LDS54



Pact
LDS53



Integrate
LDS47



Couple
LDS41



Bridge
LDS26



Gather
LDS46



Append
LDS49



Interfuse
LDS48



Intertwine
LDS42



Co-operate
LDS40

Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.



Chain
LDS19



Tag
LDS33



Wed
LDS34



Affix
LDS32



Serendipity
LDS08



Partner
LDS16



Mix
LDS17



Level
LDS20



Pair
LDS31



Chemistry
LDS35



Hook
LDS29



Team
LDS21



Bond
LDS24



Compound
LDS25



Seek
LDS27

Synergy - Product information


Task seating


Soft seating


Panels


Cigarette & Match


IMO FTP Code (Part 8)


Acoustic



Year guarantee

With Treatment


Curtains


Medium Hazard

Technical information

UK

Composition
95% Virgin Wool, 5% Polyamide

Environment
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Environmental Product Declaration - Natural fabric composition

Width
140 cm minimum

Weight
400 g/m² ±5% (560 g/lin.m ±5%)

Abrasion Resistance*
Heavy duty/10 year guarantee
Independently certified to ≥100,000 Martindale cycles

Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1
(over CMHR 58kg/m³ Foam)
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class D, s1, d0
IMO FTP Code (Part 8)
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette and match)
With FR Treatment (Z):
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class D, s2, d0
BS 5867-2: Type B Curtains & Drapes
Note: Flammability performance is dependent on components used; full details are listed within our certificates. Customers must ensure their complete furniture meets the necessary standards.

Light Fastness
5 (ISO 105 - B02)

Fastness to Rubbing
Wet: 4, Dry: 4 (ISO 105 - X12)

Acoustic Properties
Acoustically transparent. Acoustic graphs available upon request.

Cleaning
Vacuum regularly. Wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning use steam or professionally dry clean. Full details can be found in our cleaning and disinfection guide.

*Results from abrasion testing are highly variable and are therefore not a reliable indicator of the wear performance of the fabric. All independent certification is supported by a 10 year durability guarantee. Internally we specify this product at >100,000 cycles which we believe is realistic for repeatability of testing.

The stated technical and environmental performance of a fabric may be affected by the post treatment applied. Product guarantees for the post treatment of fabrics undertaken by Camira are guaranteed for 5 years.

Please note that seam performance is dependent on seam construction, needle and thread type. We recommend that appropriate sewing advice be taken.

Batch to batch shade variations may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

D

Zusammensetzung
95% Schurwolle, 5% Polyamid

Umweltfreundlich
Nach Zertifikat EU Ecolabel
Nach Zertifikat Indoor Advantage™ Gold
Umweltproduktdeklaration – Stoffe aus Naturfasern

Breite
140 cm nutzbare Breite

Gewicht
400 g/m² ±5% (560 g/lfd.m ±5%)

Scheuerfestigkeit*
Schwerer Objekteinsatz/10 Jahre Garantie.
Extern zertifiziert mit ≥100,000 Scheuertouren Martindale

Feuersicherung
EN 1021 - 1 (Zigarettentest)
EN 1021 - 2 (Streichholztest)
BS 7176 Low Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1
(mit CMHR 58kg/m³ Schaum)
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class D, s1, d0
IMO FTP Code (Part 8)
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK Wohnmöbel Zigarettentest und Streichholztest)
Mit FR (Z) ausgerüstet:
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class D, s2, d0
BS 5867-2: Type B Curtains & Drapes
Bemerkung: Die Entflammbarkeit hängt von den verwendeten Komponenten ab ; die Details sind in unseren Zertifikaten beschrieben. Der Kunde muss sicherstellen, dass das gesamte Möbelstück die erforderlichen Normen erfüllt.

Lichtechtheit
5 (ISO 105 - B02)

Reibechtheit
Nass: 4, Trocken: 4 (ISO 105 - X12)

Akustische Eigenschaften
Akustisch durchlässig. Akustische Messwerte auf Anfrage.

Reinigung
Regelmässig absaugen. Mit einem feuchten Tuch abwischen oder mit einem geeigneten Polstershampoo behandeln. Für eine Grundreinigung bitte Dampf oder professionelle Trockenreinigung verwenden. Weitere Informationen finden Sie in unserem Leitfaden zur Reinigung und Pflege.

*Ergebnisse von Scheuerfestigkeitsprüfungen sind variabel und kein zuverlässiger Indikator für die Verschleißleistung des Stoffes. Alle neutralen Zertifizierungen werden durch eine 10-Jahres-Garantie unterstützt. Intern spezifizieren wir dieses Produkt mit >100,000 Scheuertouren, um die Wiederholbarkeit der Testergebnisse zu gewährleisten.

Die angegebene technische und ökologische Eigenschaft eines Stoffes kann durch die nachträgliche Ausrüstung beeinflusst werden. Die Garantie für die nachträgliche Ausrüstung von Stoffen durch Camira, beträgt 5 Jahre.

Bitte beachten Sie, dass die Nahtfestigkeit von der Nahtkonstruktion, der Nadel und dem Fadentyp abhängt. Wir empfehlen, eine entsprechende Näh-Beratung in Anspruch zu nehmen.

Handelsübliche Farbabweichungen von Produktionslosen können auftreten. Wir behalten uns das Recht vor, technische Spezifikationen ohne Vorankündigung zu ändern. Nicht eingetragene Designrechte und das Urheberrecht an allen Designs sind das exklusive Eigentum von Camira Fabrics Limited.

F

Composition
95% Laine Vierge, 5% Polyamid

Écologique
Avec le certificat EU Ecolabel
Certifié à Indoor Advantage™ Gold
Declaration environnementale du produit - tissu de composition naturelle

Largeur
140 cm minimum

Poids
400 g/m² ±5% (560 g/m.l ±5%)

Résistance à l'abrasion*
Usage intense/Garantie 10 ans
Certificat indépendant ≥100,000 cycles Martindale

Flammabilité
EN 1021 - 1 (cigarette)
EN 1021 - 2 (allumette)
BS 7176 Low Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1
(avec CMHR 58kg/m³ Mousse)
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class D, s1, d0
IMO FTP Code (Part 8)
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domicile cigarette et allumette)
Avec traitement FR (Z):
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class D, s2, d0 BS 5867-2: Type B Curtains & Drapes
Notez: Les performances d'inflammabilité dépendent des composants utilisés; tous les détails sont énumérés dans nos certificats. Les clients doivent s'assurer que leur mobilier complet répond aux normes nécessaires.

Solidité à la lumière
5 (ISO 105 - B02)

Solidité au Frottement
Mouillé: 4, Sec: 4 (ISO 105 - X12)

Propriétés Accoustiques
Acoustiquement transparent. Graphiques acoustiques disponibles sur demande.

Nettoyage
Passez l'aspirateur régulièrement. Essuyez avec un chiffon humide en utilisant un shampooing/savon pour tissus d'ameublement exclusif. Pour un nettoyage en profondeur, utilisez la vapeur ou un nettoyage à sec professionnel. Vous trouverez tous les détails dans notre guide de nettoyage et de désinfection.

*Les résultats des tests d'abrasion sont très variables et ne sont donc pas un indicateur fiable des performances d'usure du tissu. Toute certification indépendante est soutenue par une garantie de durabilité de 10 ans. En interne, nous spécifions ce produit à >100,000 cycles qui, selon nous, est réaliste pour la répétabilité des tests.

Les performances techniques et environnementales d'un tissu peuvent être affectées par le post-traitement appliqué. Les garanties de produit pour le post-traitement des tissus entrepris par Camira sont garanties pendant 5 ans.

Veuillez noter que la performance des coutures dépend de la construction des coutures, du type d'aiguille et de fil. Nous recommandons que des conseils de couture appropriés soient pris.

Des variations de teinte de lot à lot peuvent se produire dans les tolérances commerciales. Nous nous réservons le droit de modifier les spécifications techniques sans préavis. Les droits de conception non enregistrés et le droit d'auteur sur tous les dessins sont la propriété exclusive de Camira Fabrics Limited.

PL

Skład
95% wełna dziewicza, 5% poliamid

Środowisko
Certyfikat EU Ecolabel
Certyfikat Indoor Advantage™ Gold
Deklaracja Środowiskowa Produktu (EPD) – Naturalny skład tkaniny

Szerokość
Minimum 140 cm

Gramatura
400 g/m² ±5% (560 g/lin.m ±5%)

Odporność na ścieranie*
Do intensywnego u˙ytkowania / 10 lat gwarancji
Niezale˙nie certyfikowane : ≥100 000 cykli Martindale'a

Odporność na zapłon
EN 1021 - 1 (papieros)
EN 1021 - 2 (zapałka)
BS 7176 Niskie zagro˙enie
NF D 60-013
ÖNORM B 3825 & A 3800-1
(na piance CMHR 58 kg/m³)
UNI 9175 Klasa 1 IM
EN 13501-1 Wersja klejona: Klasa D, s1, d0
IMO FTP Code (Cz˚ść 8)
Przepisy dotycz¸ce mebli i wyposa˙enia wn˚trz w zakresie bezpiecze˝stwa po˙arowego (Wielka Brytania 1988 – papieros i zapałka)
Z dodatkową impregnacją ognioodporną (Z):
BS 5852 ˙ródło zapłonu 5
BS 7176 ˆrednie zagro˙enie
EN 13501-1 Wersja klejona: Klasa B, s1, d0
EN 13501-1 Wersja nieklejona: Klasa D, s2, d0
BS 5867-2: Typ B – zasłony i kotary
Uwaga:Odporno˙ć na zapłon zale˙y od zastosowanych komponentów – pełne informacje znajdują si˚ w naszych certyfikatach. Klient musi zadbać o to, by kompletne meble spełniały wymagane normy.

Odporność na światło
5 (ISO 105 - B02)

Odporność na tarcie
Na mokro: 4, na sucho: 4 (ISO 105 - X12)

Właściwosci akustyczne
Przepuszczalna akustycznie. Wykresy akustyczne dost˚pne na ˙yczenie.

Czyszczenie
Regularnie odkurzać. Przecierać wilgotn¸ szmatk¸ z u˙yciem odpowiedniego szamponu lub mydła do tapicerki. Do gł˚bszego czyszczenia stosować par˚ lub oddać do profesjonalnego prania chemicznego. Szczegółowe informacje dost˚pne s¸ w naszym przewodniku czyszczenia i dezynfekcji.

*Wyniki testów ˙cieralno˙ci mog¸ si˚ znacznie ró˙nić i nie s¸ wiarygodnym wska˙nikiem trwało˙ci tkaniny. Wszystkie certyfikaty niezale˙ne obj˚te s¸ 10-letni¸ gwarancj¸ trwało˙ci. Wewn˚trznie produkt ten okre˙lamy jako >100 000 cykli, co uwa˙amy za realistyczne i powtarzalne w testach.

Wydajno˙ć techniczna i ˙rodowiskowa tkaniny mo˙e być modyfikowana w zale˙no˙ci od zastosowanych obróbek ko˝cowych. Gwarancja na takie obróbki wykonane przez firm˚ Camira wynosi 5 lat.

Wydajno˙ć szwów zale˙y od konstrukcji szwu, rodzaju igły i nici – zalecamy konsultacj˚ z fachowcem.

Mi˚dzy partiami mog¸ wyst˚pować ró˙nice kolorystyczne mieszcz¸ce si˚ w tolerancjach handlowych. Zastrzegamy sobie prawo do zmiany specyfikacji technicznych bez wcze˙niejszego powiadomienia.

INDOOR ADVANTAGE GOLD FURNITURE


EU Ecolabel : AT/016/007

ENVIRONMENTAL PRODUCT DECLARATION BASED ON LCA

Filc
Felt
Filz
Feutre



FL01




FL02




FL03



FL04



FL05



FL06



FL07

Felt - Product and technical information

PL

Opis techniczny
Włóknina igłowana rPET i PET – o grubości około 9 mm i gramaturze 2000 g/m².

Klasyfikacja reakcji na ogień
B-s2, d0

Parametry akustyczne
-α = 0,30;
-klasa pochłaniania dźwięku – D.

EN

Technical Description
Needle-punched nonwoven fabric made of rPET and PET – approximately 9 mm thick, 2000 g/m² grammage.

Fire Reaction Classification
B-s2, d0

Acoustic Parameters
-α = 0.30;
-Sound absorption class – D.

DE

Technische Beschreibung
Nadelvlies aus rPET und PET – ca. 9 mm dick, Flächengewicht 2000 g/m².

Klassifizierung des Brandverhaltens
B-s2, d0

Akustische Eigenschaften
-α = 0,30;
-Schallabsorptionsklasse – D.

FR

Description Technique
Non-tissé aiguilleté en rPET et PET – environ 9 mm d'épaisseur, grammage 2000 g/m².

Classification de Réaction au Feu
B-s2, d0


Paramètres Acoustiques
-α = 0,30;
-Classe d'absorption acoustique – D.

Metale
Metals
Metall
Métal

1| STANDARD



M01
Aluminium / Aluminum / Aluminium / Aluminium



M02
Biały / White / Weiß / Blanc



M03
Beżowy / Beige / Beige / Beige



M04
Czarny / Black / Schwarz / Noir



M05
Grafit / Graphite / Graphit / Graphite

2| TREND



M09
Brudny róż / Dusty pink / Puderrosa / Rose poussiéreux



M10
Głęboki Niebieski / Deep blue / Tiefblau / Bleu profond



M11
Zieleń groszkowa / Pea green / Erbsengrün / Vert pois



M12
Bordo / Claret / Bordeaux / Bordeaux

PL

Farba do malowania proszkowego nie posiada w swoim składzie żadnych substancji widniejących na Czerwonej Liście i jej skład jest zgodny z rozporządzeniem REACH.

Farba posiada atesty wydawane przez polski Narodowy Instytut Zdrowia Publicznego. Atesty są potwierdzeniem bezpieczeństwa dla zdrowia ludzkiego oraz środowiska naturalnego, pod warunkiem stosowania wyrobów zgodnie z przeznaczeniem i sposobem użycia.

EN

The powder coating paint contains no substances listed on the Red List and complies with the REACH Regulation.

The paint is certified by the Polish National Institute of Public Health. These certificates confirm its safety for human health and the natural environment, provided the products are used according to their intended purpose and application guidelines.

DE

Das Pulverlack enthält keine Stoffe, die auf der „Roten Liste" stehen, und entspricht der REACH-Verordnung.

Der Lack ist vom Polnischen Nationalen Institut für Öffentliche Gesundheit zertifiziert. Die Zertifikate bestätigen die Unbedenklichkeit für die menschliche Gesundheit und die Umwelt, sofern die Produkte gemäß ihrer Bestimmung und Anwendung verwendet werden.


FR

La peinture en poudre ne contient aucune substance figurant sur la Liste Rouge et est conforme au règlement REACH.

La peinture est certifiée par l'Institut National Polonais de la Santé Publique. Ces certificats confirment sa sécurité pour la santé humaine et l'environnement naturel, à condition que les produits soient utilisés conformément à leur usage prévu et aux instructions d'utilisation.

Pozostałe materiały wykończeniowe
Remaining finishing materials
Übrige Ausbaumaterialien
Matériaux de finition restants

HPL Fenix



FX1
Biały / White / Weiß / Blanc
HPL 0,8 mm



FX2
Czarny / Black / Schwarz / Noir
HPL 0,8 mm

Szkło / Glass / Glas / Verre




GL01
Biały Opti / White Opti / Opti Weiß / Opti Blanc
12-4 mm

GL02
Satinato
12-4 mm



GL03
Czarny Opti / Black Opti / Opti Schwarz / Opti Noir
12-4 mm



GL04
Biały Lacobel / White Lacobel / Lacobel Weiß / Blanc Lacobel
4-12 mm



GL05
Czarny Lacobel / Black Lacobel / Lacobel Schwarz / Noir Lacobel
4-12 mm

Żaluzje / Tambour doors / Rollladen / Rideaux



RL01
Biały / White / Weiß / Blanc



RL02
Srebrny / Silver / Silber / Argent

HPL Fenix- Product and technical information

PL

Laminat dekoracyjny HPL o podwyższonej odporności na zarysowania, tarcie czy odciski palców.

Certyfikaty
-FSC® Certification
-PEFC
-CERTIFICATE OF BIO-BASED CONTENT (for FENIX NTM Bloom)
-EPD - Environmental Product Declaration
-GREENGUARD GOLD
-IMO MED (for FENIX NTM 0.9 mm and FENIX NTA 0.7 mm)
-NSF
-NORDIC ECOLABEL
-SUITABILITY FOR CONTACT WITH FOODSTUFF

EN

HPL decorative laminate with enhanced resistance to scratches, friction and fingerprints.

Certificates
-FSC® Certification
-PEFC
-CERTIFICATE OF BIO-BASED CONTENT (for FENIX NTM Bloom)
-EPD - Environmental Product Declaration
-GREENGUARD GOLD
-IMO MED (for FENIX NTM 0.9 mm and FENIX NTA 0.7 mm)
-NSF
-NORDIC ECOLABEL
-SUITABILITY FOR CONTACT WITH FOODSTUFF

DE

Dekorativer HPL-Laminat mit erhöhter Widerstandsfähigkeit gegen Kratzer, Abrieb und Fingerabdrücke.

Zertifikate
-FSC® Certification
-PEFC
-CERTIFICATE OF BIO-BASED CONTENT (for FENIX NTM Bloom)
-EPD - Environmental Product Declaration
-GREENGUARD GOLD
-IMO MED (for FENIX NTM 0.9 mm and FENIX NTA 0.7 mm)
-NSF
-NORDIC ECOLABEL
-SUITABILITY FOR CONTACT WITH FOODSTUFF

FR

Stratifié décoratif HPL avec une résistance accrue aux rayures, à l'abrasion et aux traces de doigts.

Certificats
-FSC® Certification
-PEFC
-CERTIFICATE OF BIO-BASED CONTENT (for FENIX NTM Bloom)
-EPD - Environmental Product Declaration
-GREENGUARD GOLD
-IMO MED (for FENIX NTM 0.9 mm and FENIX NTA 0.7 mm)
-NSF
-NORDIC ECOLABEL
-SUITABILITY FOR CONTACT WITH FOODSTUFF

FSC www.fsc.org FSC® C115920 The mark of responsible forestry

PEFC PEFC/18-32-119 Promoting Sustainable Forest Management

GREENGUARD GOLD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

biobased %

EPD®

NORDIC ECOLABEL 3010 0033

NSF®

Uchwyty
Handles
Griffe
Poignées

1| STANDARD



A1



B1



C1



K1*



E1

2| TREND



F1



Z1

Dostępny wyłącznie w kolekcji CulinArt
Available exclusively in the CulinArt collection
Nur in der CulinArt-Kollektion erhältlich
Disponible uniquement dans la collection CulinArt

Handles - Product and technical information

PL

Rozstaw otworów montażowych
A1 – 128 mm
B1 – 128 mm
C1 – 128 mm
K1 – 128 mm
E1 – 64 mm
Z1 – 192 mm

Dostępne kolory
A1 – czarny
B1 – chrom mat
C1 – chrom mat
K1 – biały, czarny i chrom mat
E1 – biały i czarny
F1 – biały, czarny i chrom mat
Z1 – chrom mat

EN

Mounting hole spacing
A1 – 128 mm
B1 – 128 mm
C1 – 128 mm
K1 – 128 mm
E1 – 64 mm
Z1 – 192 mm

Available colors
A1 – black
B1 – matte chrome
C1 – matte chrome
K1 – white, black and matte chrome
E1 – white and black
F1 – white, black and matte chrome
Z1 – matte chrome

DE

Bohrlochabstand
A1 – 128 mm
B1 – 128 mm
C1 – 128 mm
K1 – 128 mm
E1 – 64 mm
Z1 – 192 mm

Verfügbare Farben
A1 – Schwarz
B1 – mattes Chrom
C1 – mattes Chrom
K1 – Weiß, Schwarz und mattes Chrom
E1 – Weiß und Schwarz
F1 – Weiß, Schwarz und mattes Chrom
Z1 – mattes Chrom

FR

Entraxe
A1 – 128 mm
B1 – 128 mm
C1 – 128 mm
K1 – 128 mm
E1 – 64 mm
Z1 – 192 mm

Couleurs disponibles
A1 – noir
B1 – chrome mat
C1 – chrome mat
K1 – blanc, noir et chrome mat
E1 – blanc et noir
F1 – blanc, noir et chrome mat
Z1 – chrome mat

Fabryka Mebli Biurowych MARO Sp. z o. o.
PL 62-052 Komorniki, ul. Fabianowska 100
+48 61 890 00 00
maro@maro.eu

Niniejsza publikacja nie stanowi oferty w rozumieniu prawnym. Ze względów technologicznych kolory oraz struktura powierzchni mebla mogą się różnić od przedstawionych we wzorniku kolorystycznym. / The following publication does not constitute an offer or solicitation for the sale or purchase of any service in any jurisdiction. The same colors from the color range may differ from each other. / Diese Publikation stellt kein Angebot im rechtlichen Sinne dar. Die in der Mustermappe dargestellten Farben und Strukturen können aus technologischen Gründen von den Originalfarben und Dekorstrukturen abweichen.

maro.eu

Information

You can find all our current materials online.

Visit our website maro.eu

Find high quality photos and films to use in your materials maro.cloud/photo

Find solids and catalogs maro.eu/design-tools/pliki-do-pobrania

Oder furniture online shop.maro.pl

Fabryka Mebli Biurowych MARO Sp. z o. o.
PL 62-052 Komorniki, ul. Fabianowska 100

+48 61 890 00 00
maro@maro.eu

MARO.eu

Follow us and join t o MARO community

/@maroofficefurniture

/@maroofficefurniture

/@maroofficefurniture

/@maroofficefurniture

Please place your orders for printed materials and color samples by e-mail to marketing@maro.eu.

Ilustrations presented in this publication are only illustrative and do not constitute any offer or guarantee of any form - it especially applies to presented color and furniture surfaces used by MARO Office Furniture Factory. Please contact MARO sp. z o. o. to obtain information on functions and configurations.

All presented data, especially photos, specifications, descriptions, drawings and technical parameters do not constitute an offer in legal terms of the Civil Code, are not binding and can be changed without prior notice. A Sales Contract contains biding prices, equipment and specifications.

We reserve the right to make changes and mistakes. All the information in this price list is up-to-date on the publication date/accepting the material for publishing. The prices do not include VAT tax.

General Terms and Conditions of Sales and General Warranty and Complaint Terms and Conditions constitute an integral part of Sales Contracts.

The price list is valid from 01.02.2026 until further notice.

© MARO 02/26